



## UvA-DARE (Digital Academic Repository)

### Transient and variable radio sources in the LOFAR sky: an architecture for a detection framework

Scheers, L.H.A.

**Publication date**  
2011

[Link to publication](#)

#### **Citation for published version (APA):**

Scheers, L. H. A. (2011). *Transient and variable radio sources in the LOFAR sky: an architecture for a detection framework*. [Thesis, fully internal, Universiteit van Amsterdam].

#### **General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

#### **Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, P.O. Box 19185, 1000 GD Amsterdam, The Netherlands. You will be contacted as soon as possible.

---

# Contents

---

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Radio Astronomy in Historical Perspective . . . . .	1
1.2	LOFAR: The Next-Generation Radio Telescope . . . . .	3
1.2.1	The International LOFAR Telescope . . . . .	4
1.2.2	The Transients Key Science Project . . . . .	5
1.3	Expectations of LOFAR . . . . .	9
1.3.1	Source Counts and Data Rates . . . . .	9
1.3.2	Finding Transients with LOFAR . . . . .	10
1.4	This Thesis . . . . .	10
<b>2</b>	<b>Expected Data Rates and Volumes for the LOFAR Transients Key Project</b>	<b>13</b>
2.1	Introduction . . . . .	13
2.2	The Design of the LOFAR Telescope . . . . .	14
2.3	Expected Data Rates & Volumes for some TKP Observation Modes . . . . .	17
2.3.1	The Expected Number of Sources in the LOFAR Frequency Bands . . . . .	17
2.3.2	Confusion Limited Images . . . . .	18
2.3.3	The Radio Sky Monitor . . . . .	19
2.3.4	The Full Dutch Array . . . . .	23
2.3.5	Million Sources Sky Survey – Commensal Mode . . . . .	25
2.3.6	Summary . . . . .	27
2.4	TKP Databases . . . . .	28
2.4.1	The TKP pipeline Database Schema . . . . .	29
2.4.2	MonetDB . . . . .	33
2.4.3	Associating LOFAR Sources in the Database . . . . .	35
2.5	Discussion . . . . .	41
2.A	Source Counts & Data Rates of LOFAR Modes . . . . .	43
2.B	Benchmark Queries . . . . .	48

<b>3</b>	<b>LOFAR's Transients and Variability Detection Algorithms</b>	<b>51</b>
3.1	Introduction . . . . .	52
3.2	Database and Internal Algorithms . . . . .	53
3.2.1	Column Oriented Storage Model . . . . .	53
3.2.2	Database Schema . . . . .	54
3.2.3	Source Association . . . . .	55
3.2.4	Transient and Variability Detection . . . . .	57
3.3	Simulated Data . . . . .	58
3.3.1	The Data . . . . .	58
3.3.2	Source Association, $r$ and $\log LR$ . . . . .	59
3.3.3	Variability . . . . .	61
3.4	GRB 030329 Field . . . . .	64
3.4.1	The Data . . . . .	64
3.4.2	Results . . . . .	67
3.5	Discussion and Conclusions . . . . .	78
<b>4</b>	<b>Cross-Matching Multiple Radio Catalogues</b>	<b>81</b>
4.1	Introduction . . . . .	82
4.2	Association Parameters . . . . .	84
4.3	Reliability of WENSS–NVSS Associations . . . . .	85
4.3.1	Source Selection Criteria . . . . .	85
4.3.2	Parameter Evaluation . . . . .	86
4.4	Cross-Matching Bright VLSS Sources with WENSS and NVSS Sources . . . . .	91
4.5	Discussion and Conclusions . . . . .	95
<b>5</b>	<b>A New Perspective on GCRT J1745–3009</b>	<b>97</b>
5.1	Introduction . . . . .	98
5.2	Data Reduction . . . . .	99
5.2.1	General . . . . .	99
5.2.2	The 92 cm WSRT Observations on 2005 March 24 . . . . .	99
5.2.3	The 21 cm WSRT Observations on 2005 May 14/15 . . . . .	101
5.2.4	The 92 cm VLA Discovery Dataset of 2002 September 30 / October 1 . . . . .	102
5.3	The Source on the Opposite Side of the Supernova Remnant . . . . .	104
5.4	Overview of Flux Measurements of GCRT J1745–3009 . . . . .	105
5.5	Reanalysis of the 2002 Discovery Dataset . . . . .	108

5.5.1	Lightcurve . . . . .	108
5.5.2	Implications for Other Observations . . . . .	112
5.5.3	Position and Flux Measurements; Spectral Index Determination . . . . .	113
5.5.4	Circular Polarisation . . . . .	114
5.5.5	Maximum Source Size and Maximum Distance for Incoherent Emission . . . . .	114
5.6	Discussion . . . . .	115
5.7	Conclusions . . . . .	118
<b>6</b>	<b>Low-Frequency Observations of the Radio Nebula Produced by the Giant Flare from SGR 1806–20: Polarimetry and Total Intensity Measurements</b>	<b>121</b>
6.1	Introduction . . . . .	122
6.2	Observation and Data Reduction . . . . .	122
6.2.1	General . . . . .	122
6.2.2	Detailed Description of the Datasets . . . . .	125
6.3	Results . . . . .	127
6.3.1	Total Intensity Measurements . . . . .	127
6.3.2	Polarimetry . . . . .	127
6.4	Discussion . . . . .	132
6.4.1	Total Intensity Measurements . . . . .	132
6.4.2	Polarimetric Measurements . . . . .	134
6.5	Conclusions . . . . .	135
	<b>Samenvatting in het Nederlands</b>	<b>137</b>
	<b>List of Publications</b>	<b>145</b>
	<b>Dankwoord</b>	<b>147</b>
	<b>Bibliography</b>	<b>151</b>