



## UvA-DARE (Digital Academic Repository)

### Mechanics of filled rubbers from a molecular point of view

Varol, H.S.

**Publication date**

2017

**Document Version**

Other version

**License**

Other

[Link to publication](#)

**Citation for published version (APA):**

Varol, H. S. (2017). *Mechanics of filled rubbers from a molecular point of view*.

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

# BIBLIOGRAPHY

- [1] J.G. de Castro, R. Zargar, M. Habibi, S.H. Varol, S.H. Parekh, B. Hosseinkhani, M. Adda-Bedia, D. Bonn, Nonmonotonic fracture behavior of polymer nanocomposites, *Appl. Phys. Lett.* 106 (2015) 221904. doi:10.1063/1.4922287.
- [2] S.A. Jensen, Z. Mics, I. Ivanov, H.S. Varol, D. Turchinovich, F.H.L. Koppens, M. Bonn, K.-J. Tielrooij, Competing Ultrafast Energy Relaxation Pathways in Photoexcited Graphene, *Nano Lett.* (2014) 1–14. doi:10.1021/nl502740g.
- [3] E. Riande, R. Diaz-Calledja, M.G. Prolongo, R.M. Masegosa, C. Salom, *Polymer Viscoelasticity: Stress and Strain in Practice*, Marcel Dekker AG, New York and Basel, 2000.
- [4] L.R. Treloar, *The Physics of Rubber Elasticity*, Oxford University Press, Oxford, 1975.
- [5] J.R. Fried, *Polymer Science and Technology*, Prentice Hall, NJ, 2003.
- [6] A. Cavallo, M. Müller, J.P. Wittmer, A. Johner, K. Binder, Single chain structure in thin polymer films: corrections to Flory's and Silberberg's hypotheses, *J. Phys. Condens. Matter.* 17 (2005) S1697–S1709. doi:10.1088/0953-8984/17/20/004.
- [7] F.W. Starr, T.B. Schrøder, S.C. Glotzer, Molecular Dynamics Simulation of a Polymer Melt with a Nanoscopic Particle, *Macromolecules.* 35 (2002) 4481–4492. doi:10.1021/ma010626p.
- [8] P. Rittigstein, J.M. Torkelson, Polymer–nanoparticle interfacial interactions in polymer nanocomposites: Confinement effects on glass transition temperature and suppression of physical aging, *J. Polym. Sci. Part B Polym. Phys.* 44 (2006) 2935–2943. doi:10.1002/polb.20925.
- [9] C.B. Roth, J.R. Dutcher, Glass transition and chain mobility in thin polymer films, *J. Electroanal. Chem.* 584 (2005) 13–22. doi:10.1016/j.jelechem.2004.03.003.
- [10] J. Jancar, J. Douglas, F. Starr, Current issues in research on structure–property relationships in polymer nanocomposites, *Polymer (Guildf).* 51 (2010) 3321–3343. doi:10.1016/j.polymer.2010.04.074.
- [11] J. Kalfus, J. Jancar, Immobilization of polyvinylacetate macromolecules on

## Bibliography

- hydroxyapatite nanoparticles, *Polymer (Guildf)*. 48 (2007) 3935–3937. doi:10.1016/j.polymer.2007.04.049.
- [12] S. Wolff, M.-J. Wang, E.-H. Tan, Filler-Elastomer Interactions. Part VII. Study on Bound Rubber, *Rubber Chem. Technol.* 66 (1993) 163–177. doi:10.5254/1.3538304.
- [13] K. Ben Azouz, E.C. Ramires, W. Van Den Fonteyne, N. El Kissi, A. Dufresne, Simple method for the melt extrusion of a cellulose nanocrystal reinforced hydrophobic polymer, *ACS Macro Lett.* 1 (2012) 236–240. doi:10.1021/mz2001737.
- [14] T. McNally, P. Pötschke, P. Halley, M. Murphy, D. Martin, S.E.J. Bell, G.P. Brennan, D. Bein, P. Lemoine, J.P. Quinn, Polyethylene multiwalled carbon nanotube composites, *Polymer (Guildf)*. 46 (2005) 8222–8232. doi:10.1016/j.polymer.2005.06.094.
- [15] J. Sapkota, M. Jorfi, C. Weder, E.J. Foster, Reinforcing Poly(ethylene) with Cellulose Nanocrystals, *Macromol. Rapid Commun.* 35 (2014) 1747–1753.
- [16] S.S. Sternstein, A.J. Zhu, Reinforcement mechanism of nanofilled polymer melts as elucidated by nonlinear viscoelastic behavior, *Macromolecules*. 35 (2002) 7262–7273. doi:10.1021/ma020482u.
- [17] J. Oberdisse, Aggregation of colloidal nanoparticles in polymer matrices, *Soft Matter*. 2 (2006) 29. doi:10.1039/b511959f.
- [18] B.A. Jones, A. Facchetti, T.J. Marks, M.R. Wasielewski, Cyanonaphthalene Diimide Semiconductors for Air-Stable, Flexible, and Optically Transparent n-Channel Field-Effect Transistors, *Chem. Mater.* 19 (2007) 733–735.
- [19] K.I. Winey, R.A. Vaia, *Polymer*, *MRS Bull.* 32 (2007) 314–319.
- [20] L.S. Schadler, S.K. Kumar, B.C. Benicewicz, S.L. Lewis, S.E. Harton, Designed Interfaces in Polymer Nanocomposites : A Fundamental Viewpoint, *MRS Bull.* 32 (2007) 335–340.
- [21] M. Moniruzzaman, K.I. Winey, Polymer Nanocomposites Containing Carbon Nanotubes, *Macromolecules*. 39 (2006) 5194–5205. doi:10.1021/ma060733p.
- [22] M.M. Rooney, D.H. Farrell, B.M. van Hemel, P.G. de Groot, S.T. Lord, The contribution of the three hypothesized integrin-binding sites in fibrinogen

## Bibliography

- to platelet-mediated clot retraction., *Blood*. 92 (1998) 2374–81. <http://www.bloodjournal.org/content/92/7/2374.abstract>.
- [23] W.A. Lam, O. Chaudhuri, A. Crow, K.D. Webster, T.-D. Li, A. Kita, J. Huang, D.A. Fletcher, Mechanics and contraction dynamics of single platelets and implications for clot stiffening., *Nat. Mater.* 10 (2011) 61–6. doi:10.1038/nmat2903.
- [24] M. Gerspracher, C.P. O'Farrell, Filler-filler and filler-polymer interactions as a function of in-rubber carbon black dispersion, *Kautschuk Und Gummi, Kunststoffe*. 51 (1998) 488–495.
- [25] R. Rauline, inventor; Michelin, assignee. Copolymer rubber composition with silica filler, tires having a base of said composition and method of preparing same. US patent 5227425. (1993, Jul 13).
- [26] W.H. Waddell, L.R. Evans, Use of Nonblack Fillers in Tire Compounds, *Rubber Chem. Technol.* 69 (1996) 377–423. doi:10.5254/1.3538378.
- [27] P. Akcora, S.K. Kumar, J. Moll, S. Lewis, L.S. Schadler, Y. Li, B.C. Benicewicz, A. Sandy, S. Narayanan, J. Ilavsky, P. Thiyagarajan, R.H. Colby, J.F. Douglas, "Gel-like" Mechanical Reinforcement in Polymer Nanocomposite Melts, *Macromolecules*. 43 (2010) 1003–1010. doi:10.1021/ma902072d.
- [28] L. Conzatti, G. Costa, M. Castellano, A. Turturro, F.M. Negroni, J.F. Gérard, Morphology and Viscoelastic Behaviour of a Silica Filled Styrene/Butadiene Random Copolymer, *Macromol. Mater. Eng.* 293 (2008) 178–187. doi:10.1002/mame.200700320.
- [29] C. Chevigny, F. Dalmas, E. Di Cola, D. Gimes, D. Bertin, F. Boué, J. Jestin, Polymer-Grafted-Nanoparticles Nanocomposites: Dispersion, Grafted Chain Conformation, and Rheological Behavior, *Macromolecules*. 44 (2011) 122–133. doi:10.1021/ma101332s.
- [30] M. Castellano, L. Conzatti, A. Turturro, G. Costa, G. Busca, Influence of the silane modifiers on the surface thermodynamic characteristics and dispersion of the silica into elastomer compounds, *J. Phys. Chem. B*. 111 (2007) 4495–4502.
- [31] F. Yatsuyanagi, N. Suzuki, M. Ito, H. Kaidu, Effects of surface chemistry of silica particles on the mechanical properties of silica filled styrene-butadiene rubber systems, *J. Appl. Polym. Sci* 86, 7 (2002) 1622–1629.

## Bibliography

- [32] N. Jouault, F. Dalmas, F. Boué, J. Jestin, Multiscale characterization of filler dispersion and origins of mechanical reinforcement in model nanocomposites, *Polymer (Guildf)*. 53 (2012) 761–775. doi:10.1016/j.polymer.2011.12.001.
- [33] J. Oberdisse, F. Boué, Rheology–structure relationship of a model nanocomposite material, *Trends Colloid Interface Sci.* XVII. (2004) 124–129. doi:10.1007/b94023.
- [34] G.J. Schneider, V. Vollnhals, K. Brandt, S. V Roth, D. Göritz, Correlation of mass fractal dimension and cluster size of silica in styrene butadiene rubber composites., *J. Chem. Phys.* 133 (2010) 94902. doi:10.1063/1.3469827.
- [35] Y. Shinohara, H. Kishimoto, N. Yagi, Y. Amemiya, Microscopic Observation of Aging of Silica Particles in Unvulcanized Rubber, *Macromolecules*. 43 (2010) 9480–9487. doi:10.1021/ma102095b.
- [36] M. Tatou, A. Genix, A. Imaz, J. Forcada, R. Schweins, I. Grillo, J. Oberdisse, Reinforcement and Polymer Mobility in Silica À Latex Nanocomposites with Controlled Aggregation, *Macromolecules*. 44 (2011) 9029–9039.
- [37] A. Botti, W. Pyckhout-Hintzen, D. Richter, V. Urban, E. Straube, J. Kohlbrecher, Silica filled elastomers: polymer chain and filler characterization in the undeformed state by a SANS–SAXS approach, *Polymer (Guildf)*. 44 (2003) 7505–7512. doi:10.1016/j.polymer.2003.09.016.
- [38] G.P. Baeza, A. Genix, C. Degrandcourt, L. Petitjean, Multiscale Filler Structure in Simplified Industrial Nanocomposite Silica / SBR Systems Studied by SAXS and TEM, *Macromolecules*. 46 (2013) 317–329.
- [39] G.P. Baeza, A.-C. Genix, C. Degrandcourt, J. Gummel, M. Couty, J. Oberdisse, Mechanism of aggregate formation in simplified industrial silica styrene-butadiene nanocomposites: effect of chain mass and grafting on rheology and structure., *Soft Matter*. 10 (2014) 6686–95. doi:10.1039/c4sm01095g.
- [40] M. Castellano, L. Conzatti, G. Costa, L. Falqui, A. Turturro, B. Valenti, F. Negroni, Surface modification of silica: 1. Thermodynamic aspects and effect on elastomer reinforcement, *Polymer (Guildf)*. 46 (2005) 695–703. doi:10.1016/j.polymer.2004.11.010.

## Bibliography

- [41] D. Le Strat, F. Dalmas, S. Randriamahefa, J. Jestin, V. Wintgens, Mechanical reinforcement in model elastomer nanocomposites with tuned microstructure and interactions, *Polymer (Guildf)*. 54 (2013) 1466–1479. doi:10.1016/j.polymer.2013.01.006.
- [42] J.S. Meth, S.G. Zane, C. Chi, J.D. Londono, B.A. Wood, P. Cotts, M. Keating, W. Guise, S. Weigand, Development of Filler Structure in Colloidal Silica–Polymer Nanocomposites, *Macromolecules*. 44 (2011) 8301–8313. doi:10.1021/ma201714u.
- [43] S. Harms, K. Rätzke, F. Faupel, G.J. Schneider, L. Willner, D. Richter, Free Volume of Interphases in Model Nanocomposites Studied by Positron Annihilation Lifetime Spectroscopy, *Macromolecules*. 43 (2010) 10505–10511. doi:10.1021/ma1022692.
- [44] K. Nusser, S. Neueder, G.J. Schneider, M. Meyer, W. Pyckhout-Hintzen, L. Willner, A. Radulescu, D. Richter, Conformations of Silica–Poly(ethylene–propylene) Nanocomposites, *Macromolecules*. 43 (2010) 9837–9847. doi:10.1021/ma101898c.
- [45] B. Radhakrishnan, R. Ranjan, W.J. Brittain, Surface initiated polymerizations from silica nanoparticles, *Soft Matter*. 2 (2006) 386. doi:10.1039/b516508c.
- [46] I. In, Y. La, S. Park, P.F. Nealey, P. Gopalan, Side-Chain-Grafted Random Copolymer Brushes as Neutral Surfaces for Controlling the Orientation of Block Copolymer Microdomains in Thin Films, *Langmuir*. 22 (2006) 7855–7860.
- [47] G.P. Baeza, A. Genix, C. Degrandcourt, L. Petitjean, R. Schweins, M. Couty, J. Oberdisse, Effect of Grafting on Rheology and Structure of a Simplified Industrial Nanocomposite Silica/SBR, *Macromolecules*. 46 (2013) 6621–6633. doi:dx.doi.org/10.1021/ma401016d.
- [48] L.F. Scatena, M.G. Brown, G.L. Richmond, Water at hydrophobic surfaces: weak hydrogen bonding and strong orientation effects., *Science*. 292 (2001) 908–12. doi:10.1126/science.1059514.
- [49] Y.R. Shen, Surface properties probed by second-harmonic and sum-frequency generation, *Nature*. 337 (1989) 519–525. doi:10.1038/337519a0.
- [50] Y.R. Shen, *Principles of nonlinear optics*, Wiley-Interscience, NY (1984).

## Bibliography

- [51] J.E. Baio, T. Weidner, J. Brison, D.J. Graham, L.J. Gamble, D.G. Castner, Amine Terminated SAMs: Investigating Why Oxygen is Present in these Films., *J. Electron Spectros. Relat. Phenomena.* 172 (2009) 2–8. doi:10.1016/j.elspec.2009.02.008.
- [52] J. Stöhr, *NEXAFS Spectroscopy*, Springer Science & Business Media, Berlin Heidelberg (1992).
- [53] A. Gulino, S. La Delfa, I. Fragalà, R.G. Egdell, Low-Temperature Stabilization of Tetragonal Zirconia by Bismuth, *Chem. Mater.* 8 (1996) 1287–1291. doi:10.1021/cm950558j.
- [54] G.F. Cerofolini, C. Galati, L. Renna, O. Viscuso, M. Camalleri, S. Lorenti, G.G. Condorelli, I.L. Fragalà, X-ray-photoemission-spectroscopy evidence for anomalous oxidation states of silicon after exposure of hydrogen-terminated single-crystalline (100) silicon to a diluted N<sub>2</sub>: N<sub>2</sub>O atmosphere, *J. Phys. D. Appl. Phys.* 35 (2002) 1032–1038. doi:10.1088/0022-3727/35/10/311.
- [55] D. Briggs, M. Seah, H. Bubert, *Practical Surface Analysis. Vol. 1: Auger and X-ray Photoelectron Spectroscopy*, John Wiley & Sons, NY (1996).
- [56] H.F. Brinson, L.C. Brinson, *Polymer Engineering Science and Viscoelasticity*, Springer US, Boston, MA, 2015. doi:10.1007/978-1-4899-7485-3.
- [57] R. Houwink, H.K. de Decker, *Elasticity, Plasticity and Structure of Matter*, Cambridge University Press, Cambridge (2009).
- [58] G. Heinrich, M. Klüppel, T.A. Vilgis, Reinforcement of elastomers, *Curr. Opin. Solid State Mater. Sci.* 6 (2002) 195–203.
- [59] G. Heinrich, M. Kluppel, T.A. Vilgis, Reinforcement of elastomers, *Curr. Opin. Solid State Mater. Sci.* 6 (2002) 195–203.
- [60] E.M. Dannenberg, The Effects of Surface Chemical Interactions on the Properties of Filler-Reinforced Rubbers, *Rubber Chem. Technol.* 48 (1975) 410–444. doi:10.5254/1.3547460.
- [61] J.E. Mark, B. Erman, M. Roland, *The science and technology of rubber*, 4th ed., Academic Press, MA (2013).
- [62] C.G. Robertson, C.J. Lin, M. Rackaitis, C.M. Roland, Influence of Particle Size and Polymer–Filler Coupling on Viscoelastic Glass Transition of Particle-

## Bibliography

- Reinforced Polymers, *Macromolecules*. 41 (7)(2008) 2727-2731. doi: 10.1021/ma7022364.
- [63] G. Huber, T.A. Vilgis, On the mechanism of hydrodynamic reinforcement in elastic composites, *Macromolecules*. 35 (2002) 9204–9210. doi:10.1021/ma0208887.
- [64] M. Klüppel, *The Role of Disorder in Filler Reinforcement of Elastomers on Various Length Scales*, Springer Berlin Heidelberg (2003) 1–86. doi:10.1007/b11054.
- [65] A.R. Payne, The dynamic properties of carbon black loaded natural rubber vulcanizates. Part II, *J. Appl. Polym. Sci.* 6 (1962) 368–372. doi:10.1002/app.1962.070062115.
- [66] L. Mullins, Softening of Rubber by Deformation, *Rubber Chem. Technol.* 42 (1969) 339–362. doi:10.5254/1.3539210.
- [67] L. Chazeau, J.D. Brown, L.C. Yanyo, S.S. Sternstein, Modulus recovery kinetics and other insights into the Payne effect for filled elastomers, *Polym. Compos.* 21 (2000) 202–222. doi:10.1002/pc.10178.
- [68] G. Heinrich, M. Klüppel, T.A. Vilgis, Reinforcement of elastomers, *Curr. Opin. Solid State Mater. Sci.* 6 (2002) 195–203. doi:10.1016/S1359-0286(02)00030-X.
- [69] H.W. Siesler, *Rheo-optical Fourier-Transform infrared spectroscopy: Vibrational spectra and mechanical properties of polymers*, *Advances in Polymer Science*, Springer Berlin Heidelberg (1984). 1–77. doi:10.1007/BFb0017101.
- [70] L. Bokobza, Filled elastomers : a new approach based on measurements of chain orientation, *Polymer (Guildf)*. 42 (2001) 5415–5423.
- [71] C. Yuan, J. Wang, G. Chen, J. Zhang, J. Yang, Orientation studies of uniaxial drawn syndiotactic polystyrene/carbon nanotube nanocomposite films, *Soft Matter*. 7 (2011) 4039. doi:10.1039/c0sm01475c.
- [72] C. Yuan, J. Zhang, G. Chen, J. Yang, Insight into carbon nanotube effect on polymer molecular orientation: an infrared dichroism study., *Chem. Commun. (Camb)*. 47 (2011) 899–901. doi:10.1039/c0cc03198d.
- [73] G. Chen, S. Liu, S. Zhang, Z. Qi, Self-assembly in a



## Bibliography

- polystyrene/montmorillonite nanocomposite, *Macromol. Rapid Commun.* 21 (2000) 746–749.
- [74] G. Chen, D. Shen, M. Feng, M. Yang, An Attenuated Total Reflection FT-IR Spectroscopic Study of Polyamide 6/Clay Nanocomposite Fibers, *Macromol. Rapid Commun.* 25 (2004) 1121–1124. doi:10.1002/marc.200400079.
- [75] G. Chen, Y. Ma, X. Zheng, G. Xu, J. Liu, J. Fan, D. Shen, Z. Qi, Wide angle X-ray diffraction and Fourier transform infrared dichroism studies of stretched-recovery-restretched process of polyurethane/clay nanocomposite, *J. Polym. Sci. Part B Polym. Phys.* 45 (2007) 654–660. doi:10.1002/polb.21075.
- [76] X. Dai, J. Xu, X. Guo, Y. Lu, D. Shen, N. Zhao, X. Luo, X. Zhang, Study on Structure and Orientation Action of Polyurethane Nanocomposites, *Macromolecules.* 37 (2004) 5615–5623. doi:10.1021/ma049900g.
- [77] T.A. Huy, R. Adhikari, G.H. Michler, Deformation behavior of styrene-block-butadiene-block-styrene triblock copolymers having different morphologies, *Polymer (Guildf).* 44 (2003) 1247–1257. doi:10.1016/S0032-3861(02)00548-7.
- [78] S. Onogi, T. Asada, A. Tanaka, Rheo-optical studies of high polymers. XIV. Study of the deformation mechanism in polymer blends of polypropylene with ethylene–propylene rubber, *J. Polym. Sci. Part A-2 Polym. Phys.* 7 (1969) 171–182. doi:10.1002/pol.1969.160070114.
- [79] H.W. Siesler, The characterization of polymer deformation by rheo-optical fourier-transform infrared spectroscopy, *Makromol. Chemie. Macromol. Symp.* 53 (1992) 89–103. doi:10.1002/masy.19920530111.
- [80] W.D. Callister, *Materials Science And Engineering: An Introduction*, John Wiley & Sons, DG Rethwisch (2007).
- [81] P.B. Bowden, R.J. Young, M. Science, Deformation mechanisms in crystalline polymers, *J. Mater. Sci.* 9 (1974) 2034–2051. doi:10.1007/BF00540553.
- [82] J.C. Halpin, J.L. Kardos, Moduli of crystalline polymers employing composite theory, *J. Appl. Phys.* 43 (1972) 2235–2241. doi:10.1063/1.1661482.
- [83] H.W. Siesler, K. Holland-Moritz, Infrared and Raman spectroscopy of

## Bibliography

- polymers, Marcel Dekker, NY and Basel (1980).
- [84] G. Chen, Z. Qi, D. Shen, Shear-induced ordered structure in polystyrene/clay nanocomposite, *J. Mater. Res.* 15 (2000) 351–356. doi:10.1557/JMR.2000.0055.
- [85] C.B. Wang, S.L. Cooper, Morphology and properties of segmented polyether polyurethaneureas, *Macromolecules.* 16 (1983) 775–786. doi:10.1021/ma00239a014.
- [86] R.N. Haward, G. Thackray, The Use of a Mathematical Model to Describe Isothermal Stress-Strain Curves in Glassy Thermoplastics, *Proc. R. Soc. A Math. Phys. Eng. Sci.* 302 (1968) 453–472. doi:10.1098/rspa.1968.0029.
- [87] R.N. Haward, Strain Hardening of Thermoplastics, *Macromolecules.* 26 (1993) 5860–5869. doi:10.1021/ma00074a006.
- [88] G. Michler, *Electron microscopy of polymers*, Springer-Verlag Berlin Heidelberg (2008).
- [89] S. Hüfner, *Photoelectron spectroscopy: principles and applications*, Springer-Verlag Berlin Heidelberg, NY (2003).
- [90] T. Hemraj-Benny, S. Banerjee, S. Sambasivan, M. Balasubramanian, D.A. Fischer, G. Eres, A.A. Puretzky, D.B. Geohegan, D.H. Lowndes, W. Han, J.A. Misewich, S.S. Wong, Near-edge X-ray absorption fine structure spectroscopy as a tool for investigating nanomaterials, *Small.* 2 (2006) 26–35. doi:10.1002/sml.200500256.
- [91] A.G. Lambert, P.B. Davies, D.J. Neivandt, Implementing the Theory of Sum Frequency Generation Vibrational Spectroscopy: A Tutorial Review, *Appl. Spectrosc. Rev.* 40 (2005) 103–145. doi:10.1081/ASR-200038326.
- [92] B.E.A. Saleh, M.C. Teich, *Fundamentals of photonics*, Wiley-Interscience, (2007).
- [93] R.D.B. Fraser, Interpretation of Infrared Dichroism in Fibrous Proteins —the  $2\mu$  Region, *J. Chem. Phys.* 24 (1956) 89. doi:10.1063/1.1700877.
- [94] P.H. Hermans, *Contribution To The Physics Of Cellulose Fibres*, Elsevier Publishing Company, London (1946).
- [95] R.S. Stein, The X-ray diffraction, birefringence, and infrared dichroism of stretched polyethylene. II. Generalized uniaxial crystal orientation, *J. Polym.*

## Bibliography

- Sci. 31 (1958) 327–334. doi:10.1002/pol.1958.1203112309.
- [96] R.J. Samuels, *Structured polymer properties: the identification, interpretation, and application of crystalline polymer structure*, Wiley, NY (1974).
- [97] S. Glantz, *Primer of Biostatistics, Seventh Edition, 7th ed.*, McGraw-Hill Education / Medical, New York, 2012.
- [98] M.L. McHugh, Multiple comparison analysis testing in ANOVA, *Biochem. Medica.* (2011) 203–209. doi:10.11613/BM.2011.029.
- [99] V. Bacarea, *Odabrane teme iz biostatistike Lessons in biostatistics*, 20 (2010) 15–32.
- [100] H. Abdi, L. Williams, Newman-Keuls test and Tukey test, *Encycl. Res. Des.* (2010).
- [101] J.C.H. Affdl, J.L. Kardos, The Halpin-Tsai equations: A review, *Polym. Eng. Sci.* 16 (1976) 344–352. doi:10.1002/pen.760160512.
- [102] Y. Benveniste, A new approach to the application of Mori-Tanaka's theory in composite materials, *Mech. Mater.* 6 (1987) 147–157. doi:10.1016/0167-6636(87)90005-6.
- [103] R.M. Christensen, K.H. Lo, Solutions for effective shear properties in three phase sphere and cylinder models, *J. Mech. Phys. Solids.* 27 (1979) 315–330. doi:10.1016/0022-5096(79)90032-2.
- [104] R.M. Christensen, A Critical Evaluation for a Class of Micro-Mechanics Models, in: *Inelast. Deform. Compos. Mater.*, Springer New York, New York, NY, 1991: pp. 275–282. doi:10.1007/978-1-4613-9109-8\_13.
- [105] S. Agnelli, G. Ramorino, S. Passera, J. Karger-Kocsis, T. Ricco, Fracture resistance of rubbers with MWCNT, organoclay, silica and carbon black fillers as assessed by the J-integral: Effects of rubber type and filler concentration, *Express Polym. Lett.* (2012). doi:10.3144/expresspolymlett.2012.61.
- [106] J. Jancar, L. Recman, Particle size dependence of the elastic modulus of particulate filled PMMA near its T<sub>g</sub>, 2010. doi:10.1016/j.polymer.2010.06.041.
- [107] Z.X. Ooi, H. Ismail, A.A. Bakar, Optimisation of oil palm ash as

## Bibliography

- reinforcement in natural rubber vulcanisation: A comparison between silica and carbon black fillers, *Polym. Test.* 32 (2013) 625–630. doi:10.1016/j.polymertesting.2013.02.007.
- [108] R.W. Style, R. Boltyanskiy, B. Allen, K.E. Jensen, H.P. Foote, J.S. Wettlaufer, E.R. Dufresne, Stiffening solids with liquid inclusions, *Nat. Phys.* 11 (2014) 82–87. doi:10.1038/nphys3181.
- [109] H. Montes, and F. Lequeux, J. Berriot, Influence of the Glass Transition Temperature Gradient on the Nonlinear Viscoelastic Behavior in Reinforced Elastomers, *Macromolecules*, 36 (21), (2003) 8107-8118.
- [110] M.R.B. Mermet-Guyennet, J. Gianfelice de Castro, M. Habibi, N. Martzel, M.M. Denn, D. Bonn, LAOS: The strain softening/strain hardening paradox, *J. Rheol. (N. Y. N. Y.)*. 59 (2015) 21–32. doi:10.1122/1.4902000.
- [111] S.H. Bumm, J.L. White, A.I. Isayev, Breakup of silica agglomerates in corotating twin-screw extruder: Modeling and experiment, *J. Elastomers Plast.* 46 (2014) 527–552. doi:10.1177/0095244313476508.
- [112] T. Inoue, K. Osaki, Rheological properties of poly(vinyl alcohol)/sodium borate aqueous solutions, *Rheol. Acta.* 32 (1993) 550–555. doi:10.1007/BF00369071.
- [113] D. Quemada, D. Quemada, Rheological modelling of complex fluids. I. The concept of effective volume fraction revisited, *Eur. Phys. J. Appl. Phys.* 1 (1998) 119–127. doi:10.1051/epjap:1998125.
- [114] M. Bailly, M. Kontopoulou, K. El Mabrouk, Effect of polymer/filler interactions on the structure and rheological properties of ethylene-octene copolymer/nanosilica composites, *Polymer (Guildf.)*. 51 (2010) 5506–5515. doi:10.1016/j.polymer.2010.09.051.
- [115] J. Forsman, J.P. Harrison, A. Rutenberg, Elasticity of a percolation system: silica smoke, *Canadian Journal of Physics*. 65 (7), (1987) 767-771.
- [116] T.A. Witten, M. Rubinstein, R.H. Colby, Reinforcement of rubber by fractal aggregates, *J. Phys. II France.* 3, (1993) 367–383.
- [117] Q. Chen, S. Gong, J. Moll, D. Zhao, S.K. Kumar, R.H. Colby, Mechanical Reinforcement of Polymer Nanocomposites from Percolation of a Nanoparticle Network, *ACS Macro Lett.* 4(4) (2015) 398-402.

## Bibliography

- [118] E. Guth, Theory of Filler Reinforcement, *J. Appl. Phys.* 16 (1945) 20. doi:10.1063/1.1707495.
- [119] J.-P. Hansen, I.R. McDonald, *Theory of simple liquids*, Academic Press, London (2006).
- [120] J.K.G. Dhont, *An introduction to dynamics of colloids*, Elsevier, Amsterdam (1996).
- [121] S. Torquato, *Random Heterogeneous Materials*, Springer New York, NY (2002). doi:10.1007/978-1-4757-6355-3.
- [122] G. Raos, Application of the Christensen-Lo Model to the Reinforcement of Elastomers by Fractal Fillers, *Macromol. Theory Simulations*. 12 (2003) 17–23. doi:10.1002/mats.200390002.
- [123] M.R.B. Mermet-Guyennet, J. Gianfelice de Castro, H.S. Varol, M. Habibi, B. Hosseinkhani, N. Martzel, R. Sprik, M.M. Denn, A. Zaccone, S.H. Parekh, D. Bonn, Size-dependent reinforcement of composite rubbers, *Polymer (Guildf)*. 73 (2015) 170–173. doi:10.1016/j.polymer.2015.07.041.
- [124] D.W. McCarthy, J.E. Mark, S.J. Clarson, D.W. Schaefer, Synthesis, structure, and properties of hybrid organic-inorganic composites based on polysiloxanes. II. Comparisons between poly(methylphenylsiloxane) and poly(dimethylsiloxane), and between titania and silica, *J. Polym. Sci. Part B Polym. Phys.* 36 (1998) 1191–1200.
- [125] L. Dewimille, B. Bresson, L. Bokobza, Synthesis, structure and morphology of poly(dimethylsiloxane) networks filled with in situ generated silica particles, *Polymer (Guildf)*. 46 (2005) 4135–4143. doi:10.1016/j.polymer.2005.02.049.
- [126] A.R. Payne, Effect of dispersion on the dynamic properties of filler-loaded rubbers, *J. Appl. Polym. Sci.* 9 (1965) 2273–2284. doi:10.1002/app.1965.070090619.
- [127] C. Chevigny, N. Jouault, F. Dalmas, F. Boué, J. Jestin, Tuning the mechanical properties in model nanocomposites: Influence of the polymer-filler interfacial interactions, *J. Polym. Sci. Part B Polym. Phys.* 49 (2011) 781–791. doi:10.1002/polb.22246.
- [128] P. Akcora, H. Liu, S.K. Kumar, J. Moll, Y. Li, B.C. Benicewicz, L.S. Schadler, D.

## Bibliography

- Acehan, A.Z. Panagiotopoulos, V. Pryamitsyn, V. Ganesan, J. Ilavsky, P. Thiyagarajan, R.H. Colby, J.F. Douglas, Anisotropic self-assembly of spherical polymer-grafted nanoparticles., *Nat. Mater.* 8 (2009) 354–9. doi:10.1038/nmat2404.
- [129] S.K. Kumar, N. Jouault, B. Benicewicz, T. Neely, Nanocomposites with Polymer Grafted Nanoparticles, *Macromolecules.* 46 (2013) 3199–3214.
- [130] R. Hasegawa, Y. Aoki, M. Doi, Optimum Graft Density for Dispersing Particles in Polymer Melts, *Macromolecules.* 29 (1996) 6656–6662. doi:10.1021/ma960365x.
- [131] Q. Zhang, L.A. Archer, Poly(ethylene oxide)/Silica Nanocomposites: Structure and Rheology, *Langmuir.* 18 (2002) 10435–10442. doi:10.1021/la026338j.
- [132] M.I. Aranguren, E. Mora, C.W. Macosko, Compounding Fumed Silicas into Polydimethylsiloxane: Bound Rubber and Final Aggregate Size, *J. Colloid Interface Sci.* 195 (1997) 329–337. doi:10.1006/jcis.1997.5143.
- [133] M. Sovago, E. Vartiainen, M. Bonn, Determining Absolute Molecular Orientation at Interfaces: A Phase Retrieval Approach for Sum Frequency Generation Spectroscopy, *J. Phys. Chem. C.* 113 (2009) 6100–6106. doi:10.1021/jp810123g.
- [134] R. Kotsilkova, D. Fragiadakis, P. Pissis, Reinforcement effect of carbon nanofillers in an epoxy resin system: Rheology, molecular dynamics, and mechanical studies, *J. Polym. Sci. Part B Polym. Phys.* 43 (2005) 522–533. doi:10.1002/polb.20352.
- [135] G.P. Baeza, A.C. Genix, C. Degrandcourt, J. Gummel, A. Mujtaba, K. Saalwächter, T. Thurn-Albrecht, M. Couty, J. Oberdisse, Studying Twin Samples Provides Evidence for a Unique Structure- Determining Parameter in Simplified Industrial Nanocomposites, *ACS Macro Lett.* 3 (2014) 448–452.
- [136] C. Yam, Z. Xiao, J. Gu, S. Boutet, C. Cai, Modification of Silicon AFM Cantilever Tips with an Oligo ( ethylene glycol ) Derivative for Resisting Proteins and Maintaining a Small Tip Size for High-Resolution Imaging, *J. Am. Chem. Soc.* 125 (2003) 7498–7499.
- [137] I. Leontis, A. Othonos, A.G. Nassiopoulou, Structure , morphology , and photoluminescence of porous Si nanowires : effect of different chemical

## Bibliography

- treatments, *Nanoscale Res. Lett.* 8 (2013) 1–7.
- [138] Y. Nagata, S. Mukamel, Vibrational sum-frequency generation spectroscopy at the water/lipid interface: Molecular dynamics simulation study, *J. Am. Chem. Soc.* 132 (2010) 6434–6442. doi:10.1021/ja100508n.
- [139] J. Wang, M.A. Even, Z. Chen, Sum Frequency Generation Vibrational Spectroscopy Studies on “Buried” Polymer/Polymer Interfaces, *Macromolecules.* 35 (2002) 8093–8097. doi:10.1021/ma0205717.
- [140] C.L. Loch, J. Wang, Z. Chen, Different Molecular Structures at Polymer/Silane Interfaces Detected by SFG, *J. Phys. Chem. B.* 107 (2003) 10440–10445. doi:10.1021/jp035211f.
- [141] C.L. Loch, D. Ahn, C. Chen, J. Wang, Z. Chen, Sum Frequency Generation Studies at Poly ( ethylene terephthalate )/ Silane Interfaces : Hydrogen Bond Formation and Molecular Conformation Determination, *Langmuir.* (2004) 5467–5473.
- [142] J. Wang, C. Chen, S.M. Buck, Z. Chen, Sum Frequency Generation ( SFG ) Vibrational Spectroscopy, *J. Phys. Chem. B.* 105 (2001) 12118–12125.
- [143] J. Wang, Z. Paszti, M.A. Even, Z. Chen, Measuring Polymer Surface Ordering Differences in Air and Water by Sum Frequency Generation Vibrational Spectroscopy, *J. Am. Chem. Soc.* 124 (2002) 7016–7023.
- [144] Z. Chen, Y.R. Shen, G. a Somorjai, Studies of polymer surfaces by sum frequency generation vibrational spectroscopy., *Annu. Rev. Phys. Chem.* 53 (2002) 437–65. doi:10.1146/annurev.physchem.53.091801.115126.
- [145] C. Zhang, Z. Chen, Probing Molecular Structures of Poly ( dimethylsiloxane ) at Buried Interfaces in Situ, *J. Phys. Chem. C.* 117 (2013) 3903–3914.
- [146] J.E. Baio, C. Jaye, D.A. Fischer, T. Weidner, Multiplexed orientation and structure analysis by imaging near-edge X-ray absorption fine structure (MOSAIX) for combinatorial surface science., *Anal. Chem.* 85 (2013) 4307–10. doi:10.1021/ac4003479.
- [147] H.-J. Himmel, A. Terfort, C. Wöll, Fabrication of a Carboxyl-Terminated Organic Surface with Self-Assembly of Functionalized Terphenylthiols: The Importance of Hydrogen Bond Formation, *J. Am. Chem. Soc.* 120 (1998) 12069–12074. doi:10.1021/ja981872s.

## Bibliography

- [148] D.A. Outka, J. Stöhr, J.P. Rabe, J.D. Swalen, The orientation of Langmuir–Blodgett monolayers using NEXAFS, *J. Chem. Phys.* 88 (1988) 4076. doi:10.1063/1.453862.
- [149] P. Väterlein, R. Fink, E. Umbach, W. Wurth, Analysis of the x-ray absorption spectra of linear saturated hydrocarbons using the X $\alpha$  scattered-wave method, *J. Chem. Phys.* 108 (1998) 3313. doi:10.1063/1.475729.
- [150] K. Weiss, P.S. Bagus, C. Wöll, Rydberg transitions in X-ray absorption spectroscopy of alkanes: The importance of matrix effects, *J. Chem. Phys.* 111 (1999) 6834. doi:10.1063/1.479976.
- [151] A. Afzal, H.M. Siddiqi, S. Saeed, Z. Ahmad, Exploring resin viscosity effects in solventless processing of nano-SiO<sub>2</sub>/epoxy polymer hybrids, *RSC Adv.* 3 (2013) 3885. doi:10.1039/c3ra21150a.
- [152] A. Gulino, F. Lupo, M.E. Fragalà, S.L. Schiavo, X-ray photoelectron spectroscopy: A powerful tool for electronic and structural investigations of covalently assembled monolayers. a representative case study, *J. Phys. Chem. C.* 113 (2009) 13558–13564. doi:10.1021/jp9027436.
- [153] S.R. Puniredd, O. Assad, H. Haick, Highly Stable Organic Monolayers for Reacting Silicon with Further Functionalities : The Effect of the C # C Bond nearest the Silicon Surface Highly Stable Organic Monolayers for Reacting Silicon with Further Functionalities : The Effect of the C-C Bond n, (2008) 13727–13734. doi:10.1021/ja804674z.
- [154] Z.C. Liu, Q.G. He, P.F. Xiao, B. Liang, J.X. Tan, N.Y. He, Z.H. Lu, Self-assembly monolayer of mercaptopropyltrimethoxysilane for electroless deposition of Ag, *Mater. Chem. Phys.* 82 (2003) 301–305. doi:10.1016/S0254-0584(03)00135-4.
- [155] Y.X. Shao, D. Dong, Y.H. Cai, S. Wang, S.G. Ang, G.Q. Xu, Thermal and Photoinduced Covalent Attachment of 3-Chloro-1-propanol on Si ( 100 )-2x1, *J. Phys. Chem. C.* 114 (2010) 17159–17165.
- [156] H. Roghani-Mamaqani, V. Haddadi-Asl, Edge-functionalized graphene nanoplatelets with polystyrene by atom transfer radical polymerization : grafting through carboxyl, *Polym. Int.* 63 (2014) 1912–1923. doi:10.1002/pi.4730.
- [157] R. Sengupta, S. Chakraborty, S. Bandyopadhyay, S. Dasgupta, R.



## Bibliography

- Mukhopadhyay, K. Auddy, a S. Deuri, A Short Review on Rubber / Clay Nanocomposites With Emphasis on Mechanical Properties, *Polym. Eng. Sci.* 47 (2007) 21–25. doi:10.1002/pen.
- [158] G. Mani, D.M. Johnson, D. Marton, V.L. Dougherty, M.D. Feldman, D. Patel, A. a. Ayon, C. Mauli Agrawal, Stability of self-assembled monolayers on titanium and gold, *Langmuir.* 24 (2008) 6774–6784. doi:10.1021/la8003646.
- [159] J.L. Armstrong, Thermal chemistry of biacetyl on Si(100), *J. Vac. Sci. Technol. A Vacuum, Surfaces, Film.* 16 (1998) 123. doi:10.1116/1.580958.
- [160] S.H. Li, X.F. Zhu, Y.P. Zhao, Carbon-assisted growth of SiO<sub>x</sub> nanowires, *J. Phys. Chem. B.* 108 (2004) 17032–17041. doi:10.1021/jp048418x.
- [161] M. Schildenberger, R. Prins, Y.C. Bonetti, Foils, Films, and Nanostructured Surfaces: A Comparative XPS and AFM Study of Model Catalyst Surfaces, *J. Phys. Chem. B.* 104 (2000) 3250–3260. doi:10.1021/jp9932970.
- [162] A. Azioune, N. Carpi, J. Fink, M.M. Chehimi, D. Cuvelier, M. Piel, Robust method for high-throughput surface patterning of deformable substrates, *Langmuir.* 27 (2011) 7349–7352. doi:10.1021/la200970t.
- [163] X. Vanden Eynde, J.P. Servais, M. Lamberigts, Investigation into the surface selective oxidation of dual-phase steels by XPS, SAM and SIMS, *Surf. Interface Anal.* 35 (2003) 1004–1014. doi:10.1002/sia.1639.
- [164] A.G. Kannan, N.R. Choudhury, N.K. Dutta, Synthesis and characterization of methacrylate phospho-silicate hybrid for thin film applications, *Polymer (Guildf).* 48 (2007) 7078–7086. doi:10.1016/j.polymer.2007.09.050.
- [165] T. Glomann, G.J. Schneider, J. Allgaier, a Radulescu, W. Lohstroh, B. Farago, D. Richter, Microscopic dynamics of polyethylene glycol chains interacting with silica nanoparticles, *Phys. Rev. Lett.* 110 (2013) 1–5. doi:10.1103/PhysRevLett.110.178001.
- [166] T. Glomann, A. Hamm, J. Allgaier, E.G. Hübner, A. Radulescu, B. Farago, G.J. Schneider, A microscopic view on the large scale chain dynamics in nanocomposites with attractive interactions, *Soft Matter.* 9 (2013) 10559. doi:10.1039/c3sm51194d.
- [167] S.Y. Kim, H.W. Meyer, K. Saalwa, C.F. Zukoski, Polymer Dynamics in PEG-Silica Nanocomposites: Effects of Polymer Molecular Weight ,

## Bibliography

- Temperature and Solvent Dilution, *Macromolecules*. 45 (2012) 4225–4237.
- [168] T. Weidner, A. Krämer, C. Bruhn, M. Zharnikov, A. Shaporenko, U. Siemeling, F. Träger, Novel tripod ligands for prickly self-assembled monolayers., *Dalton Trans.* (2006) 2767–77. doi:10.1039/b515727g.
- [169] U. Glebe, T. Weidner, J.E. Baio, D. Schach, C. Bruhn, A. Buchholz, W. Plass, S. Walleck, T. Glaser, U. Siemeling, Self-Assembled Monolayers of Single-Molecule Magnets [Tb{Pc'(SR) 8 } 2 ] on Gold, *Chempluschem*. 77 (2012) 889–897. doi:10.1002/cplu.201200043.
- [170] B.J. Carey, P.K. Patra, L. Ci, G.G. Silva, P.M. Ajayan, Observation of dynamic strain hardening in polymer nanocomposites, *ACS Nano*. 5 (2011) 2715–2722. doi:10.1021/nn103104g.
- [171] Y. Huang, D.R. Paul, Effect of MolecularWeight and Temperature on Physical Aging of ThinGlassy Poly(2,6-dimethyl-1,4-phenylene oxide) Films, *J. Polym. Sci. Part B Polym. Phys.* 45 (2007) 1390–1398. doi:10.1002/polb.
- [172] B. Na, R. Lv, W. Xu, P. Yu, K. Wang, Q. Fu, Inverse temperature dependence of strain hardening in ultrahigh molecular weight polyethylene: Role of lamellar coupling and entanglement density, *J. Phys. Chem. B*. 111 (2007) 13206–13210. doi:10.1021/jp075990q.
- [173] J. Jancar, R.S. Hoy, A.J. Lesser, E. Jancarova, J. Zidek, Effect of Particle Size, Temperature, and DeformationRate on the Plastic Flow and Strain Hardening Response of PMMA Composites., *Macromolecules*. 46 (2013) 9409–9426. doi:10.1021/ma400965c.
- [174] B. PUKANSZKY, Influence of interface interaction on the ultimate tensile properties of polymer composites, *Composites*. 21 (1990) 255–262. doi:10.1016/0010-4361(90)90240-W.
- [175] P. Costa, J. Silva, V. Sencadas, R. Simoes, J.C. Viana, S. Lanceros-Méndez, Mechanical, electrical and electro-mechanical properties of thermoplastic elastomer styrene–butadiene–styrene/multiwall carbon nanotubes composites, *J. Mater. Sci.* (2012) 1172–1179. doi:10.1007/s10853-012-6855-7.
- [176] R.A. Riggleman, G. Toepperwein, G.J. Papakonstantopoulos, J.-L. Barrat, J.J. de Pablo, Entanglement network in nanoparticle reinforced polymers., *J. Chem. Phys.* 130 (2009) 244903. doi:10.1063/1.3148026.

## Bibliography

- [177] F. Jiang, Y. Zhang, Z. Wang, W. Wang, Z. Xu, Z. Wang, Combination of magnetic and enhanced mechanical properties for copolymer-grafted magnetite composite thermoplastic elastomers, *ACS Appl. Mater. Interfaces*. 7 (2015) 10563–10575. doi:10.1021/acsami.5b02208.
- [178] F. Jiang, Y. Zhang, C. Fang, Z. Wang, Z. Wang, From soft to strong elastomers: the role of additional crosslinkings in copolymer-grafted multiwalled carbon nanotube composite thermoplastic elastomers, *RSC Adv*. 4 (2014) 60079–60085. doi:10.1039/C4RA11626G.
- [179] A. Pei, J.M. Malho, J. Ruokolainen, Q. Zhou, L.A. Berglund, Strong nanocomposite reinforcement effects in polyurethane elastomer with low volume fraction of cellulose nanocrystals, *Macromolecules*. 44 (2011) 4422–4427. doi:10.1021/ma200318k.
- [180] Y.H. Ha, E.L. Thomas, Deformation behavior of a roll-cast layered-silicate/lamellar triblock copolymer nanocomposite, *Macromolecules*. 35 (2002) 4419–4428. doi:10.1021/ma012210h.
- [181] L. Bokobza, G. Garnaud, J.E. Mark, J.M. Jethmalani, E.E. Seabolt, W.T. Ford, Effects of Filler Particle/Elastomer Distribution and Interaction on Composite Mechanical Properties, *Chem. Mater*. 14 (2002) 162–167. doi:10.1021/cm010462r.
- [182] Z. Wang, J. Liu, S. Wu, W. Wang, L. Zhang, Novel percolation phenomena and mechanism of strengthening elastomers by nanofillers., *Phys. Chem. Chem. Phys*. 12 (2010) 3014–3030. doi:10.1039/b919789c.
- [183] L. Bistričić, M. Leskovic, G. Baranović, S.L. Blagojević, Mechanical properties and linear infrared dichroism of thin films of polyurethane nanocomposites, *J. Appl. Polym. Sci*. 108 (2008) 791–803. doi:10.1002/app.27754.
- [184] M. Rubinstein, R.H. Colby, *Polymer physics (Chemistry)*, Oxford University Press, Oxford (2003).
- [185] H.S. Varol, M.A. Sánchez, H. Lu, J.E. Baio, C. Malm, N. Encinas, M.R.B. Mermet-Guyennet, N. Martzel, D. Bonn, M. Bonn, T. Weidner, E.H.G. Backus, S.H. Parekh, Multiscale Effects of Interfacial Polymer Confinement in Silica Nanocomposites, *Macromolecules*. 48 (2015) 7929–7937. doi:10.1021/acs.macromol.5b01111.

## Bibliography

- [186] M. Mooney, A theory of large elastic deformation, *J. Appl. Phys.* **11** (1940) 582–592. doi:10.1063/1.1712836.
- [187] R.N. Haward, *The physics of glassy polymers*, 2nd ed., Springer Netherlands, Dordrecht (1997).
- [188] C. Fang, Y. Zhang, W. Wang, Z. Wang, F. Jiang, Z. Wang, Fabrication of Copolymer-Grafted Multiwalled Carbon Nanotube Composite Thermoplastic Elastomers Filled with Unmodified MWCNTs as Additional Nanofillers to Significantly Improve Both Electrical Conductivity and Mechanical Properties, *Ind. Eng. Chem. Res.* **54** (2015) 12597–12606. doi:10.1021/acs.iecr.5b03599.
- [189] I.M. Ward, J. Sweeney, *Mechanical properties of solid polymers*, 3rd ed., John Wiley & Sons, Chichester (2012).
- [190] Y.-H. Lin, *Polymer viscoelasticity : basics, molecular theories, experiments and simulations*, 2nd ed., World Scientific, Singapore (2011).
- [191] M. Richard-Lacroix, C. Pellerin, Accurate new method for molecular orientation quantification using polarized raman spectroscopy, *Macromolecules.* **46** (2013) 5561–5569. doi:10.1021/ma400955u.
- [192] T. Keplinger, E. Cabane, M. Chanana, P. Hass, V. Merk, N. Gierlinger, I. Burgert, A versatile strategy for grafting polymers to wood cell walls., *Acta Biomater.* **11** (2015) 256–63. doi:10.1016/j.actbio.2014.09.016.
- [193] S. Prasertsri, F. Lagarde, N. Rattanasom, C. Sirisinha, P. Daniel, Raman spectroscopy and thermal analysis of gum and silica-filled NR/SBR blends prepared from latex system, *Polym. Test.* **32** (2013) 852–861. doi:10.1016/j.polymertesting.2013.04.007.
- [194] S. Prakanrat, P. Phinyocheep, P. Daniel, Spectroscopic Investigation of Polystyrene Surface Grafting on Natural Rubber, *Appl. Spectrosc.* **63** (2009) 233–238. doi:10.1366/000370209787391978.
- [195] K. Bruckmoser, K. Resch, T. Kisslinger, T. Lucyshyn, Measurement of interdiffusion in polymeric materials by applying Raman spectroscopy, *Polym. Test.* **46** (2015) 122–133. doi:10.1016/j.polymertesting.2015.07.004.
- [196] D.I. Bower, M.F. Maddams, *The Vibrational Spectroscopy of Polymers*, Cambridge University Press, Cambridge (1992).

## Bibliography

- [197] H.G. Kilian, M. Strauss, W. Hamm, Universal Properties in Filler-Loaded Rubbers, *Rubber Chem. Technol.* 67 (1994) 1–16. doi:10.5254/1.3538664.
- [198] G.P. Baeza, C. Dessi, S. Costanzo, D. Zhao, S. Gong, A. Alegria, R.H. Colby, M. Rubinstein, D. Vlassopoulos, S.K. Kumar, Network dynamics in nanofilled polymers., *Nat. Commun.* 7 (2016) 11368. doi:10.1038/ncomms11368.
- [199] H. Zhang, A.K. Scholz, F. Vion-Loisel, Y. Merckel, M. Brieu, H. Brown, S. Roux, E.J. Kramer, C. Creton, Opening and closing of nanocavities under cyclic loading in a soft nanocomposite probed by real-time small-angle X-ray scattering, *Macromolecules.* 46 (2013) 900–913. doi:10.1021/ma302325w.
- [200] S.K. Peddini, C.P. Bosnyak, N.M. Henderson, C.J. Ellison, D.R. Paul, Nanocomposites from styrene-butadiene rubber (SBR) and multiwall carbon nanotubes (MWCNT) part 2: Mechanical properties, *Polym. (United Kingdom).* 56 (2015) 443–451. doi:10.1016/j.polymer.2014.11.006.