



UvA-DARE (Digital Academic Repository)

Optimization and approximation on systems of geometric objects

van Leeuwen, E.J.

[Link to publication](#)

Citation for published version (APA):

van Leeuwen, E. J. (2009). Optimization and approximation on systems of geometric objects

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <http://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

Index

- α -fat object, *see* fat object, α - ϵ -distant objects, **31**
- ϵ -net, **114**
 - binary, **114**
 - size, **114**
- ϵ -separated objects, **31**
- \preceq -dominating set, **116**
- \preceq -factor, **117**
 - fractional, **118**
- \preceq -larger, **116**
- \mathcal{A} -intersection graph, **18**, 29–34
 - ϵ -separated representation, **32**
 - complete, **34**
 - rational representation, **34**
- affine regular polygon, **125**
- altitude, **121**
- apex graph, **88**
- apex-minor-free graph, **88**
- approximation algorithm, **1**
 - constant-factor, *see* constant-factor approximation algorithm
- approximation ratio
 - of a solution, **12**
 - of an algorithm, **13**
- approximation scheme, **13**
 - asymptotic, **14**
 - threshold function, **14**
- APX, **13**
- arc-connected, **23**
- aspect-ratio, **125**
- asteroidal triple, **18**
- ball contact graph, **22**,
 - see also* disk contact graph
- recognition, **23**
- ball graph, **21**
 - contact, *see* ball contact graph
 - recognition, **21**
 - touching, *see* ball touching graph
 - unit, *see* unit ball graph
- ball touching graph, **22**
- barycenter, **121**
- Bell number, **62**
- binary net finder, **116**
- binomial coefficient, **72**
- bounded independence graph, **24**
- boxicity, **20**
 - determining, **20**
 - recognition, **20**
- branch decomposition, **50**, **89**
 - middle set, **50**
 - width, **50**
- branchwidth, **50**
- Budgeted Low-Coverage, **160**,
 - see also* Geometric Budgeted Low-Coverage
- Budgeted Maximum Coverage, **159**,
162, **179**,
 - see also* Geometric Budgeted Maximum Coverage
- Budgeted Unique Coverage, **160**,
 - see also* Geometric Budgeted Unique Coverage
- Catalan number, **63**
- Catalan structure, **63**, **89**
- centroid, **121**
- chord, **120**
- chordal graph, **18**
 - as polygon-circle graph, **21**, **26**
- Chromatic Number, **3**, **48**
- circle graph, **146**
- circular-arc graph, **19**
 - recognition, **19**
 - unit, *see* unit circular arc graph
- civilized graph, **84**
- Class Cover, **163**
- coin graph, **23**, **26**

- recognition, **23**
- complete family, **34**
- conflict-free coloring, **48**
- connected dominating set, *see* dominating set, connected
- constant description complexity, **149**
- constant-factor approximation algorithm, **13**, 119–145, 181–187
- containment disk graph, **24**
- convex object intersection graph, **21**, 25, 27, 28, 44, 119–126, 146–148
 - 2-dimensional, 25, 27, 28, 44, 119–126, 146–148
 - 3-dimensional, 25, 126
 - homothetic, 21, 119–126, 148
 - recognition, 21
 - representation, 30
 - recognition, 21
 - representation, 29–40
- cubicity, **20**
 - recognition, 20
- decomposition, **138**
- density, **68**, 178
 - level, **99**
- description complexity
 - constant, **149**
- directed disk graph, **24**
- disk contact graph, **23**, 26
 - recognition, 23
- disk graph, 2, **21**, 44–48, 84, 91–105, 126–145, 188–196
 - level density, *see* level density
 - pathwidth, 92
 - ply, **91**
 - recognition, 21
 - representation, 29–40
 - triangle-free, 22, 27
 - unit, *see* unit disk graph
- distinguished point, **33**
- dominating set, **43**
 - \preceq -, **116**
 - connected, **43**
 - minimum, **43**,
 - see also* Minimum Connected Dominating Set
 - minimum, **43**,
 - see also* Minimum Dominating Set
- double disk graph, **24**
- double separation, **78**
- dual VC-dimension, **114**
- ellipse intersection graph, 48, 153
- EPTAS, **13**
 - relation to FPT, 14
- eptas, **13**, 74, 77, 78, 82, 87, 88, 99, 104, 105, 137, 178, 194
- exponential time hypothesis, **84**, 105, 178
- fat object, 45, 83, 104, 148
 - α -, **83**, 104, 149, 178, 200
- FIPTAS, **13**
- fiptas, **13**
- FIPTAS ^{ω} , **14**
- fiptas ^{ω} , **14**, 74, 79, 82, 104, 137
- FPTAS, **13**
- fptas, **13**
- FPTAS ^{ω} , **14**
- fptas ^{ω} , **14**
- Geometric Budgeted Low-Coverage, **160**, 185–187, 195
- Geometric Budgeted Maximum Coverage, **159**, 175–179
- Geometric Budgeted Unique Coverage, **160**, 185–196
- Geometric Class Cover, **163**
- Geometric Covering, **163**
- geometric graph, **22**, 84
- Geometric Hitting Set, **161**
- geometric intersection graph, 2, **18**
- Geometric Low-Coverage, 196
- Geometric Membership Set Cover, **160**, 162–163, 196–203
- Geometric Packing, **4**
- Geometric Piercing, **164**

- geometric radio network, **24**
- Geometric Set Cover, **159**, 161–162, 165–179
- Geometric Unique Coverage, **160**, 162–163, 181–196, 199–200
- graph
 - as 3-dim. convex polytope intersection graph, 25
- grid decomposition, **67**
 - density, **67**
- homothetic objects, 21, **28**, 30, 119–126, 148, 178, 200
- independent set, **43**
 - maximum, **43**,
see also Maximum Independent Set
- indifference graph, **18**
- integrality gap, **118**, 127
- intersection graph, **18**
 - induced, **18**
 - of
 - convex objects, *see* convex object intersection graph
 - d -dim. axis-parallel boxes, **20**, 28, 46, 47,
see also rectangle intersection graph
 - d -dim. axis-parallel unit cubes, **20**,
see also unit square graphs
 - noncrossing arc-connected sets,
see noncrossing arc-connected set intersection graph
 - representation, **18**
- interval graph, 2, **18**
 - characterization, 18, 19
 - multi-, *see* multi-interval graph
 - recognition, 19
 - representation, 30
 - unit, *see* unit interval graph
- interval number, **19**, 26
- j -square, **93**, 130, 188
- k -admissible region, **23**
- k -center, **163**
- k -clustering, **163**
- k -DIR graph, **19**
 - recognition, 19
- k -segment intersection graph, **19**, 27
 - recognition, 19
- level density, **99**
- local algorithm, **47**
- max-density, **68**
- max-thickness, **53**
- max-tolerance graph, **19**, 122
 - as triangle intersection graph, 21
- Maximum Clique, 4, **48**, 77
- Maximum Independent Set, 3, **43**, 44–46, 55–56, 62, 68, 70, 71–74, 82–88, 99–105
- Maximum Unique Coverage, *see* Unique Coverage
- median, **121**
- membership, **160**
 - maximum, **160**
- min-thickness, **53**
- minimax thickness, **53**
- Minimum \preceq -Dominating Set, **116**
- Minimum Connected Dominating Set, 3, **43**, 44, 46–47, 59–66, 68, 70, 79–90, 113–155
- Minimum Dominating Set, 3, **43**, 44, 46–47, 56–59, 62, 68, 70, 77–79, 82–88, 113–155, 177
- Minimum Hitting Set, **161**,
see also Geometric Hitting Set
- Minimum k -Set Cover, **148**, 200
- Minimum Membership k -Set Cover, **200**
- Minimum Membership Set Cover, **160**, 163, 200,
see also Geometric Membership Set Cover
- Minimum Set Cover, 3, 127, 146, **159**, 161, 178,

- see also* Geometric Set Cover
- Minimum Vertex Cover, **43**, 44, 46, 55–56, 62, 68, 70, 74–77, 82–88, 92–99, 104–105
- multi-interval graph, **19**
- net finder, **116**
 - binary, **116**
- noncrossing, **23**
- noncrossing arc-connected set intersection graph, **23**
 - recognition, **23**
- noncrossing partition, **63**
- NPO, **12**
- optimization problem, **1**, **11**
 - feasible solution, **11**
 - goal, **12**
 - instance, **11**
 - NP-hard, **1**
 - objective function, **12**
 - objective value, **12**
 - polynomial-time solvable, **1**
- outerplanar embedding, **25**
- outerplanar graph, **25**
- partition, **61**
 - noncrossing, **63**
- path decomposition, **50**
 - relaxed, *see* relaxed path decomposition
 - strong, *see* strong path decomposition
- pathwidth, **50**
 - relaxed, *see* relaxed pathwidth
 - strong, *see* strong pathwidth
- planar graph
 - as 1-segment intersection graph, **27**
 - as 2-dim. convex object intersection graph, **27**, **28**
 - as coin graph, **26**
 - as disk contact graph, **26**
 - as intersection graph of 3-dim. axis-parallel boxes, **28**
 - as string graph, **27**
 - as triangle intersection graph, **21**, **28**
 - interval number, **26**
 - outerplanar, **25**
 - primal-dual representation, **27**
- ply, **91**, **126**, **188**
- PO, **12**, **13**
- polygon-circle graph, **21**, **26**, **146**
 - recognition, **21**
- polynomial representation, *see* representation, polynomial
- polynomial separation, *see* representation, polynomial separation
- polynomially-bounded growth graph of, **24**
- preorder, **124**
 - total, **124**
- pseudo-disks, **23**, **45**, **115**
- PTAS, **13**
- ptas, **13**, **74**, **79**, **82**, **104**, **174**, **176**, **177**
 - almost-, **88**
- PTAS^ω, **14**
- ptas^ω, **14**
- q*-bit rational, **34**
- quadruple separation, **79**
- quasi unit disk graph, **24**, **84**
 - recognition, **24**
- rectangle intersection graph, **20**, **45**, **48**, **125**, **150–155**
 - recognition, **20**
 - representation, **30**
- relaxed path decomposition, **51**
- relaxed pathwidth, **51**
- relaxed tree decomposition, **51**, **54–62**
 - bag, **51**
 - width, **51**
- relaxed treewidth, **51**
- representation
 - ϵ -distant, **31**

- ϵ -separated, **31**
- of geometric intersection graphs, 29–40
- polynomial, 29, **34**, 36–40
- polynomial separation, **35**, 36–40
- q -, **34**
- q -distant, **35**
- q -separated, **35**
- rational, 33
- robust algorithm, **45**
- satisfaction, **160**
- satisfaction-modulated profit, **160**
- scalable object, **30**
- scalable object intersection graph
 - representation, 29–40
- scaling an object, **30**
- scaling around a point, **30**
- scaling of the space, **30**
- Scheinerman’s conjecture, **27**
- sensor network, **3**
- separation, **73**
 - double, **78**
 - quadruple, **79**
- set cover, **159**
 - minimum, **159**,
see also Minimum Set Cover
- shifting parameter, **73**
- shifting technique, **45**, 71, 92
- size of an object, **33**
- size points, **33**
- slab decomposition, **53**
 - thickness, **53**
- sphericity, **22**
 - recognition, 22
- square graph, **20**, 122
 - recognition, 20
 - representation, 29–40
 - unit, *see* unit square graph
- string graph, **20**, 27
 - recognition, 20
- strip decomposition, 71
- strong path decomposition, **52**
- strong pathwidth, **52**
- strong tree decomposition, **52**, 54–62
 - bag, **52**
 - width, **52**
- strong treewidth, **52**
- strongly star-shaped object, **30**
- thickness, **53**, 62–66, 68–69, 71
- tolerance graph, **19**
 - max-, *see* max-tolerance graph
- tree decomposition, **50**, 54–62
 - bag, **50**
 - relaxed, *see* relaxed tree decomposition
 - strong, *see* strong tree decomposition
 - width, **50**
- treewidth, **50**
 - relaxed, *see* relaxed treewidth
 - strong, *see* strong treewidth
- triangle intersection graph, **21**, 48, 122
- Unique Coverage, **160**, 162, 200,
see also Geometric Unique Coverage
 - budgeted, *see* Budgeted Unique Coverage
- Unique Hitting Set, 162
- uniquely covered, **160**
- unit ball contact graph, **22**
 - recognition, 23
- unit ball graph, **21**, 47
 - contact, *see* unit ball contact graph
 - recognition, 22
 - touching, *see* unit ball touching graph
- unit ball touching graph, **22**
- unit circular-arc graph, **19**
 - characterization, 19
 - recognition, 19
- unit disk graph, 2, 3, **21**, 44–48, 53–54, 62–88
 - density, *see* density
 - λ -precision, **45**, 68, 70, 74, 76, 78

- pathwidth, 54
- recognition, 22
- relaxed pathwidth, 54, 70
- representation, 29–40
- strong pathwidth, 54, 69
- thickness, *see* thickness
- unit interval graph, **18**
 - representation, 30
- unit square graph, **20**, 177
 - recognition, 20
 - representation, 29–40
- vertex cover, **43**
 - minimum, **43**,
 - see also* Minimum Vertex Cover
- wireless network, 2, 43
 - 802.11, 3
 - ad hoc, **3**
 - cellular, 3
 - GSM, 3
 - mobile ad hoc, **3**
 - planning, 3
 - sensor, **3**
 - wi-fi, 3