



UvA-DARE (Digital Academic Repository)

Discharging dopamine

Boosting endogenous tyrosine hydroxylase activity as a treatment for Parkinson's disease

Stoop, J.

Publication date

2023

[Link to publication](#)

Citation for published version (APA):

Stoop, J. (2023). *Discharging dopamine: Boosting endogenous tyrosine hydroxylase activity as a treatment for Parkinson's disease*. [Thesis, externally prepared, Universiteit van Amsterdam].

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

Contents

General introduction

Targeting tyrosine hydroxylase, the rate-limiting enzyme in dopamine synthesis as a treatment for Parkinson's disease

	9
<i>Parkinson's disease</i>	10
<i>Treatment opportunities</i>	11
<i>Proposed treatment</i>	14
<i>Scope and aim of this thesis</i>	20
<i>References</i>	22

Chapter 2

Revisiting kinase-dependent regulation of tyrosine hydroxylase and hierarchical phosphorylation in vitro

	39
<i>Abstract</i>	40
<i>Introduction</i>	41
<i>Materials and methods</i>	42
<i>Results</i>	45
<i>Discussion</i>	56
<i>Supplemental</i>	59
<i>References</i>	60

Chapter 3

cAMP-dependent regulation of tyrosine hydroxylase phosphorylation in ex vivo mouse striatal slices

	69
<i>Abstract</i>	70
<i>Introduction</i>	71
<i>Materials and methods</i>	73
<i>Results</i>	76
<i>Discussion</i>	87
<i>References</i>	90

Chapter 4

L-DOPA induced feedback inhibition on tyrosine hydroxylase phosphorylation in the mouse striatum can be attenuated by increasing intracellular cAMP

	99
<i>Abstract</i>	100
<i>Introduction</i>	101
<i>Materials and methods</i>	102
<i>Results</i>	104
<i>Discussion</i>	108
<i>References</i>	111

Chapter 5

Activation of the guanylate cyclase 2C receptor increases tyrosine hydroxylase Ser40 phosphorylation through cGMP-dependent signaling routes

	117
<i>Abstract</i>	118
<i>Introduction</i>	119
<i>Materials and methods</i>	121
<i>Results</i>	125
<i>Discussion</i>	139
<i>Acknowledgements</i>	141
<i>Supplemental</i>	142
<i>References</i>	143

General discussion

Targeting cAMP- and cGMP-dependent pathways to increase tyrosine hydroxylase activity as a novel symptomatic treatment for Parkinson's disease

	151
<i>Introduction</i>	152
<i>Proposed therapeutic</i>	154
<i>Future perspectives</i>	156
<i>References</i>	158

Chapter 7

Appendix

	165
<i>Nederlandse samenvatting</i>	166
<i>Dankwoord</i>	169
<i>Curriculum Vitae (English)</i>	173
<i>Curriculum Vitae (Nederlands)</i>	174