



UvA-DARE (Digital Academic Repository)

Estimation methods for statistical process control

Schoonhoven, M.

Publication date
2011

[Link to publication](#)

Citation for published version (APA):

Schoonhoven, M. (2011). *Estimation methods for statistical process control*. Universiteit van Amsterdam.

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

Bibliography

- [1] Alloway, J.A., Jr. and Raghavachari, M. (1991). "Control Chart Based on the Hodges-Lehmann Estimator". *Journal of Quality Technology* 23, pp. 336-347.
- [2] ASTM (1976). *Manual on Presentation of Data and Control Chart Analysis STP 15D*. Philadelphia, PA: American Society for Testing and Materials.
- [3] Boyles, R.A. (1997). "Estimating Common-Cause Sigma in the Presence of Special Causes". *Journal of Quality Technology* 29, pp. 381-395.
- [4] Braun, W.J. and Park, D. (2008). "Estimation of σ for Individuals Charts". *Journal of Quality Technology* 40, pp. 332-344.
- [5] Chen, G. (1998). "The Run Length Distributions of the R , S and s^2 Control Charts when σ Is Estimated". *Canadian Journal of Statistics* 26, pp. 311-322.
- [6] David, H.A. (1968). "Miscellanea: Gini's Mean Difference Rediscovered". *Biometrika* 55, pp. 573-575.
- [7] David, H.A. (1981). *Order Statistics*, 2nd Edition. New York, NY: Wiley.
- [8] David, H.A. (1998). "Early Sample Measures of Variability". *Statistical Science* 13, pp. 368-377.
- [9] Davis, C.M. and Adams, B.M. (2005). "Robust Monitoring of Contaminated Data". *Journal of Quality Technology* 37, pp. 163-174.
- [10] Does, R.J.M.M.; Roes, K.C.B.; and Trip, A. (1999). *Statistical Process Control in Industry*. Dordrecht, The Netherlands: Kluwer.

- [11] Does, R.J.M.M. and Schriever, B.F. (1992). "Variables Control Chart Limits and Tests for Special Causes". *Statistica Neerlandica* 46, pp. 229-245.
- [12] Downton, F. (1966). "Linear Estimates with Polynomial Coefficients". *Biometrika* 53, pp. 129-141.
- [13] Duncan, A.J. (1986). *Quality Control and Industrial Statistics*, 5th Edition. Homewood, IL: R.D. Irwin Inc.
- [14] Gini, C. (1912). "Variabilità e Mutabilità, Contributo allo Studio delle Distribuzioni e delle Relazioni Statistiche". *Studi Economico-Giuridici della R. Università di Cagliari* 3, pp. 3-159.
- [15] Grant, E. L. and Leavenworth, R.S. (1988). *Statistical Quality Control*, 6th Edition. New York, NY: McGraw-Hill.
- [16] Hillier, F. (1969). " \bar{X} and R Chart Control Limits Based on a Small Number of Subgroups". *Journal of Quality Technology* 1, pp. 17-26.
- [17] Hodges, J.L. and Lehmann, E.L. (1963). "Estimates of Location Based on Rank Tests". *The Annals of Mathematical Statistics* 34, pp. 598-611.
- [18] Jensen, W.A.; Jones-Farmer, L.A.; Champ, C.W.; and Woodall, W.H. (2006). "Effects of Parameter Estimation on Control Chart Properties: A Literature Review". *Journal of Quality Technology* 38, pp. 349-364.
- [19] Jones-Farmer, L.A.; Jordan, V.; and Champ, C.W. (2009). "Distribution-Free Phase I Control Charts for Subgroup Location". *Journal of Quality Technology* 41, pp. 304-316.
- [20] Jordan, W (1869). "Über die Bestimmung der Genauigkeit Mehrfach Wiederholter Beobachtungen einer Unbekannten". *Astronomische Nachrichten* 74, pp. 209-226.
- [21] Mahmoud, M.A.; Henderson, G.R.; Epprecht, E.K.; and Woodall, W.H. (2010). "Estimating the Standard Deviation in Quality-Control Applications". *Journal of Quality Technology* 42, pp. 348-357.
- [22] Montgomery, D.C. (2009). *Introduction to Statistical Quality Control*, 6th Edition. New York, NY: Wiley.

-
- [23] Muhammad, F.; Ahmad, S.; and Abiodullah, M. (1993). "Use of Probability Weighted Moments in the Analysis of Means". *Biometrical Journal* 35, pp. 371-378.
- [24] Nedumaran, G. and Pignatiello, Jr., J.J. (2001). "On Estimating \bar{X} Control Chart Limits". *Journal of Quality Technology* 33, pp. 206-212.
- [25] Patnaik, P.B. (1950). "The Use of Mean Range as an Estimator of Variance in Statistical Tests". *Biometrika* 37, pp. 78-87.
- [26] Quesenberry, C.P. (1993). "The Effect of Sample Size on Estimated Limits for \bar{X} and X Control Charts". *Journal of Quality Technology* 25, pp. 237-247.
- [27] Riaz, M. and Saghir, A. (2007). "Monitoring Process Variability Using Gini's Mean Difference". *Quality Technology and Quantitative Management* 4, pp. 439-454.
- [28] Riaz, M. and Saghir, A. (2009). "A Mean Deviation-Based Approach to Monitor Process Variability". *Journal of Statistical Computation and Simulation* 79, pp. 1173-1193.
- [29] Rocke, D.M. (1989). "Robust Control Charts". *Technometrics* 31, pp. 173-184.
- [30] Rocke, D.M. (1992). " \bar{X}_Q and R_Q Charts: Robust Control Charts". *The Statistician* 41, pp. 97-104.
- [31] Schoonhoven, M. and Does, R.J.M.M. (2011a). "A Robust Standard Deviation Control Chart". Accepted for publication in *Technometrics*, with minor revisions.
- [32] Schoonhoven, M. and Does, R.J.M.M. (2011b). "A Robust \bar{X} Control Chart". Submitted for publication in the *Journal of Quality Technology*.
- [33] Schoonhoven, M.; Nazir, H.Z.; Riaz, M.; and Does, R.J.M.M. (2011a). "Robust Location Estimators for the \bar{X} Control Chart". *Journal of Quality Technology* 44, pp. 363-379.
- [34] Schoonhoven, M.; Riaz, M.; and Does, R.J.M.M. (2011b). "Design and Analysis of Control Charts for Standard Deviation with Estimated Parameters". *Journal of Quality Technology* 44, pp. 307-333.

- [35] Shewhart, W.A. (1931). *Economic Control of Quality of Manufactured Product*. Princeton, NJ: Van Nostrand.
- [36] Tatum, L.G. (1997). "Robust Estimation of the Process Standard Deviation for Control Charts". *Technometrics* 39, pp. 127-141.
- [37] Tukey, J.W. (1997) *Exploratory Data Analysis*. Reading, MA: Addison-Wesley.
- [38] Vargas, J.A. (2003). "Robust Estimation in Multivariate Control Charts for Individual Observations". *Journal of Quality Technology* 35, pp. 367-376.
- [39] Vining, G. (2009). "Technical Advice: Phase I and Phase II Control Charts". *Quality Engineering* 21, pp. 478-479.
- [40] Wadsworth, H.M.; Stephens, K.S.; and Godfrey, A.B. (2001). *Modern Methods for Quality Control and Improvement*, 2nd Edition. New York, NY: Wiley.
- [41] Wang, T.; Li, Y.; and Cui, H. (2007). "On Weighted Randomly Trimmed Means". *Journal of Systems Science and Complexity* 20, pp. 47-65.
- [42] Weisberg, H.F. (1992). *Central Tendency and Variability*. Sage University Paper Series on Quantitative Application in Social Sciences, series no. 07-038, pp. 7-83. Newbury Park, CA.
- [43] Woodall, W.H. and Montgomery, D.C. (1999). "Research Issues and Ideas in Statistical Process Control". *Journal of Quality Technology* 31, pp. 376-386.
- [44] Wu, C; Zhao, Y; and Wang, Z. (2002). "The Median Absolute Deviations and Their Applications to Shewhart \bar{X} Control Charts". *Communications in Statistics - Simulation and Computation* 31, pp. 425-442.
- [45] Yang, C. and Hillier, F. (1970). "Mean and Variance Control Chart Limits Based on a Small Number of Subgroups". *Journal of Quality Technology* 2, pp. 9-16.