



UvA-DARE (Digital Academic Repository)

Learning under misspecification: a behavioral explanation of excess volatility in stock prices and persistence in inflation

Hommel, C.; Zhu, M.

Publication date

2011

Document Version

Submitted manuscript

[Link to publication](#)

Citation for published version (APA):

Hommel, C., & Zhu, M. (2011). *Learning under misspecification: a behavioral explanation of excess volatility in stock prices and persistence in inflation*. (CeNDEF working paper; No. 11-04). Universiteit van Amsterdam.

http://www1.fee.uva.nl/cendef/publications/papers/SCEE_with_AR1_noise.pdf

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

Learning under misspecification: a behavioral explanation of excess volatility in stock prices and persistence in inflation

Cars Hommes*, Mei Zhu

CeNDEF, School of Economics, University of Amsterdam

Roetersstraat 11, 1018 WB Amsterdam, Netherlands

May 17, 2011

Abstract

We propose a simple misspecification equilibrium concept and a behavioral learning process explaining excess volatility in stock prices and high persistence in inflation. Boundedly rational agents use a simple univariate linear forecasting rule and in equilibrium correctly forecast the unconditional sample mean and first-order sample autocorrelation. In the long run, agents thus learn the best univariate linear forecasting rule, without fully recognizing the structure of the economy. In a first application, an asset pricing model with AR(1) dividends, a unique stochastic consistent expectations equilibrium (SCEE) exists characterized by high persistence and excess volatility, and it is globally stable under learning. In a second application, the New Keynesian Phillips curve, multiple SCEE arise and a low and a high persistence misspecification equilibrium co-exist. Learning exhibits path dependence and inflation may switch between low and high persistence regimes.

Keywords: Bounded rationality; Stochastic consistent expectations equilibrium; Adaptive learning; Excess volatility; Inflation persistence

JEL classification: C62; D83; D84; E30

*Corresponding author. Tel.: +31 20 525 4246; fax: +31 20 525 4349.

E-mail address: C.H.Hommes@uva.nl.

1 Introduction

Expectation feedback plays a crucial role in economics and finance. Since the introduction by Muth (1961), and its application in macroeconomics by Lucas (1972), the Rational Expectation Hypothesis (REH) has become the predominant paradigm. A Rational Expectation Equilibrium (REE) is in fact a fixed point of an expectation feedback system. Typically it is assumed that rational agents perfectly know not only the correctly specified market equilibrium equations, but also their parameter values conditional upon all available information.

Despite its popularity, the REH has been criticized for its highly demanding and unrealistic information requirements. Adaptive learning models have been proposed as an alternative to rational expectations; see, e.g. Sargent (1993, 1999) and Evans and Honkapohja (2001) for extensive surveys. In contrast to rational expectations, adaptive learning models assume that agents do not have perfect knowledge about market equilibrium equations, but agents are assumed to have some belief, the perceived law of motion, about the actual law of motion; the corresponding parameters are not known, but are estimated by adaptive learning based on available observations. The implied actual law of motion under adaptive learning is thus a time-varying self referential system, depending on the perceived law of motion. Under this framework, a rational expectations equilibrium is simply a situation in which the implied law of motion exactly coincides with the perceived law of motion, and adaptive learning may converge to such a rational expectations equilibrium. In other words, convergence of adaptive learning to a rational expectations equilibrium can occur when the perceived law of motion is correctly specified.

In general a perceived law of motion will be misspecified. White (1994) argues that an economic model or a probability model is only a more or less crude approximation to whatever might be the "true" relationships among the observed data and consequently it is necessary to view economic and/or probability models as misspecified to some greater or lesser degree. Sargent (1991) first develops a notion of equilibrium as a fixed point of an operator that maps the perceived law of motion (a vector ARMA process) into a statistically optimal estimator of the actual law of motion. This may be viewed as an early example of a Restricted Perceptions Equilibrium (RPE), as defined by Evans and Honkapohja (2001), formalizing the idea that agents have misspecified beliefs, but within the context of their forecasting model they are unable to detect their misspecification. Branch (2006) gives an excellent survey and argues that the RPE is a natural alternative

to rational expectation equilibrium because it is to some extent consistent with Muth's original hypothesis of REE while allowing for bounded rationality by restricting the class of the perceived law of motion.

The main contribution of our paper is to develop a behavioral equilibrium concept, where agents try to learn a simple but misspecified forecasting rule. Our equilibrium concept - Stochastic Consistent Expectations Equilibrium (SCEE) - may be viewed as the simplest RPE and therefore it seems more likely that agents might coordinate their expectations and learn such a simple behavioral equilibrium. The actual law of motion (ALM) of the economy is a two (or higher) dimensional linear stochastic system. Agents are forecasting one variable - say the price - of the economy using a simple univariate AR(1) forecasting rule. In a SCEE the mean and the first-order autocorrelation of realized prices in the economy coincide with the corresponding mean and first-order autocorrelation of agents' AR(1) perceived law of motion (PLM). In addition, a simple adaptive learning scheme - Sample Autocorrelation Learning (SAC-learning) - with an intuitive behavioral interpretation, enforces convergence to the (stable) SCEE.

We illustrate our behavioral equilibrium concept in two standard applications. In the first - an asset pricing model with an exogenous stochastic dividend process - the SCEE is unique and the SAC-learning scheme always converges to the SCEE. The SCEE is characterized by excess volatility with asset prices much more volatile (with the variance in asset prices more than doubled) than under REE. In the second application - a New Keynesian Philips curve (NKPC) - with an exogenous AR(1) process for the output gap and an independent and identically distributed (i.i.d.) stochastic shock to inflation - multiple stable SCEE may co-exist. In particular, for empirically plausible parameter values a SCEE with highly persistent inflation exists, matching the stylized facts of US-inflation data.

Related literature

Our behavioral equilibrium is closely related to the Consistent Expectations Equilibrium (CEE) introduced by Hommes and Sorger (1998), where agents believe that prices follow a linear AR(1) stochastic process, whereas the implied actual law of motion is a deterministic chaotic nonlinear process. Along a CEE, price realizations have the same sample mean and sample autocorrelation coefficients as the AR(1) perceived law of motion. A CEE is another early example of a RPE and may be seen as an "approximate

rational expectations equilibrium”, in which the misspecified perceived law of motion is the *best linear approximation* within the class of perceived laws of motion of the actual (unknown) nonlinear law of motion. Hommes and Rosser (2001) investigate CEE in an optimal fishery management model and used numerical simulations to study adaptive learning of CEE in the presence of dynamic noise. The adaptive learning scheme used here is SAC-learning, where the parameters of the AR(1) forecasting rule are updated based on the observed sample average and first-order sample autocorrelation. Sögner and Mitlöhner (2002) apply the CEE concept to a standard asset pricing model with independent and identically distributed (i.i.d.) dividends and showed that the unique CEE coincides with the REE. As we will see in the current paper, introducing autocorrelations in the stochastic dividend process will lead to learning equilibrium different from REE. Tuinstra (2003) analyzes first-order consistent expectations equilibria numerically in a deterministic overlapping generations (OLG) model. Hommes et al (2004) generalize the notion of CEE to *nonlinear stochastic* dynamic economic models, introducing the concept of stochastic consistent expectations equilibrium (SCEE). In a SCEE, agents’ perceptions about endogenous variables are consistent with the actual realizations of these variables in the sense that the unconditional mean and autocorrelations of the unknown nonlinear stochastic process, which describes the actual behavior of the economy, coincide with the unconditional mean and autocorrelations of the AR(1) process agents believe in. They applied this concept to an OLG model and studied the existence of SCEE and its relationship to sample autocorrelation learning (SAC-learning) based on numerical simulations.

Showing theoretically existence of SCEE and its relationship to adaptive learning has proven to be technically difficult, while convergence of SAC-learning has been studied only by numerical simulations. The principle technical difficulty here is to calculate autocorrelation coefficients, prove existence of fixed points in a nonlinear system and analyze the relationship between SCEE and sample autocorrelation learning. Branch and McGough (2005) obtain existence results on *first-order* SCEE theoretically and analyze the stability of SCEE under real-time learning numerically in a stochastic non-linear self-referential model where expectations are based on an AR(1) process. Lansing (2009) considers a special class of SCEE in the New Keynesian Philips curve, where the value of the Kalman gain parameter in agents’ forecast rule is pinned down using the observed autocorrelation of inflation changes. Lansing (2010) studies a Lucas-type asset pricing model and found numerically a near-rational restricted perceptions equilibrium, for which the covariance of an underparameterized (one parameter) PLM coincides with the covariance of an approx-

imate ALM. Bullard et al. (2008, 2010) add judgment into agents' forecasts and use the concept of SCEE to provide a related interesting concept of exuberance equilibria. They study the resulting dynamics in the New Keynesian model and a standard asset pricing model, respectively, where the driving variables are white noises (no autocorrelations).

The current paper studies the existence of SCEE and its stability under SAC-learning in two standard applications: an asset pricing model and the New Keynesian Philips curve. In both applications the driving variables (dividends or real marginal costs) are assumed to follow AR(1) processes. More specifically, while the perceived law of motion agents believe in is an AR(1) process with white noise, the true process of economy is not an AR(1) process but a linear stochastic process driven by an exogenous autocorrelated process. In addition to the conceptual contribution of introducing a behavioral learning equilibrium, our paper makes two methodological contributions. First, we prove existence of SCEE under general conditions in a misspecified framework, where prices (inflation) have the same mean as REE. Second, we present the first proof that the SAC-learning converges to stable SCEE and provide simple and intuitive stability conditions. SCEE thus represents a fixed point of learning dynamics under misspecification. Moreover, we provide interesting results in our two applications. In the asset pricing model, we show that the SCEE is unique and (globally) stable and characterized by market prices fluctuating around fundamental prices and exhibiting stronger serial autocorrelations and higher volatility than the REE for plausible parameters. In the New Keynesian Philips curve, we show that multiple SCEE may exist. In particular, for a large set of plausible parameters a SCEE exists with highly persistent inflation. Coordination on a behavioral learning equilibrium may thus explain high persistence in inflation (Milani, 2007).

Some other related literature, for example Timmermann (1993, 1996), Bullard and Duffy (2001), Guidolin and Timmermann (2007) and Bullard et al. (2010), shows the effects of learning on asset returns from different perspectives. Timmermann (1993, 1996) shows that learning helps to explain excess volatility and predictability of stock returns in the similar present value asset pricing model. In Timmermann (1993, 1996), the perceived law of motion is correctly specified but the related parameters are estimated by adaptive learning, and in the long run learning converges to REE. Bullard and Duffy (2001) introduce adaptive learning into a general-equilibrium life-cycle economy with capital accumulation and show that in contrast to perfect-foresight dynamics, the system under least-squares learning possesses equilibria that are characterized by persistent excess volatility in returns to capital. Guidolin and Timmermann (2007) characterize

equilibrium asset prices under adaptive, rational and Bayesian learning schemes in a model where dividends evolve on a binomial lattice and find that learning introduces serial correlation and volatility clustering in stock returns. Bullard et al. (2010) construct a simple asset pricing example with constant known dividends and i.i.d. asset supply and find that exuberance equilibria, when they exist, can be extremely volatile relative to fundamental equilibria. An important conceptual difference with these references is our *behavioral interpretation* of the SCEE as the simplest example of RPE. A behavioral SCEE together with an intuitive SAC-learning scheme may explain agents' coordination on (almost) self-fulfilling equilibria.

The paper is organized as follows. Section 2 introduces the main concepts, i.e. first-order SCEE and sample autocorrelation learning in a general framework. Section 3 studies existence and stability under SAC-learning theoretically as well as numerically in a standard asset pricing model. Section 4 presents a second application, the New Keynesian Philips curve, and shows existence of multiple SCEE and the relationship to SAC-learning theoretically and numerically. Finally, section 5 concludes.

2 Preliminary concepts

This section briefly introduces the main concepts. Suppose that the law of motion of an economic system is given by the stochastic difference equation

$$x_t = f(x_{t+1}^e, y_t, u_t), \quad (2.1)$$

where x_t is the state of the system (e.g. asset price or inflation) at date t and x_{t+1}^e is the expected value of x at date $t + 1$. This denotation highlights that expectations may not be rational. Here f is a continuous function, $\{u_t\}$ is an i.i.d. noise process with mean zero and finite absolute moments¹, where the variance is denoted by σ_u^2 , and y_t is a driving variable (e.g. dividends or the output gap), assumed to follow an exogenous stochastic AR(1) process

$$y_t = a + \rho y_{t-1} + \varepsilon_t, \quad 0 \leq \rho < 1, \quad (2.2)$$

where $\{\varepsilon_t\}$ is another i.i.d. noise process with mean zero and finite absolute moments, with variance σ_ε^2 , and uncorrelated with $\{u_t\}$. The mean of the stationary process y_t is

¹The condition on finite absolute moments is required to obtain convergence results under SAC-learning.

$\bar{y} = \frac{a}{1-\rho}$, the variance is $\sigma_y^2 = \frac{\sigma_\varepsilon^2}{1-\rho^2}$ and the k th-order autocorrelation coefficient of y_t is ρ^k , see for example, Hamilton (1994).

Agents are boundedly rational and do not know the exact form of the actual law of motion in (2.1). We assume that, in order to forecast x_{t+1} , agents only use past observations x_{t-1}, x_{t-2}, \dots , etc. Hence agents do not recognize that x_t is driven by an exogenous stochastic process y_t . Instead agents believe that the economic variable x_t follows a simple linear stochastic process. More specifically, agents' perceived law of motion (PLM) is an AR(1) process, as in Hommes et al. (2004) and Branch and McGough (2005), i.e.

$$x_t = \alpha + \beta(x_{t-1} - \alpha) + \delta_t, \quad (2.3)$$

where α and β are real numbers with $\beta \in (-1, 1)$ and $\{\delta_t\}$ is a white noise process; α is the unconditional mean of x_t while β is the first-order autocorrelation coefficient. Given the perceived law of motion (2.3), the 2-period ahead forecasting rule for x_{t+1} that minimizes the mean-squared forecasting error is

$$x_{t+1}^e = \alpha + \beta^2(x_{t-1} - \alpha). \quad (2.4)$$

Combining the expectations (2.4) and the law of motion of the economy (2.1), we obtain the implied actual law of motion (ALM)

$$x_t = f(\alpha + \beta^2(x_{t-1} - \alpha), y_t, u_t), \quad (2.5)$$

with y_t an AR(1) process as in (2.2).

Stochastic consistent expectations equilibrium

We are now ready to recall the definition of stochastic consistent expectations equilibrium (SCEE). Following Hommes et al. (2004)², the concept of first-order SCEE is defined as follows.

Definition 2.1 *A triple (μ, α, β) , where μ is a probability measure and α and β are real numbers with $\beta \in (-1, 1)$, is called a first-order stochastic consistent expectations equilibrium (SCEE) if the three conditions are satisfied:*

- S1 The probability measure μ is a nondegenerate invariant measure for the stochastic difference equation (2.5);*

²In Hommes et al. (2004), the actual law of motion is $x_t = f(x_{t+1}^e, u_t)$, without the driving variable y_t . However, the definitions of SCEE and SAC-learning can still be applied here.

S2 The stationary stochastic process defined by (2.5) with the invariant measure μ has unconditional mean α , that is, $E_{\mu}(x) = \int x d\mu(x) = \alpha$;

S3 The stationary stochastic process defined by (2.5) with the invariant measure μ has unconditional first-order autocorrelation coefficient β .

That is to say, a first-order SCEE is characterized by the fact that both the unconditional mean and the unconditional first-order autocorrelation coefficient generated by the actual (unknown) stochastic process (2.5) coincide with the corresponding statistics for the perceived linear AR(1) process (2.3). This means that in a first-order SCEE agents correctly perceive the mean and the first-order autocorrelation (persistence) of economic variables although they do not correctly specify their model of the economy.

Our SCEE concept may be viewed as the simplest example of a RPE. It should be stressed that the SCEE has an intuitive behavioral interpretation. In a SCEE agents use a linear forecasting rule with two parameters, the mean α and the first-order autocorrelation β . Both can be observed from past observations by inferring the average price (or inflation level) and the (first-order) persistence of the time series. For example, $\beta = 0.5$ means that, on average, prices mean revert toward their long-run mean by 50 percent. These observations could be made approximately and simply by observing the time series of aggregate variables. It is interesting to note that in learning-to-forecast laboratory experiments with human subjects, for many subjects forecasting behavior can indeed be described by simple rules, such as a simple AR(1) rule, see for example, Hommes et al. (2005), Adam (2007), Heemeijer et al. (2005), Hommes (2011).

Finally, we note that in a first-order SCEE, the orthogonality condition imposed by Restricted Perceptions Equilibrium (RPE)

$$Ex_{t-1}[x_t - \alpha - \beta(x_{t-1} - \alpha)] = E(x_{t-1} - \alpha)[x_t - \alpha - \beta(x_{t-1} - \alpha)] = 0$$

is satisfied. The orthogonality condition shows that agents can not detect the correlation between their forecasting errors and the agent's perceived model, see Branch (2006). The first-order SCEE is a RPE where agents have their model incorrect; but within the context of their forecasting model agents are unable to detect their misspecification.

Sample autocorrelation learning

In the above definition of first-order SCEE, agents' beliefs are described by the linear forecasting rule (2.4) with fixed parameters α and β . However, the parameters α and

β are usually unknown. In the adaptive learning literature, it is common to assume that agents behave like econometricians using time series observations to estimate the parameters as additional observations become available. Following Hommes and Sorger (1998), we assume that agents use sample autocorrelation learning (SAC-learning) to learn the parameters α and β . That is, for any finite set of observations $\{x_0, x_1, \dots, x_t\}$, the sample average is given by

$$\alpha_t = \frac{1}{t+1} \sum_{i=0}^t x_i, \quad (2.6)$$

and the first-order sample autocorrelation coefficient is given by

$$\beta_t = \frac{\sum_{i=0}^{t-1} (x_i - \alpha_t)(x_{i+1} - \alpha_t)}{\sum_{i=0}^t (x_i - \alpha_t)^2}. \quad (2.7)$$

Hence α_t and β_t are updated over time as new information arrives.

Adaptive learning is sometimes referred to as statistical learning, because agents act as statisticians or econometricians and use a statistical procedure such as OLS to estimate and update parameters over time. SAC-learning may be viewed as another statistical learning procedure. We would like to stress however that SAC-learning has a simple behavioral interpretation that agents simply infer the sample average and persistence (i.e. first-order autocorrelation) from time series observations. We focus on the entire sample average for α_t in (2.6) and sample first-order autocorrelation for β_t in (2.7) over the entire time-horizon, but one could also restrict the learning to the last T observations with T relatively small (e.g., $T = 100$ or even smaller). It is an easy and natural way for agents, especially those without professional training, to estimate mean and first-order autocorrelation directly based on data instead of some complicated statistical techniques.

Define

$$R_t = \frac{1}{t+1} \sum_{i=0}^t (x_i - \alpha_t)^2,$$

then the SAC-learning is equivalent to the following recursive dynamical system (see Appendix A).

$$\begin{cases} \alpha_t = \alpha_{t-1} + \frac{1}{t+1}(x_t - \alpha_{t-1}), \\ \beta_t = \beta_{t-1} + \frac{1}{t+1}R_t^{-1} \left[(x_t - \alpha_{t-1}) \left(x_{t-1} + \frac{x_0}{t+1} - \frac{t^2 + 3t + 1}{(t+1)^2} \alpha_{t-1} - \frac{1}{(t+1)^2} x_t \right) \right. \\ \quad \left. - \frac{t}{t+1} \beta_{t-1} (x_t - \alpha_{t-1})^2 \right], \\ R_t = R_{t-1} + \frac{1}{t+1} \left[\frac{t}{t+1} (x_t - \alpha_{t-1})^2 - R_{t-1} \right]. \end{cases} \quad (2.8)$$

The actual law of motion under SAC-learning is therefore given by

$$x_t = f(\alpha_{t-1} + \beta_{t-1}^2(x_{t-1} - \alpha_{t-1}), y_t, u_t), \quad (2.9)$$

with α_t, β_t as in (2.8) and y_t as in (2.2).

In Hommes and Sorger (1998), the map f in (2.9) is a nonlinear deterministic function depending only on $\alpha_{t-1} + \beta_{t-1}^2(x_{t-1} - \alpha_{t-1})$, without the driving variable y_t and the noise u_t . Hommes et al. (2004) extend the CEE framework to SCEE, with f a nonlinear stochastic process (but without exogenous driving variable y_t). In this paper the map f is a linear function, depending on not only $\alpha_{t-1} + \beta_{t-1}^2(x_{t-1} - \alpha_{t-1})$ and u_t but also on an exogenous AR(1) process y_t . Hence, the true law of motion of the economy is a two dimensional linear stochastic process, while agents try to forecast using a univariate linear model. In the following we give two typical examples in economies and study existence of first-order SCEE and its relationship to SAC-learning in detail.

3 An asset pricing model with AR(1) dividends

A simple example of the general framework (2.1) is given by the standard present value asset pricing model with stochastic dividends; see for example Brock and Hommes (1998). Here we consider AR(1) dividends instead of independent and identically distributed (i.i.d.) dividends.

Assume that agents can invest in a risk free asset or in a risky asset. The risk-free asset is perfectly elastically supplied at a gross return $R > 1$. p_t denotes the price (ex dividend) of the risky asset and y_t denotes the (random) dividend process. Let \tilde{E}_t, \tilde{V}_t denote the subjective beliefs of a representative agent about the conditional expectation and conditional variance of excess return $p_{t+1} + y_{t+1} - Rp_t$. By the assumption that the agent is a myopic mean-variance maximizer of tomorrow's wealth, the demand z_t for the risky asset by the representative agent is then given by

$$z_t = \frac{\tilde{E}_t(p_{t+1} + y_{t+1} - Rp_t)}{\tilde{a}\tilde{V}_t(p_{t+1} + y_{t+1} - Rp_t)} = \frac{\tilde{E}_t(p_{t+1} + y_{t+1} - Rp_t)}{\tilde{a}\sigma^2},$$

where $\tilde{a} > 0$ denotes the risk aversion coefficient and the belief about the conditional variance of the excess return is assumed to be constant over time³, i.e. $\tilde{V}_t(p_{t+1} + y_{t+1} - Rp_t) \equiv \sigma^2$.

³This assumption is consistent with the assumption that agents believe that prices follow an AR(1) process and dividends follow a stochastic AR(1) process with finite variance.

Equilibrium of demand and supply implies

$$\frac{\tilde{E}_t(p_{t+1} + y_{t+1} - Rp_t)}{\tilde{a}\sigma^2} = z_s,$$

where z_s denotes the supply of outside shares in the market, assumed to be constant over time. Without loss of generality⁴, we assume zero supply of outside shares, i.e. $z_s = 0$.

The market clearing price in the standard asset pricing model is then given by

$$p_t = \frac{1}{R} [p_{t+1}^e + y_{t+1}^e], \quad (3.1)$$

where p_{t+1}^e is the conditional expectation of next period's price p_{t+1} and y_{t+1}^e is the conditional expectation of next period's dividend y_{t+1} .

Dividend $\{y_t\}$ is assumed to follow an AR(1) process (2.2). Suppose that the risky asset (share) is traded, after payment of real dividends y_t , at a competitively determined price p_t , so that y_t is known by agents, and

$$y_{t+1}^e = a + \rho y_t. \quad (3.2)$$

The market clearing price in the standard asset pricing model with AR(1) dividends is then given by

$$p_t = \frac{1}{R} [p_{t+1}^e + a + \rho y_t], \quad (3.3)$$

where dividend y_t follows the AR(1) process (2.2). Compared with our general framework (2.1), here the map f is a simple linear function and the noise $u_t \equiv 0$.

3.1 Rational expectations equilibrium with AR(1) dividends

Under the assumption that agents are rational, a straightforward computation (see Appendix B) shows that the rational expectations equilibrium p_t^* satisfies

$$p_t^* = \frac{aR}{(R-1)(R-\rho)} + \frac{\rho}{R-\rho} y_t. \quad (3.4)$$

In particular, if $\{y_t\}$ is i.i.d., i.e. $a = \bar{y}$ and $\rho = 0$, then $p_t^* = \frac{a}{R-1} = \frac{\bar{y}}{R-1}$ for any $t = 0, 1, 2, \dots$.

Thus based on (3.4), the unconditional mean and the unconditional variance of the rational expectation price p_t^* are given by, respectively,

$$\bar{p}^* := E(p_t^*) = \frac{a}{(R-1)(1-\rho)} = \frac{\bar{y}}{R-1}, \quad (3.5)$$

$$Var(p_t^*) = E(p_t^* - \bar{p}^*)^2 = \frac{\rho^2 \sigma_\varepsilon^2}{(R-\rho)^2 (1-\rho^2)}. \quad (3.6)$$

⁴In the case $z_s > 0$, the difference with the analysis below only lies in the mean of the SCEE $\alpha^* = \frac{\bar{y} - \tilde{a}\sigma^2 z_s}{R-1}$. The analysis on autocorrelations and variances remains the same.

Furthermore, the first-order autocovariance and autocorrelation coefficient of the rational expectation price p_t^* are given by, respectively,

$$\begin{aligned} E(p_t^* - \bar{p}^*)(p_{t-1}^* - \bar{p}^*) &= \frac{\rho^3 \sigma_\varepsilon^2}{(R - \rho)^2 (1 - \rho^2)}, \\ \text{Corr}(p_t^*, p_{t-1}^*) &= \rho. \end{aligned} \quad (3.7)$$

3.2 Existence of first-order SCEE

We now relax the rational expectation assumption and assume that agents are boundedly rational and believe that the price p_t follows a univariate AR(1) process

$$p_t = \alpha + \beta(p_{t-1} - \alpha) + \delta_t. \quad (3.8)$$

Given the perceived law of motion and knowledge of all prices observed up to period $t-1$, the 2-period ahead forecasting rule for p_{t+1} that minimizes the mean-squared forecasting error is

$$p_{t+1}^e = \alpha + \beta^2(p_{t-1} - \alpha). \quad (3.9)$$

By substituting (3.9) into (3.3), we obtain the implied actual law of motion for prices

$$\begin{cases} p_t = \frac{1}{R}[\alpha + \beta^2(p_{t-1} - \alpha) + a + \rho y_t], \\ y_t = a + \rho y_{t-1} + \varepsilon_t. \end{cases} \quad (3.10)$$

For the PLM (3.8) and the ALM (3.10), we first study the existence and uniqueness of first-order SCEE.

Since $0 \leq \frac{\beta^2}{R} < 1$ and $0 \leq \rho < 1$, the price process (3.10) is stationary and ergodic. Denote the unconditional expectation of p_t by \bar{p} . Then \bar{p} satisfies

$$R\bar{p} = \alpha(1 - \beta^2) + \beta^2\bar{p} + a + \rho\bar{y} = \alpha(1 - \beta^2) + \beta^2\bar{p} + \bar{y}.$$

Hence

$$\bar{p} = \frac{\alpha(1 - \beta^2) + \bar{y}}{R - \beta^2}. \quad (3.11)$$

Imposing the first consistency requirement of a SCEE on the mean, i.e. $\bar{p} = \alpha$, yields

$$\alpha = \frac{\bar{y}}{R - 1} =: \alpha^*. \quad (3.12)$$

Hence using (3.5), we conclude that in a SCEE the unconditional mean of market prices coincides with the REE fundamental prices. That is to say, in a SCEE market prices fluctuate around the fundamental prices.

Next consider the second consistency requirement of a SCEE on the first-order autocorrelation coefficient β of the PLM. A straightforward computation (see Appendix C) shows that the first-order autocorrelation coefficient $Corr(p_t, p_{t-1})$ of the ALM satisfies

$$Corr(p_t, p_{t-1}) = \frac{\beta^2 + R\rho}{\rho\beta^2 + R} =: F(\beta). \quad (3.13)$$

Define $G(\beta) := F(\beta) - \beta$. In the case that $\rho > 0^5$, since $G(0) = \rho > 0$ and $G(1) = \frac{1+R\rho}{\rho+R} - 1 = \frac{(1-\rho)(1-R)}{\rho+R} = \frac{-r(1-\rho)}{\rho+R} < 0$, there exists at least one $\beta^* \in (0, 1)$, such that $G(\beta^*) = 0$, i.e.

$$F(\beta^*) = \beta^*.$$

Furthermore, because $F(0) = \rho$ and $F'(\beta) = \frac{2\beta R(1-\rho^2)}{(\rho\beta^2+R)^2} > 0$ for $\beta \in (0, 1)$, we have $F(\beta) > \rho$ for $\beta \in (0, 1)$. Hence

$$\beta^* > \rho.$$

It can be shown (see Appendix D) that β^* is unique. We thus have the following proposition on first-order stochastic consistent expectations equilibrium.

Proposition 1 *In the case that $0 < \rho < 1$, there exists a unique nonzero first-order stochastic consistent expectations equilibrium (α^*, β^*) for the asset pricing model with $AR(1)$ dividends (3.10), which satisfies $\alpha^* = \frac{\bar{y}}{(R-1)} = \bar{p}^*$ and $\beta^* > \rho$.*

This proposition states that in a SCEE self-fulfilling market prices have the same mean as the fundamental prices, but a higher first-order autocorrelation coefficient than the fundamental prices. In other words, in a SCEE market prices fluctuate around the fundamental prices but with a higher persistence than under REE.

3.2.1 Numerical analysis

Now we illustrate the above results numerically. For example, consider $R = 1.05, \rho = 0.9, a = 0.005, \varepsilon_t \sim i.i.d. U(-0.01, 0.01)$ (i.e. uniform distribution on $[-0.01, 0.01]$)⁶. Figures 1a⁷ and 1b illustrate the existence of a unique stable first-order SCEE, where $(\alpha^*, \beta^*) = (1, 0.997)$. The time series of fundamental prices and market prices with

⁵In the case that $\rho = 0$, $F(\beta) = \frac{\beta^2}{R}$, which can be obtained from (3.13). Hence $G(\beta) = \frac{\beta^2}{R} - \beta = \frac{\beta(\beta-R)}{R}$. Since $\beta \leq 1 < R$, the only equilibrium is $\beta = 0$. Therefore, in the case that $\rho = 0$, there is no nonzero first-order stochastic consistent expectations equilibrium (SCEE).

⁶As shown theoretically above, the numerical results are independent of selection of the parameter values within plausible ranges, sample paths, initial values and distribution of noise.

⁷In Figure 1a, we take $\beta = 0.9$. However in fact, α^* is independent of β , as can be seen from (3.12).

$(\alpha, \beta) = (\alpha^*, \beta^*)$ are shown in Figure 1c, which illustrates that the market price fluctuates around the fundamental price but has more persistence and exhibits excess volatility. In fact, based on Proposition 1, in a SCEE the mean of the market prices is equal to that of the fundamental prices and the first-order autocorrelation coefficient β^* of the market prices is greater than that of the fundamental prices ρ , implying that the market prices have higher persistence. In order to further illustrate this, the autocorrelation functions of the market prices and the fundamental prices are shown in Figure 1d. It can be seen from Figure 1d that autocorrelation coefficients of the market prices are higher than those of the fundamental prices and hence the market prices have higher persistence.

We now investigate how the first-order SCEE and excess volatility of market prices depend on the autoregressive coefficient of dividends ρ , which is also the first-order autocorrelation of fundamental prices. Consistent with Proposition 1, Figure 2a illustrates that the first-order autocorrelation of market prices is higher than that of fundamental prices, especially much higher as $\rho > 0.4$. In fact, based on empirical findings, e.g. Timmermann (1996), the autoregressive coefficient of dividends ρ is about 0.9, where the corresponding $\beta^* \approx 0.997$. In the case $\rho > 0.4$, correspondingly the variance of market prices is larger than that of fundamental prices, as illustrated in Figure 2b. In the Figure 2b, the ratio of variance of market prices and variance of fundamental prices is greater than 1 for $0.4 < \rho < 1$. For $\rho = 0.9$, $\frac{\sigma_p^2}{\sigma_{p^*}^2} \approx 2.5$. Given the variance of fundamental prices (3.6) and the variance of market prices (C.6),


$$\frac{\sigma_p^2}{\sigma_{p^*}^2} = \frac{(\beta^2 \rho + R)(R - \rho)^2}{(R^2 - \beta^4)(R - \rho \beta^2)} \Big|_{\beta = \beta^*(\rho)}.$$

Proposition 1 demonstrates $\rho < \beta^*(\rho) < 1$ for $0 < \rho < 1$, and hence $\beta^*(\rho)$ converges to 1 as ρ tends to 1. Thus as ρ tends to 1, $\frac{\sigma_p^2}{\sigma_{p^*}^2}$ converges to 1, consistent with Figure 2b. So for plausible parameter values of ρ , the variance of market prices is greater than that of fundamental prices, indicating that market prices have excess volatility in the SCEE.


3.3 Stability under SAC-learning

In this subsection we study the stability of SCEE under SAC-learning in the asset pricing model with AR(1) dividends. The asset pricing model with AR(1) dividends under SAC-learning is given by


$$\begin{cases} p_t = \frac{1}{R} [\alpha_{t-1} + \beta_{t-1}^2 (p_{t-1} - \alpha_{t-1}) + a + \rho y_t], \\ y_t = a + \rho y_{t-1} + \varepsilon_t, \end{cases} \quad (3.14)$$




(a) SCEE for α^*



(b) SCEE for β^*




(c) Time series of prices in SCEE




(d) Autocorrelation function in SCEE

Figure 1: (a) SCEE α^* is the intersection point of the mean $\bar{p} = \frac{\alpha(1-\beta^2)+\bar{y}}{R-\beta^2}$ (bold curve) with the perceived mean α (dotted line); (b) SCEE β^* is the intersection point of the first-order autocorrelation coefficient $F(\beta) = \frac{\beta^2+R\rho}{\rho\beta^2+R}$ (bold curve) with the perceived first-order autocorrelation β (dotted line); (c) 1,000 observations of fundamental prices (dotted curve) and market prices (bold curve) in the SCEE; (d) autocorrelation functions of 10,000 fundamental prices (lower dots) and market prices (higher stars) in the SCEE. Parameter values are $R = 1.05, \rho = 0.9, a = 0.005, \varepsilon_t \sim i.i.d. U(-0.01, 0.01)$.



(a) 1-order autocorrelation in SCEE



(b) Ratio of variances in SCEE

Figure 2: (a) SCEE β^* with respect to ρ ; (b) ratio of variance of market prices and variance of fundamental prices with respect to ρ , where $R = 1.05$.

with α_t, β_t as in (2.8). This is an expectations feedback system. Realized prices influence the perceptions agents have about economic reality and these perceptions feed back into the actual dynamics of the economy and determine future prices that will be realized.

In order to study the dynamical behavior of the model (3.14), we first check the stability of the unique SCEE (α^*, β^*) in Proposition 1. The stability of the SCEE is in fact determined by the coefficient $\frac{1-\beta^2}{R-\beta^2}$ in front of α in the unconditional mean in (3.11) and by $F(\beta)$ in (3.13). On one hand, since $0 \leq \frac{1-\beta^2}{R-\beta^2} < 1$, it can be seen from (3.11) that α^* is stable. On the other hand, the proof of uniqueness of β^* in Appendix D shows that $0 < F'(\beta^*) < 1$, and that therefore β^* is stable. We thus have stability of the unique SCEE under SAC-learning.

Proposition 2 *The unique SCEE (α^*, β^*) in Proposition 1 is stable under SAC-learning, that is, the SAC-learning process (α_t, β_t) converges to the unique SCEE (α^*, β^*) as time t tends to ∞ .*

Proof. See Appendix E.

This proposition shows that the SCEE describes the long-run behavior of SAC-learning when agents use a simple AR(1) forecasting rule.

3.3.1 Numerical analysis

Figure 3 shows that SAC-learning (α_t, β_t) converges to the unique stable SCEE (α^*, β^*) . Figure 3a indicates that the mean of the market prices under SAC-learning α_t tends to




Figure 3: (a) Time series $\alpha_t \rightarrow \alpha^*(1.0)$ under SAC-learning; (b) time series $\beta_t \rightarrow \beta^*(0.997)$ under SAC-learning; (c) time series of market prices under SAC-learning and fundamental prices. Initial values $p_0 = 0.3, y_0 = 0.08$.

the mean $\alpha^* = 1$ in the SCEE, while Figure 3b shows that the first-order autocorrelation coefficient of the market prices under SAC-learning β_t tends to the first-order autocorrelation coefficient $\beta^* = 0.997$ in the SCEE. Therefore, given the same sample path of noise, the time series of the market prices under SAC-learning is almost the same as that in the SCEE, which can be seen by comparing Figure 3c to Figure 1c. That is, the market prices under SAC-learning fluctuate around the fundamental prices but have excess volatility and stronger autocorrelation. Therefore, the self-referential SCEE and learning offer a possible explanation of bubbles within a stationary time series framework, as suggested in Bullard et al. (2010).

4 The New Keynesian Philips curve with AR(1) driving variable

Now consider a second application of SCEE and learning in macroeconomics, the New Keynesian Philips curve with an AR(1) driving variable as suggested by Lansing (2009). Assume that the inflation and the output gap (real marginal cost) evolve according to

$$\begin{cases} \pi_t = \lambda \pi_{t+1}^e + \gamma y_t + u_t, \\ y_t = a + \rho y_{t-1} + \varepsilon_t, \end{cases} \quad (4.1)$$

where π_t is the inflation at time t , π_{t+1}^e is expected inflation at date $t + 1$ and y_t is the output gap or real marginal cost. $\lambda \in [0, 1)$ is the representative agent's subjective time discount factor, $\gamma > 0$ is related to the degree of price stickiness in the economy and

$\rho \in [0, 1)$ describes the linear dependence of the output gap on its past value. u_t and ε_t are i.i.d. stochastic disturbances with zero mean and finite absolute moments with variances σ_u^2 and σ_ε^2 , respectively. The key difference with the standard asset pricing model is that this model includes two stochastic disturbances, not only the noise ε_t of the AR(1) driving variable, but also an additional noise u_t in the New Keynesian Philips curve. We refer to u_t as a markup shock that is often motivated by the presence of a variable tax rate and to ε_t as a demand shock that is uncorrelated with the markup shock.

4.1 Rational expectations equilibrium

If agents are rational, then a straightforward computation (see Appendix F) gives the rational expectations equilibrium

$$\pi_t^* = \frac{\gamma \lambda a}{(1 - \lambda)(1 - \lambda \rho)} + \frac{\gamma}{1 - \lambda \rho} y_t + u_t. \quad (4.2)$$

Hence the mean and variance of rational expectations equilibrium π_t^* are, respectively,

$$\bar{\pi}^* := E(\pi_t^*) = \frac{\gamma a}{(1 - \lambda)(1 - \rho)}, \quad (4.3)$$

$$Var(\pi_t^*) = E(\pi_t^* - \bar{\pi}^*)^2 = \frac{\gamma^2 \sigma_\varepsilon^2}{(1 - \lambda \rho)^2 (1 - \rho^2)} + \sigma_u^2. \quad (4.4)$$

Furthermore, the first-order autocovariance and autocorrelation of rational expectations equilibrium π_t^* are, respectively,

$$E(\pi_t^* - \bar{\pi}^*)(\pi_{t-1}^* - \bar{\pi}^*) = \frac{\gamma^2 \rho \sigma_\varepsilon^2}{(1 - \lambda \rho)^2 (1 - \rho^2)},$$

$$Corr(\pi_t^*, \pi_{t-1}^*) = \frac{\rho \gamma^2}{\gamma^2 + (1 - \lambda \rho)^2 (1 - \rho^2) \frac{\sigma_u^2}{\sigma_\varepsilon^2}}.$$

Note that in the special case $\sigma_u^2 = 0$, the above expression reduces to $Corr(\pi_t^*, \pi_{t-1}^*) = \rho$ as in Eq. (3.7). Moreover, the larger the noise level σ_u^2 in the markup shock, the smaller the first-order autocorrelation in the fundamental rational equilibrium inflation.

4.2 Existence of first-order SCEE

Suppose now that agents are boundedly rational and that their perceived law of motion for inflation is a univariate AR(1) process.

$$\pi_t = \alpha + \beta(\pi_{t-1} - \alpha) + v_t \quad (4.5)$$

The implied actual law of motion then becomes

$$\begin{cases} \pi_t = \lambda[\alpha + \beta^2(\pi_{t-1} - \alpha)] + \gamma y_t + u_t, \\ y_t = a + \rho y_{t-1} + \varepsilon_t. \end{cases} \quad (4.6)$$

Denote the unconditional expectation of π_t by $\bar{\pi}$ and the unconditional expectation of y_t by \bar{y} . Then $\bar{y} = a/(1 - \rho)$ and $\bar{\pi}$ satisfies

$$\bar{\pi} = \lambda\alpha(1 - \beta^2) + \lambda\beta^2\bar{\pi} + \gamma\bar{y}.$$

Hence

$$\bar{\pi} = \frac{\lambda\alpha(1 - \beta^2) + \gamma\bar{y}}{1 - \lambda\beta^2}. \quad (4.7)$$

Imposing the first consistency requirement on the mean, i.e. $\bar{\pi} = \frac{\lambda\alpha(1 - \beta^2) + \gamma\bar{y}}{1 - \lambda\beta^2} = \alpha$, we get

$$\alpha = \frac{\gamma\bar{y}}{1 - \lambda} = \frac{\gamma a}{(1 - \lambda)(1 - \rho)} =: \alpha^*.$$

Therefore using (4.3), in a SCEE the unconditional mean of inflation coincides with the REE fundamental inflation.

After straightforward computations (see Appendix G), we obtain

$$\text{Corr}(\pi_t, \pi_{t-1}) = \frac{\gamma^2(\lambda\beta^2 + \rho) + \lambda\beta^2(1 - \rho^2)(1 - \lambda\beta^2\rho)\frac{\sigma_u^2}{\sigma_\varepsilon^2}}{\gamma^2(\lambda\beta^2\rho + 1) + (1 - \rho^2)(1 - \lambda\beta^2\rho)\frac{\sigma_u^2}{\sigma_\varepsilon^2}} =: \bar{F}(\beta). \quad (4.8)$$

Note that if we replace λ by $\frac{1}{R}$, γ by $\frac{\rho}{R}$ and σ_u by 0, then the autocorrelation in (4.8) is simplified to $\frac{\beta^2 + R\rho}{\rho\beta^2 + R}$, which coincides with the autocorrelation in the asset pricing model in (3.13).

The second consistency requirement of first-order autocorrelation coefficient β yields,

$$\bar{F}(\beta) = \beta.$$

Define $\bar{G}(\beta) := \bar{F}(\beta) - \beta$. Since $0 < \rho < 1$ and $0 \leq \lambda < 1$,

$$\bar{G}(0) = \frac{\gamma^2\rho}{\gamma^2 + (1 - \rho^2)\frac{\sigma_u^2}{\sigma_\varepsilon^2}} > 0$$

and

$$\begin{aligned} \bar{G}(1) &= \frac{\gamma^2(\lambda + \rho) + \lambda(1 - \rho^2)(1 - \lambda\rho)\frac{\sigma_u^2}{\sigma_\varepsilon^2}}{\gamma^2(\lambda\rho + 1) + (1 - \rho^2)(1 - \lambda\rho)\frac{\sigma_u^2}{\sigma_\varepsilon^2}} - 1 \\ &= \frac{-\gamma^2(1 - \lambda)(1 - \rho) - (1 - \lambda)(1 - \rho^2)(1 - \lambda\rho)\frac{\sigma_u^2}{\sigma_\varepsilon^2}}{\gamma^2(\lambda\rho + 1) + (1 - \rho^2)(1 - \lambda\rho)\frac{\sigma_u^2}{\sigma_\varepsilon^2}} \\ &< 0. \end{aligned}$$

Therefore, there exists at least one $\beta^* \in (0, 1)$, such that $\overline{G}(\beta^*) = 0$, i.e. $\overline{F}(\beta^*) = \beta^*$. In the special case without autocorrelation in the driving variable y_t , i.e. $\rho = 0$, equation (4.8) gives $\overline{F}(\beta) = \lambda\beta^2$. Hence the first-order SCEE for $\rho = 0$ is $\beta^* = 0$ and coincides with the REE.

Proposition 3 *In the case that $0 < \rho < 1$ and $0 \leq \lambda < 1$, there exists at least one nonzero first-order stochastic consistent expectations equilibrium (SCEE) (α^*, β^*) for the New Keynesian Philips curve (4.6) with $\alpha^* = \frac{\gamma a}{(1-\lambda)(1-\rho)} = \overline{\pi}^*$.*

It turns out that in the NKPC multiple SCEE may co-exist. To see this, rewrite the first-order autocorrelation, $\overline{F}(\beta) = \lambda\beta^2 + \frac{\rho(1-\lambda^2\beta^4)}{(\lambda\beta^2\rho+1)+(1-\rho^2)(1-\lambda\beta^2\rho)\frac{1}{\gamma^2}\frac{\sigma_u^2}{\sigma_\varepsilon^2}}$. It is easy to see that if γ or $\frac{\sigma_\varepsilon^2}{\sigma_u^2}$ increases, then $\overline{F}(\beta)$ increases, and therefore multiple SCEE may occur. The simulations in the following subsection illustrate this point more clearly.

4.2.1 Numerical analysis


Now we illustrate the existence of SCEE and the effects of ρ , γ and $\frac{\sigma_\varepsilon^2}{\sigma_u^2}$ numerically. Based on empirical findings, such as Lansing (2009), Gali et al. (2001) and Fuhrer (2006, 2009), we first examine a plausible case⁸ in which $\gamma = 0.075$, $\sigma_u = 0.003162$, $\sigma_\varepsilon = 0.01$, $\rho = 0.9$, $\lambda = 0.99$, $\varepsilon_t \sim N(0, \sigma_\varepsilon^2)$, $u_t \sim N(0, \sigma_u^2)$, $a = 0.0004$. Hence $\frac{\sigma_u^2}{\sigma_\varepsilon^2} = 0.1$. Figure 4a illustrates existence of a unique (stable) α^* , where $\alpha^* = 0.03$. Figure 4b shows that there exist three β^* , where $\beta^* = 0.3066, 0.7417, 0.9961$. That is, there exist three first-order SCEE: two stable ones $(\alpha^*, \beta^*) = (0.03, 0.3066), (0.03, 0.9961)$ and an unstable one $(\alpha^*, \beta^*) = (0.03, 0.7417)$. Considering that the SAC-learning converges to a stable SCEE (see the next subsection), the stable (learnable) SCEE are the most interesting. Figures 4c and 4d illustrate the two time series for the two (stable) SCEE $(\alpha^*, \beta^*) = (0.03, 0.3066), (0.03, 0.9961)$, suggesting that inflation has different persistence at different SCEE. That is, the SCEE is an important factor in affecting inflation persistence. In fact, the time series of inflation in the SCEE with high β^* in Figure 4d has similar persistence characteristics and amplitude of fluctuation as in empirical inflation data in

⁸As shown in Lansing (2009), based on regressions using either the output gap or labor's share of income over the period 1949.Q1 to 2004.Q4, $\rho = 0.9$, $\sigma_\varepsilon = 0.01$. Estimates of the NKPC parameters $\lambda, \gamma, \sigma_u$ are sensitive to the choice of the driving variable, the sample period, and the econometric model etc. Later we also examine the effects of some other parameters on SCEE. Furthermore, based on the above theoretical results, a just affects the mean of inflation $\overline{\pi}$ but not the autocorrelation coefficient $\overline{F}(\beta)$. For σ_u and σ_ε , $\overline{F}(\beta)$ only depends on their ratio $\sigma_u/\sigma_\varepsilon$ but not on their absolute values.


Tallman (2003). Furthermore, Figure 4d illustrates that inflation in the SCEE with high β^* has stronger persistence than the REE inflation, where the first-order autocorrelation coefficient of REE inflation is 0.865 less than $\beta^* = 0.9961$.

In order to further study the effects of ρ , Figure 5 illustrates SCEE β^* together with the first-order autocorrelation coefficient of REE inflation as functions of ρ . For $0.84 < \rho < 0.918$, two stable SCEE β^* exist separated by an unstable SCEE. The large SCEE β^* is larger than the first-order autocorrelation coefficient of REE inflation, while the small SCEE β^* is smaller than the first-order autocorrelation coefficient of REE inflation. In the next subsection we will show that for a large range of initial values of inflation the SAC-learning converges to the stable high SCEE β^* with strong persistence. If $\rho > 0.918$, there exists only one stable SCEE β^* with stronger persistence than REE. Therefore for plausible values of ρ around 0.9, inflation in a SCEE often generates high-persistence as shown in Figure 4d. This result is consistent with the empirical finding in Adam (2007) that the Restricted Reception Equilibrium (RPE) describes subjects' inflation expectations surprisingly well and provides a better explanation for the observed persistence of inflation than REE.


Figure 6 illustrates how the number of SCEE depends on γ . The simulations show that for plausible γ there exist at least one and at most three SCEE β^* . For sufficiently small $\gamma (< 0.05)$, there exists only one low β^* , as shown in Figure 6a. As γ increases, the graph of $\bar{F}(\beta) = \lambda\beta^2 + \frac{\rho(1-\lambda^2\beta^4)}{(\lambda\beta^2\rho+1)+(1-\rho^2)(1-\lambda\beta^2\rho)\frac{1}{\gamma^2}\frac{\sigma_u^2}{\sigma_\varepsilon^2}}$ goes up. At $\gamma = 0.05$, a new SCEE $\beta^* \approx 0.975$ is created at a tangent bifurcation, see Figure 6b. Immediately after that there exist three β^* , two stable equilibria and one unstable. That is, at $\gamma = 0.05$, a tangent bifurcation occurs. Figures 6c and 6d illustrate the three β^* with the high stable β^* close to 1. As γ increases, the two stable β^* -values grow. At $\gamma = 0.084$, another tangent bifurcation occurs, where the lower β^* -values coincide, as shown in Figure 6e. For $\gamma > 0.084$, there is only one large β^* , see Figure 6f, which corresponds to high-persistence SCEE of inflation. Hence a larger γ tends to lead to higher persistence of inflation. Intuitively with a larger γ , it can be seen from (4.1) that the driving variable (output gap or real marginal cost) has a larger impact on inflation. Hence when the driving variable is relatively important, a high-persistence SCEE occurs. If on the other hand, σ_u^2 increases, that is, the noise to inflation increases, the ratio $\frac{\sigma_\varepsilon^2}{\sigma_u^2}$ decreases and the strong reverses and low-persistence SCEE become more likely. That is, intuitively clear, as more noise to inflation dominates the driving variable, this leads to a low-persistence inflation equilibrium.




(a) SCEE for α^*



(b) SCEE for β^*



(c) time series at $(\alpha^*, \beta^*) = (0.03, 0.3066)$



(d) time series at $(\alpha^*, \beta^*) = (0.03, 0.9961)$

Figure 4: (a) SCEE α^* is the unique intersection point of the mean of inflation $\bar{\pi} = \frac{\lambda\alpha(1-\beta^2)+\gamma\bar{y}}{1-\lambda\beta^2}$ (bold curve) with the perceived mean α (dotted line); (b) SCEE β^* is an intersection point of the first-order autocorrelation of inflation $\frac{\gamma^2(\lambda\beta^2+\rho)+\lambda\beta^2(1-\rho^2)(1-\lambda\beta^2\rho)\frac{\sigma_u^2}{\sigma_\varepsilon^2}}{\gamma^2(\lambda\beta^2\rho+1)+(1-\rho^2)(1-\lambda\beta^2\rho)\frac{\sigma_u^2}{\sigma_\varepsilon^2}}$ (bold curve) and the perceived first-order autocorrelation β (dotted line); (c) time series of inflation in stable low-persistence SCEE $(\alpha^*, \beta^*) = (0.03, 0.3066)$; (d) times series of inflation in stable high-persistence SCEE $(\alpha^*, \beta^*) = (0.03, 0.9961)$ (bold curve) and time series of REE inflation (dotted curve), where $\gamma = 0.075, \sigma_u = 0.003162, \sigma_\varepsilon = 0.01, \rho = 0.9, \lambda = 0.99, \varepsilon_t \sim N(0, \sigma_\varepsilon^2), u_t \sim N(0, \sigma_u^2), a = 0.0004$.




Figure 5: First-order autocorrelation coefficient of REE inflation (dotted real curve), stable SCEE β^* with respect to ρ (bold curves), unstable SCEE β^* (dotted curve), where $\gamma = 0.075$, $\sigma_u = 0.003162$, $\sigma_\varepsilon = 0.01$, $\lambda = 0.99$.

4.3 Stability under SAC-learning

The SAC-learning dynamics in the New Keynesian Philips curve with AR(1) driving variable is given by


$$\begin{cases} \pi_t = \lambda[\alpha_{t-1} + \beta_{t-1}^2(\pi_{t-1} - \alpha_{t-1})] + \gamma y_t + u_t, \\ y_t = a + \rho y_{t-1} + \varepsilon_t. \end{cases} \quad (4.9)$$

with α_t, β_t as in (2.8). This is another expectations feedback system with expectation feedback from inflation forecasting. Realized inflations influence the beliefs agents have about economic reality and these beliefs feed back into the actual dynamics of economy and determine the future realized inflations together with an exogenous driving variable output gap or real marginal costs.


We further check the relationship between stability of SCEE (α^*, β^*) and SAC-learning. For α^* , since $0 \leq \frac{\lambda(1-\beta^2)}{1-\lambda\beta^2} < 1$, it can be seen from (4.7) that α^* is stable. For β^* , because of the complexity of the first-order autocorrelation $\overline{F}(\beta)$ in (4.8), it is difficult to check the stability of SCEE, or even the number of SCEE. We have the following relationship between the SCEE and the SAC-learning.

Proposition 4 *If $(0 \leq) \overline{F}'(\beta^*) < 1$, then the SCEE (α^*, β^*) is stable, that is, the SAC-learning (α_t, β_t) converges to the SCEE (α^*, β^*) as time t tends to ∞ .*


The proof is given in Appendix H. If the stable SCEE is not unique, the convergence depends on initial states of the system, as illustrated in the following numerical simulations.




(a) $\gamma = 0.01$




(b) $\gamma = 0.05$




(c) $\gamma = 0.065$



(d) $\gamma = 0.075$



(e) $\gamma = 0.084$



(f) $\gamma = 0.1$

Figure 6: SCEE β^* with $\gamma = 0.01$ (a); $\gamma = 0.05$ (b); $\gamma = 0.065$ (c); $\gamma = 0.075$ (d); $\gamma = 0.084$ (e) and $\gamma = 0.1$ (f), where $\frac{\sigma_u^2}{\sigma_\varepsilon^2} = 0.1, \rho = 0.9, \lambda = 0.99$.

4.3.1 Numerical analysis

For $(\pi_0, y_0) = (0.028, 0.01)$, Figures 7a and 7b show that the SAC-learning dynamics (α_t, β_t) converges to the stable low-persistence SCEE $(\alpha^*, \beta^*) = (0.03, 0.3066)$. Figure 7a illustrates that the mean of inflation α_t tends to the mean $\alpha^* = 0.03$. Figure 7b illustrates that the first-order autocorrelation coefficient of inflation β_t slowly tends to the low-persistence stable first-order autocorrelation coefficient $\beta^* = 0.3066$. For the different initial value $(\pi_0, y_0) = (0.1, 0.15)$, our numerical simulation shows that the mean of inflation α_t under SAC-learning still tends to the mean α^* , but slowly⁹ (see Figure 7c), while Figure 7d indicates that the first-order autocorrelation coefficient of inflation β_t under SAC-learning tends to the higher stable first-order autocorrelation coefficient $\beta^* = 0.9961$ ¹⁰. Correspondingly given the same sample path of noise, the time series of inflation under SAC-learning can also replicate the time series of inflation in the SCEE after long-term learning as shown in the preceding asset pricing model.

Numerous simulations show that as initial values of inflation are (relatively) higher than the mean $\alpha^* = 0.03$, the sample autocorrelation learning β_t generally enters the high-persistence region. In particular, a large shock to the inflation may easily cause a jump of the SAC-learning process into the high-persistence region.


5 Conclusion

In this paper we have introduced a very simple type of misspecification equilibrium and a plausible corresponding behavioral learning process. Boundedly rational agents use a univariate linear forecasting rule and in equilibrium correctly forecast the unconditional sample mean and first-order sample autocorrelation. Hence, to a first order approximation the simple linear forecasting rule is consistent with observed market realizations. Sample autocorrelation learning simply means that agents are slowly updating the two coefficients –sample mean and first-order autocorrelation– of their linear rule. In the long run, agents thus learn the best univariate linear forecasting rule, without fully recognizing the structure of the economy.


We have applied our SCEE and SAC-learning concepts to a standard asset pricing

⁹The slow convergence is caused by the slope $\frac{\lambda - \lambda\beta^2}{1 - \lambda\beta^2}$ in the expression (4.7), which is very close to 1 for $\lambda = 0.99$, as shown in Figure 4a.


¹⁰As shown in Figure 4b, $\overline{F}'(\beta^*)$ is close to 1 and hence the convergence of SAC-learning is very slow.




(a) $\alpha_t \rightarrow 0.03$



(b) $\beta_t \rightarrow 0.3066$



(c) $\alpha_t \rightarrow 0.03$



(d) $\beta_t \rightarrow 0.9961$

Figure 7: Time series of α_t and β_t under SAC-learning with different initial values $(\pi_0, y_0) = (0.028, 0.01)$ (a), (b) and $(\pi_0, y_0) = (0.1, 0.15)$ (c), (d).

model with AR(1) dividends and a New Keynesian Philips curve driven by an AR(1) process for the output gap or marginal costs. In both applications, the law of motion of the economy is linear, but it is driven by an exogenous stochastic AR(1) process. Agents however are not fully aware of the exact linear structure of the economy, but use a simple univariate forecasting rule, to predict asset prices or inflation. In the asset pricing model a unique SCEE exists and it is globally stable under SAC-learning. An important feature of the SCEE is that it is characterized by high-persistence and excess volatility in asset prices, significantly higher than under rational expectations. In the New Keynesian model, multiple SCEE arise and a low and a high-persistence misspecification equilibrium co-exist. The SAC-learning exhibits path dependence and it depends on the initial states whether the system converges to the low-persistence or the high-persistence inflation regime. In particular, when there are shocks—e.g. oil shocks—temporarily causing high inflation, SAC-learning may lock into the high-persistence inflation regime.

Are these simple misspecification equilibria empirically relevant or would smart agents recognize their (second order) mistakes and learn to be perfectly rational? This empirical question should be addressed in more detail in future work, but we provide some arguments for the empirical relevance of our equilibrium concept. Firstly, in our applications the SCEE already explain some important stylized facts: (i) high persistence and excess volatility in asset prices, (ii) high persistence in inflation and (iii) regime switching in inflation dynamics, which could explain a long phase of high US inflation in the 1970s and early 1980s as well as a long phase of low inflation in the 1990s and 2000s. Secondly, we stress the *behavioral* interpretation of our misspecification equilibrium and learning process. The univariate AR(1) rule and the SAC-learning process are examples of simple forecasting heuristics that can be used without any knowledge of statistical techniques, simply by observing a time series and roughly "guestimating" its sample average and its first-order persistence coefficient. Coordination on a behavioral forecasting heuristic that performs reasonably well to a first-order approximation seems more likely than coordination on more complicated learning or sunspot equilibria. Even though some smart individual agents might be able to improve upon the best linear, univariate forecasting rule, a majority of agents might still stick to their simple univariate rule. It therefore seems relevant to describe aggregate phenomena by simple misspecification equilibria and behavioral learning processes. In fact, there is already some experimental evidence for the relevance of misspecification equilibria in Adam (2007). More recently Assenza et al. (2011) and Pfajfar and Zakelj (2010) ran learning to forecasting experiments with human

subjects in a New Keynesian framework with expectations feedback from individual inflation and output gap forecasts. Simple linear univariate models explain a substantial part of individual inflation and output gap forecasting behavior.

In future work we plan to consider more general economic settings and study SCEE and their relationship to SAC-learning. An obvious next step is to apply our SCEE and SAC-learning framework to higher dimensional linear economic systems, with agents forecasting by univariate linear rules. In particular, the fully specified New Keynesian model of inflation and output dynamics would be an interesting (two-dimensional) application. Finally, it is interesting and challenging to study SCEE and misspecification under *heterogeneous expectations* and allow for switching between different rules. Branch (2004) and Hommes (2011) provide some empirical and experimental evidence on heterogeneous expectations, while Berardi (2007) and Branch and Evans (2006, 2007) have made some related studies on heterogeneous expectations and learning in similar settings.

Acknowledgements

We would like to thank Kevin Lansing, Mikhail Anufriev, Florian Wagener, Cees Diks and other participants in the KAFEE lunch seminar in University of Amsterdam, the 3rd POLHIA workshop in Universita Politecnica delle Marche, and the 11th Workshop on Optimal Control, Dynamic Games and Nonlinear Dynamics in University of Amsterdam for helpful comments. We are grateful to the EU 7th framework collaborative project "Monetary, Fiscal and Structural Policies with Heterogeneous Agents (POLHIA)", grant no. 225408, for financial support. Mei Zhu also acknowledges financial support from NSFC(10871005).

Appendix

A Recursive dynamics of SAC-learning

The sample average is

$$\begin{aligned}
 \alpha_t &= \frac{1}{t+1}[x_0 + x_1 + \cdots + x_t] \\
 &= \frac{1}{t+1}[(t+1)\alpha_{t-1} + x_t - \alpha_{t-1}] \\
 &= \alpha_{t-1} + \frac{1}{t+1}[x_t - \alpha_{t-1}].
 \end{aligned}$$

Let

$$\begin{aligned}
 z_t &:= (x_0 - \alpha_t)(x_1 - \alpha_t) + \cdots + (x_{t-1} - \alpha_t)(x_t - \alpha_t) \\
 &= (x_0 - \alpha_{t-1} - \frac{1}{t+1}(x_t - \alpha_{t-1}))(x_1 - \alpha_{t-1} - \frac{1}{t+1}(x_t - \alpha_{t-1})) + \\
 &\quad \cdots + (x_{t-1} - \alpha_{t-1} - \frac{1}{t+1}(x_t - \alpha_{t-1}))(x_t - \alpha_{t-1} - \frac{1}{t+1}(x_t - \alpha_{t-1})) \\
 &= (x_0 - \alpha_{t-1})(x_1 - \alpha_{t-1}) + \cdots + (x_{t-2} - \alpha_{t-1})(x_{t-1} - \alpha_{t-1}) \\
 &\quad + \frac{x_t - \alpha_{t-1}}{t+1}(2\alpha_{t-1} - x_0 - x_1 + \cdots + 2\alpha_{t-1} - x_{t-2} - x_{t-1}) + \frac{t-1}{(t+1)^2}(x_t - \alpha_{t-1})^2 \\
 &\quad + \frac{t}{t+1}(x_{t-1} - \alpha_{t-1})(x_t - \alpha_{t-1}) - \frac{t}{(t+1)^2}(x_t - \alpha_{t-1})^2 \\
 &= z_{t-1} + \frac{1}{t+1}(x_t - \alpha_{t-1})[2(t-1)\alpha_{t-1} - x_0 - 2x_1 - \cdots - 2x_{t-2} - x_{t-1} + t(x_{t-1} - \alpha_{t-1})] \\
 &\quad - \frac{1}{(t+1)^2}(x_t - \alpha_{t-1})^2, \\
 &= z_{t-1} + \frac{1}{t+1}(x_t - \alpha_{t-1})[x_0 + (t+1)x_{t-1} - (t+2)\alpha_{t-1}] - \frac{1}{(t+1)^2}(x_t - \alpha_{t-1})^2 \\
 &= z_{t-1} + (x_t - \alpha_{t-1})\left[x_{t-1} + \frac{x_0}{t+1} - \frac{t+2}{t+1}\alpha_{t-1} + \frac{1}{(t+1)^2}\alpha_{t-1} - \frac{1}{(t+1)^2}x_t\right] \\
 &= z_{t-1} + (x_t - \alpha_{t-1})\Phi_4,
 \end{aligned}$$

where $\Phi_4 = x_{t-1} + \frac{x_0}{t+1} - \frac{t^2+3t+1}{(t+1)^2}\alpha_{t-1} - \frac{1}{(t+1)^2}x_t$.

Write

$$\begin{aligned}
 n_t &:= (x_0 - \alpha_t)^2 + (x_1 - \alpha_t)^2 + \cdots + (x_t - \alpha_t)^2 \\
 &= (x_0 - \alpha_{t-1} - \frac{1}{t+1}(x_t - \alpha_{t-1}))^2 + \cdots + (x_t - \alpha_{t-1} - \frac{1}{t+1}(x_t - \alpha_{t-1}))^2 \\
 &= (x_0 - \alpha_{t-1})^2 + (x_1 - \alpha_{t-1})^2 + \cdots + (x_{t-1} - \alpha_{t-1})^2 + \frac{t+t^2}{(t+1)^2}(x_t - \alpha_{t-1})^2 \\
 &= n_{t-1} + \frac{t}{t+1}(x_t - \alpha_{t-1})^2.
 \end{aligned}$$

All these results are consistent with those in Appendix 1 of Hommes, Sorger & Wagener (2004). Note that in our paper R_t is different from n_t in Hommes et al. (2004). In fact,

$$\begin{aligned}
R_t &= \frac{1}{t+1}n_t \\
&= \frac{1}{t+1}\left[n_{t-1} + \frac{t}{t+1}(x_t - \alpha_{t-1})^2\right] \\
&= \frac{t}{t+1}R_{t-1} + \frac{t}{(t+1)^2}(x_t - \alpha_{t-1})^2 \\
&= R_{t-1} + \frac{1}{t+1}\left[\frac{t}{t+1}(x_t - \alpha_{t-1})^2 - R_{t-1}\right].
\end{aligned}$$

Furthermore,

$$\begin{aligned}
\beta_t &= \frac{z_t}{n_t} \\
&= \beta_{t-1} + \frac{1}{n_t n_{t-1}}[z_t n_{t-1} - z_{t-1} n_t] \\
&= \beta_{t-1} + \frac{1}{n_t n_{t-1}}\left[(z_{t-1} + (x_t - \alpha_{t-1})\Phi_4)n_{t-1} - z_{t-1}\left(n_{t-1} + \frac{t}{t+1}(x_t - \alpha_{t-1})^2\right)\right] \\
&= \beta_{t-1} + \frac{1}{n_t n_{t-1}}\left[(x_t - \alpha_{t-1})\Phi_4 n_{t-1} - z_{t-1}\frac{t}{t+1}(x_t - \alpha_{t-1})^2\right] \\
&= \beta_{t-1} + \frac{1}{n_t}\left[(x_t - \alpha_{t-1})\Phi_4 - \beta_{t-1}\frac{t}{t+1}(x_t - \alpha_{t-1})^2\right] \\
&= \beta_{t-1} + \frac{R_t^{-1}}{t+1}\left[(x_t - \alpha_{t-1})\left(x_{t-1} + \frac{x_0}{t+1} - \frac{t^2 + 3t + 1}{(t+1)^2}\alpha_{t-1} - \frac{x_t}{(t+1)^2}\right) - \frac{t}{t+1}\beta_{t-1}(x_t - \alpha_{t-1})^2\right].
\end{aligned}$$

B Rational expectations equilibrium of prices

Under the assumption that the transversality condition $\lim_{k \rightarrow \infty} \frac{E_t(p_{t+k})}{R^k} = 0$ holds, the REE price can be computed as

$$\begin{aligned}
p_t^* &= \frac{1}{R} [E_t p_{t+1}^* + E_t y_{t+1}] \\
&= \frac{a + \rho y_t}{R} + \frac{1}{R} E_t p_{t+1}^* \\
&= \frac{a + \rho y_t}{R} + \frac{1}{R} E_t \left\{ \frac{1}{R} [E_{t+1} p_{t+2}^* + E_{t+1} y_{t+2}] \right\} \\
&= \frac{a + \rho y_t}{R} + \frac{E_t(a + \rho y_{t+1})}{R^2} + \frac{1}{R^2} E_t p_{t+2}^* \\
&= \frac{a + \rho y_t}{R} + \frac{a + \rho a + \rho^2 y_t}{R^2} + \frac{1}{R^2} E_t p_{t+2}^* \\
&= \dots \\
&= \frac{a + \rho y_t}{R} + \frac{a + \rho a + \rho^2 y_t}{R^2} + \dots + \frac{a + \rho a + \dots + \rho^{n-1} a + \rho^n y_t}{R^n} + \dots \\
&= \frac{a + \rho y_t}{R} + \frac{a + \rho a + \rho^2 y_t}{R^2} + \dots + \frac{\frac{a(1-\rho^n)}{1-\rho} + \rho^n y_t}{R^n} + \dots \\
&= \sum_{n=1}^{\infty} \frac{a}{1-\rho} \left[\left(\frac{1}{R} \right)^n - \left(\frac{\rho}{R} \right)^n \right] + \sum_{n=1}^{\infty} \left(\frac{\rho}{R} \right)^n y_t \\
&= \frac{a}{1-\rho} \left[\frac{1}{R-1} - \frac{\rho}{R-\rho} \right] + \frac{\rho}{R-\rho} y_t \\
&= \frac{aR}{(R-1)(R-\rho)} + \frac{\rho}{R-\rho} y_t. \tag{B.1}
\end{aligned}$$

C First-order autocorrelation coefficient of price

We rewrite (3.10) as

$$p_t - \bar{p} = \frac{\beta^2}{R} (p_{t-1} - \bar{p}) + \frac{\rho}{R} \varepsilon_t + \frac{\rho^2}{R} \varepsilon_{t-1} + \dots \tag{C.1}$$

Thus

$$\begin{aligned}
E[(p_t - \bar{p})(p_{t-1} - \bar{p})] &= E \left[\frac{\beta^2}{R} (p_{t-1} - \bar{p})^2 + \frac{\rho}{R} \varepsilon_t (p_{t-1} - \bar{p}) + \frac{\rho^2}{R} \varepsilon_{t-1} (p_{t-1} - \bar{p}) + \dots \right] \\
&= \frac{\beta^2}{R} E(p_{t-1} - \bar{p})^2 + 0 + \frac{\rho^2}{R} E[\varepsilon_{t-1} (p_{t-1} - \bar{p})] + \dots \tag{C.2}
\end{aligned}$$

$$\begin{aligned}
&E[(p_t - \bar{p})^2] \\
&= E \left[\frac{\beta^2}{R} (p_{t-1} - \bar{p})(p_t - \bar{p}) + \frac{\rho}{R} \varepsilon_t (p_t - \bar{p}) + \frac{\rho^2}{R} \varepsilon_{t-1} (p_t - \bar{p}) + \dots \right] \\
&= \frac{\beta^2}{R} E[(p_{t-1} - \bar{p})(p_t - \bar{p})] + \frac{\rho}{R} E[\varepsilon_t (p_t - \bar{p})] + \frac{\rho^2}{R} E[\varepsilon_{t-1} (p_t - \bar{p})] + \dots \tag{C.3}
\end{aligned}$$

Thus based on (C.2) and (C.3),

$$\begin{aligned}
E[(p_t - \bar{p})^2] &= \frac{\beta^2}{R} \left[\frac{\beta^2}{R} E[(p_t - \bar{p})^2] + \frac{\rho^2}{R} E[\varepsilon_t(p_t - \bar{p})] + \frac{\rho^3}{R} E[\varepsilon_{t-1}(p_t - \bar{p})] + \dots \right] \\
&\quad + \frac{\rho}{R} E[\varepsilon_t(p_t - \bar{p})] + \frac{\rho^2}{R} E[\varepsilon_{t-1}(p_t - \bar{p})] + \dots \\
&= \left(\frac{\beta^2}{R} \right)^2 E[(p_t - \bar{p})^2] + \frac{\rho(\beta^2 \rho + R)}{R^2} \{ E[\varepsilon_t(p_t - \bar{p})] + \rho E[\varepsilon_{t-1}(p_t - \bar{p})] + \dots \}.
\end{aligned}$$

That is,

$$E[(p_t - \bar{p})^2] = \frac{\rho(\beta^2 \rho + R)}{R^2 - \beta^4} \{ E[\varepsilon_t(p_t - \bar{p})] + \rho E[\varepsilon_{t-1}(p_t - \bar{p})] + \dots \}. \quad (\text{C.4})$$

In the following we will calculate $E(\varepsilon_{t-k} p_t)$, $k = 0, 1, 2, \dots$.

$$\begin{aligned}
E[\varepsilon_t(p_t - \bar{p})] &= \frac{\beta^2}{R} E[(p_{t-1} - \bar{p})\varepsilon_t] + \frac{\rho}{R} E[\varepsilon_t^2] + \frac{\rho^2}{R} E[\varepsilon_{t-1}\varepsilon_t] + \dots \\
&= \frac{\rho}{R} \sigma_\varepsilon^2.
\end{aligned}$$

$$\begin{aligned}
E[\varepsilon_{t-1}(p_t - \bar{p})] &= \frac{\beta^2}{R} E[(p_{t-1} - \bar{p})\varepsilon_{t-1}] + \frac{\rho}{R} E[\varepsilon_t \varepsilon_{t-1}] + \frac{\rho^2}{R} E[\varepsilon_{t-1}^2] + \dots \\
&= \frac{\beta^2}{R} E[(p_t - \bar{p})\varepsilon_t] + \frac{\rho^2}{R} \sigma_\varepsilon^2 \\
&= \frac{\beta^2}{R} \cdot \frac{\rho}{R} \sigma_\varepsilon^2 + \frac{\rho^2}{R} \sigma_\varepsilon^2.
\end{aligned}$$

$$\begin{aligned}
E[\varepsilon_{t-2}(p_t - \bar{p})] &= \frac{\beta^2}{R} E[(p_{t-1} - \bar{p})\varepsilon_{t-2}] + \frac{\rho}{R} E[\varepsilon_t \varepsilon_{t-2}] + \frac{\rho^2}{R} E[\varepsilon_{t-1}\varepsilon_{t-2}] + \frac{\rho^3}{R} E[\varepsilon_{t-2}^2] + \dots \\
&= \frac{\beta^2}{R} E[(p_t - \bar{p})\varepsilon_{t-1}] + \frac{\rho^3}{R} \sigma_\varepsilon^2 \\
&= \left(\frac{\beta^2}{R} \right)^2 \frac{\rho}{R} \sigma_\varepsilon^2 + \frac{\beta^2}{R} \cdot \frac{\rho^2}{R} \sigma_\varepsilon^2 + \frac{\rho^3}{R} \sigma_\varepsilon^2.
\end{aligned}$$

$$\begin{aligned}
E[\varepsilon_{t-k}(p_t - \bar{p})] &= \frac{\beta^2}{R} E[(p_{t-1} - \bar{p})\varepsilon_{t-k}] + \frac{\rho}{R} E[\varepsilon_t \varepsilon_{t-k}] + \frac{\rho^2}{R} E[\varepsilon_{t-1}\varepsilon_{t-k}] + \dots + \frac{\rho^{k+1}}{R} E[\varepsilon_{t-k}^2] + \dots \\
&= \frac{\beta^2}{R} E[(p_t - \bar{p})\varepsilon_{t-k+1}] + \frac{\rho^{k+1}}{R} \sigma_\varepsilon^2 \\
&= \dots \\
&= \frac{\rho}{R} \sigma_\varepsilon^2 \cdot \left(\frac{\beta^2}{R} \right)^k + \frac{\rho}{R} \sigma_\varepsilon^2 \cdot \left(\frac{\beta^2}{R} \right)^{k-1} \cdot \rho + \frac{\rho}{R} \sigma_\varepsilon^2 \cdot \left(\frac{\beta^2}{R} \right)^{k-2} \cdot \rho^2 + \dots \\
&\quad + \frac{\rho}{R} \sigma_\varepsilon^2 \cdot \frac{\beta^2}{R} \cdot \rho^{k-1} + \frac{\rho}{R} \sigma_\varepsilon^2 \cdot \rho^k \\
&= \frac{\sigma_\varepsilon^2}{R} \cdot \frac{\rho^{k+1} - \left(\frac{\beta^2}{R} \right)^{k+1}}{1 - \frac{\beta^2}{\rho R}}.
\end{aligned}$$

Hence

$$\begin{aligned}
& E[\varepsilon_t(p_t - \bar{p})] + \rho E[\varepsilon_{t-1}(p_t - \bar{p})] + \dots \\
&= \frac{\sigma_\varepsilon^2}{\rho R} \cdot \frac{\sum_{k=0}^{\infty} \rho^{2(k+1)} - \sum_{k=0}^{\infty} \left(\frac{\beta^2 \rho}{R}\right)^{k+1}}{1 - \frac{\beta^2}{\rho R}} \\
&= \frac{\sigma_\varepsilon^2}{\rho R} \cdot \frac{\frac{\rho^2}{1-\rho^2} - \frac{\beta^2 \rho}{R-\rho\beta^2}}{1 - \frac{\beta^2}{\rho R}} \\
&= \frac{\rho\sigma_\varepsilon^2}{(1-\rho^2)(R-\rho\beta^2)}. \tag{C.5}
\end{aligned}$$

Substituting (C.5) into (C.4), we obtain

$$\begin{aligned}
Var(p_t) &= E[(p_t - \bar{p})^2] \\
&= \frac{\rho(\beta^2 \rho + R)}{R^2 - \beta^4} \{ E[\varepsilon_t(p_t - \bar{p})] + \rho E[\varepsilon_{t-1}(p_t - \bar{p})] + \dots \} \\
&= \frac{\rho(\beta^2 \rho + R)}{R^2 - \beta^4} \cdot \frac{\rho\sigma_\varepsilon^2}{(1-\rho^2)(R-\rho\beta^2)} \\
&= \frac{\sigma_\varepsilon^2 \rho^2 (\beta^2 \rho + R)}{(R^2 - \beta^4)(1-\rho^2)(R-\rho\beta^2)}. \tag{C.6}
\end{aligned}$$

Furthermore, based on (C.2),

$$\begin{aligned}
Corr(p_t, p_{t-1}) &= E[(p_t - \bar{p})(p_{t-1} - \bar{p})] / Var(p_t) \\
&= \frac{\beta^2}{R} + \frac{\rho^2}{R Var(p_t)} \{ E[\varepsilon_t(p_t - \bar{p})] + \rho E[\varepsilon_{t-1}(p_t - \bar{p})] + \dots \} \\
&= \frac{\beta^2}{R} + \frac{\rho^2}{R} \frac{\frac{\rho\sigma_\varepsilon^2}{(1-\rho^2)(R-\rho\beta^2)}}{\frac{\sigma_\varepsilon^2 \rho^2 (\beta^2 \rho + R)}{(R^2 - \beta^4)(1-\rho^2)(R-\rho\beta^2)}} \\
&= \frac{\beta^2}{R} + \frac{\rho(R^2 - \beta^4)}{R(\rho\beta^2 + R)} \\
&= \frac{\beta^2 + R\rho}{\rho\beta^2 + R}.
\end{aligned}$$

D Proof of uniqueness of β^* (Proposition 1)

Using the first-order autocorrelation $F(\beta)$ in (3.13), it can be calculated that

$$F''(\beta) = \frac{2R(1-\rho^2)}{(\rho\beta^2 + R)^2} - \frac{8\rho\beta^2 R(1-\rho^2)}{(\rho\beta^2 + R)^3} = \frac{2R(1-\rho^2)(R-3\rho\beta^2)}{(\rho\beta^2 + R)^3}.$$

Therefore, if $\rho \leq \frac{R}{3}$, then $R - 3\rho\beta^2 \geq R - \beta^2 R > 0$. Thus $G''(\beta) = F''(\beta) > 0$. Note that $G(0) > 0$, $G'(0) = -1 < 0$ and $G(1) < 0$, $G'(1) = \frac{2R(1-\rho^2)}{(\rho+R)^2} - 1$. Hence if

$G'(1) \leq 0$, then $G'(\beta^*) < 0$. If $G'(1) > 0$, then there exists a minimal point β_1 such that $G'(\beta_1) = 0$. Moreover, since $G(1) < 0$, then $G(\beta_1) < 0$ (otherwise, $G(1) \geq G(\beta_1) \geq 0$, which is contradictory to $G(1) < 0$). Hence $\beta^* (\in (0, \beta_1))$ is unique and $G'(\beta^*) < 0$, hence $0 < F'(\beta^*) < 1$.

If $\rho > \frac{R}{3}$, then $G''(\beta)|_{\beta=\sqrt{R/(3\rho)}} = F''(\beta)|_{\beta=\sqrt{R/(3\rho)}} = 0$ and $G'(\beta)|_{\beta=\sqrt{R/(3\rho)}}$ is maximal. Thus in the case that $\rho > \frac{R}{3}$,

$$\begin{aligned}
G'(\beta) &= F'(\beta) - 1 \\
&= \frac{2\beta R(1 - \rho^2)}{(\rho\beta^2 + R)^2} - 1 \\
&< \frac{2\sqrt{R/(3\rho)}R(1 - \rho^2)}{(R/3 + R)^2} - 1 \\
&= \frac{3\sqrt{3}(1 - \rho^2)}{8\sqrt{R\rho}} - 1 \\
&< \frac{3\sqrt{3}(1 - R^2/9)}{8\sqrt{R^2/3}} - 1 \\
&= \frac{-(R - 1)(R + 9)}{8R} < 0.
\end{aligned}$$

That is, $G(\beta)$ is monotone. Therefore, in the case that $0 < \rho < 1$, β^* is unique and $G'(\beta^*) < 0$, hence $0 < F'(\beta^*) < 1$.

E Proof of Proposition 2

Under the SAC-learning defined in Section 2, the state dynamics equations become

$$\begin{cases} p_t = \frac{1}{R}[\alpha_{t-1} + \beta_{t-1}^2(p_{t-1} - \alpha_{t-1}) + a + \rho y_t], \\ y_t = a + \rho y_{t-1} + \varepsilon_t. \end{cases} \quad (\text{E.1})$$

Set $\gamma_t = (1 + t)^{-1}$. Since all functions are smooth, the learning rule (2.8) satisfies the conditions (A.1-A.3) of Section 6.2.1 in Evans and Honkapohja (2001, p.124).

In order to check the conditions (B.1-B.2) of Section 6.2.1 in Evans and Honkapohja (2001, p.125), we rewrite the system in matrix form by

$$X_t = A(\theta_{t-1})X_{t-1} + B(\theta_{t-1})W_t,$$

where $\theta'_t = (\alpha_t, \beta_t, R_t)$, $X'_t = (1, p_t, p_{t-1}, y_t)$ and $W'_t = (1, \varepsilon_t)$,

$$A(\theta) = \begin{pmatrix} 0 & 0 & 0 & 0 \\ \frac{\alpha(1+\rho)+\alpha(1-\beta^2)}{R} & \frac{\beta^2}{R} & 0 & \frac{\rho^2}{R} \\ 0 & 1 & 0 & 0 \\ a & 0 & 0 & \rho \end{pmatrix},$$

$$B(\theta) = \begin{pmatrix} 1 & 0 \\ 0 & \frac{\rho}{R} \\ 0 & 0 \\ 0 & 1 \end{pmatrix}.$$

As shown in Evans and Honkapohja (2001, p.186), $A(\theta)$ and $B(\theta)$ satisfy the Lipschitz conditions and B is bounded. Since ε_t is assumed to have bounded moments, condition (B.1) is satisfied. Furthermore, the eigenvalues of matrix $A(\theta)$ are 0 (double), ρ and $\frac{\beta^2}{R}$. According to the assumption $|\beta| \leq 1$ and $0 < \rho < 1$, all eigenvalues of $A(\theta)$ are less than 1 in absolute value. Then it follows that there is a compact neighborhood including the SC EE solution (α^*, β^*) on which the condition that $|A(\theta)|$ is bounded strictly below 1 is satisfied.

Thus the technical conditions for Section 6.2.1 of Chapter 6 in Evans and Honkapohja (2001) are satisfied. Moreover, since p_t is stationary under the condition $|\beta| \leq 1$ and $0 < \rho < 1$, the limits

$$\sigma^2 := \lim_{t \rightarrow \infty} E(p_t - \alpha)^2, \quad \sigma_{pp-1}^2 := \lim_{t \rightarrow \infty} E(p_t - \alpha)(p_{t-1} - \alpha)$$

exist and are finite. Hence according to Section 6.2.1 of Chapter 6 in Evans and Honkapohja (2001, p.126), the associated ODE is

$$\begin{cases} \frac{d\alpha}{d\tau} = \bar{p}(\alpha, \beta) - \alpha, \\ \frac{d\beta}{d\tau} = \sigma^{-2}[\sigma_{pp-1}^2 - \beta\sigma^2], \\ \frac{dR}{d\tau} = \sigma^2 - R. \end{cases}$$

That is,

$$\begin{cases} \frac{d\alpha}{d\tau} = \frac{\alpha(1-\beta^2) + \bar{y}}{R - \beta^2} - \alpha = \frac{-r\alpha + \bar{y}}{R - \beta^2}, \\ \frac{d\beta}{d\tau} = F(\beta) - \beta = \frac{\beta^2 + R\rho}{\rho\beta^2 + R} - \beta. \end{cases} \quad (\text{E.2})$$

Furthermore,

$$JF(\alpha^*, \beta^*) = \begin{pmatrix} \frac{-r}{R - (\beta^*)^2} & 0 \\ 0 & F'(\beta^*) - 1 \end{pmatrix}.$$

Based on the analysis in Appendix D, $F'(\beta^*) - 1 < 0$. Therefore, the unique stable SCEE (α^*, β^*) corresponds to the unique stable fixed point of the ODE (E.2). Thus the SAC learning (α_t, β_t) converges to the unique stable SCEE (α^*, β^*) as time t tends to ∞ .

F Rational expectations equilibrium inflation

Under the assumption that the transversality condition $\lim_{k \rightarrow \infty} \lambda^k E_t(\pi_{t+k}^*) = 0$ holds, the REE inflation is computed as

$$\begin{aligned} \pi_t^* &= \lambda E_t \pi_{t+1}^* + \gamma y_t + u_t \\ &= \lambda E_t [\lambda E_{t+1} \pi_{t+2}^* + \gamma y_{t+1} + u_{t+1}] + \gamma y_t + u_t \\ &= \lambda^2 E_t \pi_{t+2}^* + \gamma \lambda a + \gamma \lambda \rho y_t + \gamma y_t + u_t \\ &= \dots \\ &= \sum_{k=1}^{\infty} \gamma \lambda^k (\rho^{k-1} a + \dots + \rho a + a) + \sum_{k=0}^{\infty} \gamma (\lambda \rho)^k y_t + u_t \\ &= \sum_{k=1}^{\infty} \frac{\gamma a}{1 - \rho} [\lambda^k - (\lambda \rho)^k] + \frac{\gamma}{1 - \lambda \rho} y_t + u_t \\ &= \frac{\gamma \lambda a}{(1 - \lambda)(1 - \lambda \rho)} + \frac{\gamma}{1 - \lambda \rho} y_t + u_t. \end{aligned} \tag{F.1}$$

G First-order autocorrelation coefficient of inflation

We rewrite model (4.6) as

$$\begin{cases} \pi_t - \bar{\pi} = \lambda \beta^2 (\pi_{t-1} - \bar{\pi}) + \gamma (y_t - \bar{y}) + u_t, \\ y_t - \bar{y} = \rho (y_{t-1} - \bar{y}) + \varepsilon_t. \end{cases} \tag{G.1}$$

That is,

$$\begin{cases} \pi_t - \bar{\pi} = \lambda \beta^2 (\pi_{t-1} - \bar{\pi}) + \gamma \rho (y_{t-1} - \bar{y}) + \gamma \varepsilon_t + u_t, \\ y_t - \bar{y} = \rho (y_{t-1} - \bar{y}) + \varepsilon_t. \end{cases} \tag{G.2}$$

$$\begin{aligned}
& E[(\pi_t - \bar{\pi})(\pi_{t-1} - \bar{\pi})] \\
&= E\left[\lambda\beta^2(\pi_{t-1} - \bar{\pi})^2 + \gamma\rho(\pi_{t-1} - \bar{\pi})(y_{t-1} - \bar{y}) + \gamma(\pi_{t-1} - \bar{\pi})\varepsilon_t + (\pi_{t-1} - \bar{\pi})u_t\right] \\
&= \lambda\beta^2 Var(\pi_t) + \gamma\rho E[(\pi_{t-1} - \bar{\pi})(y_{t-1} - \bar{y})] + \gamma E[(\pi_{t-1} - \bar{\pi})\varepsilon_t] + (\pi_{t-1} - \bar{\pi})u_t \\
&= \lambda\beta^2 Var(\pi_t) + \gamma\rho E[(\pi_{t-1} - \bar{\pi})(y_{t-1} - \bar{y})] \\
&= \lambda\beta^2 Var(\pi_t) + \gamma\rho E[(\pi_t - \bar{\pi})(y_t - \bar{y})]. \tag{G.3}
\end{aligned}$$

$$\begin{aligned}
& Var(\pi_t) \\
&= E(\pi_t - \bar{\pi})^2 \\
&= E\left[\lambda\beta^2(\pi_t - \bar{\pi})(\pi_{t-1} - \bar{\pi}) + \gamma\rho(\pi_t - \bar{\pi})(y_{t-1} - \bar{y}) + \gamma(\pi_t - \bar{\pi})\varepsilon_t + (\pi_t - \bar{\pi})u_t\right] \\
&= \lambda\beta^2 E[(\pi_t - \bar{\pi})(\pi_{t-1} - \bar{\pi})] + \gamma\rho E[(\pi_t - \bar{\pi})(y_{t-1} - \bar{y})] + \gamma(\pi_t - \bar{\pi})\varepsilon_t + (\pi_t - \bar{\pi})u_t \\
&= \lambda\beta^2 E[(\pi_t - \bar{\pi})(\pi_{t-1} - \bar{\pi})] + \gamma\rho E[(\pi_t - \bar{\pi})(y_{t-1} - \bar{y})] + \gamma^2\sigma_\varepsilon^2 + \sigma_u^2, \tag{G.4}
\end{aligned}$$

where the last equation is based on the fact that $E[(\pi_t - \bar{\pi})\varepsilon_t] = E[\lambda\beta^2(\pi_{t-1} - \bar{\pi})\varepsilon_t + \gamma\rho(y_{t-1} - \bar{y})\varepsilon_t + \gamma\varepsilon_t^2 + u_t\varepsilon_t] = \gamma\sigma_\varepsilon^2$ and $E[(\pi_t - \bar{\pi})u_t] = E[\lambda\beta^2(\pi_{t-1} - \bar{\pi})u_t + \gamma\rho(y_{t-1} - \bar{y})u_t + \gamma\varepsilon_t u_t + u_t^2] = \sigma_u^2$.

Based on (G.3) and (G.4),

$$\begin{aligned}
Var(\pi_t) &= \lambda\beta^2 E[(\pi_t - \bar{\pi})(\pi_{t-1} - \bar{\pi})] + \gamma\rho E[(\pi_t - \bar{\pi})(y_{t-1} - \bar{y})] + \gamma^2\sigma_\varepsilon^2 + \sigma_u^2 \\
&= \lambda\beta^2 \left[\lambda\beta^2 Var(\pi_t) + \gamma\rho E[(\pi_t - \bar{\pi})(y_t - \bar{y})] \right] + \gamma\rho E[(\pi_t - \bar{\pi})(y_{t-1} - \bar{y})] + \gamma^2\sigma_\varepsilon^2 + \sigma_u^2 \\
&= \lambda^2\beta^4 Var(\pi_t) + \lambda\beta^2\gamma\rho E[(\pi_t - \bar{\pi})(y_t - \bar{y})] + \gamma\rho E[(\pi_t - \bar{\pi})(y_{t-1} - \bar{y})] + \gamma^2\sigma_\varepsilon^2 + \sigma_u^2.
\end{aligned}$$

That is,

$$Var(\pi_t) = \frac{\lambda\beta^2\gamma\rho E[(\pi_t - \bar{\pi})(y_t - \bar{y})] + \gamma\rho E[(\pi_t - \bar{\pi})(y_{t-1} - \bar{y})] + \gamma^2\sigma_\varepsilon^2 + \sigma_u^2}{1 - \lambda^2\beta^4}. \tag{G.5}$$

Thus, in order to obtain $E[(\pi_t - \bar{\pi})(\pi_{t-1} - \bar{\pi})]$ and $Var(\pi_t)$, we need calculate $E[(\pi_t - \bar{\pi})(y_t - \bar{y})]$ and $E[(\pi_t - \bar{\pi})(y_{t-1} - \bar{y})]$.

$$\begin{aligned}
E[(\pi_t - \bar{\pi})(y_t - \bar{y})] &= E\left[\lambda\beta^2(\pi_{t-1} - \bar{\pi})(y_t - \bar{y}) + \gamma\rho(y_{t-1} - \bar{y})(y_t - \bar{y}) + \gamma\varepsilon_t(y_t - \bar{y}) + u_t(y_t - \bar{y})\right] \\
&= \lambda\beta^2 E\{(\pi_{t-1} - \bar{\pi})[\rho(y_{t-1} - \bar{y}) + \varepsilon_t]\} + \gamma\rho E[(y_{t-1} - \bar{y})(y_t - \bar{y})] \\
&\quad + \gamma E\{\varepsilon_t[\rho(y_{t-1} - \bar{y}) + \varepsilon_t]\} + E[u_t(y_t - \bar{y})] \\
&= \lambda\beta^2\rho E[(\pi_{t-1} - \bar{\pi})(y_{t-1} - \bar{y})] + 0 + \frac{\gamma\rho^2\sigma_\varepsilon^2}{(1 - \rho^2)} + \gamma\sigma_\varepsilon^2 + 0.
\end{aligned}$$

Thus

$$E[(\pi_t - \bar{\pi})(y_t - \bar{\pi})] = \frac{\gamma\sigma_\varepsilon^2}{(1 - \rho^2)(1 - \lambda\beta^2\rho)}. \quad (\text{G.6})$$

Hence based on (G.6),

$$\begin{aligned} & E[(\pi_t - \bar{\pi})(y_{t-1} - \bar{\pi})] \\ &= E\left[\lambda\beta^2(\pi_{t-1} - \bar{\pi})(y_{t-1} - \bar{y}) + \gamma\rho(y_{t-1} - \bar{\pi})^2 + \gamma\varepsilon_t(y_{t-1} - \bar{\pi}) + u_t(y_{t-1} - \bar{\pi})\right] \\ &= \lambda\beta^2 E[(\pi_{t-1} - \bar{\pi})(y_{t-1} - \bar{y})] + \gamma\rho E[(y_{t-1} - \bar{\pi})^2] + 0 + 0 \\ &= \lambda\beta^2 \cdot \frac{\gamma\sigma_\varepsilon^2}{(1 - \rho^2)(1 - \lambda\beta^2\rho)} + \gamma\rho \cdot \frac{\sigma_\varepsilon^2}{1 - \rho^2} \\ &= \frac{\gamma\sigma_\varepsilon^2}{(1 - \rho^2)} \left[\frac{\lambda\beta^2}{1 - \lambda\beta^2\rho} + \rho \right] \\ &= \frac{\gamma\sigma_\varepsilon^2}{(1 - \rho^2)} \cdot \frac{\lambda\beta^2(1 - \rho^2) + \rho}{1 - \lambda\beta^2\rho} \\ &= \frac{\gamma\sigma_\varepsilon^2}{(1 - \lambda\beta^2\rho)} \left[\lambda\beta^2 + \frac{\rho}{1 - \rho^2} \right]. \end{aligned} \quad (\text{G.7})$$

Therefore, based on (G.5), (G.6) and (G.7),

$$\begin{aligned} \text{Var}(\pi_t) &= \frac{1}{1 - \lambda^2\beta^4} \left\{ \lambda\beta^2\gamma\rho E[(\pi_t - \bar{\pi})(y_t - \bar{y})] + \gamma\rho E[(\pi_t - \bar{\pi})(y_{t-1} - \bar{y})] + \gamma^2\sigma_\varepsilon^2 + \sigma_u^2 \right\} \\ &= \frac{1}{1 - \lambda^2\beta^4} \left\{ \frac{\lambda\beta^2\gamma^2\rho\sigma_\varepsilon^2}{(1 - \rho^2)(1 - \lambda\beta^2\rho)} + \frac{\gamma^2\rho\sigma_\varepsilon^2}{(1 - \lambda\beta^2\rho)} \left[\lambda\beta^2 + \frac{\rho}{1 - \rho^2} \right] + \gamma^2\sigma_\varepsilon^2 + \sigma_u^2 \right\} \\ &= \frac{\sigma_\varepsilon^2}{1 - \lambda^2\beta^4} \left\{ \frac{\gamma^2\rho[\lambda\beta^2(2 - \rho^2) + \rho]}{(1 - \rho^2)(1 - \lambda\beta^2\rho)} + \gamma^2 + \frac{\sigma_u^2}{\sigma_\varepsilon^2} \right\} \\ &= \frac{\sigma_\varepsilon^2}{1 - \lambda^2\beta^4} \left\{ \frac{\gamma^2(\lambda\beta^2\rho + 1)}{(1 - \rho^2)(1 - \lambda\beta^2\rho)} + \frac{\sigma_u^2}{\sigma_\varepsilon^2} \right\}. \end{aligned} \quad (\text{G.8})$$

According to (G.3),

$$\begin{aligned} E[(\pi_t - \bar{\pi})(\pi_{t-1} - \bar{\pi})] &= \lambda\beta^2\text{Var}(\pi_t) + \gamma\rho E[(\pi_t - \bar{\pi})(y_t - \bar{y})] \\ &= \lambda\beta^2\text{Var}(\pi_t) + \frac{\gamma^2\rho\sigma_\varepsilon^2}{(1 - \rho^2)(1 - \lambda\beta^2\rho)}. \end{aligned} \quad (\text{G.9})$$

Thus, the correlation coefficient $\text{Corr}(\pi_t, \pi_{t-1})$ satisfies

$$\begin{aligned} \text{Corr}(\pi_t, \pi_{t-1}) &= E[(\pi_t - \bar{\pi})(\pi_{t-1} - \bar{\pi})] / \text{Var}(\pi_t) \\ &= \lambda\beta^2 + \frac{\frac{\gamma^2\rho\sigma_\varepsilon^2}{(1 - \rho^2)(1 - \lambda\beta^2\rho)}}{\frac{\sigma_\varepsilon^2}{1 - \lambda^2\beta^4} \left\{ \frac{\gamma^2(\lambda\beta^2\rho + 1)}{(1 - \rho^2)(1 - \lambda\beta^2\rho)} + \frac{\sigma_u^2}{\sigma_\varepsilon^2} \right\}} \\ &= \lambda\beta^2 + \frac{\gamma^2\rho(1 - \lambda^2\beta^4)}{\gamma^2(\lambda\beta^2\rho + 1) + (1 - \rho^2)(1 - \lambda\beta^2\rho)\frac{\sigma_u^2}{\sigma_\varepsilon^2}} \\ &= \frac{\gamma^2(\lambda\beta^2 + \rho) + \lambda\beta^2(1 - \rho^2)(1 - \lambda\beta^2\rho)\frac{\sigma_u^2}{\sigma_\varepsilon^2}}{\gamma^2(\lambda\beta^2\rho + 1) + (1 - \rho^2)(1 - \lambda\beta^2\rho)\frac{\sigma_u^2}{\sigma_\varepsilon^2}}. \end{aligned}$$

H Proof of Proposition 4

In order to check the conditions (B.1-B.2) of Section 6.2.1 in Evans and Honkapohja (2001, p.125), we rewrite the system in matrix form by

$$X_t = A(\theta_{t-1})X_{t-1} + B(\theta_{t-1})W_t,$$

where $\theta'_t = (\alpha_t, \beta_t, R_t)$, $X'_t = (1, \pi_t, \pi_{t-1}, y_t)$ and $W'_t = (1, u_t, \varepsilon_t)$,

$$A(\theta) = \begin{pmatrix} 0 & 0 & 0 & 0 \\ \lambda\alpha(1 - \beta^2) + \gamma a & \lambda\beta^2 & 0 & \gamma\rho \\ 0 & 1 & 0 & 0 \\ a & 0 & 0 & \rho \end{pmatrix},$$

$$B(\theta) = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & \gamma \\ 0 & 0 & 0 \\ 0 & 0 & 1 \end{pmatrix}.$$

As shown in Evans and Honkapohja (2001, p.186), $A(\theta)$ and $B(\theta)$ clearly satisfy the Lipschitz conditions and B is bounded. Since u_t and ε_t are assumed to have bounded moments, condition (B.1) is satisfied. Furthermore, the eigenvalues of matrix $A(\theta)$ are 0 (double), ρ and $\lambda\beta^2$. According to the assumption $|\beta| \leq 1$, $0 \leq \lambda < 1$ and $0 < \rho < 1$, all eigenvalues of $A(\theta)$ are less than 1 in absolute value. Then it follows that there is a compact neighborhood including the SCEE solution (α^*, β^*) on which the condition that $|A(\theta)|$ is bounded strictly below 1 is satisfied.

Thus the technical conditions for Section 6.2.1 of Chapter 6 in Evans and Honkapohja (2001) are satisfied. Moreover, since π_t is stationary under the condition $|\beta| \leq 1$, $0 \leq \lambda < 1$ and $0 < \rho < 1$, then the limits

$$\sigma^2 := \lim_{t \rightarrow \infty} E(\pi_t - \alpha)^2, \quad \sigma_{\pi\pi-1}^2 := \lim_{t \rightarrow \infty} E(\pi_t - \alpha)(\pi_{t-1} - \alpha)$$

exist and are finite. Hence according to Section 6.2.1 of Chapter 6 in Evans and Honkapohja (2001, p.126), the associated ODE is

$$\begin{cases} \frac{d\alpha}{d\tau} = \bar{\pi}(\alpha, \beta) - \alpha, \\ \frac{d\beta}{d\tau} = \sigma^{-2}[\sigma_{\pi\pi-1}^2 - \beta\sigma^2], \\ \frac{dR}{d\tau} = \sigma^2 - R. \end{cases}$$

That is,

$$\begin{cases} \frac{d\alpha}{d\tau} = \frac{\lambda\alpha(1-\beta^2) + \gamma\bar{y}}{1-\lambda\beta^2} - \alpha = \frac{\alpha(\lambda-1) + \gamma\bar{y}}{1-\lambda\beta^2}, \\ \frac{d\beta}{d\tau} = \bar{F}(\beta) - \beta = \frac{\gamma^2(\lambda\beta^2 + \rho) + \lambda\beta^2(1-\rho^2)(1-\lambda\beta^2\rho)\frac{\sigma_u^2}{\sigma_\varepsilon^2}}{\gamma^2(\lambda\beta^2\rho + 1) + (1-\rho^2)(1-\lambda\beta^2\rho)\frac{\sigma_u^2}{\sigma_\varepsilon^2}} - \beta. \end{cases} \quad (\text{H.1})$$

Hence a SCEE corresponds to a fixed point of the ODE (H.1). Furthermore, the SAC learning (α_t, β_t) converges to the stable SCEE (α^*, β^*) as time t tends to ∞ .

References

- [1] Adam, K., 2007. Experimental evidence on the persistence of output and inflation. *Economic Journal* 117, 603-636.
- [2] Assenza, T., Heemeijer, P., Hommes, C. and Massaro, D., 2011. Individual Expectations and Aggregate Macro Behavior. CeNDEF Working Paper, University of Amsterdam.
- [3] Berardi, M., 2007. Heterogeneity and misspecification in learning. *Journal of Economic Dynamics & Control* 31, 3203-3227.
- [4] Branch, W.A., 2004. The theory of rationally heterogeneous expectations: evidence from survey data on inflation expectations. *Economic Journal* 114, 592-621.
- [5] Branch, W.A., 2006. Restricted perceptions equilibria and learning in macroeconomics, in: Colander, D. (Ed.), *Post Walrasian Macroeconomics: Beyond the Dynamic Stochastic General Equilibrium Model*. Cambridge University Press, New York, pp. 135-160.
- [6] Branch, W.A., Evans, G.W., 2006. Intrinsic heterogeneity in expectation formation. *Journal of Economic Theory*, 127, 264-295.
- [7] Branch, W.A., Evans, G.W., 2007. Model uncertainty and endogenous volatility. *Review of Economic Dynamics* 10, 207-237.
- [8] Branch, W.A., McGough, B., 2005. Consistent expectations and misspecification in stochastic non-linear economies. *Journal of Economic Dynamics & Control* 29, 659-676.
- [9] Brock, W., Hommes, C., 1998. Heterogeneous beliefs and routes to chaos in a simple asset pricing model. *Journal of Economic Dynamics & Control* 22, 1235-1274.

- [10] Bullard, J., Evans, G.W., Honkapohja, S., 2008. Monetary policy, judgment and near-rational exuberance. *American Economic Review* 98, 1163-1177.
- [11] Bullard, J., Evans, G.W., Honkapohja, S., 2010. A model of near-rational exuberance. *Macroeconomic Dynamics* 14, 166-188.
- [12] Bullard, J., Duffy, J., 2001. Learning and excess volatility. *Macroeconomic Dynamics* 5, 272-302.
- [13] Evans, G.W., Honkapohja, S., 2001. *Learning and Expectations in Macroeconomics*. Princeton University Press, Princeton.
- [14] Fuhrer, J.C., 2006. Intrinsic and inherited inflation persistence. *International Journal of Central Banking* 2, 49-86.
- [15] Fuhrer, J.C., 2009. Inflation persistence. Working paper.
- [16] Gali, J., Gertler, M., López-Salido, J.D., 2001. European inflation dynamics. *European Economic Review* 45, 1237-1270.
- [17] Guidolin, M., Timmermann, A., 2007. Properties of equilibrium asset prices under alternative learning schemes. *Journal of Economic Dynamics & Control* 31, 161-217.
- [18] Hamilton, J.D., 1994. *Time Series Analysis*. Princeton University Press.
- [19] Heemeijer, P., Hommes, C.H., Sonnemans, J., Tuinstra, J., 2009. Price stability and volatility in markets with positive and negative expectations feedback. *Journal of Economic Dynamics & Control* 33, 1052-1072.
- [20] Hommes, C.H., Sonnemans, J., Tuinstra, J., van de Velden, H., 2005. Coordination of expectations in asset pricing experiments. *Review of Financial Studies* 18, 955-980.
- [21] Hommes, C.H., 2011. The heterogeneous expectations hypothesis: some evidence for the lab. *Journal of Economic Dynamics & Control* 35, 1-24.
- [22] Hommes, C.H., Sorger, G., 1998. Consistent expectations equilibria. *Macroeconomic Dynamics* 2, 287-321.
- [23] Hommes, C.H., Rosser, J.B., 2001. Consistent expectations equilibria and complex dynamics in renewable resource markets. *Macroeconomic Dynamics* 5, 180-203.

- [24] Hommes, C.H., Sorger, G., Wagener, F., 2004. Consistency of linear forecasts in a nonlinear stochastic economy. Unpublished working paper, University of Amsterdam.
- [25] Lansing, K.J., 2009. Time-varying U.S. inflation dynamics and the new Keynesian Phillips curve. *Review of Economic Dynamics* 12, 304-326.
- [26] Lansing, K.J., 2010. Rational and near-rational bubbles without drift. *Economic Journal* 120, 1149-1174.
- [27] Lucas, R., 1972. Expectations and the neutrality of money. *Journal of Economic Theory* 4, 103-124.
- [28] Milani, F., 2007. Expectations, learning and macroeconomic persistence. *Journal of Monetary Economics* 54, 2065-2082.
- [29] Muth, J.E., 1961. Rational expectations and the theory of price movements. *Econometrica* 29, 315-335.
- [30] Pfajfar, D., and B. Zakelj, 2010. Inflation Expectations and Monetary Policy Design: Evidence from the Laboratory. Mimeo, Tilburg University.
- [31] Sargent, T.J., 1991. Equilibrium with signal extraction from endogenous variables. *Journal of Economic Dynamics & Control* 15, 245-273.
- [32] Sargent, T.J., 1993. *Bounded Rationality in Macroeconomics*. Oxford University Press Inc., New York.
- [33] Sargent, T.J., 1999. *The Conquest of American Inflation*. Princeton University Press, Princeton, NJ.
- [34] Sögner, L., Mitlöhner, H., 2002. Consistent expectations equilibria and learning in a stock market. *Journal of Economic Dynamics & Control* 26, 171-185.
- [35] Tallman, E. W., 2003. Monetary policy and learning: some implications for policy and research. Federal Reserve Bank of Atlanta, *ECONOMIC REVIEW*, Third Quarter 2003.
- [36] Timmermann, A., 1993. How learning in financial markets generates excess volatility and predictability in stock prices. *Quarterly Journal of Economics* 108, 1135-1145.

- [37] Timmermann, A., 1996. Excess volatility and predictability in stock prices in autoregressive dividend models with learning. *Review of Economic Studies* 63, 523-557.
- [38] Tuinstra, J., 2003. Beliefs equilibria in an overlapping generations model. *Journal of Economic Behavior & Organization* 50, 145-164.
- [39] White, H., 1994. *Estimation, Inference and Specification Analysis*. Cambridge University Press, Cambridge.