



## UvA-DARE (Digital Academic Repository)

### Non-contact spectroscopic age determination of bloodstains

Bremmer, R.H.

**Publication date**  
2011

[Link to publication](#)

#### **Citation for published version (APA):**

Bremmer, R. H. (2011). *Non-contact spectroscopic age determination of bloodstains*. [Thesis, fully internal, Universiteit van Amsterdam].

#### **General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

#### **Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

## BIBLIOGRAPHY

1. D. Patterson, Use of reflectance measurements in assessing the colour changes of ageing bloodstains, *Nature* **187** (1960), pp. 688-689.
2. S.S. Kind, D. Patterson and G.W. Owen, Estimation of the age of dried blood stains by spectrophotometric method, *Forensic Science* **1** (1972), pp. 27-54.
3. E.K. Hanson and J. Ballantyne, A Blue Spectral Shift of the Hemoglobin Soret Band Correlates with the Age (Time Since Deposition) of Dried Bloodstains, *PLoS One* **5** (2010), p. e12830.
4. U. Köhler and I. Oepen, On the suitability of spectrophotometric analyses for the estimation of blood stain age *Z Rechtsmed* **18** (1977), p. 5.
5. V. Blazek and G. Lins, Spectroscopic age determination of blood stains: new technical aspects, *Acta Med Leg Soc (Liege)* **32** (1982), pp. 613-616.
6. C. Henssge and B. Madea, Estimation of the time since death, *Forensic Science International* **165** (2007), pp. 182-184.
7. M. Kaliszczan, R. Hauser and G. Kernbach-Wighton, Estimation of the time of death based on the assessment of post mortem processes with emphasis on body cooling, *Legal Medicine* **11** (2009), pp. 111-117.
8. J.L. Smart, Estimation of Time of Death With a Fourier Series Unsteady-State Heat Transfer Model, *Journal of Forensic Sciences* **55** (2010), pp. 1481-1487.
9. C. Meissner and S. Ritz-Timme, Molecular pathology and age estimation, *Forensic Science International* **203** (2010), pp. 34-43.
10. W. Grellner and B. Madea, Demands on scientific studies: Vitality of wounds and wound age estimation, *Forensic Science International* **165** (2007), pp. 150-154.
11. B. Stam, M. van Gemert, T. van Leeuwen and M. Aalders, 3D finite compartment modeling of formation and healing of bruises may identify methods for age determination of bruises, *Medical and Biological Engineering and Computing* **48** (2010), pp. 911-921.
12. N. Langlois, The science behind the quest to determine the age of bruises—a review of the English language literature, *Forensic Science, Medicine, and Pathology* **3** (2007), pp. 241-251.
13. C. Weyermann, C. Roux and C. Champod, Initial Results on the Composition of Fingerprints and its Evolution as a Function of Time by GC/MS Analysis, *Journal of Forensic Sciences* (2010).
14. K. Wertheim, Fingerprint Age Determination: Is There Any Hope?, *Journal of Forensic Identification* **53** (2002), p. 8.
15. M. Ezcurra, J.M.G. Góngora, I. Maguregui and R. Alonso, Analytical methods for dating modern writing instrument inks on paper, *Forensic Science International* **197** (2010), pp. 1-20.
16. X.-F. Wang, J. Yu, M.-X. Xie, Y.-T. Yao and J. Han, Identification and dating of the fountain pen ink entries on documents by ion-pairing high-performance liquid chromatography, *Forensic Science International* **180** (2008), pp. 43-49.
17. S.H. James, *Principles of Bloodstain Pattern Analysis*, CRC Press (2005).
18. P. Hortolà, SEM examination of human erythrocytes in uncoated bloodstains on stone: use of conventional as environmental-like SEM in a soft biological tissue (and hard inorganic material), *Journal of Microscopy* **218** (2005), pp. 94-103.
19. S. Strasser, A. Zink, G. Kada, P. Hinterdorfer, O. Peschel, W.M. Heckl, *et al.*, Age determination of blood spots in forensic medicine by force spectroscopy, *Forensic Science International* **170** (2007), pp. 8-14.
20. H. Chen, M. Ikeda-Saito and S. Shaik, Nature of the Fe-O-2 Bonding in Oxy-Myoglobin: Effect of the Protein, *J. Am. Chem. Soc.* **130** (2008), pp. 14778-14790.
21. J.B. Wittenberg, B.A. Wittenberg, J. Peisach and W.E. Blumberg, On the State of the Iron and the Nature of the Ligand in Oxyhemoglobin, *Proceedings of the National Academy of Sciences of the United States of America* **67** (1970), pp. 1846-1853.
22. A. Borisova, Comparative analysis of various hemoglobins: Autoxidation and spectral properties, *Journal of Evolutionary Biochemistry and Physiology* **44** (2008), pp. 532-534.

23. A. Marrone and J. Ballantyne, Changes in dry state hemoglobin over time do not increase the potential for oxidative DNA damage in dried blood, *PLoS One* **4** (2009), p. e51110.
24. J. Peisach, W.E. Blumberg, B.A. Wittenberg, J.B. Wittenberg and L. Kampa, Hemoglobin A: an Electron Paramagnetic Resonance Study of the Effects of Interchain Contacts on the Heme Symmetry of high-spin and low-spin derivatives of ferric alpha chains, *Proceedings of the National Academy of Sciences of the United States of America* **63** (1969), pp. 934-939.
25. K. Shikama, The molecular mechanism of autoxidation for myoglobin and hemoglobin: A venerable puzzle, *Chemical Reviews* **98** (1998), pp. 1357-1373.
26. J. Umbreit, Methemoglobin - It's not just blue: A concise review, *Am. J. Hematol.* **82** (2007), pp. 134-144.
27. A. Smith, Basic Medical Biochemistry, Lippincott Williams & Wilkins (2004).
28. D.A. Svistunenko, M.A. Sharpe, P. Nicholls, C. Blenkinsop, N.A. Davies, J. Dunne, *et al.*, The pH dependence of naturally occurring low-spin forms of methaemoglobin and metmyoglobin: an EPR study, *Biochem. J.* **351** (2000), pp. 595-605.
29. T. Miki, A. Kai and M. Ikeya, Electron spin resonance of bloodstains and its application to the estimation of time after bleeding, *Forensic Science International* **35** (1987), pp. 149-158.
30. J.M. Rifkind, O. Abugo, A. Levy and J. Heim, Detection, Formation, and Relevance of Hemichromes and Hemochromes, *Methods in Enzymology* **1** (1994), pp. 449-480.
31. W.G. Zijlstra, A. Buursma and W.P. Meeuwse-Van der Roest, Absorption spectra of human fetal and adult oxyhemoglobin, de-oxyhemoglobin, carboxyhemoglobin, and methemoglobin, *Clinical Chemistry* **37** (1991), pp. 1633-1638.
32. T. Asakura, K. Minakata, K. Adachi, M.O. Russell and E. Schwartz, Denatured Hemoglobin in Sick Erythrocytes, *Journal of Clinical Investigation* **59** (1977), pp. 633-640.
33. I. Dulinska, M. Targosz, W. Strojny, M. Lekka, P. Czuba, W. Balwierz, *et al.*, Stiffness of normal and pathological erythrocytes studied by means of atomic force microscopy, *Journal of Biochemical and Biophysical Methods* **66** (2006), pp. 1-11.
34. Y. Wu, Y. Hu, J. Cai, S. Ma, X. Wang, Y. Chen, *et al.*, Time-dependent surface adhesive force and morphology of RBC measured by AFM, *Micron* **40** (2009), pp. 359-364.
35. M. Bauer, S. Polzin and D. Patzelt, Quantification of RNA degradation by semi-quantitative duplex and competitive RT-PCR: a possible indicator of the age of bloodstains?, *Forensic Science International* **138** (2003), pp. 94-103.
36. S. Anderson, B. Howard, G.R. Hobbs and C.P. Bishop, A method for determining the age of a bloodstain, *Forensic Science International* **148** (2005), pp. 37-45.
37. S.E. Anderson, G.R. Hobbs and C.P. Bishop, Multivariate Analysis for Estimating the Age of a Bloodstain, *Journal of Forensic Sciences* **56** (2011), pp. 186-193.
38. J. Dissing, A. Søndervang and S. Lund, Exploring the limits for the survival of DNA in blood stains, *Journal of Forensic and Legal Medicine* **17** (2010), pp. 392-396.
39. K. Rajamannar, Determination of the Age of Bloodstains using Immunoelectrophoresis, *Journal of Forensic Science* **22** (1977).
40. A. Tsutsumi, Y. Yamamoto and H. Ishizu, Determination of the Age Bloodstains by Enzyme Activities in Blood Cells, *Japanese Journal of Legal Medicine* **37** (1983), p. 6.
41. K. Ackermann, K.N. Ballantyne and M. Kayser, Estimating trace deposition time with circadian biomarkers: a prospective and versatile tool for crime scene reconstruction, *Int J Legal Med* (2010).
42. L. Tomellini, De l'emploi d'une table chromatique pour les taches du sang, *Archives d'anthropologie criminelle de Criminologie* **14** (1907), p. 2.
43. O. Leers, Die forensische blutuntersuchung, Berlin (1910).
44. Ziemke and Franz Müller, Beiträge zur Spektroskopie des Blutes, *Arch. f. Anat. u. Physiol.* (1901).
45. Schwarzacher, Determination of the Age of Bloodstains, *American Journal of Police Sciences* **1** (1930).
46. F. Schwarz, Quantitative Untersuchungen der Katalase und Peroxydase im Blutfleck, *International Journal of Legal Medicine* **27** (1937), pp. 1-34.

47. H. Inoue, F. Takabe, M. Iwasa and Y. Maeno, Identification of fetal hemoglobin and simultaneous estimation of bloodstain age by high-performance liquid chromatography, *International Journal of Legal Medicine* **104** (1991), pp. 127-131.
48. H. Inoue, F. Takabe, M. Iwasa, Y. Maeno and Y. Seko, A new marker for estimation of bloodstain age by high performance liquid chromatography, *Forensic Science International* **57** (1992), pp. 17-27.
49. J. Andrasko, The Estimation of the Age of Bloodstains by HPLC Analysis, *Journal of Forensic Science* **42** (1997), p. 7.
50. R. Kumagai, Analysis of hemoglobin in bloodstains using highperformance liquid chromatography, *Nihon Hoigaku Zasshi* **47** (1993), p. 7.
51. V. Blazek and G. Lins, [Spectroscopic age determination of blood stains: new technical aspects], *Acta Med Leg Soc (Liege)* **32** (1982), pp. 613-616.
52. E. Botonjic-Sehic, C.W. Brown, M. Lamontagne and M. Tsaparikos, Forensic Application of Near-Infrared Spectroscopy: Aging of Bloodstains, *Spectroscopy* **24** (2009), pp. 42-48.
53. J.M. McCutcheon, Forensic Discrimination, Age Estimation, and Spectral Optimization for Trace Detection of Blood on Textile Substrates Using Infrared Spectroscopy and Chemometrics, University of South Carolina (2010).
54. H. Brooke, M.R. Baranowski, J.N. McCutcheon, S.L. Morgan and M.L. Myrick, Multimode Imaging in the Thermal Infrared for Chemical Contrast Enhancement. Part 1: Methodology, *Analytical Chemistry* **82** (2010), pp. 8412-8420.
55. H. Brooke, M.R. Baranowski, J.N. McCutcheon, S.L. Morgan and M.L. Myrick, Multimode Imaging in the Thermal Infrared for Chemical Contrast Enhancement. Part 2: Simulation Driven Design, *Analytical Chemistry* **82** (2010), pp. 8421-8426.
56. H. Brooke, M.R. Baranowski, J.N. McCutcheon, S.L. Morgan and M.L. Myrick, Multimode Imaging in the Thermal Infrared for Chemical Contrast Enhancement. Part 3: Visualizing Blood on Fabrics, *Analytical Chemistry* **82** (2010), pp. 8427-8431.
57. T. Matsuoka, T. Taguchi and J. Okuda, Estimation of bloodstain age by rapid determinations of oxyhemoglobin by use of oxygen-electrode and total hemoglobin, *Biological & Pharmaceutical Bulletin* **18** (1995), pp. 1031-1035.
58. Y. Fujita, K. Tsuchiya, S. Abe, Y. Takiguchi, S. Kubo and H. Sakurai, Estimation of the age of human bloodstains by electron paramagnetic resonance spectroscopy: Long-term controlled experiment on the effects of environmental factors, *Forensic Science International* **152** (2005), pp. 39-43.
59. H. Sakurai, K. Tsuchiya, Y. Fujita and K. Okuda, Dating of Human Blood by Electron Spin Resonance Spectroscopy, *Naturwissenschaften* **76** (1989), p. 24.
60. M. Bauer and D. Patzelt, Evaluation of mRNA markers for the identification of menstrual blood, *Journal of Forensic Sciences* **47** (2002), pp. 1278-1282.
61. J. Almog, Forensic Science Does Not Start in the Lab: The Concept of Diagnostic Field Tests\*, *Journal of Forensic Sciences* **51** (2006), pp. 1228-1234.
62. K. Virkler and I.K. Lednev, Analysis of body fluids for forensic purposes: From laboratory testing to non-destructive rapid confirmatory identification at a crime scene, *Forensic Science International* **188** (2009), pp. 1-17.
63. D.L. Exline, C. Wallace, C. Roux, C.I. Lennard, M.P. Nelson and P.J. Treado, Forensic applications of chemical imaging: Latent fingerprint detection using visible absorption and luminescence, *Journal of Forensic Sciences* **48** (2003), pp. 1047-1053.
64. S.E. Anderson, G.R. Hobbs and C.P. Bishop, Multivariate Analysis for Estimating the Age of a Bloodstain\*, *Journal of Forensic Sciences* (2010).
65. P.G. Hattersley, Activated Coagulation Time of Whole Blood, *Journal of the American Medical Association* **196** (1966), pp. 436-440.
66. N.Y.L. Lam, T.H. Rainer, R.W.K. Chiu and Y.M.D. Lo, EDTA Is a Better Anticoagulant than Heparin or Citrate for Delayed Blood Processing for Plasma DNA Analysis, *Clin Chem* **50** (2004), pp. 256-257.

67. T.L. Laber and B.P. Epstein, Substrate effects on the clotting time of Human Blood, *Can. Soc. Forensic Sci. J.* **34** (2001), pp. 209-214.
68. B.M. Weckhuysen and R.A. Schoonheydt, Recent progress in diffuse reflectance spectroscopy of supported metal oxide catalysts, *Catalysis Today* **49** (1999), pp. 441-451.
69. A.A. Stratonnikov and V.B. Loschenov, Evaluation of blood oxygen saturation in vivo from diffuse reflectance spectra, *Journal of Biomedical Optics* **6** (2001), pp. 457-467.
70. W.G. Zijlstra, A. Buursma and W.P. Meeuwesen-Vanderroest, Absorption spectra of human fetal and adult oxyhemoglobin, de-oxyhemoglobin, carboxyhemoglobin, and methemoglobin, *Clinical Chemistry* **37** (1991), pp. 1633-1638.
71. M.J.C. van Gemert, Star, W.M., Relations between the Kubelka-Munk and the transport equation models for anisotropic scattering, *Lasers Life Sciences* **1** (1987), p. 11.
72. L. Yang and B. Kruse, Revised Kubelka-Munk theory. I. Theory and application, *Journal of the Optical Society of America a-Optics Image Science and Vision* **21** (2004), pp. 1933-1941.
73. D. Yudovsky, Pilon, L., Simple and accurate expressions for diffuse reflectance of semi-infinite and two-layer absorbing and scattering media, *Applied Optics* **48** (2009), p. 13.
74. J.C. Finlay and T.H. Foster, Effect of pigment packaging on diffuse reflectance spectroscopy of samples containing red blood cells, *Optics Letters* **29** (2004), pp. 965-967.
75. A. Amelink, D.J. Robinson and H. Sterenborg, Confidence intervals on fit parameters derived from optical reflectance spectroscopy measurements, *Journal of Biomedical Optics* **13** (2008).
76. B. Efron, Estimating the error rate of a prediction rule - improvement on cross-validation, *J. Am. Stat. Assoc.* **78** (1983), pp. 316-331.
77. M. Tsuruga, A. Matsuoka, A. Hachimori, Y. Sugawara and K. Shikama, The molecular mechanism of autoxidation for human oxyhemoglobin - Tilting of the distal histidine causes nonequivalent oxidation in the beta chain, *Journal of Biological Chemistry* **273** (1998), pp. 8607-8615.
78. R.D. Deegan, O. Bakajin, T.F. Dupont, G. Huber, S.R. Nagel and T.A. Witten, Capillary flow as the cause of ring stains from dried liquid drops, *Nature* **389** (1997), pp. 827-829.
79. L. Randeberg, E. La Puebla Larsen and L. Svaasand, Characterization of vascular structures and skin bruises using hyperspectral imaging, image analysis and diffusion theory, *Journal of Biophotonics* **1** (2009), pp. 53 - 65.
80. B. Lomholt and N. Keiding, Tetrabase, an alternative to benzidine and orthotolidine for detection of hemoglobin in urine, *The Lancet* **1** (1977), pp. 608-609.
81. E. Johnston, C.E. Ames, K.E. Dagnall, J. Foster and B.E. Daniel, Comparison of presumptive blood test kits including Hexagon OBTI, *Journal of Forensic Sciences* **53** (2008), pp. 687-689.
82. L.J. Blum, P. Esperança and S. Rocquefelte, A new high-performance reagent and procedure for latent blood stain detection based on Luminol chemiluminescence, *Can. Soc. Forensic Sci. J.* **39** (2006), p. 20.
83. E.J.M. Kent, D.A. Elliot and G.M. Miskelly, Inhibition of bleach-induced luminol chemiluminescence, *Journal of Forensic Sciences* **48** (2003), pp. 64-67.
84. S.H. James and J.J. Nordby, *Forensic Science*, Taylor&Francis (2005).
85. R. Saferstein, *Criminalistics - An Introduction to Forensic Science* (1981).
86. D. Zubakov, E. Hanekamp, M. Kokshoorn, W. van Ijcken and M. Kayser, Stable RNA markers for identification of blood and saliva stains revealed from whole genome expression analysis of time-wise degraded samples, *International Journal of Legal Medicine* **122** (2008), pp. 135-142.
87. E. Nagababu and J.M. Rifkind, Formation of fluorescent heme degradation products during the oxidation of hemoglobin by hydrogen peroxide, *Biochemical and Biophysical Research Communications* **247** (1998), pp. 592-596.
88. K. Virkler and I.K. Lednev, Raman spectroscopic signature of blood and its potential application to forensic body fluid identification, *Analytical and Bioanalytical Chemistry* **396** (2010), pp. 525-534.

89. K. De Wael, L. Lepot, F. Gason and B. Gilbert, In search of blood - Detection of minute particles using spectroscopic methods, *Forensic Science International* **180** (2008), pp. 37-42.
90. T.M. Kotowski and M.C. Grieve, The use of microspectrophotometry to characterize microscopic amounts of blood, *Journal of Forensic Sciences* **31** (1986), pp. 1079-1085.
91. N.J.D. Nagelkerke, A note on a general definition on the coefficient of determination, *Biometrika* **78** (1991), pp. 691-692.
92. T. Otto, V. Stock, W.-D. Schmidt, K. Liebold, D. Fassler, U. Wollina, *et al.*, Medical applications of VIS/NIR spectroscopy of human tissue surfaces by a novel portable instrumentation In: N. Cam, Editor **vol. 4491**, SPIE (2001), pp. 203-214.
93. I. Charamisinau, K. Keymel, W. Potter and A.R. Oseroff, Handheld dual fluorescence and reflection spectroscopy system for monitoring topical low dose ALA-PDT of actinic keratoses (AK) In: K. David, Editor **vol. 6139**, SPIE (2006), p. 61391E.
94. C.S. Mulvey, C.A. Sherwood and I.J. Bigio, Wavelength-dependent backscattering measurements for quantitative real-time monitoring of apoptosis in living cells, *Journal of Biomedical Optics* **14** (2009).
95. Y.S. Fawzy, M. Petek, M. Terceļj and H.S. Zeng, In vivo assessment and evaluation of lung tissue morphologic and physiological changes from non-contact endoscopic reflectance spectroscopy for improving lung cancer detection, *Journal of Biomedical Optics* **11** (2006).
96. C.C. Yu, C. Lau, G. O'Donoghue, J. Mirkovic, S. McGee, L. Galindo, *et al.*, Quantitative spectroscopic imaging for non-invasive early cancer detection, *Optics Express* **16** (2008), pp. 16227-16239.
97. R.B. Saager, D.J. Cuccia and A.J. Durkin, Determination of optical properties of turbid media spanning visible and near-infrared regimes via spatially modulated quantitative spectroscopy, *J. Biomed. Opt.* **15** (2010), p. 017012.
98. S.C. Gebhart, S.K. Majumder and A. Mahadevan-Jansen, Comparison of spectral variation from spectroscopy to spectral imaging, *Appl. Opt.* **46** (2007), pp. 1343-1360.
99. L.L. Randeberg, O.A. Haugen, R. Haaverstad and L.O. Svasand, A novel approach to age determination of traumatic injuries by reflectance spectroscopy, *Lasers Surg. Med.* **38** (2006), pp. 277-289.
100. G. Zonios, L.T. Perelman, V.M. Backman, R. Manoharan, M. Fitzmaurice, J. Van Dam, *et al.*, Diffuse reflectance spectroscopy of human adenomatous colon polyps in vivo, *Applied Optics* **38** (1999), pp. 6628-6637.
101. R. Reif, O. A'amar and I.J. Bigio, Analytical model of light reflectance for extraction of the optical properties in small volumes of turbid media, *Appl. Optics* **46** (2007), pp. 7317-7328.
102. G. Zonios, I. Bassukas and A. Dimou, Comparative evaluation of two simple diffuse reflectance models for biological tissue applications, *Appl. Optics* **47** (2008), pp. 4965-4973.
103. J.E. Phelps, K. Vishwanath, V.T.C. Chang and N. Ramanujam, Rapid ratiometric determination of hemoglobin concentration using UV-VIS diffuse reflectance at isobestic wavelengths, *Opt. Express* **18** (2010), pp. 18779-18792.
104. N. Rajaram, T.H. Nguyen and J.W. Tunnell, Lookup table--based inverse model for determining optical properties of turbid media, *J. Biomed. Opt.* **13** (2008), pp. 050501-050503.
105. S.C. Kanick, H. Sterenborg and A. Amelink, Empirical model of the photon path length for a single fiber reflectance spectroscopy device, *Opt. Express* **17** (2009), pp. 860-871.
106. S.C. Kanick, H. Sterenborg and A. Amelink, Empirical model description of photon path length for differential path length spectroscopy: combined effect of scattering and absorption, *J. Biomed. Opt.* **13** (2008), p. 8.
107. S.E. Hernandez, V.D. Rodriguez, J. Perez, F.A. Martin, M.A. Castellano and J.L. Gonzalez-Mora, Diffuse reflectance spectroscopy characterization of hemoglobin and intralipid solutions: in vitro measurements with continuous variation of absorption and scattering, *J. Biomed. Opt.* **14** (2009), p. 6.

108. H.J. Van Staveren, C.J.M. Moes, J. Van Marle, S.A. Prahl and M.J.C. Van Gemert, Light-scattering in Intralipid-10-percent in the wavelength range of 400-1100 nm, *Appl. Optics* **30** (1991), pp. 4507-4514.
109. G. Zaccanti, S. Del Bianco and F. Martelli, Measurements of optical properties of high-density media, *Appl. Optics* **42** (2003), pp. 4023-4030.
110. M.C.P. Van Beekvelt, W.N.J.M. Colier, R.A. Wevers and B.G.M. Van Engelen, Performance of near-infrared spectroscopy in measuring local O<sub>2</sub> consumption and blood flow in skeletal muscle, *J. Appl. Physiol.* **90** (2001), pp. 511-519.
111. M. Friebel, J. Helfmann, U. Netz and M. Meinke, Influence of oxygen saturation on the optical scattering properties of human red blood cells in the spectral range 250 to 2000 nm, *J. Biomed. Opt.* **14** (2009), p. 6.
112. D.M. de Bruin, R.H. Bremmer, V.M. Kodach, R. de Kinkelder, J. van Marle, T.G. van Leeuwen, *et al.*, Optical phantoms of varying geometry based on thin building blocks with controlled optical properties, *Journal of Biomedical Optics* **15** (2010), pp. 025001-025010.
113. R. Reif, M.S. Amoroso, K.W. Calabro, O. A'Amar, S.K. Singh and I.J. Bigio, Analysis of changes in reflectance measurements on biological tissues subjected to different probe pressures, *J. Biomed. Opt.* **13** (2008).
114. D. Huang, E. Swanson, C. Lin, J. Schuman, W. Stinson, W. Chang, *et al.*, Optical coherence tomography, *Science* **254** (1991), pp. 1178-1181.
115. M.C.G. Aalders, M. Triesscheijn, M. Ruevekamp, M.d. Bruin, P. Baas, D.J. Faber, *et al.*, Doppler optical coherence tomography to monitor the effect of photodynamic therapy on tissue morphology and perfusion, *J. Biomed. Opt.* **11** (2006), p. 044011.
116. D.M. de Bruin, D.L. Burnes, J. Loewenstein, Y. Chen, S. Chang, T.C. Chen, *et al.*, In Vivo Three-Dimensional Imaging of Neovascular Age-Related Macular Degeneration Using Optical Frequency Domain Imaging at 1050 nm, *Invest. Ophthalmol. Vis. Sci.* **49** (2008), pp. 4545-4552.
117. D. Faber, F. van der Meer, M. Aalders and T. van Leeuwen, Quantitative measurement of attenuation coefficients of weakly scattering media using optical coherence tomography, *Opt. Express* **12** (2004), pp. 4353-4365.
118. Y. Sugawara, E. Kadono, A. Suzuki, Y. Yukuta, Y. Shibasaki, N. Nishimura, *et al.*, Hemichrome formation observed in human haemoglobin A under various buffer conditions, *Acta Physiologica Scandinavica* **179** (2003), pp. 49-59.
119. W. Verkruysse, G.W. Lucassen, J.F. deBoer, D.J. Smithies, J.S. Nelson and M.J.C. vanGemert, Modelling light distributions of homogeneous versus discrete absorbers in light irradiated turbid media, *Physics in Medicine and Biology* **42** (1997), pp. 51-65.
120. B. Venkatesh, S. Ramasamy, M. Mylrajan, R. Asokan, P.T. Manoharan and J. M. Rifkind, Fourier transform Raman approach to structural correlation in hemoglobin derivatives, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy* **55** (1999), pp. 1691-1697.
121. H. Motulsky and A. Christopoulos. Fitting models to biological data using linear and nonlinear regression a practical guide to curve fitting. <http://www.mylibrary.com?id=84377>. 2004.
122. J.A. Kellum, Determinants of blood pH in health and disease, *Critical Care* **4** (2000), pp. 6 - 14.
123. R. Wever, B. Oudega and B.F. Van Gelder, Generation of superoxide radicals during the autoxidation of mammalian oxyhemoglobin, *Biochimica et Biophysica Acta (BBA) - Enzymology* **302** (1973), pp. 475-478.
124. R.H. Bremmer, A. Nadort, M.J.C. van Gemert, T.G. van Leeuwen and M.C. Aalders, Age estimation of blood stains by hemoglobin derivative determination using reflection spectroscopy, *Forensic Science International* **206** (2011), pp. 166-171.
125. G.M. Palmer and N. Ramanujam, Monte Carlo-based inverse model for calculating tissue optical properties. Part I: Theory and validation on synthetic phantoms, *Appl. Opt.* **45** (2006), pp. 1062-1071.

126. S.C. Kanick, D.J. Robinson, H.J.C.M. Sterenborg and A. Amelink, Monte Carlo analysis of single fiber reflectance spectroscopy: photon path length and sampling depth *Phys. Med. Biol.* **54** (2009).
127. B. Varghese, V. Rajan, T.G. Van Leeuwen and W. Steenbergen, Path-length-resolved measurements of multiple scattered photons in static and dynamic turbid media using phase-modulated low-coherence interferometry, *Journal of Biomedical Optics* **12** (2007), pp. 024020-024027.
128. A. Pifferi, A. Torricelli, L. Spinelli, D. Contini, R. Cubeddu, F. Martelli, *et al.*, Time-Resolved Diffuse Reflectance Using Small Source-Detector Separation and Fast Single-Photon Gating, *Phys. Rev. Lett.* **100** (2008), p. 138101.
129. A.L. Petoukhova, W. Steenbergen, T.G. van Leeuwen and F.F.M. de Mul, Effects of absorption on coherence domain path length resolved dynamic light scattering in the diffuse regime, *Applied Physics Letters* **81** (2002), pp. 595-597.
130. E. Alerstam, S. Andersson-Engels and T. Svensson, White Monte Carlo for time-resolved photon migration, *Journal of Biomedical Optics* **13** (2008), pp. 041304-041310.
131. R.H. Bremmer, S.C. Kanick, N. Laan, A. Amelink, T.G. van Leeuwen and M.C.G. Aalders, Non-contact spectroscopic determination of large blood volume fractions in turbid media, *Biomed. Opt. Express* **2** (2011), pp. 396-407.
132. F.F.M. de Mul, M.H. Koelink, M.L. Kok, P.J. Harmsma, J. Greve, R. Graaff, *et al.*, Laser Doppler velocimetry and Monte Carlo simulations on models for blood perfusion in tissue, *Appl. Opt.* **34** (1995), pp. 6595-6611.
133. F. Martelli, S.D. Bianco, A. Ismaelli and G. Zaccanti, Light propagation through biological tissue, SPIE (2010).
134. G. Popescu and A. Dogariu, Optical path-length spectroscopy of wave propagation in random media, *Opt. Lett.* **24** (1999), pp. 442-444.
135. C.M.A.M. van der Horst, P.H.L. Koster, C.A.J.M. de Borgie, P.M.M. Bossuyt and M.J.C. van Gemert, Effect of the Timing of Treatment of Port-Wine Stains with the Flash-Lamp-Pumped Pulsed-Dye Laser, *New England Journal of Medicine* **338** (1998), pp. 1028-1033.
136. N. Bosschaart, D.J. Faber, T.G. van Leeuwen and M.C.G. Aalders, Measurements of wavelength dependent scattering and backscattering coefficients by low-coherence spectroscopy, *Journal of Biomedical Optics* **16** (2011), pp. 030503-030503.
137. V.M. Kodach, D.J. Faber, J. van Marle, T.G. van Leeuwen and J. Kalkman, Determination of the scattering anisotropy with optical coherence tomography, *Opt. Express* **19** (2011), pp. 6131-6140.
138. T.J. Farrell, M.S. Patterson and B. Wilson, A diffusion-theory model of spatially resolved, steady-state diffuse reflectance for noninvasive determination of tissue optical properties in vivo, *Med. Phys.* **19** (1992), pp. 879-888.
139. K. Levenberg, A method for the solution of certain problems in least squares, *Quarterly of Applied Mathematics* **2** (1944), pp. 164-168.
140. D.J. Faber, M.C.G. Aalders, E.G. Mik, B.A. Hooper, M.J.C. van Gemert and T.G. van Leeuwen, Oxygen saturation-dependent absorption and scattering of blood, *Phys. Rev. Lett.* **93** (2004), p. 4.
141. M. Friebel, A. Roggan, G. Muller and M. Meinke, Determination of optical properties of human blood in the spectral range 250 to 1100 nm using Monte Carlo simulations with hematocrit-dependent effective scattering phase functions, *Journal of Biomedical Optics* **11** (2006), pp. 034021-034010.
142. C. Bustamante and M.F. Maestre, Statistical effects in the absorption and optical activity of particulate suspensions, *Proceedings of the National Academy of Sciences* **85** (1988), pp. 8482-8486.
143. A. Pifferi, A. Torricelli, A. Bassi, P. Taroni, R. Cubeddu, H. Wabnitz, *et al.*, Performance assessment of photon migration instruments: the MEDPHOT protocol, *Appl. Opt.* **44** (2005), pp. 2104-2114.



144. S.A. Prahl, <http://omlc.ogi.edu/spectra/hemoglobin>, retrieved March 2011.
145. A. Amelink, T. Christiaan and H.J.C.M. Sterenborg, Effect of hemoglobin extinction spectra on optical spectroscopic measurements of blood oxygen saturation, *Opt. Lett.* **34** (2009), pp. 1525-1527.
146. B.W. Pogue and M.S. Patterson, Review of tissue simulating phantoms for optical spectroscopy, imaging and dosimetry, *Journal of Biomedical Optics* **11** (2006), p. 041102.
147. V. Hughes and N. Langlois, Use of reflectance spectrophotometry and colorimetry in a general linear model for the determination of the age of bruises, *Forensic Science, Medicine, and Pathology* **6** (2010), pp. 275-281.
148. G. Zonios and et al., Probing skin interaction with hydrogen peroxide using diffuse reflectance spectroscopy, *Physics in Medicine and Biology* **53** (2008), p. 269.
149. G.N. Stamatias, B.Z. Zmudzka, N. Kollias and J.Z. Beer, In vivo measurement of skin erythema and pigmentation: new means of implementation of diffuse reflectance spectroscopy with a commercial instrument, *British Journal of Dermatology* **159** (2008), pp. 683-690.
150. E.J. van Kampen and W.G. Zijlstra, Standardization of hemoglobinometry II. The hemiglobincyanide method, *Clinica Chimica Acta* **6** (1961), pp. 538-544.
151. J. Quackenbush, Microarray Analysis and Tumor Classification, *New England Journal of Medicine* **354** (2006), pp. 2463-2472.
152. L.J. van 't Veer, H. Dai, M.J. van de Vijver, Y.D. He, A.A.M. Hart, M. Mao, *et al.*, Gene expression profiling predicts clinical outcome of breast cancer, *Nature* **415** (2002), pp. 530-536.
153. M. Asghari-Khiavi, A. Mechler, K.R. Bamberg, D. McNaughton and B.R. Wood, A resonance Raman spectroscopic investigation into the effects of fixation and dehydration on heme environment of hemoglobin, *Journal of Raman Spectroscopy* **40** (2009), pp. 1668-1674.
154. R. Dasgupta, S. Ahlawat, R.S. Verma, A. Uppal and P.K. Gupta, Hemoglobin degradation in human erythrocytes with long-duration near-infrared laser exposure in Raman optical tweezers, *Journal of Biomedical Optics* **15** (2010), p. 055009.