



UvA-DARE (Digital Academic Repository)

Diversity and abundance of pteropods and heteropods along a latitudinal gradient across the Atlantic Ocean

Burridge, A.K.; Goetze, E.; Wall-Palmer, D.; Le Double, S.L.; Huisman, J.; Peijnenburg, K.T.C.A.

Published in:
Progress in Oceanography

DOI:
[10.1016/j.pocean.2016.10.001](https://doi.org/10.1016/j.pocean.2016.10.001)

[Link to publication](#)

Citation for published version (APA):

Burridge, A. K., Goetze, E., Wall-Palmer, D., Le Double, S. L., Huisman, J., & Peijnenburg, K. T. C. A. (2017). Diversity and abundance of pteropods and heteropods along a latitudinal gradient across the Atlantic Ocean. *Progress in Oceanography*, 158, 213-223. <https://doi.org/10.1016/j.pocean.2016.10.001>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

Supplementary Table 2. Abundance data for pteropods and heteropods at each station during the AMT24 cruise. Units for abundance are individuals per 1000 m³ of seawater filtered. Uncoiled euthecosomes are cavoliniids, coiled euthecosomes are limaciniids. *Clio pyramidata pyramidata/lanceolata* is labeled as *Clio pyr. pyr/lanceolata*. Numbers listed in bold report totals for that taxon. Results for heteropods (Pterotracheoidea) are also summed within each family.

Station	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31								
Total Pteropod abundance	6	14	0	1	24	292	472	466	414	1022	410	79	441	340	435	1947	631	307	263	500	367	483	414	311	194	114	1929	4295	896	40	36								
Uncoiled euthecosomes	4	11	0	1	9	35	77	69	113	322	9	18	29	67	68	210	376	64	69	215	154	155	111	135	119	16	27	62	8	0	0								
<i>Cavolinia inflexa</i>	2	5		1			3	1		6	3		7	8	3	43	125	25	23	109	51	15	3	3															
<i>Cavolinia uncinata</i>												2				3																							
<i>Cavolinia gibbosa</i>										3																													
<i>Cavolinia</i> sp juv																12													2										
<i>Diacavolinia</i> sp						2								5																									
<i>Clio cuspidata</i>	2	2										2					3	3																					
<i>Clio pyr. pyr. /lanceolata</i>		2			4	2	13		1	6		2	4	2	11	55	127	6	3	8	6	15	5	3															
<i>Clio pyramidata sulcata</i>																												5	17										
<i>Clio recurva</i>		2																																					
<i>Clio pyramidata antarctica</i>																												21	43	8									
<i>Creseis clava</i>						13	2		1	6		2	10	2			3	3	6	43	63	30		6															
<i>Creseis conica</i>					2									17			8		23	14	3																		
<i>Creseis virgula</i>										16		7	1	18	46	70	45	8																					
<i>Cuvierina</i> sp				4	11	15	1		6					3	2		45	3		8	3	9	3	3															
<i>Diacria danae</i>						3	18	3	7			2		2		3	3	3	6	3	3	3	16																
<i>Diacria trispinosa</i>						2	2	16	9	3	6		6	5	6	21	17	6	6				3	22	12			2											
<i>Diacria major</i>									1																														
<i>Diacria</i> sp juveniles								1	5	3								11	3				39	22															
<i>Hyalocylis striata</i>						3								5																									
<i>Styliola subula</i>					5	20	46	88	272												30	26	42	41	108	119	16												
Cavoliniidae sp												2																											
Coiled euthecosomes	0	0	0	0	15	225	352	307	280	687	380	60	408	257	363	1725	232	206	122	247	185	310	278	150	70	91	1863	4181	872	36	25								
<i>Heliconoides inflatus</i>					9	161	201	244	190	562	234	32	390	240	336	1645	144	89	55	144	111	149	195	105	57														
<i>Heliconoides inflatus</i> S																											84	653	765	218									
<i>Limacina bulimoides</i>					2	31	139	52	65		32	2	10	8	22	55	59	92	14	43	48	113	46	27	9														
<i>Limacina helicina antarctica</i>																											6	1205	3417	654	36	25							
<i>Limacina lesueurii</i>					4	34	11	12	25	125	114	26	7	3	5	24	28	25	29	35	17	48	32	12															
<i>Limacina trochiformis</i>														5						23	24	9	5	6	4														
Pseudotheosomes	2	4	0	0	0	31	38	84	21	12	20	2	4	15	5	12	17	31	72	35	26	15	19	6	0	0	0	0	2	3	0	0							
<i>Corolla</i> sp	2	4																																					
<i>Gleba</i> sp														2																						3			
<i>Peracle bispinosa</i>									3	3						3																							
<i>Peracle diversa</i>						10	20		4		3								14	9	3	20	12	14															
<i>Peracle reticulata</i>							7	9	4		3		1					3		46		6	3	5	3														
<i>Peracle valdiviae</i>									1	9	15	2					6																						
<i>Peracle</i> sp A								1																															
<i>Peracle</i> sp B						3		20					1			2	3																						
<i>Peracle</i> sp C						6	3	19																															
<i>Peracle</i> sp D						11	5	10						8					8	11	6	8																	
<i>Peracle</i> sp E							3	3											3																				
<i>Peracle</i> sp F								13	8				1							3		3		22															
<i>Peracle</i> sp G								9	1						3					3		3		9															
<i>Peracle</i> sp H														2	3																								
<i>Peracle</i> sp I																																							
Gymnosomes	0	0	0	0	0	0	5	6	0	0	0	0	0	2	0	0	6	6	0	3	3	3	5	21	4	6	39	50	13	3	11								

Supplementary Table 2. Continued.

Station	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31				
Total Heteropod abundance	0	0	0	0	9	238	391	149	125	50	181	7	229	270	90	603	68	64	49	704	176	3	46	3	4	6	82	185	126	0	0				
<u>Atlantidae</u>	0	0	0	0	9	219	208	101	113	31	56	4	203	240	72	555	42	53	23	294	77	3	43	3	4	6	68	182	116	0	0				
<i>Atlanta echinogyra</i>							2			12				2	24																3				
<i>Atlanta fragilis</i>									50					2	8	18		8		19	6		3					11							
<i>Atlanta helicinoidea</i>						6	2	1						3	2	9																			
<i>Atlanta inclinata</i>								6				2			8	15	3	6																	
<i>Atlanta lesueurii</i>														2	3	6																			
<i>Atlanta oligogyra</i>											6																								
<i>Atlanta peronii</i>																	6	11		3	3														
<i>Atlanta rosea</i>						56	151	45	21	9			6	2	9	113	25			8	68	3	27						7						
<i>Atlanta selvagensis</i>					9	66	33	40	17	3			12	91	5	152	3	6	6	3			3						2						
<i>Atlanta tokiokai</i>							3	6	7		3		47	8	13	76																			
<i>Atlanta</i> sp A																										6	41	182	110						
<i>Oxygyrus inflatus</i>							11	1	1	3			6	54	3	43	3	17	3	3															
<i>Protatlanta souleyeti</i>						89	7	1				2		3	3	30	3	3	14	250			11	3				5							
<i>Protatlanta sculpta</i>						2			16	3	38		130	65	5	91			3		8					4									
<i>Atlantidae</i> sp											9			2														2			3				
<u>Pterotracheidae</u>	0	0	0	0	0	16	64	20	1	6	44	4	25	17	8	34	20	11	23	391	85	0	3	0	0	0	0	11	0	0	0	0	0		
<i>Firoloida desmarestia</i>							10	3		6	44	4	12	17	3	27	6		12	11	63							5							
<i>Pterotrachea</i> sp						16	54	17	1				13		5	6	14	11	12	381	23		3					7							
<u>Carinariidae</u>	0	0	0	0	0	3	120	27	11	12	82	0	1	13	9	15	6	0	3	19	14	0	0	0	0	0	2	2	11	0	0	0	0		
<i>Pterosoma planum</i>						3	100	27	11	6	82			2	9	3	6		3	19	14														
<i>Carinaria pseudorugosa</i>							20			6			1	12		12											2	2	11						