UNIVERSITY OF AMSTERDAM

UvA-DARE (Digital Academic Repository)

A joint approach: brain structure & function in heavy cannabis users & their relationship with future use

Cousijn, J.

Publication date
2012

Link to publication

Citation for published version (APA):
Cousijn, J. (2012). *A joint approach: brain structure & function in heavy cannabis users & their relationship with future use*. [Thesis, fully internal, Universiteit van Amsterdam].

General rights
It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations
If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: https://uba.uva.nl/en/contact, or a letter to: Library of the University of Amsterdam, Secretariat, P.O. Box 19185, 1000 GD Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (https://dare.uva.nl)

Download date:17 Nov 2026

REFERENCES

Adamson, S.J., Sellman, J.D., 2003. A prototype screening instrument for cannabis use disorder: the Cannabis Use Disorders Identification Test (CUDIT) in an alcohol-dependent clinical sample. Drug Alcohol Rev 22, 309-315.

Adamson, S.J., Kay-Lambkin, F.J., Baker, A.L., Lewin, T.J., Thornton, L., Kelly, B.J., Sellman, J.D., 2010. An improved brief measure of cannabis misuse: the Cannabis Use Disorders Identification Test-Revised (CUDIT-R). Drug Alcohol Depend 110, 137-143.

Ames, S.L., Grenard, J.L., Thush, C., Sussman, S., Wiers, R.W., Stacy, A.W., 2007. Comparison of indirect assessments of association as predictors of marijuana use among at-risk adolescents. Exp Clin Psychopharmacol 15, 204-218.

Arnone, D., Barrick, T.R., Chengappa, S., Mackay, C.E., Clark, C.A., Abou-Saleh, M.T., 2008. Corpus callosum damage in heavy marijuana use: preliminary evidence from diffusion tensor tractography and tract-based spatial statistics. Neuroimage 41, 1067-1074.

Ashburner, J., 2007. A fast diffeomorphic image registration algorithm. Neuroimage 38, 95-113.

Ashburner, J., Friston, K.J., 2005. Unified segmentation. Neuroimage 26, 839-851.

Ashtari, M., Cervellione, K., Cottone, J., Ardekani, B.A., Sevy, S., Kumra, S., 2009. Diffusion abnormalities in adolescents and young adults with a history of heavy cannabis use. J Psychiatr Res 43, 189-204.

Ashtari, M., Avants, B., Cyckowski, L., Cervellione, K.L., Roofeh, D., Cook, P., Gee, J., Sevy, S., Kumra, S., 2011. Medial temporal structures and memory functions in adolescents with heavy cannabis use. J Psychiatr Res 45, 1055-1066.

Attwood, A.S., O'Sullivan, H., Leonards, U., Mackintosh, B., Munafo, M.R., 2008. Attentional bias training and cue reactivity in cigarette smokers. Addiction 103, 1875-1882.

Bachman, J.G., O'Malley, P.M., Schulenberg, J.E., Johnston, L.D., Bryant, A.L., Merline, A.C., 2002. The decline of substance use in young adulthood: Changes in social activities, roles, and beliefs. Lawrence Erlbaum Associates, Mahwah, NJ.

Baddeley, A., 2010. Working memory. Curr Biol 20, R136-140.

Bartzokis, G., Goldstein, I.B., Hance, D.B., Beckson, M., Shapiro, D., Lu, P.H., Edwards, N., Mintz, J., Bridge, P., 1999. The incidence of T2-weighted MR imaging signal abnormalities in the brain of cocaine-dependent patients is age-related and region-specific. AJNR Am J Neuroradiol 20, 1628-1635.

Bechara, A., Damasio, A.R., Damasio, H., Anderson, S.W., 1994. Insensitivity to future consequences following damage to human prefrontal cortex. Cognition 50, 7-15.

Bechara, A., 2005. Decision making, impulse control and loss of willpower to resist drugs: a neurocognitive perspective. Nat Neurosci 8, 1458-1463.

Beck, A.T., Ward, C.H., Mendelson, M., Mock, J., Erbaugh, J., 1961. An inventory for measuring depression. Arch Gen Psychiatry 4, 561-571.

Becker, B., Wagner, D., Gouzoulis-Mayfrank, E., Spuentrup, E., Daumann, J., 2010. The impact of early-onset cannabis use on functional brain correlates of working memory. Prog Neuropsychopharmacol Biol Psychiatry 34, 837-845.

Beckmann, C.F., Smith, S.M., 2005. Tensorial extensions of independent component analysis for multisubject FMRI analysis. Neuroimage 25, 294-311.

Belin, D., Everitt, B.J., 2008. Cocaine seeking habits depend upon dopamine-dependent serial connectivity linking the ventral with the dorsal striatum. Neuron 57, 432-441.

Benegal, V., Antony, G., Venkatasubramanian, G., Jayakumar, P.N., 2007. Gray matter volume abnormalities and externalizing symptoms in subjects at high risk for alcohol dependence. Addict Biol 12, 122-132.

Bennett, A., 2008. Cannabis: a harm reduction perspective. In: Sznitman, S., Olsson, B., Room, R. (Eds.), A cannabis reader: global issues and local experiences, Monograph series 8. European Monitoring Centre for Drugs and Drug Addiction, Lisbon, p. 171-183.

Berge, D., Carmona, S., Rovira, M., Bulbena, A., Salgado, P., Vilarroya, O., 2011. Gray matter volume deficits and correlation with insight and negative symptoms in first-psychotic-episode subjects. Acta Psychiatr Scand 123, 431-439.

Berkman, E.T., Lieberman, M.D., 2010. Approaching the bad and avoiding the good: lateral prefrontal cortical asymmetry distinguishes between action and valence. J Cogn Neurosci 22, 1970-1979.

Bickel, W.K., Yi, R., Landes, R.D., Hill, P.F., Baxter, C., 2011. Remember the future: working memory training decreases delay discounting among stimulant addicts. Biol Psychiatry 69, 260-265.

Bjork, J.M., Grant, S.J., Hommer, D.W., 2003. Cross-sectional volumetric analysis of brain atrophy in alcohol dependence: effects of drinking history and comorbid substance use disorder. Am J Psychiatry 160, 2038-2045.

Block, R.I., O'Leary, D.S., Ehrhardt, J.C., Augustinack, J.C., Ghoneim, M.M., Arndt, S., Hall, J.A., 2000. Effects of frequent marijuana use on brain tissue volume and composition. Neuroreport 11, 491-496.

Bolla, K.I., Eldreth, D.A., Matochik, J.A., Cadet, J.L., 2005. Neural substrates of faulty decision-making in abstinent marijuana users. Neuroimage 26, 480-492.

Bowden-Jones, H., McPhillips, M., Rogers, R., Hutton, S., Joyce, E., 2005. Risk-taking on tests sensitive to ventromedial prefrontal cortex dysfunction predicts early relapse in alcohol dependency: a pilot study. J Neuropsychiatry Clin Neurosci 17, 417-420.

Bradley, B., Field, M., Mogg, K., De Houwer, J., 2004. Attentional and evaluative biases for smoking cues in nicotine dependence: component processes of biases in visual orienting. Behav Pharmacol 15, 29-36.

Brand, M., Recknor, E.C., Grabenhorst, F., Bechara, A., 2007. Decisions under ambiguity and decisions under risk: correlations with executive functions and comparisons of two different gambling tasks with implicit and explicit rules. J Clin Exp Neuropsychol 29, 86-99.

Brewer, J.A., Worhunsky, P.D., Carroll, K.M., Rounsaville, B.J., Potenza, M.N., 2008. Pretreatment brain activation during stroop task is associated with outcomes in cocaine-dependent patients. Biol Psychiatry 64, 998-1004.

Budney, A.J., 2006. Are specific dependence criteria necessary for different substances: how can research on cannabis inform this issue? Addiction 101 Suppl 1, 125-133.

Budney, A.J., Hughes, J.R., 2006. The cannabis withdrawal syndrome. Curr Opin Psychiatry 19, 233-238.

Buelow, M.T., Suhr, J.A., 2009. Construct validity of the Iowa Gambling Task. Neuropsychol Rev 19, 102-114.

Bullier, J., 2001. Integrated model of visual processing. Brain Res Brain Res Rev 36, 96-107.

Burns, H.D., Van Laere, K., Sanabria-Bohorquez, S., Hamill, T.G., Bormans, G., Eng, W.S., Gibson, R., 2007. [18F]MK-9470, a positron emission tomography (PET) tracer for in vivo human PET brain imaging of the cannabinoid-1 receptor. Proc Natl Acad Sci U S A 104, 9800-9805.

Carter, B.L., Tiffany, S.T., 1999. Meta-analysis of cue-reactivity in addiction research. Addiction 94, 327-340.

Casey, B.J., Getz, S., Galvan, A., 2008. The adolescent brain. Dev Rev 28, 62-77.

Chambers, R.A., Taylor, J.R., Potenza, M.N., 2003. Developmental neurocircuitry of motivation in adolescence: a critical period of addiction vulnerability. Am J Psychiatry 160, 1041-1052.

Chang, L., Cloak, C., Patterson, K., Grob, C., Miller, E.N., Ernst, T., 2005. Enlarged striatum in abstinent methamphetamine abusers: a possible compensatory response. Biol Psychiatry 57, 967-974.

Charach, A., Yeung, E., Climans, T., Lillie, E., 2011. Childhood attention-deficit/hyperactivity disorder and future substance use disorders: comparative meta-analyses. J Am Acad Child Adolesc Psychiatry 50, 9-21.

Chiew, K.S., Braver, T.S., 2011. Neural circuitry of emotional and cognitive conflict revealed through facial expressions. PLoS One 6, e17635.

Chung, T., Martin, C.S., Cornelius, J.R., Clark, D.B., 2008. Cannabis withdrawal predicts severity of cannabis involvement at 1-year follow-up among treated adolescents. Addiction 103, 787-799.

Cohen, M.X., Cavanagh, J.F., 2011. Single-trial regression elucidates the role of prefrontal theta oscillations in response conflict. Front Psychol 2, 30.

Conturo, T.E., Lori, N.F., Cull, T.S., Akbudak, E., Snyder, A.Z., Shimony, J.S., McKinstry, R.C., Burton, H., Raichle, M.E., 1999. Tracking neuronal fiber pathways in the living human brain. Proc Natl Acad Sci U S A 96, 10422-10427.

Cousijn, J., Goudriaan, A.E., Wiers, R.W., 2011. Reaching out towards cannabis: approach-bias in heavy cannabis users predicts changes in cannabis use. Addiction 106, 1667-1674.

Cousijn, J., Goudriaan, A.E., Ridderinkhof, K.R., Veltman, D.J., Van den Brink, W., Wiers, R.W., 2012a. Neural responses associated with cue-reactivity in frequent cannabis users. Addiction Biology, in press.

Cousijn, J., Wiers, R.W., Ridderinkhof, K.R., Van den Brink, W., Veltman, D.J., Goudriaan, A.E., 2012b. Grey matter alterations associated with cannabis use: Results of a VBM study in heavy cannabis users and healthy controls. Neuroimage 59, 3845-3851.

Cox, W.M., Hogan, L.M., Kristian, M.R., Race, J.H., 2002. Alcohol attentional bias as a predictor of alcohol abusers' treatment outcome. Drug Alcohol Depend 68, 237-243.

Crean, R.D., Crane, N.A., Mason, B.J., 2011. An evidence based review of acute and long-term effects of cannabis use on executive cognitive functions. J Addict Med 5, 1-8.

Cuadra, M.B., Cammoun, L., Butz, T., Cuisenaire, O., Thiran, J.P., 2005. Comparison and validation of tissue modelization and statistical classification methods in T1-weighted MR brain images. IEEE Trans Med Imaging 24, 1548-1565.

Darkes, J., Goldman, M.S., 1993. Expectancy challenge and drinking reduction:

experimental evidence for a mediational process. J Consult Clin Psychol 61, 344-353.

Darkes, J., Goldman, M.S., 1998. Expectancy challenge and drinking reduction: process and structure in the alcohol expectancy network. Exp Clin Psychopharmacol 6, 64-76.

Dawe, S., Loxton, N.J., 2004. The role of impulsivity in the development of substance use and eating disorders. Neurosci Biobehav Rev 28, 343-351.

De Houwer, J., 2003. Structural analysis of indirect measures of attitudes. In: Musch, J., Klauer, K.C. (Eds.), The Psychology of Evaluation: Affective Processes in Cognition and Emotion. Lawrence Erlbaum, Mahwah, NJ, pp. 219-244.

De Houwer, J., Crombez, G., Koster, E.H., De Beul, N., 2004. Implicit alcohol-related cognitions in a clinical sample of heavy drinkers. J Behav Ther Exp Psychiatry 35, 275-286.

De Houwer, J., Teige-Mocigemba, S., Spruyt, A., Moors, A., 2009. Implicit measures: A normative analysis and review. Psychol Bull 135, 347-368.

Degenhardt, L., Chiu, W.T., Sampson, N., Kessler, R.C., Anthony, J.C., Angermeyer, M., Bruffaerts, R., de Girolamo, G., Gureje, O., Huang, Y., Karam, A., Kostyuchenko, S., Lepine, J.P., Mora, M.E., Neumark, Y., Ormel, J.H., Pinto-Meza, A., Posada-Villa, J., Stein, D.J., Takeshima, T., Wells, J.E., 2008. Toward a global view of alcohol, tobacco, cannabis, and cocaine use: findings from the WHO World Mental Health Surveys. PLoS Med 5, e141.

Dekker, N., Smeerdijk, A.M., Wiers, R.W., Duits, J.H., Van Gelder, G., Houben, K., Schippers, G., Linszen, D.H., De Haan, L., 2010. Implicit and explicit affective associations towards cannabis use in patients with recent-onset schizophrenia and healthy controls. Psychol Med 40, 1325-1336.

Delisi, L.E., Bertisch, H.C., Szulc, K.U., Majcher, M., Brown, K., Bappal, A., Ardekani, B.A., 2006. A preliminary DTI study showing no brain structural change associated with adolescent cannabis use. Harm Reduct J 3, 17.

Demirakca, T., Sartorius, A., Ende, G., Meyer, N., Welzel, H., Skopp, G., Mann, K., Hermann, D., 2011. Diminished gray matter in the hippocampus of cannabis users: Possible protective effects of cannabidiol. Drug Alcohol Depend 114, 242-245.

Di Chiara, G., 2000. Role of dopamine in the behavioural actions of nicotine related to addiction. Eur J Pharmacol 393, 295-314.

Diergaarde, L., Pattij, T., Poortvliet, I., Hogenboom, F., de Vries, W., Schoffelmeer, A.N., De Vries, T.J., 2008. Impulsive choice and impulsive action predict vulnerability to distinct stages of nicotine seeking in rats. Biol Psychiatry 63, 301-308.

Downer, E., Boland, B., Fogarty, M., Campbell, V., 2001. Delta 9-tetrahydrocannabinol induces the apoptotic pathway in cultured cortical neurones via activation of the CB1 receptor. Neuroreport 12, 3973-3978.

Du Boisgueheneuc, F., Levy, R., Volle, E., Seassau, M., Duffau, H., Kinkingnehun, S., Samson, Y., Zhang, S., Dubois, B., 2006. Functions of the left superior frontal gyrus in humans: a lesion study. Brain 129, 3315-3328.

Eddy, N.B., Halbach, H., Isbell, H., Seevers, M.H., 1965. Drug dependence: its significance and characteristics. Bull World Health Organ 32, 721-733.

Ehrenreich, H., Rinn, T., Kunert, H.J., Moeller, M.R., Poser, W., Schilling, L., Gigerenzer, G., Hoehe, M.R., 1999. Specific attentional dysfunction in adults following early start of cannabis use. Psychopharmacology (Berl) 142, 295-301.

Ehrman, R.N., Robbins, S.J., Bromwell, M.A., Lankford, M.E., Monterosso, J.R., O'Brien, C.P., 2002. Comparing attentional bias to smoking cues in current smokers, former smokers, and non-smokers using a dot-probe task. Drug Alcohol Depend 67, 185-191.

Ersche, K.D., Barnes, A., Jones, P.S., Morein-Zamir, S., Robbins, T.W., Bullmore, E.T., 2011. Abnormal structure of frontostriatal brain systems is associated with aspects of impulsivity and compulsivity in cocaine dependence. Brain 134, 2013-2024.

Everitt, B.J., Robbins, T.W., 2005. Neural systems of reinforcement for drug addiction: from actions to habits to compulsion. Nat Neurosci 8, 1481-1489.

Fadardi, J.S., Cox, W.M., 2009. Reversing the sequence: reducing alcohol consumption by overcoming alcohol attentional bias. Drug Alcohol Depend 101, 137-145.

Fecteau, S., Fregni, F., Boggio, P.S., Camprodon, J.A., Pascual-Leone, A., 2010. Neuro-modulation of decision-making in the addictive brain. Subst Use Misuse 45, 1766-1786.

Fernandez-Serrano, M.J., Perez-Garcia, M., Verdejo-Garcia, A., 2011. What are the specific vs. generalized effects of drugs of abuse on neuropsychological performance? Neurosci Biobehav Rev 35, 377-406.

Fernie, G., Tunney, R.J., 2006. Some decks are better than others: the effect of reinforcer type and task instructions on learning in the Iowa Gambling Task. Brain Cogn 60, 94-102.

Field, M., Mogg, K., Bradley, B.P., 2004. Cognitive bias and drug craving in recreational cannabis users. Drug Alcohol Depend 74, 105-111.

Field, M., 2005. Cannabis 'dependence' and attentional bias for cannabis-related words. Behav Pharmacol 16, 473-476.

Field, M., Mogg, K., Bradley, B.P., 2005. Craving and cognitive biases for alcohol cues in social drinkers. Alcohol Alcohol 40, 504-510.

Field, M., Eastwood, B., Bradley, B.P., Mogg, K., 2006. Selective processing of cannabis cues in regular cannabis users. Drug Alcohol Depend 85, 75-82.

Field, M., Kiernan, A., Eastwood, B., Child, R., 2008a. Rapid approach responses to alcohol cues in heavy drinkers. J Behav Ther Exp Psychiatry 39, 209-218.

Field, M., Schoenmakers, T., Wiers, R.W., 2008b. Cognitive processes in alcohol binges: a review and research agenda. Curr Drug Abuse Rev 1, 263-279.

Field, M., Munafo, M.R., Franken, I.H., 2009. A meta-analytic investigation of the relationship between attentional bias and subjective craving in substance abuse. Psychol Bull 135, 589-607.

Filbey, F.M., Schacht, J.P., Myers, U.S., Chavez, R.S., Hutchison, K.E., 2009. Marijuana craving in the brain. Proc Natl Acad Sci U S A 106, 13016-13021.

Filippini, N., MacIntosh, B.J., Hough, M.G., Goodwin, G.M., Frisoni, G.B., Smith, S.M., Matthews, P.M., Beckmann, C.F., Mackay, C.E., 2009. Distinct patterns of brain activity in young carriers of the APOE-epsilon4 allele. Proc Natl Acad Sci U S A 106, 7209-7214.

Fox, M.D., Snyder, A.Z., Vincent, J.L., Corbetta, M., Van Essen, D.C., Raichle, M.E., 2005. The human brain is intrinsically organized into dynamic, anticorrelated functional networks. Proc Natl Acad Sci U S A 102, 9673-9678.

Franken, I.H., Kroon, L.Y., Wiers, R.W., Jansen, A., 2000. Selective cognitive processing of drug cues in heroin dependence. J Psycho-pharmacol 14, 395-400.

Franken, I.H., 2003. Drug craving and addiction: integrating psychological and neuropsychopharmacological approaches. Prog Neuropsychopharmacol Biol Psychiatry 27, 563-579.

Franklin, T.R., Acton, P.D., Maldjian, J.A., Gray, J.D., Croft, J.R., Dackis, C.A., O'Brien, C.P., Childress, A.R., 2002. Decreased gray matter concentration in the insular, orbitofrontal, cingulate, and temporal cortices of cocaine patients. Biol Psychiatry 51, 134-142.

Fridberg, D.J., Queller, S., Ahn, W.Y., Kim, W., Bishara, A.J., Busemeyer, J.R., Porrino, L., Stout, J.C., 2010. Cognitive mechanisms underlying risky decision-making in chronic cannabis users. J Math Psychol 54, 28-38.

Frodl, T., Reinhold, E., Koutsouleris, N., Reiser, M., Meisenzahl, E.M., 2010. Interaction of childhood stress with hippocampus and prefrontal cortex volume reduction in major depression. J Psychiatr Res 44, 799-807.

Fusar-Poli, P., Borgwardt, S., Crescini, A., Deste, G., Kempton, M.J., Lawrie, S., Mc Guire, P., Sacchetti, E., 2011. Neuroanatomy of vulnerability to psychosis: a voxel-based meta-analysis. Neurosci Biobehav Rev 35, 1175-1185.

Gaoni, Y., Mechoulam, R., 1971. The isolation and structure of delta-1-tetrahydrocannabinol and other neutral cannabinoids from hashish. J Am Chem Soc 93, 217-224.

Garavan, H., Pankiewicz, J., Bloom, A., Cho, J.K., Sperry, L., Ross, T.J., Salmeron, B.J., Risinger, R., Kelley, D., Stein, E.A., 2000. Cue-induced cocaine craving: neuroanatomical specificity for drug users and drug stimuli. Am J Psychiatry 157, 1789-1798.

Garavan, H., Stout, J.C., 2005. Neurocognitive insights into substance abuse. Trends Cogn Sci 9, 195-201.

Gaser, C., 2009. Partial volume segmentation with adaptive maximum a posteriori (MAP) approach. Neuroimage 47 (S1), S39-S42.

Gladwin, T.E., Figner, B., Crone, E.A., Wiers, R.W., 2011. Addiction, adolescence, and the integration of control and motivation. Dev Cogn Neurosci 1, 364-376.

Goldstein, R.Z., Volkow, N.D., 2002. Drug addiction and its underlying neurobiological basis: neuroimaging evidence for the involvement of the frontal cortex. Am J Psychiatry 159, 1642-1652.

Goldstein, R.Z., Alia-Klein, N., Tomasi, D., Carrillo, J.H., Maloney, T., Woicik, P.A., Wang, R., Telang, F., Volkow, N.D., 2009a. Anterior cingulate cortex hypoactivations to an emotionally salient task in cocaine addiction. Proc Natl Acad Sci U S A 106, 9453-9458.

Goldstein, R.Z., Craig, A.D., Bechara, A., Garavan, H., Childress, A.R., Paulus, M.P., Volkow, N.D., 2009b. The neurocircuitry of impaired insight in drug addiction. Trends Cogn Sci 13, 372-380.

Gore, R., Earleywine, M., 2007. Marijuana's Perceived Addictiveness: A Survey of Clinicians and Researchers. In: Earleywine, M. (Eds.), Pot politics Marijuana and the costs of prohibition. Oxford University Press, New York, pp. 176-186.

Goudriaan, A.E., Grekin, E.R., Sher, K.J., 2011. Decision making and response inhibition as predictors of heavy alcohol use: a prospective study. Alcohol Clin Exp Res 35, 1050-1057.

Grant, I., Gonzalez, R., Carey, C.L., Natarajan, L., Wolfson, T., 2003. Non-acute (residual) neurocognitive effects of cannabis use: a meta-analytic study. J Int Neuropsychol Soc 9, 679-689.

Gray, K.M., LaRowe, S.D., Watson, N.L., Carpenter, M.J., 2011. Reactivity to in vivo marijuana

cues among cannabis-dependent adolescents. Addict Behav 36, 140-143.

Greenwald, A.G., McGhee, D.E., Schwartz, J.L., 1998. Measuring individual differences in implicit cognition: the implicit association test. J Pers Soc Psychol 74, 1464-1480.

Greenwald, A.G., Nosek, B.A., Banaji, M.R., 2003. Understanding and using the implicit association test: I. An improved scoring algorithm. J Pers Soc Psychol 85, 197-216.

Grenard, J.L., Ames, S.L., Wiers, R.W., Thush, C., Sussman, S., Stacy, A.W., 2008. Working memory capacity moderates the predictive effects of drug-related associations on substance use. Psychol Addict Behav 22, 426-432.

Gruber, S.A., Yurgelun-Todd, D.A., 2005. Neuro-imaging of marijuana smokers during inhibitory processing: a pilot investigation. Brain Res Cogn Brain Res 23, 107-118.

Grusser, S.M., Wrase, J., Klein, S., Hermann, D., Smolka, M.N., Ruf, M., Weber-Fahr, W., Flor, H., Mann, K., Braus, D.F., Heinz, A., 2004. Cue-induced activation of the striatum and medial prefrontal cortex is associated with subsequent relapse in abstinent alcoholics. Psychopharmacology (Berl) 175, 296-302.

Hanson, K.L., Winward, J.L., Schweinsburg, A.D., Medina, K.L., Brown, S.A., Tapert, S.F., 2010. Longitudinal study of cognition among adolescent marijuana users over three weeks of abstinence. Addict Behav 35, 970-976.

Haruno, M., Kawato, M., 2006. Different neural correlates of reward expectation and reward expectation error in the putamen and caudate nucleus during stimulus-action-reward association learning. J Neurophysiol 95, 948-959.

Haughey, H.M., Marshall, E., Schacht, J.P., Louis, A., Hutchison, K.E., 2008. Marijuana withdrawal and craving: influence of the cannabinoid receptor 1 (CNR1) and fatty acid amide hydrolase (FAAH) genes. Addiction 103, 1678-1686.

Hayano, F., Nakamura, M., Asami, T., Uehara, K., Yoshida, T., Roppongi, T., Otsuka, T., Inoue, T., Hirayasu, Y., 2009. Smaller amygdala is associated with anxiety in patients with panic disorder. Psychiatry Clin Neurosci 63, 266-276.

Heath, R.G., Fitzjarrell, A.T., Fontana, C.J., Garey, R.E., 1980. Cannabis sativa: effects on brain function and ultrastructure in rhesus monkeys. Biol Psychiatry 15, 657-690.

Heatherton, T.F., Kozlowski, L.T., Frecker, R.C., Fagerstrom, K.O., 1991. The Fagerstrom Test for Nicotine Dependence: a revision of the Fagerstrom Tolerance Questionnaire. Br J Addict 86, 1119-1127.

Heishman, S.J., Singleton, E.G., Liguori, A., 2001. Marijuana Craving Questionnaire: development and initial validation of a self-report instrument. Addiction 96, 1023-1034.

Heishman, S.J., Evans, R.J., Singleton, E.G., Levin, K.H., Copersino, M.L., Gorelick, D.A., 2009. Reliability and validity of a short form of the Marijuana Craving Questionnaire. Drug Alcohol Depend 102, 35-40.

Hermann, D., Lemenager, T., Gelbke, J., Welzel, H., Skopp, G., Mann, K., 2009. Decision making of heavy cannabis users on the Iowa Gambling Task: stronger association with THC of hair analysis than with personality traits of the Tridimensional Personality Questionnaire. Eur Addict Res 15, 94-98.

Hester, R., Dixon, V., Garavan, H., 2006. A consistent attentional bias for drug-related material in active cocaine users across word and picture versions of the emotional Stroop task. Drug Alcohol Depend 81, 251-257.

Hester, R., Lee, N., Pennay, A., Nielsen, S., Ferris, J., 2010. The effects of modafinil treatment on neuropsychological and attentional bias performance during 7-day inpatient withdrawal from methamphetamine dependence. Exp Clin Psychopharmacol 18, 489-497.

Hill, S.Y., Muddasani, S., Prasad, K., Nutche, J., Steinhauer, S.R., Scanlon, J., McDermott, M., Keshavan, M., 2007. Cerebellar volume in offspring from multiplex alcohol dependence families. Biol Psychiatry 61, 41-47.

Houben, K., Wiers, R.W., 2006. Assessing implicit alcohol associations with the Implicit Association Test: fact or artifact? Addict Behav 31, 1346-1362.

Houben, K., Wiers, R.W., 2007. Are drinkers implicitly positive about drinking alcohol? Personalizing the alcohol-IAT to reduce negative extrapersonal contamination. Alcohol Alcohol 42, 301-307.

Houben, K., Wiers, R.W., 2009. Response inhibition moderates the relationship between implicit associations and drinking behavior. Alcohol Clin Exp Res 33, 626-633.

Houben, K., Wiers, R.W., Jansen, A., 2011. Getting a grip on drinking behavior: training working memory to reduce alcohol abuse. Psychol Sci 22, 968-975.

Hsee, C.K., Hastie, R., 2006. Decision and experience: why don't we choose what makes us happy? Trends Cogn Sci 10, 31-37.

Huberty, C.J., Morris, J.D., 1989. Multivariate analysis versus multiple univariate analyses. Psychol Bull 105, 302-308.

Jacobsen, L.K., Pugh, K.R., Constable, R.T., Westerveld, M., Mencl, W.E., 2007. Functional correlates of verbal memory deficits emerging during nicotine withdrawal in abstinent adolescent cannabis users. Biol Psychiatry 61, 31-40.

Jacobus, J., McQueeny, T., Bava, S., Schweinsburg, B.C., Frank, L.R., Yang, T.T., Tapert, S.F., 2009. White matter integrity in adolescents with histories of marijuana use and binge drinking. Neurotoxicol Teratol 31, 349-355.

Jaeggi, S.M., Buschkuehl, M., Perrig, W.J., Meier, B., 2010. The concurrent validity of the N-back task as a working memory measure. Memory 18, 394-412.

Jager, G., Kahn, R.S., Van den Brink, W., Van Ree, J.M., Ramsey, N.F., 2006. Long-term effects of frequent cannabis use on working memory and attention: an fMRI study. Psychopharmacology (Berl) 185, 358-368.

Jager, G., Van Hell, H.H., De Win, M.M., Kahn, R.S., Van den Brink, W., Van Ree, J.M., Ramsey, N.F., 2007. Effects of frequent cannabis use on hippocampal activity during an associative memory task. Eur Neuropsychopharmacol 17, 289-297.

Jager, G., Block, R.I., Luijten, M., Ramsey, N.F., 2010. Cannabis use and memory brain function in adolescent boys: a cross-sectional multicenter functional magnetic resonance imaging study. J Am Acad Child Adolesc Psychiatry 49, 561-572.

Janes, A.C., Pizzagalli, D.A., Richardt, S., de, B.F.B., Chuzi, S., Pachas, G., Culhane, M.A., Holmes, A.J., Fava, M., Evins, A.E., Kaufman, M.J., 2010. Brain reactivity to smoking cues prior to smoking cessation predicts ability to maintain tobacco abstinence. Biol Psychiatry 67, 722-729.

Janes, A.C., Pizzagalli, D.A., Richardt, S., Frederick Bde, B., Holmes, A.J., Sousa, J., Fava, M., Evins, A.E., Kaufman, M.J., 2012. Neural substrates of attentional bias for smoking-

related cues: an FMRI study. Neuro-psychopharmacology 35, 2339-2345.

Jones, B.T., McMahon, J., 1994. Negative alcohol expectancy predicts post-treatment abstinence survivorship: the whether, when and why of relapse to a first drink. Addiction 89, 1653-1665.

Jones, B.T., McMahon, J., 1996. A comparison of positive and negative alcohol expectancy and value and their multiplicative composite as predictors of post-treatment abstinence survivorship. Addiction 91, 89-99.

Jones, B.C., Jones, B.T., Blundell, L., Bruce, G., 2002. Social users of alcohol and cannabis who detect substance-related changes in a change blindness paradigm report higher levels of use than those detecting substance-neutral changes. Psychopharmacology (Berl) 165, 93-96.

Jones, B.T., Jones, B.C., Smith, H., Copley, N., 2003. A flicker paradigm for inducing change blindness reveals alcohol and cannabis information processing biases in social users. Addiction 98, 235-244.

Kahler, C.W., Daughters, S.B., Leventhal, A.M., Gwaltney, C.J., Palfai, T.P., 2007. Implicit associations between smoking and social consequences among smokers in cessation treatment. Behav Res Ther 45, 2066-2077.

Kanayama, G., Rogowska, J., Pope, H.G., Gruber, S.A., Yurgelun-Todd, D.A., 2004. Spatial working memory in heavy cannabis users: a functional magnetic resonance imaging study. Psychopharmacology (Berl) 176, 239-247.

Kane, M.J., Engle, R.W., 2002. The role of prefrontal cortex in working-memory capacity, executive attention, and general fluid intelligence: an individual-differences perspective. Psychon Bull Rev 9, 637-671.

Karpinski, A., Steinman, R.B., 2006. The single category implicit association test as a measure of implicit social cognition. J Pers Soc Psychol 91, 16-32.

Kavanagh, D.J., Andrade, J., May, J., 2005. Imaginary relish and exquisite torture: the elaborated intrusion theory of desire. Psychol Rev 112, 446-467.

Kim, D.I., Mathalon, D.H., Ford, J.M., Mannell, M., Turner, J.A., Brown, G.G., Belger, A., Gollub, R., Lauriello, J., Wible, C., O'Leary, D., Lim, K., Toga, A., Potkin, S.G., Birn, F., Calhoun, V.D., 2009. Auditory oddball deficits in schizophrenia: an independent component analysis of the fMRI multisite function BIRN study. Schizophr Bull 35, 67-81.

Kim, H., Shimojo, S., O'Doherty, J.P., 2006. Is avoiding an aversive outcome rewarding? Neural substrates of avoidance learning in the human brain. PLoS Biol 4, e233.

Koechlin, E., 2011. Frontal pole function: what is specifically human? Trends Cogn Sci 15, 241.

Koob, G.F., Le Moal, M., 2005. Plasticity of reward neurocircuitry and the 'dark side' of drug addiction. Nat Neurosci 8, 1442-1444.

Koob, G.F., Volkow, N.D., 2010. Neurocircuitry of addiction. Neuropsychopharmacology 35, 217-238.

Kooij, J.J., Buitelaar, J.K., Van den Oord, E.J., Furer, J.W., Rijnders, C.A., Hodiamont, P.P., 2005. Internal and external validity of attention-deficit hyperactivity disorder in a population-based sample of adults. Psychol Med 35, 817-827.

Kouri, E.M., Pope, H.G., Jr., Lukas, S.E., 1999. Changes in aggressive behavior during withdrawal from long-term marijuana use. Psychopharmacology (Berl) 143, 302-308.

Krieglmeyer, R., Deutsch, R., 2010. Comparing measures of approach-avoidance behaviour:

the manikin task versus two versions of the joystick task. Cognition & Emotion 24, 810-828.

Kwon, J.S., Shin, Y.W., Kim, C.W., Kim, Y.I., Youn, T., Han, M.H., Chang, K.H., Kim, J.J., 2003. Similarity and disparity of obsessive-compulsive disorder and schizophrenia in MR volumetric abnormalities of the hippocampus-amygdala complex. J Neurol Neurosurg Psychiatry 74, 962-964.

Lawston, J., Borella, A., Robinson, J.K., Whitaker-Azmitia, P.M., 2000. Changes in hippocampal morphology following chronic treatment with the synthetic cannabinoid WIN 55,212-2. Brain Res 877, 407-410.

Lee, S.S., Humphreys, K.L., Flory, K., Liu, R., Glass, K., 2011. Prospective association of childhood attention-deficit/hyperactivity disorder (ADHD) and substance use and abuse/dependence: a meta-analytic review. Clin Psychol Rev 31, 328-341.

Leshner, A.I., 1997. Addiction is a brain disease, and it matters. Science 278, 45-47.

Leyton, M., 2007. Conditioned and sensitized responses to stimulant drugs in humans. Prog Neuropsychopharmacol Biol Psychiatry 31, 1601-1613.

Li, X., Lu, Z.L., D'Argembeau, A., Ng, M., Bechara, A., 2010. The Iowa Gambling Task in fMRI images. Hum Brain Mapp 31, 410-423.

Lim, K.O., Choi, S.J., Pomara, N., Wolkin, A., Rotrosen, J.P., 2002. Reduced frontal white matter integrity in cocaine dependence: a controlled diffusion tensor imaging study. Biol Psychiatry 51, 890-895.

Little, R.J.A., 1988. A test of missing completely at random for multivariate data with missing values. J Am Stat Assoc 83, 1198-1202.

Lorenzetti, V., Lubman, D.I., Whittle, S., Solowij, N., Yucel, M., 2010. Structural MRI findings in long-term cannabis users: what do we know? Subst Use Misuse 45, 1787-1808.

Luijten, M., Veltman, D.J., Van den Brink, W., Hester, R., Field, M., Smits, M., Franken, I.H., 2011. Neurobiological substrate of smoking-related attentional bias. Neuroimage 54, 2374-2381.

Lundahl, L.H., Johanson, C.E., 2011. Cue-induced craving for marijuana in cannabis-dependent adults. Exp Clin Psychopharmacol 19, 224-230.

Lyoo, I.K., Streeter, C.C., Ahn, K.H., Lee, H.K., Pollack, M.H., Silveri, M.M., Nassar, L., Levin, J.M., Sarid-Segal, O., Ciraulo, D.A., Renshaw, P.F., Kaufman, M.J., 2004. White matter hyperintensities in subjects with cocaine and opiate dependence and healthy comparison subjects. Psychiatry Res 131, 135-145.

Lyoo, I.K., Pollack, M.H., Silveri, M.M., Ahn, K.H., Diaz, C.I., Hwang, J., Kim, S.J., Yurgelun-Todd, D.A., Kaufman, M.J., Renshaw, P.F., 2006. Prefrontal and temporal gray matter density decreases in opiate dependence. Psychopharmacology (Berl) 184, 139-144.

MacCoun, R., Reuter, P., 1997. Interpreting Dutch cannabis policy: reasoning by analogy in the legalization debate. Science 278, 47-52.

MacLeod, C., Rutherford, E., Campbell, L., Ebsworthy, G., Holker, L., 2002. Selective attention and emotional vulnerability: assessing the causal basis of their association through the experimental manipulation of attentional bias. J Abnorm Psychol 111, 107-123.

Makris, N., Gasic, G.P., Seidman, L.J., Goldstein, J.M., Gastfriend, D.R., Elman, I., Albaugh, M.D., Hodge, S.M., Ziegler, D.A., Sheahan, F.S., Caviness, V.S., Jr., Tsuang, M.T., Kennedy, D.N., Hyman, S.E., Rosen, B.R., Breiter, H.C.,

2004. Decreased absolute amygdala volume in cocaine addicts. Neuron 44, 729-740.

Manjon, J.V., Coupe, P., Marti-Bonmati, L., Collins, D.L., Robles, M., 2010. Adaptive non-local means denoising of MR images with spatially varying noise levels. J Magn Reson Imaging 31, 192-203.

Mansouri, F.A., Tanaka, K., Buckley, M.J., 2009. Conflict-induced behavioural adjustment: a clue to the executive functions of the prefrontal cortex. Nat Rev Neurosci 10, 141-152.

Marissen, M.A., Franken, I.H., Waters, A.J., Blanken, P., Van den Brink, W., Hendriks, V.M., 2006. Attentional bias predicts heroin relapse following treatment. Addiction 101, 1306-1312.

Martin-Santos, R., Fagundo, A.B., Crippa, J.A., Atakan, Z., Bhattacharyya, S., Allen, P., Fusar-Poli, P., Borgwardt, S., Seal, M., Busatto, G.F., McGuire, P., 2010. Neuroimaging in cannabis use: a systematic review of the literature. Psychol Med 40, 383-398.

Matochik, J.A., London, E.D., Eldreth, D.A., Cadet, J.L., Bolla, K.I., 2003. Frontal cortical tissue composition in abstinent cocaine abusers: a magnetic resonance imaging study. Neuroimage 19, 1095-1102.

Matochik, J.A., Eldreth, D.A., Cadet, J.L., Bolla, K.I., 2005. Altered brain tissue composition in heavy marijuana users. Drug Alcohol Depend 77, 23-30.

McClernon, F.J., Hiott, F.B., Huettel, S.A., Rose, J.E., 2005. Abstinence-induced changes in self-report craving correlate with event-related FMRI responses to smoking cues. Neuropsychopharmacology 30, 1940-1947.

McCusker, C.G., 2001. Cognitive biases and addiction: an evolution in theory and method. Addiction 96, 47-56.

McPartland, J.M., Blanchon, D.J., Musty, R.E., 2008. Cannabimimetic effects modulated by cholinergic compounds. Addict Biol 13, 411-415.

Medina, K.L., Hanson, K.L., Schweinsburg, A.D., Cohen-Zion, M., Nagel, B.J., Tapert, S.F., 2007a. Neuropsychological functioning in adolescent marijuana users: subtle deficits detectable after a month of abstinence. J Int Neuropsychol Soc 13, 807-820.

Medina, K.L., Nagel, B.J., Park, A., McQueeny, T., Tapert, S.F., 2007b. Depressive symptoms in adolescents: associations with white matter volume and marijuana use. J Child Psychol Psychiatry 48, 592-600.

Medina, K.L., McQueeny, T., Nagel, B.J., Hanson, K.L., Yang, T.T., Tapert, S.F., 2009. Prefrontal cortex morphometry in abstinent adolescent marijuana users: subtle gender effects. Addict Biol 14, 457-468.

Medina, K.L., Schweinsburg, A.D., Cohen-Zion, M., Nagel, B.J., Tapert, S.F., 2007c. Effects of alcohol and combined marijuana and alcohol use during adolescence on hippocampal volume and asymmetry. Neurotoxicol Teratol 29, 141-152.

Medina, K.L., Nagel, B.J., Tapert, S.F., 2010. Abnormal cerebellar morphometry in abstinent adolescent marijuana users. Psychiatry Res 182, 152-159.

Mehmedic, Z., Chandra, S., Slade, D., Denham, H., Foster, S., Patel, A.S., Ross, S.A., Khan, I.A., ElSohly, M.A., 2010. Potency trends of Delta9-THC and other cannabinoids in confiscated cannabis preparations from 1993 to 2008. J Forensic Sci 55, 1209-1217.

Miller, E.K., Cohen, J.D., 2001. An integrative theory of prefrontal cortex function. Annu Rev Neurosci 24, 167-202.

Mishra, B.R., Nizamie, S.H., Das, B., Praharaj, S.K., 2011. Efficacy of repetitive transcranial magnetic stimulation in alcohol dependence: a sham-controlled study. Addiction 105, 49-55.

Mogg, K., Bradley, B.P., Field, M., De Houwer, J., 2003. Eye movements to smoking-related pictures in smokers: relationship between attentional biases and implicit and explicit measures of stimulus valence. Addiction 98, 825-836.

Mogg, K., Field, M., Bradley, B.P., 2005. Attentional and approach biases for smoking cues in smokers: an investigation of competing theoretical views of addiction. Psychopharmacology (Berl) 180, 333-341.

Murray, R.M., Morrison, P.D., Henquet, C., Di Forti, M., 2007. Cannabis, the mind and society: the hash realities. Nat Rev Neurosci 8, 885-895.

Myrick, H., Anton, R.F., Li, X., Henderson, S., Drobes, D., Voronin, K., George, M.S., 2004. Differential brain activity in alcoholics and social drinkers to alcohol cues: relationship to craving. Neuropsychopharmacology 29, 393-402.

Naqvi, N., Shiv, B., Bechara, A., 2006. The role of emotion in decision making. Curr Dir Psych Sci 15, 260-264.

Naqvi, N.H., Bechara, A., 2009. The hidden island of addiction: the insula. Trends Neurosci 32, 56-67.

Nelson, H.E., 1984. National Adult Reading Test. NFER-Nelson, Windsor, UK.

Nestor, L., Roberts, G., Garavan, H., Hester, R., 2008. Deficits in learning and memory: parahippocampal hyperactivity and frontocortical hypoactivity in cannabis users. Neuroimage 40, 1328-1339.

Nestor, L., McCabe, E., Jones, J., Clancy, L., Garavan, H., 2011. Differences in "bottom-up" and "top-down" neural activity in current and former cigarette smokers: Evidence for neural substrates which may promote nicotine abstinence through increased cognitive control. Neuroimage 56, 2258-2275.

Nielsen, F.Å., Hansen, L.K., 2002. Automatic anatomical labeling of Talairach coordinates and generation of volumes of interest via the BrainMap database. 8th International Conference on Functional Mapping of the Human Brain. NeuroImage, Sendai, Japan.

Nutt, D.J., King, L.A., Phillips, L.D., 2010. Drug harms in the UK: a multicriteria decision analysis. Lancet 376, 1558-1565.

Oslin, D.W., Cary, M., Slaymaker, V., Colleran, C., Blow, F.C., 2009. Daily ratings measures of alcohol craving during an inpatient stay define subtypes of alcohol addiction that predict subsequent risk for resumption of drinking. Drug Alcohol Depend 103, 131-136.

Oslin, D., 2011. Personalized addiction treatment: how close are we? Alcohol Alcohol 46, 231-232.

Ostafin, B.D., Palfai, T.P., 2006. Compelled to consume: the Implicit Association Test and automatic alcohol motivation. Psychol Addict Behav 20, 322-327.

Ostafin, B.D., Marlatt, G.A., Greenwald, A.G., 2008. Drinking without thinking: an implicit measure of alcohol motivation predicts failure to control alcohol use. Behav Res Ther 46, 1210-1219.

Owen, A.M., McMillan, K.M., Laird, A.R., Bullmore, E., 2005. N-back working memory paradigm: a meta-analysis of normative functional neuroimaging studies. Hum Brain Mapp 25, 46-59.

Padula, C.B., Schweinsburg, A.D., Tapert, S.F., 2007. Spatial working memory performance and fMRI activation interaction in abstinent

adolescent marijuana users. Psychol Addict Behav 21, 478-487.

Palfai, T.P., Ostafin, B.D., 2003. Alcohol-related motivational tendencies in hazardous drinkers: assessing implicit response tendencies using the modified-IAT. Behav Res Ther 41, 1149-1162.

Palfai, T.P., 2006. Activating action tendencies: The influence of action priming on alcohol consumption among male hazardous drinkers. J Stud Alcohol 67, 926-933.

Patterson, F., Jepson, C., Loughead, J., Perkins, K., Strasser, A.A., Siegel, S., Frey, J., Gur, R., Lerman, C., 2010. Working memory deficits predict short-term smoking resumption following brief abstinence. Drug Alcohol Depend 106, 61-64.

Paulus, M.P., 2005. Neurobiology of decision-making: quo vadis? Brain Res Cogn Brain Res 23, 2-10.

Paulus, M.P., Tapert, S.F., Schuckit, M.A., 2005. Neural activation patterns of methamphetamine-dependent subjects during decision making predict relapse. Arch Gen Psychiatry 62, 761-768.

Payne, T.J., Smith, P.O., Adams, S.G., Diefenbach, L., 2006. Pretreatment cue reactivity predicts end-of-treatment smoking. Addict Behav 31, 702-710.

Peng, J., Liu, J., Nie, B., Li, Y., Shan, B., Wang, G., Li, K., 2010. Cerebral and cerebellar gray matter reduction in first-episode patients with major depressive disorder: A voxel-based morphometry study. Eur J Radiol 80, 395-399.

Penick, E.C., Knop, J., Nickel, E.J., Jensen, P., Manzardo, A.M., Lykke-Mortensen, E., Gabrielli, W.F., 2010. Do premorbid predictors of alcohol dependence also predict the failure to recover from alcoholism? J Stud Alcohol Drugs 71, 685-694.

Perkonigg, A., Goodwin, R.D., Fiedler, A., Behrendt, S., Beesdo, K., Lieb, R., Wittchen, H.U., 2008. The natural course of cannabis use, abuse and dependence during the first decades of life. Addiction 103, 439-449.

Phan, K.L., Angstadt, M., Golden, J., Onyewuenyi, I., Popovska, A., de Wit, H., 2008. Cannabinoid modulation of amygdala reactivity to social signals of threat in humans. J Neurosci 28, 2313-2319.

Pijlman, F.T., Rigter, S.M., Hoek, J., Goldschmidt, H.M., Niesink, R.J., 2005. Strong increase in total delta-THC in cannabis preparations sold in Dutch coffee shops. Addict Biol 10, 171-180.

Pope, H.G., Jr., Yurgelun-Todd, D., 1996. The residual cognitive effects of heavy marijuana use in college students. JAMA 275, 521-527.

Pope, H.G., Jr., Jacobs, A., Mialet, J.P., Yurgelun-Todd, D., Gruber, S., 1997. Evidence for a sex-specific residual effect of cannabis on visuospatial memory. Psychother Psychosom 66, 179-184.

Pope, H.G., Jr., Gruber, A.J., Hudson, J.I., Huestis, M.A., Yurgelun-Todd, D., 2001. Neuropsychological performance in long-term cannabis users. Arch Gen Psychiatry 58, 909-915.

Pope, H.G., Jr., Gruber, A.J., Hudson, J.I., Huestis, M.A., Yurgelun-Todd, D., 2002. Cognitive measures in long-term cannabis users. J Clin Pharmacol 42, 41S-47S.

Porrino, L.J., Smith, H.R., Nader, M.A., Beveridge, T.J., 2007. The effects of cocaine: a shifting target over the course of addiction. Prog Neuropsychopharmacol Biol Psychiatry 31, 1593-1600.

Quickfall, J., Crockford, D., 2006. Brain neuroimaging in cannabis use: a review. J Neuropsychiatry Clin Neurosci 18, 318-332.

Rajapakse, J.C., Giedd, J.N., Rapoport, J.L., 1997. Statistical approach to segmentation of single-channel cerebral MR images. IEEE Trans Med Imaging 16, 176-186.

Ramaekers, J.G., Kauert, G., Van Ruitenbeek, P., Theunissen, E.L., Schneider, E., Moeller, M.R., 2006. High-potency marijuana impairs executive function and inhibitory motor control. Neuropsychopharmacology 31, 2296-2303.

Rasetti, R., Mattay, V.S., Stankevich, B., Skjei, K., Blasi, G., Sambataro, F., Arrillaga-Romany, I.C., Goldberg, T.E., Callicott, J.H., Apud, J.A., Weinberger, D.R., 2010. Modulatory effects of modafinil on neural circuits regulating emotion and cognition. Neuropsychopharmacology 35, 2101-2109.

Reich, R.R., Below, M.C., Goldman, M.S., 2010. Explicit and implicit measures of expectancy and related alcohol cognitions: a meta-analytic comparison. Psychol Addict Behav 24, 13-25.

Reinarman, C., Cohen, P.D., Kaal, H.L., 2004. The limited relevance of drug policy: cannabis in Amsterdam and in San Francisco. Am J Public Health 94, 836-842.

Ridderinkhof, K.R., Ullsperger, M., Crone, E.A., Nieuwenhuis, S., 2004. The role of the medial frontal cortex in cognitive control. Science 306, 443-447.

Rinck, M., Becker, E.S., 2007. Approach and avoidance in fear of spiders. J Behav Ther Exp Psychiatry 38, 105-120.

Robinson, T.E., Berridge, K.C., 2000. The psychology and neurobiology of addiction: an incentive-sensitization view. Addiction 95 Suppl 2, S91-117.

Robinson, T.E., Berridge, K.C., 2003. Addiction. Annu Rev Psychol 54, 25-53.

Robinson, T.E., Berridge, K.C., 2008. The incentive sensitization theory of addiction: some current issues. Philos Trans R Soc Lond B Biol Sci 363, 3137-3146.

Roelofs, K., Minelli, A., Mars, R.B., Van Peer, J., Toni, I., 2009. On the neural control of social emotional behavior. Soc Cogn Affect Neurosci 4, 50-58.

Roese, N.J., Jamieson, D.W., 1993. Twenty years of bogus pipeline research: A critical review and meta-analysis. Psychol Bull 114, 363-375.

Rooke, S.E., Hine, D.W., Thorsteinsson, E.B., 2008. Implicit cognition and substance use: a meta-analysis. Addict Behav 33, 1314-1328.

Rose, J.E., McClernon, F.J., Froeliger, B., Behm, F.M., Preud'homme, X., Krystal, A.D., 2011. Repetitive transcranial magnetic stimulation of the superior frontal gyrus modulates craving for cigarettes. Biol Psychiatry 70, 794-799.

Rothermund, K., Wentura, D., 2004. Underlying processes in the implicit association test: dissociating salience from associations. J Exp Psychol Gen 133, 139-165.

Sasayama, D., Hayashida, A., Yamasue, H., Harada, Y., Kaneko, T., Kasai, K., Washizuka, S., Amano, N., 2010. Neuroanatomical correlates of attention-deficit-hyperactivity disorder accounting for comorbid oppositional defiant disorder and conduct disorder. Psychiatry Clin Neurosci 64, 394-402.

Saunders, J.B., Aasland, O.G., Babor, T.F., de la Fuente, J.R., Grant, M., 1993. Development of the Alcohol Use Disorders Identification Test (AUDIT): WHO collaborative project on early detection of persons with harmful alcohol consumption--II. Addiction 88, 791-804.

Scallet, A.C., Uemura, E., Andrews, A., Ali, S.F., McMillan, D.E., Paule, M.G., Brown, R.M., Slikker, W., Jr., 1987. Morphometric studies

of the rat hippocampus following chronic delta-9-tetrahydrocannabinol (THC). Brain Res 436, 193-198.

Schlund, M.W., Magee, S., Hudgins, C.D., 2011. Human avoidance and approach learning: evidence for overlapping neural systems and experiential avoidance modulation of avoidance neurocircuitry. Behav Brain Res 225, 437-448.

Schmand, B., Bakker, D., Saan, R., Louman, J., 1991. The Dutch Reading Test for Adults: a measure of premorbid intelligence level. Tijdschr Gerontol Geriatr 22, 15-19.

Schneider, F., Habel, U., Wagner, M., Franke, P., Salloum, J.B., Shah, N.J., Toni, I., Sulzbach, C., Honig, K., Maier, W., Gaebel, W., Zilles, K., 2001. Subcortical correlates of craving in recently abstinent alcoholic patients. Am J Psychiatry 158, 1075-1083.

Schoenmakers, T.M., de Bruin, M., Lux, I.F., Goertz, A.G., Van Kerkhof, D.H., Wiers, R.W., 2010. Clinical effectiveness of attentional bias modification training in abstinent alcoholic patients. Drug Alcohol Depend 109, 30-36.

Schulenberg, J.E., Merline, A.C., Johnston, L.D., O'Malley, P.M., Bachman, J.G., Laetz, V.B., 2005. Trajectories of marijuana use during the transition to adulthood: The big picture based on national panel data. J Drug Issues 35, 255-279.

Schweinsburg, A.D., Brown, S.A., Tapert, S.F., 2008a. The influence of marijuana use on neurocognitive functioning in adolescents. Curr Drug Abuse Rev 1, 99-111.

Schweinsburg, A.D., Nagel, B.J., Schweinsburg, B.C., Park, A., Theilmann, R.J., Tapert, S.F., 2008b. Abstinent adolescent marijuana users show altered fMRI response during spatial working memory. Psychiatry Res 163, 40-51.

Schweinsburg, A.D., Schweinsburg, B.C., Medina, K.L., McQueeny, T., Brown, S.A., Tapert, S.F., 2010. The influence of recency of use on fMRI response during spatial working memory in adolescent marijuana users. J Psychoactive Drugs 42, 401-412.

Schweinsburg, A.D., Schweinsburg, B.C., Nagel, B.J., Eyler, L.T., Tapert, S.F., 2011. Neural correlates of verbal learning in adolescent alcohol and marijuana users. Addiction 106, 564-573.

Seidman, L.J., Biederman, J., Liang, L., Valera, E.M., Monuteaux, M.C., Brown, A., Kaiser, J., Spencer, T., Faraone, S.V., Makris, N., 2011. Gray matter alterations in adults with Attention-Deficit/Hyperactivity Disorder identified by voxel based morphometry. Biol Psychiatry 69, 857-866.

Shattuck, D.W., Mirza, M., Adisetiyo, V., Hojatkashani, C., Salamon, G., Narr, K.L., Poldrack, R.A., Bilder, R.M., Toga, A.W., 2008. Construction of a 3D probabilistic atlas of human cortical structures. Neuroimage 39, 1064-1080.

Sheehan, D.V., Lecrubier, Y., Sheehan, K.H., Amorim, P., Janavs, J., Weiller, E., Hergueta, T., Baker, R., Dunbar, G.C., 1998. The Mini-International Neuropsychiatric Interview (M.I.N.I.): the development and validation of a structured diagnostic psychiatric interview for DSM-IV and ICD-10. J Clin Psychiatry 59 Suppl 20, 22-33.

Sim, M.E., Lyoo, I.K., Streeter, C.C., Covell, J., Sarid-Segal, O., Ciraulo, D.A., Kim, M.J., Kaufman, M.J., Yurgelun-Todd, D.A., Renshaw, P.F., 2007. Cerebellar gray matter volume correlates with duration of cocaine use in cocaine-dependent subjects. Neuropsycho-pharmacology 32, 2229-2237.

Sjoerds, Z., Van Tol, M.J., Van den Brink, W., Van der Wee, N.J., Van Buchem, M.A., Aleman, A., Penninx, B.W., Veltman, D.J., in press. Family history of alcohol dependence and gray matter abnormalities in non-alcoholic adults. World J Biol Psychiatry.

Skosnik, P.D., Edwards, C.R., O'Donnell, B.F., Steffen, A., Steinmetz, J.E., Hetrick, W.P., 2008. Cannabis use disrupts eyeblink conditioning: evidence for cannabinoid modulation of cerebellar-dependent learning. Neuropsychopharmacology 33, 1432-1440.

Slutske, W.S., Moffitt, T.E., Poulton, R., Caspi, A., 2012. Undercontrolled temperament at age 3 predicts disordered gambling at age 32: a longitudinal study of a complete birth cohort. Psychol Sci 23, 510-516.

Smith, S.M., Nichols, T.E., 2009. Threshold-free cluster enhancement: addressing problems of smoothing, threshold dependence and localisation in cluster inference. Neuroimage 44, 83-98.

Smolka, M.N., Buhler, M., Klein, S., Zimmermann, U., Mann, K., Heinz, A., Braus, D.F., 2006. Severity of nicotine dependence modulates cue-induced brain activity in regions involved in motor preparation and imagery. Psychopharmacology (Berl) 184, 577-588.

Solowij, N., Michie, P.T., Fox, A.M., 1995. Differential impairments of selective attention due to frequency and duration of cannabis use. Biol Psychiatry 37, 731-739.

Solowij, N., Stephens, R.S., Roffman, R.A., Babor, T., Kadden, R., Miller, M., Christiansen, K., McRee, B., Vendetti, J., 2002. Cognitive functioning of long-term heavy cannabis users seeking treatment. JAMA 287, 1123-1131.

Solowij, N., Yucel, M., Respondek, C., Whittle, S., Lindsay, E., Pantelis, C., Lubman, D.I., 2011. Cerebellar white-matter changes in cannabis users with and without schizophrenia. Psychol Med 41, 2349-2359.

Solowij, N., Battisti, R., 2008. The chronic effects of cannabis on memory in humans: a review. Curr Drug Abuse Rev 1, 81-98.

Somerville, L.H., Casey, B.J., 2010. Developmental neurobiology of cognitive control and motivational systems. Curr Opin Neurobiol 20, 236-241.

Spiga, S., Lintas, A., Migliore, M., Diana, M., 2010. Altered architecture and functional consequences of the mesolimbic dopamine system in cannabis dependence. Addict Biol 15, 266-276.

Stacy, A.W., Wiers, R.W., 2010. Implicit cognition and addiction: a tool for explaining paradoxical behavior. Annu Rev Clin Psychol 6, 551-575.

Stippekohl, B., Walter, B., Winkler, M.H., Mucha, R.F., Pauli, P., Vaitl, D., Stark, R., in press. An early attentional bias to BEGIN-stimuli of the smoking ritual is accompanied with mesocorticolimbic deactivations in smokers. Psychopharmacology (Berl).

Swendsen, J., Le Moal, M., 2011. Individual vulnerability to addiction. Ann N Y Acad Sci 1216, 73-85.

Szalma, J.L., Hancock, P.A., 2011. Noise effects on human performance: a meta-analytic synthesis. Psychol Bull 137, 682-707.

Tanabe, J., Tregellas, J.R., Dalwani, M., Thompson, L., Owens, E., Crowley, T., Banich, M., 2009. Medial orbitofrontal cortex gray matter is reduced in abstinent substance-dependent individuals. Biol Psychiatry 65, 160-164.

Tapert, S.F., Schweinsburg, A.D., Barlett, V.C., Brown, S.A., Frank, L.R., Brown, G.G., Meloy, M.J., 2004. Blood oxygen level dependent response and spatial working memory in

adolescents with alcohol use disorders. Alcohol Clin Exp Res 28, 1577-1586.

Thompson, P.M., Hayashi, K.M., Simon, S.L., Geaga, J.A., Hong, M.S., Sui, Y., Lee, J.Y., Toga, A.W., Ling, W., London, E.D., 2004. Structural abnormalities in the brains of human subjects who use methamphetamine. J Neurosci 24, 6028-6036.

Thush, C., Wiers, R.W., Ames, S.L., Grenard, J.L., Sussman, S., Stacy, A.W., 2008. Interactions between implicit and explicit cognition and working memory capacity in the prediction of alcohol use in at-risk adolescents. Drug Alcohol Depend 94, 116-124.

Tiffany, S.T., Carter, B.L., Singleton, E.G., 2000. Challenges in the manipulation, assessment and interpretation of craving relevant variables. Addiction 95 Suppl 2, S177-187.

Tohka, J., Zijdenbos, A., Evans, A., 2004. Fast and robust parameter estimation for statistical partial volume models in brain MRI. Neuroimage 23, 84-97.

Tzilos, G.K., Cintron, C.B., Wood, J.B., Simpson, N.S., Young, A.D., Pope, H.G., Jr., Yurgelun-Todd, D.A., 2005. Lack of hippocampal volume change in long-term heavy cannabis users. Am J Addict 14, 64-72.

Ullsperger, M., Harsay, H.A., Wessel, J.R., Ridderinkhof, K.R., 2010. Conscious perception of errors and its relation to the anterior insula. Brain Struct Funct 214, 629-643.

United Nations Office on Drugs and Crime, 2009. UNODC World Drug Report. UN, New York.

Vadhan, N.P., Hart, C.L., Van Gorp, W.G., Gunderson, E.W., Haney, M., Foltin, R.W., 2007. Acute effects of smoked marijuana on decision making, as assessed by a modified gambling task, in experienced marijuana users. J Clin Exp Neuropsychol 29, 357-364.

Vaidya, J.G., Block, R.I., O'Leary, D.S., Ponto, L.B., Ghoneim, M.M., Bechara, A., 2012. Effects of chronic marijuana use on brain activity during monetary decision-making. Neuropsychopharmacology 37, 618-629.

Van Amsterdam, J., Opperhuizen, A., Koeter, M., Van den Brink, W., 2010. Ranking the harm of alcohol, tobacco and illicit drugs for the individual and the population. Eur Addict Res 16, 202-207.

Van den Wildenberg, E., Beckers, M., Van Lambaart, F., Conrod, P.J., Wiers, R.W., 2006. Is the strength of implicit alcohol associations correlated with alcohol-induced heart-rate acceleration? Alcohol Clin Exp Res 30, 1336-1348.

Van Holst, R.J., Schilt, T., 2011. Drug-related decrease in neuropsychological functions of abstinent drug users. Curr Drug Abuse Rev 4, 42-56.

Van Holst, R.J., Van den Brink, W., Veltman, D.J., Goudriaan, A.E., 2010. Why gamblers fail to win: a review of cognitive and neuroimaging findings in pathological gambling. Neurosci Biobehav Rev 34, 87-107.

Verdejo-Garcia, A., Bechara, A., 2009. A somatic marker theory of addiction. Neuropharmacology 56 Suppl 1, 48-62.

Verdejo-Garcia, A., Bechara, A., Recknor, E.C., Perez-Garcia, M., 2006. Executive dysfunction in substance dependent individuals during drug use and abstinence: an examination of the behavioral, cognitive and emotional correlates of addiction. J Int Neuropsychol Soc 12, 405-415.

Volkow, N.D., Fowler, J.S., Wang, G.J., Swanson, J.M., 2004. Dopamine in drug abuse and addiction: results from imaging studies and treatment implications. Mol Psychiatry 9, 557-569.

Vollstadt-Klein, S., Loeber, S., Richter, A., Kirsch, M., Bach, P., von der Goltz, C., Hermann, D., Mann, K., Kiefer, F., 2012. Validating incentive salience with functional magnetic resonance imaging: association between mesolimbic cue reactivity and attentional bias in alcohol-dependent patients. Addict Biol 17, 807-816.

Vollstadt-Klein, S., Wichert, S., Rabinstein, J., Buhler, M., Klein, O., Ende, G., Hermann, D., Mann, K., 2010. Initial, habitual and compulsive alcohol use is characterized by a shift of cue processing from ventral to dorsal striatum. Addiction 105, 1741-1749.

Volman, I., Toni, I., Verhagen, L., Roelofs, K., 2011. Endogenous testosterone modulates prefrontal-amygdala connectivity during social emotional behavior. Cereb Cortex 21, 2282-2290.

Wager, T.D., Smith, E.E., 2003. Neuroimaging studies of working memory: a meta-analysis. Cogn Affect Behav Neurosci 3, 255-274.

Wagner, F.A., Anthony, J.C., 2002. From first drug use to drug dependence; developmental periods of risk for dependence upon marijuana, cocaine, and alcohol. Neuropsychopharmacology 26, 479-488.

Waters, A.J., Carter, B.L., Robinson, J.D., Wetter, D.W., Lam, C.Y., Cinciripini, P.M., 2007. Implicit attitudes to smoking are associated with craving and dependence. Drug Alcohol Depend 91, 178-186.

Waters, A.J., Feyerabend, C., 2000. Determinants and effects of attentional bias in smokers. Psychol Addict Behav 14, 111-120.

Waters, A.J., Shiffman, S., Sayette, M.A., Paty, J.A., Gwaltney, C.J., Balabanis, M.H., 2003. Attentional bias predicts outcome in smoking cessation. Health Psychol 22, 378-387.

Wesley, M.J., Hanlon, C.A., Porrino, L.J., 2011. Poor decision-making by chronic marijuana users is associated with decreased functional responsiveness to negative consequences. Psychiatry Res 191, 51-59.

Whitlow, C.T., Liguori, A., Livengood, L.B., Hart, S.L., Mussat-Whitlow, B.J., Lamborn, C.M., Laurienti, P.J., Porrino, L.J., 2004. Long-term heavy marijuana users make costly decisions on a gambling task. Drug Alcohol Depend 76, 107-111.

Wiers, R.W., Stacy, A.W., Ames, S.L., Noll, J.A., Sayette, M.A., Zack, M., Krank, M., 2002a. Implicit and explicit alcohol-related cognitions. Alcohol Clin Exp Res 26, 129-137.

Wiers, R.W., Van Woerden, N., Smulders, F.T., de Jong, P.J., 2002b. Implicit and explicit alcohol-related cognitions in heavy and light drinkers. J Abnorm Psychol 111, 648-658.

Wiers, R.W., Van de Luitgaarden, J., Van den Wildenberg, E., Smulders, F.T., 2005. Challenging implicit and explicit alcohol-related cognitions in young heavy drinkers. Addiction 100, 806-819.

Wiers, R.W., Bartholow, B.D., Van den Wildenberg, E., Thush, C., Engels, R.C., Sher, K.J., Grenard, J., Ames, S.L., Stacy, A.W., 2007. Automatic and controlled processes and the development of addictive behaviors in adolescents: a review and a model. Pharmacol Biochem Behav 86, 263-283.

Wiers, R.W., Beckers, L., Houben, K., Hofmann, W., 2009a. A short fuse after alcohol: implicit power associations predict aggressiveness after alcohol consumption in young heavy drinkers with limited executive control. Pharmacol Biochem Behav 93, 300-305.

Wiers, R.W., Rinck, M., Dictus, M., Van den Wildenberg, E., 2009b. Relatively strong automatic appetitive action-tendencies in male carriers of the OPRM1 G-allele. Genes Brain Behav 8, 101-106.

Wiers, R.W., Rinck, M., Kordts, R., Houben, K., Strack, F., 2010. Retraining automatic action-tendencies to approach alcohol in hazardous drinkers. Addiction 105, 279-287.

Wiers, R.W., Eberl, C., Rinck, M., Becker, E.S., Lindenmeyer, J., 2011. Retraining automatic action tendencies changes alcoholic patients' approach bias for alcohol and improves treatment outcome. Psychol Sci 22, 490-497.

Wilson, S.J., Sayette, M.A., Fiez, J.A., 2004. Prefrontal responses to drug cues: a neurocognitive analysis. Nat Neurosci 7, 211-214.

Wise, L.E., Thorpe, A.J., Lichtman, A.H., 2009. Hippocampal CB(1) receptors mediate the memory impairing effects of Delta(9)-tetrahydrocannabinol. Neuropsychopharmacology 34, 2072-2080.

Wolfling, K., Flor, H., Grusser, S.M., 2008. Psychophysiological responses to drug-associated stimuli in chronic heavy cannabis use. Eur J Neurosci 27, 976-983.

Woolrich, M.W., Ripley, B.D., Brady, M., Smith, S.M., 2001. Temporal autocorrelation in univariate linear modeling of FMRI data. Neuroimage 14, 1370-1386.

Worsley, K.J., Evans, A.C., Marrett, S., Neelin, P., 1992. A three-dimensional statistical analysis for CBF activation studies in human brain. J Cereb Blood Flow Metab 12, 900-918.

Worsley, K.J., Marrett, S., Neelin, P., Vandal, A.C., Friston, K.J., Evans, A.C., 1996. A unified statistical approach for determining significant signals in images of cerebral activation. Hum Brain Mapp 4, 58-73.

Yucel, M., Solowij, N., Respondek, C., Whittle, S., Fornito, A., Pantelis, C., Lubman, D.I., 2008. Regional brain abnormalities associated with long-term heavy cannabis use. Arch Gen Psychiatry 65, 694-701.

Yucel, M., Zalesky, A., Takagi, M.J., Bora, E., Fornito, A., Ditchfield, M., Egan, G.F., Pantelis, C., Lubman, D.I., 2010. White-matter abnormalities in adolescents with long-term inhalant and cannabis use: a diffusion magnetic resonance imaging study. J Psychiatry Neurosci 35, 409-412.

Zijlstra, F., Veltman, D.J., Booij, J., Van den Brink, W., Franken, I.H., 2009. Neurobiological substrates of cue-elicited craving and anhedonia in recently abstinent opioid-dependent males. Drug Alcohol Depend 99, 183-192.