



OPEN

Author Correction: Low energy nebulization preserves integrity of SARS-CoV-2 mRNA vaccines for respiratory delivery

Cees J. M. van Rijn, Killian E. Vlaming, Reinout A. Bem, Rob J. Dekker, Albert Poortinga, Timo Breit, Selina van Leeuwen, Wim A. Ensink, Kelly van Wijnbergen, John L. van Hamme, Daniel Bonn & Teunis B. H. Geijtenbeek

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-023-35872-4>, published online 31 May 2023

The Acknowledgments section in the original version of this Article was omitted. The Acknowledgments section now reads:

“We thank Kaili Xi, Frank Verhoeven and Bernhard Müllinger for helpful discussions. Nanotech membrane chips were kindly provided by Medspray, the Netherlands.”

The original Article has been corrected.



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2023