



UvA-DARE (Digital Academic Repository)

Building tools for image-guided adaptive radiotherapy of bladder cancer

Chai, X.

Publication date
2012

[Link to publication](#)

Citation for published version (APA):

Chai, X. (2012). *Building tools for image-guided adaptive radiotherapy of bladder cancer*. [Thesis, fully internal, Universiteit van Amsterdam]. Boxpress.

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, P.O. Box 19185, 1000 GD Amsterdam, The Netherlands. You will be contacted as soon as possible.

Bibliography

- [1] Kirkali Z, Chan T, Manoharan M, Algaba F, Busch C, Cheng L, et al. Bladder cancer: epidemiology, staging and grading, and diagnosis. *Urology* 2005;66(6 Suppl 1):4-34.
- [2] Visser O, Nieuwenhuijzen JA, Horenblas S. Local recurrence after cystectomy and survival of patients with bladder cancer: a population based study in greater amsterdam. *J Urol* 2005;174(1):97-102.
- [3] Clavel J, Cordier S, Boccon-Gibod L, Hemon D. Tobacco and bladder cancer in males: increased risk for inhalers and smokers of black tobacco. *Int J Cancer* 1989;44(4):605-610.
- [4] Morrison AS, Ahlbom A, Verhoek WG, Aoki K, Leck I, Ohno Y, et al. Occupation and bladder cancer in Boston, USA, Manchester, UK, and Nagoya, Japan. *J Epidemiol Community Health* 1985;39(4):294-300.
- [5] MacVicar AD. Bladder cancer staging. *BJU Int* 2000;86 Suppl 1:111-122.
- [6] Bales GT, Kim H, Steinberg GD. Surgical therapy for locally advanced bladder cancer. *Semin Oncol* 1996;23(5):605-613.
- [7] Koukourakis G, Kouloulis V, Zacharias G, Sotiropoulou-Lontou A, Koukourakis M. Therapeutic interventions targeting organ preservation in muscle-invasive bladder cancer: a review. *Clinical and Translational Oncology* 2011;13(5):315-321.
- [8] Pos FJ, van Tienhoven G, Hulshof MC, Koedooder K, Gonzalez D. Concomitant boost radiotherapy for muscle invasive bladder cancer. *Radiother Oncol* 2003;68(1):75-80.
- [9] Kaufman DS, Winter KA, Shipley WU, Heney NM, Chetner MP, Souhami L, et al. The initial results in muscle-invading bladder cancer of RTOG 95-06: phase I/II trial of transurethral surgery plus radiation therapy with concurrent cisplatin and 5-fluorouracil followed by selective bladder preservation or cystectomy depending on the initial response. *Oncologist* 2000;5(6):471-476.
- [10] Zietman AL, Shipley WU, Kaufman DS, Zehr EM, Heney NM, Althausen AF, et al. A phase I/II trial of transurethral surgery combined with concurrent cisplatin, 5-fluorouracil and twice daily radiation followed by selective bladder preservation in operable patients with muscle invading bladder cancer. *J Urol* 1998;160(5):1673-1677.
- [11] Shipley WU, Kaufman DS, Zehr E, Heney NM, Lane SC, Thakral HK, et al. Selective bladder preservation by combined modality protocol treatment: long-term outcomes of 190 patients with invasive bladder cancer. *Urology* 2002;60(1):62-67.

- [12] Rodel C, Grabenbauer GG, Kuhn R, Papadopoulos T, Dunst J, Meyer M, et al. Combined-modality treatment and selective organ preservation in invasive bladder cancer: long-term results. *J Clin Oncol* 2002;20(14):3061-3071.
- [13] Majewski W, Maciejewski B, Majewski S, Suwinski R, Miszczyk L, Tarnawski R. Clinical radiobiology of stage T2-T3 bladder cancer. *Int J Radiat Oncol Biol Phys* 2004;60(1):60-70.
- [14] van Rooijen DC, van de Kamer JB, Hulshof MCCM, Koning CCE, Bel A. Improving bladder cancer treatment with radiotherapy using separate intensity modulated radiotherapy plans for boost and elective fields. *Journal of Medical Imaging and Radiation Oncology* 2010;54(3):256-263.
- [15] Pos FJ, Koedooder K, Hulshof MC, van Tienhoven G, Gonzalez D. Influence of bladder and rectal volume on spatial variability of a bladder tumor during radical radiotherapy. *Int J Radiat Oncol Biol Phys* 2003;55(3):835-841.
- [16] Pos FJ, Hart G, Schneider C, Sminia P. Radical radiotherapy for invasive bladder cancer: What dose and fractionation schedule to choose? *Int J Radiat Oncol Biol Phys* 2006;64(4):1168-1173.
- [17] Fokdal L, Honore H, Hoyer M, Meldgaard P, Fode K, von der Maase H. Impact of changes in bladder and rectal filling volume on organ motion and dose distribution of the bladder in radiotherapy for urinary bladder cancer. *Int J Radiat Oncol Biol Phys* 2004;59(2):436-444.
- [18] Muren LP, Smaaland R, Dahl O. Conformal radiotherapy of urinary bladder cancer. *Radiother Oncol* 2004;73(3):387-398.
- [19] Fokdal L, Hoyer M, von der Maase H. Treatment outcome and prognostic variables for local control and survival in patients receiving radical radiotherapy for urinary bladder cancer. *Acta Oncol* 2004;43(8):749-757.
- [20] Sengelov L, Klintorp S, Havsteen H, Kamby C, Hansen SL, von der MH. Treatment outcome following radiotherapy in elderly patients with bladder cancer. *Radiother Oncol* 1997;44(1):53-58.
- [21] Chahal R, Sundaram SK, Iddenden R, Forman DF, Weston PM, Harrison SC. A study of the morbidity, mortality and long-term survival following radical cystectomy and radical radiotherapy in the treatment of invasive bladder cancer in Yorkshire. *Eur Urol* 2003;43(3):246-257.
- [22] Vestergaard A, Sondergaard J, Petersen JB, Hoyer M, Muren LP. A comparison of three different adaptive strategies in image-guided radiotherapy of bladder cancer. *Acta Oncol* 2010;49(7):1069-1076.
- [23] Lalondrelle S, Huddart R, Warren-Oseni K, Hansen VN, McNair H, Thomas K, et al. Adaptive-predictive organ localization using cone-beam computed tomography for improved accuracy in external beam radiotherapy for bladder cancer. *Int J Radiat Oncol Biol Phys* 2011;79(3):705-712.

- [24] Kaufman DS, Shipley WU, Althausen AF. Radiotherapy and chemotherapy in invasive bladder cancer with potential bladder sparing. *Hematol Oncol Clin North Am* 1992;6(1):179-194.
- [25] Cowan RA, McBain CA, Ryder WD, Wylie JP, Logue JP, Turner SL, et al. Radiotherapy for muscle-invasive carcinoma of the bladder: results of a randomized trial comparing conventional whole bladder with dose-escalated partial bladder radiotherapy. *Int J Radiat Oncol Biol Phys* 2004;59(1):197-207.
- [26] Pos FJ, Hulshof M, Lebesque J, Lotz H, van Tienhoven G, Moonen L, et al. Adaptive radiotherapy for invasive bladder cancer: a feasibility study. *Int J Radiat Oncol Biol Phys* 2006;64(3):862-868.
- [27] Yavuz AA, Yavuz MN, Ozgur GK, Colak F, Ozyavuz R, Cimsitoglu E, et al. Accelerated superfractionated radiotherapy with concomitant boost for invasive bladder cancer. *Int J Radiat Oncol Biol Phys* 2003;56(3):734-745.
- [28] Piet AH, Hulshof MC, Pieters BR, Pos FJ, de Reijke TM, Koning CC. Clinical results of a concomitant boost radiotherapy technique for muscle-invasive bladder cancer. *Strahlenther Onkol* 2008;184(6):313-318.
- [29] Tuomikoski L, Collan J, Keyrilainen J, Visapaa H, Saarilahti K, Tenhunen M. Adaptive radiotherapy in muscle invasive urinary bladder cancer - An effective method to reduce the irradiated bowel volume. *Radiother Oncol* 2011;99(1):61-66.
- [30] Sondergaard J, Hoyer M, Petersen JB, Wright P, Grau C, Muren LP. The normal tissue sparing obtained with simultaneous treatment of pelvic lymph nodes and bladder using intensity-modulated radiotherapy. *Acta Oncol* 2009;48(2):238-244.
- [31] Meijer GJ, Rasch C, Remeijer P, Lebesque JV. Three-dimensional analysis of delineation errors, setup errors, and organ motion during radiotherapy of bladder cancer. *Int J Radiat Oncol Biol Phys* 2003;55(5):1277-1287.
- [32] Hulshof MC, van Andel G, Bel A, Gangel P, van de Kamer JB. Intravesical markers for delineation of target volume during external focal irradiation of bladder carcinomas. *Radiother Oncol* 2007;84(1):49-51.
- [33] Pos F, Bex A, Dees-Ribbers HM, Betgen A, van Herk M, Remeijer P. Lipiodol injection for target volume delineation and image guidance during radiotherapy for bladder cancer. *Radiotherapy and Oncology* 2009;93(2):364-367.
- [34] Kelloff GJ, Hoffman JM, Johnson B, Scher HI, Siegel BA, Cheng EY, et al. Progress and promise of FDG-PET imaging for cancer patient management and oncologic drug development. *Clin Cancer Res* 2005;11(8):2785-2808.
- [35] Bruin NM, de Blok WN, Stallenberg P, Horenblas S, Vogel WV. Catheter assisted FDG-PET/CT for imaging and quantification of a primary bladder tumor. 2011.

- [36] Lotz HT, Pos FJ, Hulshof MC, Van Herk M, Lebesque JV, Duppen JC, et al. Tumor motion and deformation during external radiotherapy of bladder cancer. *Int J Radiat Oncol Biol Phys* 2006;64(5):1551-1558.
- [37] McBain CA, Green MM, Stratford J, Davies J, McCarthy C, Taylor B, et al. Ultrasound imaging to assess inter- and intra-fraction motion during bladder radiotherapy and its potential as a verification tool. *Clin Oncol* 2009; 21(5):385-393.
- [38] McBain CA, Khoo VS, Buckley DL, Sykes JS, Green MM, Cowan RA, et al. Assessment of bladder motion for clinical radiotherapy practice using cine-magnetic resonance imaging. *Int J Radiat Oncol Biol Phys* 2009;75(3):664-671.
- [39] Sengelov L, von der Maase H. Radiotherapy in bladder cancer. *Radiother Oncol* 1999;52(1):1-14.
- [40] Lotz HT, Van Herk M, Betgen A, Pos F, Lebesque JV, Remeijer P. Reproducibility of the bladder shape and bladder shape changes during filling. *Med Phys* 2005;32(8):2590-2597.
- [41] Verellen D, De Ridder M, Linthout N, Tournel K, Soete G, Storme G. Innovations in image-guided radiotherapy. *Nat Rev Cancer* 2007;7(12):949-960.
- [42] Jaffray D, Kupelian P, Djemil T, Macklis RM. Review of image-guided radiation therapy. *Expert Rev Anticancer Ther* 2007;7(1):89-103.
- [43] Hurkmans CW, Remeijer P, Lebesque JV, Mijnheer BJ. Set-up verification using portal imaging; review of current clinical practice. *Radiotherapy and Oncology* 2001;58(2):105-120.
- [44] Smitsmans MH, de Bois J, Sonke JJ, Catton CN, Jaffray DA, Lebesque JV, et al. Residual seminal vesicle displacement in marker-based image-guided radiotherapy for prostate cancer and the impact on margin design. *Int J Radiat Oncol Biol Phys* 2011;80(2):590-596.
- [45] Nederveen AJ, Dehnad H, van der Heide UA, van Moorselaar RJ, Hofman P, Legendijk JJ. Comparison of megavoltage position verification for prostate irradiation based on bony anatomy and implanted fiducials. *Radiother Oncol* 2003;68(1):81-88.
- [46] Wu J, Haycocks T, Alasti H, Ottewell G, Middlemiss N, Abdoell M, et al. Positioning errors and prostate motion during conformal prostate radiotherapy using online isocentre set-up verification and implanted prostate markers. *Radiother Oncol* 2001;61(2):127-133.
- [47] Kaatee RS, Olofsen MJ, Verstraate MB, Quint S, Heijmen BJ. Detection of organ movement in cervix cancer patients using a fluoroscopic electronic portal imaging device and radiopaque markers. *Int J Radiat Oncol Biol Phys* 2002;54(2):576-583.

- [48] Mangar S, Thompson A, Miles E, Huddart R, Horwich A, Khoo V. A feasibility study of using gold seeds as fiducial markers for bladder localization during radical radiotherapy. *Br J Radiol* 2007;80(952):279-283.
- [49] Wunderink W, Mendez RA, de Kruijf W, de Boer H, Levendag P, Heijmen B. Reduction of respiratory liver tumor motion by abdominal compression in stereotactic body frame, analyzed by tracking fiducial markers implanted in liver. *Int J Radiat Oncol Biol Phys* 2008;71(3):907-915.
- [50] Nelson C, Starkschall G, Balter P, Morice RC, Stevens CW, Chang JY. Assessment of lung tumor motion and setup uncertainties using implanted fiducials. *Int J Radiat Oncol Biol Phys* 2007;67(3):915-923.
- [51] Harris EJ, Donovan EM, Yarnold JR, Coles CE, Evans PM. Characterization of target volume changes during breast radiotherapy using implanted fiducial markers and portal imaging. *Int J Radiat Oncol Biol Phys* 2009;73(3):958-966.
- [52] Yan D, Vicini F, Wong J, Martinez A. Adaptive radiation therapy. *Phys Med Biol* 1997;42(1):123-132.
- [53] Pos FJ, Remeijer P. Adaptive management of bladder cancer radiotherapy. *Semin Radiat Oncol* 2010;20(2):116-120.
- [54] Foroudi F, Wong J, Haworth A, Baille A, McAlpine J, Rolfo A, et al. Offline adaptive radiotherapy for bladder cancer using cone beam computed tomography. *J Med Imaging Radiat Oncol* 2009;53(2):226-233.
- [55] Burridge N, Amer A, Marchant T, Sykes J, Stratford J, Henry A, et al. Online adaptive radiotherapy of the bladder: small bowel irradiated-volume reduction. *Int J Radiat Oncol Biol Phys* 2006;66(3):892-897.
- [56] Murthy V, Master Z, Adurkar P, Mallick I, Mahantshetty U, Bakshi G, et al. 'Plan of the day' adaptive radiotherapy for bladder cancer using helical tomotherapy. *Radiother Oncol* 2011;99(1):55-60.
- [57] Tolan S, Kong V, Rosewall T, Craig T, Bristow R, Milosevic M, et al. Patient-specific PTV margins in radiotherapy for bladder cancer - a feasibility study using cone beam CT. *Radiother Oncol* 2011;99(2):131-136.
- [58] Foroudi F, Wong J, Kron T, Rolfo A, Haworth A, Roxby P, et al. Online Adaptive Radiotherapy for Muscle-Invasive Bladder Cancer: Results of a Pilot Study. *Int J Radiat Oncol Biol Phys* 2011;81(3):765-771.
- [59] Fokdal L, Hoyer M, von der Maase H. Radical radiotherapy for urinary bladder cancer: treatment outcomes. *Expert Rev Anticancer Ther* 2006; (2):269-279.
- [60] van der Werf-Messing BH. Cancer of the urinary bladder treated by interstitial radium implant. *Int J Radiat Oncol Biol Phys* 1978;4(5-6):373-378.

- [61] Duncan W, Quilty PM. The results of a series of 963 patients with transitional cell carcinoma of the urinary bladder primarily treated by radical megavoltage X-ray therapy. *Radiother Oncol* 1986;7(4):299-310.
- [62] Mangar SA, Foo K, Norman A, Khoo V, Shahidi M, Dearnaley DP, et al. Evaluating the effect of reducing the high-dose volume on the toxicity of radiotherapy in the treatment of bladder cancer. *Clin Oncol (R Coll Radiol)* 2006;18(6):466-473.
- [63] Sheehan R, Hreshchyshyn M, Lin RK, Lessmann FP. The use of lymphography as a diagnostic method. *Radiology* 1961;72:47-53.
- [64] Dudouet P, Portalez D, Lhez JM, Elman B, Larroque JM, Bachaud JM, et al. Trans-rectal ultrasonography (TRUS) with lipiodol injection for localization of the prostatic apex before radiotherapy planning. *Radiother Oncol* 2001;61(2):135-141.
- [65] Nomori H, Horio H, Naruke T, Suemasu K. Fluoroscopy-assisted thoracoscopic resection of lung nodules marked with lipiodol. *Ann Thorac Surg* 2002;74(1):170-173.
- [66] Remeijer P, Nijkamp J, Nijkamp J, Van Herk M, Pos F. Image guidance for bladder cancer based on lipiodol fiducials. *Journal of the European Society for Therapeutic Radiology and Oncology* 380. 9-1-2007. Ref Type: Abstract
- [67] Van Herk M, Remeijer P, Lebesque JV. Inclusion of geometric uncertainties in treatment plan evaluation. *Int J Radiat Oncol Biol Phys* 2002;52(5):1407-1422.
- [68] Borgefors G. Hierarchical Chamfer Matching - A Parametric Edge Matching Algorithm. *Ieee Transactions on Pattern Analysis and Machine Intelligence* 1988;10(6):849-865.
- [69] O'Doherty UM, McNair HA, Norman AR, Miles E, Hooper S, Davies M, et al. Variability of bladder filling in patients receiving radical radiotherapy to the prostate. *Radiother Oncol* 2006;79(3):335-340.
- [70] Hansen EK, Bucci MK, Quivey JM, Weinberg V, Xia P. Repeat CT imaging and replanning during the course of IMRT for head-and-neck cancer. *Int J Radiat Oncol Biol Phys* 2006;64(2):355-362.
- [71] Seco J, Sharp GC, Wu Z, Gierga D, Buettner F, Paganetti H. Dosimetric impact of motion in free-breathing and gated lung radiotherapy: a 4D Monte Carlo study of intrafraction and interfraction effects. *Med Phys* 2008; 5(1):356-366.
- [72] McBain CA, Khoo VS, Buckley DL, Sykes JS, Green MM, Cowan RA, et al. Assessment of bladder motion for clinical radiotherapy practice using cine-magnetic resonance imaging. *Int J Radiat Oncol Biol Phys* 2009;75(3):664-671.

- [73] Bondar L, Hoogeman M, Mens JW, Dhawtal G, de P, I, Ahmad R, et al. Toward an individualized target motion management for IMRT of cervical cancer based on model-predicted cervix-uterus shape and position. *Radiother Oncol* 2011;99(2):240-245.
- [74] Bondar ML, Hoogeman MS, Mens JW, Quint S, Ahmad R, Dhawtal G, et al. Individualized Nonadaptive and Online-Adaptive Intensity-Modulated Radiotherapy Treatment Strategies for Cervical Cancer Patients Based on Pretreatment Acquired Variable Bladder Filling Computed Tomography Scans. *Int J Radiat Oncol Biol Phys* 2012.
- [75] Chan P, Dinniwell R, Haider MA, Cho YB, Jaffray D, Lockwood G, et al. Inter- and Intrafractional Tumor and Organ Movement in Patients With Cervical Cancer Undergoing Radiotherapy: A Cinematic-MRI Point-of-Interest Study. *Int J Radiat Oncol Biol Phys* 2008; 70(5):1507-1515.
- [76] Beard CJ, Kijewski P, Bussiere M, Gelman R, Gladstone D, Shaffer K, et al. Analysis of prostate and seminal vesicle motion: implications for treatment planning. *Int J Radiat Oncol Biol Phys* 1996;34(2):451-458.
- [77] Pinkawa M, Asadpour B, Siluschek J, Gagel B, Piroth MD, Demirel C, et al. Bladder extension variability during pelvic external beam radiotherapy with a full or empty bladder. *Radiother Oncol* 2007;83(2):163-167.
- [78] O'Doherty UM, McNair HA, Norman AR, Miles E, Hooper S, Davies M, et al. Variability of bladder filling in patients receiving radical radiotherapy to the prostate. *Radiother Oncol* 2006;79(3):335-340.
- [79] Ahmad R, Hoogeman MS, Quint S, Mens JW, de Pree I, Heijmen BJ. Inter-fraction bladder filling variations and time trends for cervical cancer patients assessed with a portable 3-dimensional ultrasound bladder scanner. *Radiother Oncol* 2008;89(2):172-179.
- [80] van Rooijen DC, van de Kamer JB, Pool R, Hulshof MC, Koning CC, Bel A. The effect of online position correction on the dose distribution in focal radiotherapy for bladder cancer. *Radiat Oncol* 2009;4:38.
- [81] Chai X, Van Herk M, van de Kamer JB, Remeijer P, Bex A, Betgen A, et al. Behavior of lipiodol markers during image guided radiotherapy of bladder cancer. *Int J Radiat Oncol Biol Phys* 2010;77(1):309-314.
- [82] Lotz HT, Remeijer P, Van Herk M, Lebesque JV, de Bois JA, Zijp LJ, et al. A model to predict bladder shapes from changes in bladder and rectal filling. *Med Phys* 2004;31(6):1415-1423.
- [83] Sohn M, Birkner M, Yan D, Alber M. Modelling individual geometric variation based on dominant eigenmodes of organ deformation: implementation and evaluation. *Phys Med Biol* 2005;50(24):5893-5908.

- [84] Misra S, Ramesh KT, Okamura AM. Modeling of Tool-Tissue Interactions for Computer-Based Surgical Simulation: A Literature Review. *Presence: Teleoperators & Virtual Environments* 2008;17(5):463-491.
- [85] Samani A, Bishop J, Yaffe MJ, Plewes DB. Biomechanical 3-D finite element modeling of the human breast using MRI data. *IEEE Trans Med Imaging* 2001;20(4):271-279.
- [86] Brock KK, Sharpe MB, Dawson LA, Kim SM, Jaffray DA. Accuracy of finite element model-based multi-organ deformable image registration. *Med Phys* 2005;32(6):1647-1659.
- [87] Crouch JR, Pizer SM, Chaney EL, Hu YC, Mageras GS, Zaider M. Automated finite-element analysis for deformable registration of prostate images. *IEEE Trans Med Imaging* 2007;26(10):1379-1390.
- [88] Bharatha A, Hirose M, Hata N, Warfield SK, Ferrant M, Zou KH, et al. Evaluation of three-dimensional finite element-based deformable registration of pre- and intraoperative prostate imaging. *Med Phys* 2001;28(12):2551-2560.
- [89] Yan D, Jaffray DA, Wong JW. A model to accumulate fractionated dose in a deforming organ. *Int J Radiat Oncol Biol Phys* 1999;44(3):665-675.
- [90] Zhong H, Peters T, Siebers JV. FEM-based evaluation of deformable image registration for radiation therapy. *Phys Med Biol* 2007;52(16):4721-4738.
- [91] Warfield SK, Haker SJ, Talos IF, Kemper CA, Weisenfeld N, Mewes AU, et al. Capturing intraoperative deformations: research experience at Brigham and Women's Hospital. *Med Image Anal* 2005;9(2):145-162.
- [92] Hakenberg OW, Linne C, Manseck A, Wirth MP. Bladder wall thickness in normal adults and men with mild lower urinary tract symptoms and benign prostatic enlargement. *Neurourol Urodyn* 2000;19(5):585-593.
- [93] Lorensen WE, Cline HE. Marching cubes: A high-resolution 3D surface construction algorithm. *Comput Graph* 1987;21:163-196.
- [94] Hensel JM, Menard C, Chung PW, Milosevic MF, Kirilova A, Moseley JL, et al. Development of multiorgan finite element-based prostate deformation model enabling registration of endorectal coil magnetic resonance imaging for radiotherapy planning. *Int J Radiat Oncol Biol Phys* 2007;68(5):1522-1528.
- [95] Egorov VI, Schastlivtsev IV, Prut EV, Baranov AO, Turusov RA. Mechanical properties of the human gastrointestinal tract. *Journal of Biomechanics* 2002;35(10):1417-1425.
- [96] Veronda DR, Westmann RA. Mechanical characterization of skin-finite deformations. *J Biomech* 1970;3(1):111-124.
- [97] Sarma PA, Pidaparti RM, Moulik PN, Meiss RA. Non-linear material models for tracheal smooth muscle tissue. *Bio-Medical Materials and Engineering* 2003;13(3):235-245.

- [98] Ogden R. *Non-Linear Elastic Deformations*. Dover Publications, 1984.
- [99] Tanner C, Schnabel JA, Hill DL, Hawkes DJ, Leach MO, Hose DR. Factors influencing the accuracy of biomechanical breast models. *Med Phys* 2006;33(6):1758-1769.
- [100] Duck FA. *Physical Property of Tissue, A Comprehensive Reference Book*. London ; San Diego : Academic Press, 1990.
- [101] Chi Y, Liang J, Yan D. A material sensitivity study on the accuracy of deformable organ registration using linear biomechanical models. *Med Phys* 2006;33(2):421-433.
- [102] Uffmann K, Maderwald S, Ajaj W, Galban CG, Mateiescu S, Quick HH, et al. In vivo elasticity measurements of extremity skeletal muscle with MR elastography. *NMR Biomed* 2004;17(4):181-190.
- [103] Kemper J, Sinkus R, Lorenzen J, Nolte-Ernsting C, Stork A, Adam G. MR elastography of the prostate: initial in-vivo application. *Rofo* 2004;176(8):1094-1099.
- [104] Kaus MR, Brock KK, Pekar V, Dawson LA, Nichol AM, Jaffray DA. Assessment of a model-based deformable image registration approach for radiation therapy planning. *Int J Radiat Oncol Biol Phys* 2007;68(2):572-580.
- [105] Li P, Malsch U, Bendl R. Combination of intensity-based image registration with 3D simulation in radiation therapy. *Phys Med Biol* 2008;53(17):4621-4637.
- [106] Al-Mayah A, Moseley J, Velec M, Brock KK. Sliding characteristic and material compressibility of human lung: parametric study and verification. *Med Phys* 2009;36(10):4625-4633.
- [107] Al-Mayah A, Moseley J, Velec M, Hunter S, Brock K. Deformable image registration of heterogeneous human lung incorporating the bronchial tree. *Med Phys* 2010;37(9):4560-4571.
- [108] Chai X, Van Herk M, van de Kamer JB, Hulshof MC, Remeijer P, Lotz HT, et al. Finite element based bladder modeling for image-guided radiotherapy of bladder cancer. *Med Phys* 2011;38(1):142-150.
- [109] Krywonos J, Fenwick J, Elkut F, Jenkinson I, Liu YH, Brunt JN, et al. MRI image-based FE modelling of the pelvis system and bladder filling. *Comput Methods Biomech Biomed Engin* 2010;13(6):669-676.
- [110] Schnabel JA, Tanner C, Castellano-Smith AD, Degenhard A, Leach MO, Hose DR, et al. Validation of nonrigid image registration using finite-element methods: application to breast MR images. *IEEE Trans Med Imaging* 2003;22(2):238-247.
- [111] Zhong H, Peters T, Siebers JV. FEM-based evaluation of deformable image registration for radiation therapy. *Phys Med Biol* 2007;52(16):4721-4738.

- [112] Ramos A, Simoes JA. Tetrahedral versus hexahedral finite elements in numerical modelling of the proximal femur. *Med Eng Phys* 2006;28(9):916-924.
- [113] Keyak JH, Fourkas MG, Meagher JM, Skinner HB. Validation of an automated method of three-dimensional finite element modelling of bone. *J Biomed Eng* 1993;15(6):505-509.
- [114] Guldberg RE, Hollister SJ, Charras GT. The accuracy of digital image-based finite element models. *J Biomech Eng* 1998;120(2):289-295.
- [115] Boyd SK, Muller R. Smooth surface meshing for automated finite element model generation from 3D image data. *J Biomech* 2006;39(7):1287-1295.
- [116] Foroudi F, Wong J, Kron T, Roxby P, Haworth A, Bailey A, et al. Development and evaluation of a training program for therapeutic radiographers as a basis for online adaptive radiation therapy for bladder carcinoma. *Radiography* 2010;16(1):14-20.
- [117] Haas B, Coradi T, Scholz M, Kunz P, Huber M, Oppitz U, et al. Automatic segmentation of thoracic and pelvic CT images for radiotherapy planning using implicit anatomic knowledge and organ-specific segmentation strategies. *Phys Med Biol* 2008;53(6):1751-1771.
- [118] Pizer SM, Fletcher PT, Joshi S, Gash AG, Stough J, Thall A, et al. A method and software for segmentation of anatomic object ensembles by deformable m-reps. *Medical Physics* 2005;32(5):1335-1345.
- [119] Costa MJ, Delingette H, Ayache N. Automatic segmentation of bladder using deformable models. 2007 904-907.
- [120] Price G, Moore C. Comparative evaluation of a novel 3D segmentation algorithm on in-treatment radiotherapy cone beam CT images. *SPIE* 2007;6512.
- [121] Lu C, Chelikani S, Papademetris X, Knisely JP, Milosevic MF, Chen Z, et al. An integrated approach to segmentation and nonrigid registration for application in image-guided pelvic radiotherapy. *Med Image Anal* 2011;15(5):772-785.
- [122] Andrew N, Takeo I, Olga S, Marc A. Laplacian mesh optimization. *Proceedings of the 4th international conference on Computer graphics and interactive techniques in Australasia and Southeast Asia*. New York, NY, USA: ACM, 2006. 381-389.
- [123] Jolliffe IT. *Principal Component Analysis*. New York: Springer, 2002.
- [124] Young IT, van Vliet LJ. Recursive implementation of the Gaussian filter. *Signal Processing* 1995;44(2):139-151.

- [125] Dunn OJ. Confidence Intervals for the Means of Dependent, Normally Distributed Variables. *Journal of the American Statistical Association* 1959;54(287):613-621.
- [126] Foroudi F, Haworth A, Pangehel A, Wong J, Roxby P, Duchesne G, et al. Inter-observer variability of clinical target volume delineation for bladder cancer using CT and cone beam CT. *J Med Imaging Radiat Oncol* 2009;53(1):100-106.
- [127] Lutgendorf-Caucig C, Fotina I, Stock M, Potter R, Goldner G, Georg D. Feasibility of CBCT-based target and normal structure delineation in prostate cancer radiotherapy: multi-observer and image multi-modality study. *Radiother Oncol* 2011;98(2):154-161.
- [128] Taubin G. Geometric signal processing on polygonal meshes. *Eurographics* 2000.
- [129] van Rooijen DC, Pool R, van de Kamer JB, Hulshof MC, Koning CC, Bel A. Independent position correction on tumor and lymph nodes; consequences for bladder cancer irradiation with two combined IMRT plans. *Radiat Oncol* 2010;5:53.
- [130] Foroudi F, Wong J, Kron T, Rolfo A, Haworth A, Roxby P, et al. Online Adaptive Radiotherapy for Muscle-Invasive Bladder Cancer: Results of a Pilot Study. *Int J Radiat Oncol Biol Phys* 2010.
- [131] Chai X, Van Herk M, Betgen A, Hulshof MC, Bel A. Automatic bladder segmentation on CBCT for multiple plan ART of bladder cancer using a patient-specific bladder model. *Phys Med Biol* (In press) 2012.
- [132] Ch.Brechbuhler, G.Gerig, O.Kubler. Parametrization of closed surfaces for 3-D shape description. *Comput Vis Image Underst* 2006.
- [133] Ch.Brechbuhler, G.Gerig, O.Kubler. Parametrization of closed surfaces for 3-D shape description. *Comput Vis Image Underst* 2006.
- [134] Jolliffe I T. *Principal Component Analysis*. New York: Springer, 2002.
- [135] G.Price, C.Moore. Comparative evaluation of a novel 3D segmentation algorithm on in-treatment radiotherapy cone beam CT images. *SPIE* 2007;6512.
- [136] Sondergaard J, Olsen KO, Muren LP, Elstrom UV, Grau C, Hoyer M. A study of image-guided radiotherapy of bladder cancer based on lipiodol injection in the bladder wall. *Acta Oncol* 2010;49(7):1109-1115.
- [137] Mijer G, Migchielsen J, Schuring D, van der Toorn P, Weterings J, De Wildt M, et al. Early Clinical Experience with an Online IGART Protocol for Bladder Cancer Patients by In-room Plan Selection Based on CBCT Images. *International Journal of Radiation Oncology, Biology, Physics* 78[3], 394-395. 2010. Ref Type: Abstract

- [138] Xuyang L, Pancera E, Zwirello L, Huaming W, Zwick T. Ultra wideband radar for water detection in the human body. 2010 150-153.
- [139] Xuyang L, Pancera E, Niestoruk L, Stork W, Zwick T. Performance of an ultra wideband radar for detection of water accumulation in the human bladder. 2010 212-215.
- [140] Thariat J, Trimaud R, Angellier G, Caullery M, Amiel J, Bondiau PY, et al. Innovative image-guided CyberKnife stereotactic radiotherapy for bladder cancer. *Br J Radiol* 2010;83(990):e118-e121.
- [141] Remeijer P, Rasch C, Lebesque JV, Van Herk M. Margins for translational and rotational uncertainties: a probability-based approach. *Int J Radiat Oncol Biol Phys* 2002;53(2):464-474.
- [142] van Kranen SR, Van Herk M, Sonke JJ. Margin design for deforming and differential moving target volumes. *Radioth Oncol* 88[154], 154. 2008. Ref Type: Abstract