UNIVERSITY OF AMSTERDAM

UvA-DARE (Digital Academic Repository)

Quantum entanglement in non-local games, graph parameters and zero-error information theory

Scarpa, G.

Publication date
2013

Link to publication

Citation for published version (APA):
Scarpa, G. (2013). *Quantum entanglement in non-local games, graph parameters and zero-error information theory*. [Thesis, fully internal, Universiteit van Amsterdam]. Institute for Logic, Language and Computation.

General rights
It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations
If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: https://uba.uva.nl/en/contact, or a letter to: Library of the University of Amsterdam, Secretariat, P.O. Box 19185, 1000 GD Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (https://dare.uva.nl)

Download date:07 Oct 2026

Bibliography

[AGR81] A. Aspect, P. Grangier, and G. Roger. Experimental tests of realistic local theories via Bell's theorem. *Phys. Rev. Lett.*, 47(7):460–463, 1981.

[AHKS06] D. Avis, J. Hasegawa, Y. Kikuchi, and Y. Sasaki. A quantum protocol to win the graph colouring game on all hadamard graphs. *IEICE Trans. Fundam. Electron. Commun. Comput. Sci.*, E89-A(5):1378–1381, 2006.

[AL06] N. Alon and E. Lubetzky. The Shannon capacity of a graph and the independence numbers of its powers. *Information Theory, IEEE Transactions on*, 52(5):2172–2176, 2006.

[Alo98] N. Alon. The shannon capacity of a union. *Combinatorica*, 18:301–310, 1998.

[Alo02] N. Alon. Graph powers. *Contemporary Combinatorics,(B. Bollobás, ed.), Bolyai Society Mathematical Studies, Springer*, pages 11–28, 2002.

[AOW11] F. Arends, J. Ouaknine, and C. W. Wampler. On searching for small Kochen-Specker vector systems. In *Proceedings of WG 11*, 2011.

[BB84] C. H. Bennett and G. Brassard. Quantum cryptography: Public key distribution and coin tossing. In *Proceedings of IEEE International Conference on Computers, Systems, and Signal Processing*, pages 175–179. IEEE, 1984.

[BBC+93] C. H. Bennett, G. Brassard, C. Crépeau, R. Jozsa, A. Peres, and W. K. Wootters. Teleporting an unknown quantum state via dual

classical and Einstein-Podolsky-Rosen channels. *Phys. Rev. Lett.*, 70:1895–1899, 1993.

[BBG12] J. Briët, H. Buhrman, and D. Gijswijt. Violating the Shannon capacity of metric graphs with entanglement. *Proceedings of the National Academy of Sciences*, 2012.

[BBLV09] J. Briët, H. Buhrman, T. Lee, and T. Vidick. Multiplayer XOR games and quantum communication complexity with clique-wise entanglement. arXiv:0911.4007, 2009.

[BBR94] D. A. M. Barrington, R. Beigel, and S. Rudich. Representing Boolean functions as polynomials modulo composite numbers. *Computational Complexity*, 4(4):367–382, 1994.

[BCGSM] J. Briët, S. Chakraborty, D. García-Soriano, and A. Matsliah. Monotonicity testing and shortest-path routing on the cube. *Combinatorica*, 32(1):1–19, 2012.

[BCT99] G. Brassard, R. Cleve, and A. Tapp. The cost of exactly simulating quantum entanglement with classical communication. *Phys. Rev. Lett.*, 83(9):1874–1877, 1999. quant-ph/9901035.

[BCW98] H. Buhrman, R. Cleve, and A.Wigderson. Quantum vs. classical communication and computation. *Proceedings of the 30th ACM STOC*, pages 63–68, 1998.

[Bei10] S. Beigi. Entanglement-assisted zero-error capacity is upper-bounded by the Lovász ϑ function. *Phys. Rev. A*, 82(1):010303, 2010.

[Bel64] J. S. Bell. On the Einstein-Podolsky-Rosen paradox. *Physics*, 1:195–200, 1964.

[Bel66] J. S. Bell. On the problem of hidden variables in quantum mechanics. *Rev. Mod. Phys.*, 38:447–452, 1966.

[BSST02] C. H. Bennett, P. W. Shor, J. A. Smolin, and A. V. Thapliyal. Entanglement-assisted capacity of a quantum channel and the reverse shannon theorem. *IEEE Trans. Inf. Theory*, 48(10):2637–2655, 2002.

[Bus03] P. Busch. Quantum states and generalized observables: A simple proof of Gleason's theorem. *Phys. Rev. Lett.*, 91:120403–120406, 2003.

[BV11] J. Briët and T. Vidick. Explicit lower and upper bounds on the entangled value of multiplayer XOR games. arXiv:1108.5647, 2011.

[BYJK08] Z. Bar-Yossef, T. S. Jayram, and I. Kerenidis. Exponential separation of quantum and classical one-way communication complexity. *SIAM J. Comp.*, 38(1):366–384, 2008. Earlier version in STOC'04.

[Cab03] A. Cabello. Kochen-Specker theorem for a single qubit using positive operator-valued measures. *Phys. Rev. Lett.*, 90:190401–190404, 2003.

[CFMR04] C. Caves, C. Fuchs, K. Manne, and J. Renes. Gleason-type derivations of the quantum probability rule for generalized measurements. *Found. Phys.*, 34:193–209, 2004.

[Che97] Y. Q. Chen. On the existence of abelian Hadamard difference sets and a new family of difference sets. *Finite fields Appl.*, 3(3):234–256, 1997.

[CHSH69] J. F. Clauser, M. A. Horne, A. Shimony, and R. A. Holt. Proposed experiment to test local hidden-variable theories. *Phys. Rev. Lett.*, 23(15):880–884, 1969.

[CLMW10] T. S. Cubitt, D. Leung, W. Matthews, and A. Winter. Improving zero-error classical communication with entanglement. *Phys. Rev. Lett.*, 104(23):230503, 2010.

[CMN+07] P. J. Cameron, A. Montanaro, M. W. Newman, S. Severini, and A. Winter. On the quantum chromatic number of a graph. *Electr. J. Comb.*, 14(1), 2007.

[CPSS12] A. Cabello, M. G. Parker, G. Scarpa, and S. Severini. Exclusivity structures and graph representatives of local complementation orbits, 2012. *J. Math. Phys.*, 54(7), 2013.

[CSUU07] R. Cleve, W. Slofstra, F. Unger, and S. Upadhyay. Strong parallel repetition theorem for quantum XOR proof systems. In *Proceedings of 22nd IEEE CCC*, pages 282–299, 2007. quant-ph/0608146.

[CSW10] A. Cabello, S. Severini, and A. Winter. (Non-)contextuality of physical theories as an axiom, 2010. arXiv:1010.2163.

[DKLR09] J. Degorre, M. Kaplan, S. Laplante, and J. Roland. The communication complexity of non-signaling distributions. In *Proceedings of 34th MFCS*, pages 270–281, 2009. arXiv:0804.4859.

[dKP07] E. de Klerk and D. V. Pasechnik. A note on the stability number of an orthogonality graph. *Europ. J. Combinat.*, 28:1971–1979, 2007.

[DSW13] R. Duan, S. Severini, and A. Winter. Zero-error communication via quantum channels, noncommutative graphs, and a quantum Lovász number. *IEEE Trans. Inf. Theory*, 59(2):1164 –1174, 2013.

[Duk10] D. D. Dukaric. The Hilbertian tensor norm and its connection to quantum information theory. arXiv:1008.1948v2, 2010.

[dW01] R. de Wolf. *Quantum computing and communication complexity.* PhD thesis, Universiteit van Amsterdam, 2001.

[EBB71] A. Einstein, M. Born, and H. Born. *The Born-Einstein letters: correspondence between Albert Einstein and Max and Hedwig Born from 1916-1955, with commentaries by Max Born.* Macmillan, 1971.

[EPR35] A. Einstein, B. Podolsky, and N. Rosen. Can quantum-mechanical description of physical reality be considered complete? *Phys. Rev.*, 47:777–780, 1935.

[FB75] M. J. Ferguson and D. W. Bailey. Zero-error coding for correlated sources, Unpublished, 1975.

[FIG11] J. Fukawa, H. Imai, and F. Le Gall. Quantum coloring games via symmetric SAT games. In *Proceedings of (AQIS'11)*, 2011.

[FR87] P. Frankl and V. Rödl. Forbidden intersections. *Trans. Amer. Math. Soc.*, 300(1):259–286, 1987.

[FW81] P. Frankl and R.M. Wilson. Intersection theorems with geometric consequences. *Combinatorica*, 1(4):357–368, 1981.

[Gav09] D. Gavinsky. Classical interaction cannot replace quantum nonlocality. arXiv:0901.0956, 2009.

[GKK+08] D. Gavinsky, J. Kempe, I. Kerenidis, R. Raz, and R. de Wolf. Exponential separation for one-way quantum communication complexity, with applications to cryptography. *SIAM J. Comp.*, 38(5):1695–1708, 2008. Earlier version in STOC'07. quant-ph/0611209.

[GKRdW09] D. Gavinsky, J. Kempe, O. Regev, and R. de Wolf. Bounded-error quantum state identification and exponential separations in communication complexity. *SIAM J. Comp.*, 39(1):1–24, 2009. Special issue on STOC'06.

[GL08] N. Gvozdenovic and M. Laurent. The operator Ψ for the chromatic number of a graph. *SIAM J. Opt.*, 19(2):572–591, July 2008.

[Gle57] A. M. Gleason. Measures on the closed subspaces of a Hilbert space. *J. Math. Mech.*, 6:885–893, 1957.

[GN08] C. D. Godsil and M. W. Newman. Coloring an orthogonality graph. *SIAM J. Discret. Math.*, 22(2):683–692, 2008.

[Gop06] P. Gopalan. Constructing Ramsey graphs from boolean function representations. In *Proceedings of the 21st IEEE CCC*, 2006.

[GR01] C. Godsil and G. Royle. *Algebraic graph theory*, volume 207 of *Graduate Texts in Mathematics*. Springer-Verlag, New York, 2001.

[GTHB05] O. Gühne, G. Tóth, P. Hyllus, and H. J. Briegel. Bell inequalities for graph states. *Phys. Rev. Lett.*, 95:120405, 2005.

[GTW10] V. Galliard, A. Tapp and S. Wolf. Deterministic quantum nonlocality and graph colorings. *Theor. Comp. Sci.*, 486:20–26, 2013.

[HEB04] M. Hein, J. Eisert, and H. J. Briegel. Multiparty entanglement in graph states. *Phys. Rev. A*, 69(6):062311–1–062311–20, June 2004.

[Hei71] W. Heisenberg. *Physics and Beyond: Encounters and Conversations*. Harper torchbooks. The Academy library. Allen and Unwin, 1971.

[Hog07] L. Hogben. Orthogonal representations, minimum rank, and graph complements, *Linear Algebra Appl.*, 428, 2008.

[JP11] M. Junge and C. Palazuelos. Large violation of Bell inequalities with low entanglement. *Comm. Math. Phys.*, 306(3):695–746, 2011. arXiv:1007.3043v2.

[JPP+10] M. Junge, C. Palazuelos, D. Pérez-García, I. Villanueva, and M. Wolf. Unbounded violations of bipartite Bell inequalities via Operator Space theory. *Comm. Math. Phys.*, 300(3):715–739, 2010. Shorter version appeared in PRL 104:170405.

[KD93] D.E. Knuth and Stanford University. Computer Science Dept. *The sandwich theorem*. Stanford University, Dept. of Computer Science, 1993.

[Kho02] Subhash Khot. On the power of unique 2-prover 1-round games. In *Proceedings of 34th ACM STOC*, pages 767–775, 2002.

[KKL88] J. Kahn, G. Kalai, and N. Linial. The influence of variables on Boolean functions. In *Proceedings of 29th IEEE FOCS*, pages 68–80, 1988.

[KKM+11] J. Kempe, H. Kobayashi, K. Matsumoto, B. Toner, and T. Vidick. Entangled games are hard to approximate. *SIAM J. Comp.*, 40(3):848–877, 2011. Preliminary version in FOCS'08.

[KKMV09] J. Kempe, H. Kobayashi, K. Matsumoto, and T. Vidick. Using entanglement in quantum multi-prover interactive proofs. *Computational Complexity*, 18(2):273–307, 2009. Preliminary version in Complexity 2008.

[KO98] J. Körner and A. Orlitsky. Zero-error information theory. *IEEE Trans. Inf. Theory*, 44(6):2207–2229, 1998.

[KRT10] J. Kempe, O. Regev, and B. Toner. Unique games with entangled provers are easy. *SIAM J. Comp*, 39(7):3207–3229, 2010. Preliminary version in FOCS'08. arXiv:0710.0655.

[KS67] S. Kochen and E. P. Specker. The problem of hidden variables in quantum mechanics. *J. of Mathematics and Mechanics*, 17:59–87, 1967.

[KV05] S. A. Khot and N. K. Vishnoi. The unique games conjecture, integrality gap for cut problems and embeddability of negative type metrics into ℓ_1. In *Proceedings of 46th IEEE FOCS*, pages 53–62, 2005.

[LMM+12] D. Leung, L. Mancinska, W. Matthews, M. Ozols, and A. Roy. Entanglement can increase asymptotic rates of zero-error classical communication over classical channels. *Comm. Math. Phys.*, 311:97–111, 2012.

[Lov79] L. Lovász. On the Shannon capacity of a graph. *IEEE Trans. Inf. Theory*, 25(1):1–7, 1979.

[LT91] M. Ledoux and M. Talagrand. *Probability in Banach Spaces*. Springer, 1991.

[Lub07] E. Lubetzky. *Graph Powers and Related Extremal Problems*. PhD thesis, Tel Aviv University, 2007.

[Meu05] P. Meurdesoif. Strengthening the Lovász Theta(G) bound for graph coloring. *Math. Program.*, 102(3):577–588, 2005.

[MO] L. Mančinska and M. Ozols. private communications.

[MSS13] L. Mančinska, G. Scarpa, and S. Severini. New separations in zero-error channel capacity through projective Kochen-Specker sets and quantum coloring. *IEEE Trans. Inf. Theory*, 59(6):4025–4032, 2013.

[NC00] M. A. Nielsen and I. L. Chuang. *Quantum Computation and Quantum Information*. Cambridge University Press, New York, 2000.

[NTR06] J. Nayak, E. Tuncel, and K. Rose. Zero-error source-channel coding with side information. *IEEE Trans. Inf. Theory*, 52(10):4626–4629, 2006.

[O'D08] R. O'Donnell. Some topics in analysis of boolean functions. Technical report, ECCC Report TR08–055, 2008. Paper for an invited talk at STOC'08.

[Pai79] A. Pais. Einstein and the quantum theory. *Reviews of Modern Physics*, 51(4):863–914, October 1979.

[Pal33] R. E. A. C. Paley. On orthogonal matrices. *Journal of Mathematics and Physics (now called Studies in Applied Mathematics)*, 12:311–320, 1933.

[Pal12a] C. Palazuelos. Bounding the largest Bell violation of the maximally entangled state. Preprint, 2012.

[Pal12b] C. Palazuelos. Super-activation of quantum non-locality. *Phys. Rev. Lett.*, 109, 190401 (2012)

[Per91] A. Peres. Two simple proofs of the Kochen-Specker theorem. *J. Phys. A*, 24:L175–L178, 1991.

[PMMM05] M. Pavicic, J. Merlet, B. McKay, and N. D. Megill. Kochen-Specker vectors. *J. Phys. A*, 38:1577, 2005.

[PWP+08] D. Pérez-García, M. M. Wolf, C. Palazuelos, I. Villanueva, and M. Junge. Unbounded violations of tripartite Bell inequalities. *Comm. Math. Phys.*, 279:455, 2008. quant-ph/0702189.

[Reg12] O. Regev. Bell violations through independent bases games. *Quant. Inf. Comp.*, 12(1):9–20, 2012. arXiv:1101.0576.

[RM12] D. E. Roberson and L. Mancinska. Graph Homomorphisms for Quantum Players. 2012. arXiv:1212.1724.

[RW04] R. Renner and S. Wolf. Quantum pseudo-telepathy and the Kochen-Specker theorem. In *Proc. Int. Symp. Inf. Theory*, pages 322–329, 2004.

[Sha56] C. E. Shannon. The zero error capacity of a noisy channel. IT-2(3):8–19, September 1956.

[SS12] G. Scarpa and S. Severini. Kochen-Specker sets and the rank-1 quantum chromatic number. *IEEE Trans. Inf. Theory*, 58(4):2524–2529, 2012.

[SW01] D. Schlingemann and R. F. Werner. Quantum error-correcting codes associated with graphs. *Phys. Rev. A*, 65:012308, Dec 2001.

[Sze94] M. Szegedy. A note on the ϑ number of Lovász and the generalized Delsarte bound. *Proceedings of the 35th IEEE FOCS*, pages 36–39, 1994.

[Tsi87] B. S. Tsirelson. Quantum analogues of the Bell inequalities. the case of two spatially separated domains. *Journal of Soviet Mathematics*, 36:557–570, 1987.

[Viz63] V. G. Vizing. The Cartesian product of graphs. *Vycisl. Sistemy*, 9:30–43, 1963.

[VVS95] S. Vembu, S. Verdu, and Y. Steinberg. The source-channel separation theorem revisited. *IEEE Trans. Inf. Theory*, 41(1):44–54, 1995.

[Wit76] H. S. Witsenhausen. The zero-error side information problem and chromatic numbers. *IEEE Trans. Inf. Theory*, 22(5):592–593, 1976.

[Wol08] R. de Wolf. A brief introduction to Fourier analysis on the Boolean cube. *Theory of Computing*, ToC Library, Graduate Surveys 1, 2008.

[WX97] R.M. Wilson and Q. Xiang. Constructions of Hadamard difference sets. *Journal of combinatorial theory. Series A*, 77(1):148–160, 1997.

[Xia98] Q. Xiang. Difference families from lines and half lines. *European J. of Combinatorics*, 19(3):395–400, 1998.

[XL91] M. Xia and G. Liu. An infinite class of supplementary difference sets and Williamson matrices. *J. of Combinatorial Theory, Series A*, 58(2):310–317, 1991.

[XL96] M. Xia and G. Liu. A new family of supplementary difference sets and Hadamard matrices. *Journal of Statistical Planning and Inference*, 51(3):283–291, 1996.

[XSX06] T. Xia, J. Seberry, and M. Xia. New constructing of regular Hadamard matrices. In *Proceedings of the 10th ICCOMP* pages 1294–1299, 2006.

[Yek12] S. Yekhanin. Locally decodable codes. *Foundations and Trends in Theoretical Computer Science*, 6(3):139–255, 2012.