

Supplementary Information

Anharmonicity and Deuteration in the IR Absorption and Emission Spectrum of Phenylacetylene

Vincent J. Esposito,^{a*} Piero Ferrari,^b Wybren Jan Buma,^{b,c} Christiaan Boersma,^a Cameron J. Mackie,^d Alessandra Candian,^e Ryan C. Fortenberry,^f Alexander G. G. M. Tielens^{d,g}

^a*NASA Ames Research Center, MS 245-6, Moffett Field, CA 94035-1000, USA*

^b*Radboud University, Institute for Molecules and Materials, HFML-FELIX, 6525 ED Nijmegen, The Netherlands*

^c*Van 't Hoff Institute for Molecular Sciences, University of Amsterdam, 1098 XH Amsterdam, The Netherlands*

^d*Leiden Observatory, Leiden University, 2333 CA Leiden, The Netherlands*

^e*Anton Pannekoek Institute for Astronomy, University of Amsterdam, 1098 XH Amsterdam, The Netherlands*

^f*Department of Chemistry & Biochemistry, University of Mississippi, University, MS 38677-1848, USA*

^g*Astronomy Department, University of Maryland, College Park, MD 20742-2421*




Figure S1: Probability of IR photon emission at discrete energies along the cascade emission spectrum of phenylacetylene.




Figure S2: Probability of IR photon emission at discrete energies along the cascade emission spectrum of D-phenylacetylene.