



## UvA-DARE (Digital Academic Repository)

### Learning robots to rescue

*The RoboCup Rescue as training ground*

Visser, A.

#### Publication date

2017

#### Document Version

Final published version

[Link to publication](#)

#### Citation for published version (APA):

Visser, A. (2017). *Learning robots to rescue: The RoboCup Rescue as training ground*. Poster session presented at Delft Workshop on Robot Learning, Delft, Netherlands.

#### General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

#### Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, P.O. Box 19185, 1000 GD Amsterdam, The Netherlands. You will be contacted as soon as possible.



# Learning robots to rescue

The RoboCup Rescue as training ground

Arnoud Visser

## Challenge

- After a disaster a team of robots, must explore the devastated city. Ambulances have to find as many victims as possible, dig them out and bring them to a hospital. Fire fighters have to extinguish fires before the situation goes out of hand. Police can help to patrol and explore, but can also clear the road for the other agents.



Fire fighters cooperating to extinguish a fire in the city

## Context

- After the Great Hanshin Earthquake of 1995 in Kobe, the Japanese government decided to promote research related to the problems encountered during large-scale urban disasters.
- A major outcome of this initiative was the RoboCup Rescue competitions. This led to both versatile robots as control software for large teams of rescue agents.




A RoboCup Rescue robot searching for victims

## Learning Coordination Policies

The coordination problem is described as a dec-POMDP, which is interpreted as a series of Bayesian games. In this Bayesian game each robot has some private information (not communicated with the team). This private information is clustered into a type of observation histories. This Bayesian game is used to find a joint policy is designed to maximize the average result achieved on all joint action-observation histories.

## Results

To apply Bayesian games to realistic RoboCup Rescue scenario's, the decision making is decomposed into a high-level Bayesian game and low-level MDP:




Results for different coordination approaches on Rescue Simulation maps. Courtesy Trăichioiu

## Conclusion

Bayesian Game approximations make it possible to bridge the gap to coordination problems encountered in benchmarks as the RoboCup Rescue. Modeling that each robot has a certain amount of private information, next to a certain amount of common knowledge, is a natural assumption. Also online planning is natural in such dynamic situations.

## References

- Rosemary Emery-Montemerlo. *Game-Theoretic Control for Robot Teams*. PhD thesis, The Robotics Institute, Carnegie Mellon University, 2005.
- Frans A. Oliehoek and Arnoud Visser. *A Decision-Theoretic Approach to Collaboration: Principal Description Methods and Efficient Heuristic Approximations*, pages 87–124. Springer Berlin Heidelberg, Berlin, Heidelberg, 2010.
- Štefan Konečný. *Lossless clustering of multi-agent beliefs to approximate large horizon dec-pomdps*. Master's thesis, Universiteit van Amsterdam, 2011.
- Mircea Trăichioiu. *Hierarchical decision theoretic planning for robocup rescue agent simulation*. Master's thesis, Universiteit van Amsterdam, 2014.



Bayesian Game – independent decisions based on a joint policy found for a type of histories. Courtesy Emery-Montemerlo

Based on the individual action  $a_i$  observation  $z_i$  the actions of all the other agents are inferred, relying on a common knowledge assumption, by finding match to the type  $\Theta$ .