

UvA-DARE (Digital Academic Repository)

Path-metadynamics: A computational study of conformational transitions in proteins

Díaz Leines, G.

Publication date
2013

[Link to publication](#)

Citation for published version (APA):

Díaz Leines, G. (2013). *Path-metadynamics: A computational study of conformational transitions in proteins*. [Thesis, fully internal, Universiteit van Amsterdam].

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

Contents

1	Introduction	1
1-1	Protein structure and function	2
1-2	The mechanism of protein folding	4
1-2.1	Transition pathways	4
1-2.2	The free energy landscape view	5
1-3	Conformational changes in proteins	8
1-4	Computational modelling of complex transitions	11
1-4.1	Conformational changes in proteins are rare events	11
1-4.2	The development of new rare event algorithms to study confor- mational changes in proteins	13
1-5	Outline of this thesis	14
1-6	References	15
2	Computer Simulations of Rare Events	19
2-1	Molecular dynamics	20
2-2	Rare events	23
2-3	Finding the mechanism of a rare event	24
2-3.1	Reaction coordinates: Defining collective variables to describe a transition	25
2-3.2	Committor probabilities	25
2-3.3	Free energy landscapes	27
2-3.4	Rate constants	28
2-4	Free energy methods	30
2-4.1	Umbrella sampling	30
2-4.2	Metadynamics	32
2-5	Transition path methods	34
2-5.1	The minimum energy path	35
2-5.2	The minimum free energy path	36
2-5.3	String method to determine the MFEP	37
2-5.4	Calculation of the mean force and the metric tensor using MD	39

2-5.5	Finite temperature string method and the principal curves	40
2-6	References	42
2.A	Variational formulation of the MFEP as a maximum likelihood path .	45
2.A.1	MFEP and committor probabilities	45
3	Path Finding on High-Dimensional Free Energy Landscapes	49
3-1	Introduction	50
3-2	Path-Metadynamics method	51
3-2.1	Defining the average transition path	51
3-2.2	Flux density along the iso-committor surfaces	52
3-2.3	Localized transition tube assumption	52
3-2.4	Defining the path-collective variable σ	53
3-2.5	Sampling the average transition path	53
3-3	The algorithm	56
3-4	Test model: alanine dipeptide	57
3-4.1	Convergence of the path and the free energy	59
3-4.2	Using the gradient of the free energy landscape	61
3-5	References	64
3.A	Geometrical derivation of the path-variable σ	67
4	An Assessment of Path-Metadynamics	71
4-1	Introduction	72
4-2	Method: path-metadynamics equations	74
4-2.1	Path-metadynamics algorithm	77
4-2.2	Steepest descent evolution of the path	78
4-3	A recipe for the computation of transition pathways	80
4-3.1	Simulation Details	81
4-3.2	Two-dimensional landscape using umbrella sampling	82
4-3.3	Minimum free energy path using the string method	82
4-3.4	Umbrella sampling along the average transition path	83
4-4	Fine-tuning of parameters to converge the transition pathways	85
4-4.1	Effective transition tube: Choosing parameter k_d	85
4-4.2	Fine-tuning the evolution of the path towards the MFEP: choosing T_{conv} and $\delta\tau$	90
4-4.3	Optimal choice of the time interval between path updates t_{evol} .	93
4-5	Discussion and conclusion	97
4-6	References	100
5	Mapping the Free Energy Profile of the Light-induced Unfolding of Photoactive Yellow Protein	103
5-1	Introduction	104
5-2	Methods	107
5-2.1	Metadynamics	107

5-2.2	Path-metadynamics	107
5-2.3	Finding a sufficient set of CVs	108
5-3	Computational details	110
5-3.1	MD setup	110
5-3.2	Definition of CVs	110
5-4	Results	111
5-4.1	Unfolding of the region $\alpha 3$	111
5-4.2	Heterogeneity in the U_α state	112
5-4.3	Solvent exposure of Glu ⁴⁶	114
5-4.4	Solvent exposure of pCA	116
5-4.5	Time constants of the transition pB' to pB	116
5-5	Discussion	117
5-5.1	Intermediate states and molecular insight along the reaction paths	117
5-5.2	Path-metadynamics for the study of complex transitions	119
5-6	References	120
5.A	Computational details	124
5.A.1	Set up of path-metadynamics	124
5.A.2	Adaptive algorithm for the convergence of the free energy profiles	125
5.A.3	CVs to describe the transitions	125
5.A.4	Stable states definitions	127
5.B	Complementary results	128
5.B.1	Representative path projections for transitions from pB' to pB .	128
5.B.2	Re-crossings of the path collective variable σ and the CVs as a function of time	128
6	Predicting the Mechanism of Dissociation/Formation of the GCN4 Leucine Zipper Domain	133
6-1	Introduction	134
6-2	Methods	137
6-2.1	Molecular dynamics	137
6-2.2	Path-metadynamics	138
6-2.3	Collective variables	138
6-2.4	Set-up of path-metadynamics simulations	140
6-3	Results	144
6-3.1	Formation/dissociation can occur via multiple routes	144
6-3.2	Separate contributions to the unfolding/dissociation mechanism	146
6-4	Discussion and conclusion	158
6-4.1	Molecular insight along the average transition paths	158
6-4.2	Convergence of the free energy profiles	160
6-4.3	A sufficient set of collective variables to describe the formation of GCN4 leucine zipper	160
6-5	References	162

Summary	167
Samenvatting	171
Acknowledgments	177
About the author	181