



UvA-DARE (Digital Academic Repository)

Vocal foragers and silent crowds

context-dependent vocal variation in Northeast Atlantic long-finned pilot whales

Visser, F.; Kok, A.C.M.; Oudejans, M.G.; Scott-Hayward, L.A.S.; DeRuiter, S.L.; Alves, A.C.; Antunes, R.N.; Isojunno, S.; Pierce, G.J.; Slabbekoorn, H.; Huisman, J.; Miller, P.J.O.

DOI

[10.1007/s00265-017-2397-y](https://doi.org/10.1007/s00265-017-2397-y)

Publication date

2017

Document Version

Other version

Published in

Behavioral Ecology and Sociobiology

License

CC BY

[Link to publication](#)

Citation for published version (APA):

Visser, F., Kok, A. C. M., Oudejans, M. G., Scott-Hayward, L. A. S., DeRuiter, S. L., Alves, A. C., Antunes, R. N., Isojunno, S., Pierce, G. J., Slabbekoorn, H., Huisman, J., & Miller, P. J. O. (2017). Vocal foragers and silent crowds: context-dependent vocal variation in Northeast Atlantic long-finned pilot whales. *Behavioral Ecology and Sociobiology*, 71(12), Article 170. <https://doi.org/10.1007/s00265-017-2397-y>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations


If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, P.O. Box 19185, 1000 GD Amsterdam, The Netherlands. You will be contacted as soon as possible.

Electronic supplementary material for the manuscript: 'Vocal foragers and silent crowds: context-dependent vocal variation in Northeast Atlantic long-finned pilot whales', in Behavioral Ecology and Sociobiology, by Fleur Visser, Annebelle CM Kok, Machiel G Oudejans, Lindesay AS Scott-Hayward, Stacy L DeRuiterd, Ana C Alves, Ricardo N Antunes, Saana Isojunno, Graham J Pierce, Hans Slabbekoorn, Jef Huisman and Patrick JO Miller.


Corresponding author: Fleur Visser, Leiden University and Kelp Marine Research, the Netherlands.

Supplementary Figures

Supplementary Figure S1. Examples of call types. a-c: non-inflected calls, d-f: inflected calls; g-i: highly inflected calls.



Supplementary Figure S2. Timing in the dive cycle of highly inflected calls produced 0-15 minutes prior to or post deep dives (>34 m), or in the descent, bottom or ascent phase of deep dives, as a function of maximum dive depth of the dive in/closest in time to which they occurred. Open circles: individual calls. Red lines and error bars: mean and SEM.



Supplementary Tables

Supplementary Table S1. Parameter estimates and standard errors (\pm) for retained covariates ($P < 0.05$) in the two binomial GEE-based vocalisation models (silence, calls). Empty cell: parameter not retained best model. Coefficients represent the difference between the factor level and the reference factor level on the scale of the link function (logit).

Covariate(_factor level)	Vocalisation type	
	Silence	Calls
Diving state_shallow	3.7 \pm 1.21	-1.8 \pm 0.8
Group size	-0.06 \pm 0.04 ^a	
No. individuals in focal area	0.1 \pm 0.01 ^a	
Individual spacing_tight	2.4 \pm 1.3	-0.7 \pm 0.3
Individual spacing_loose	2.1 \pm 1.0	-1.2 \pm 0.5
Individual spacing_veryLoose	2.5 \pm 1.2	-0.6 \pm 0.4
Individual spacing_solitary	2.0 \pm 1.3	-2.2 \pm 0.3
Diving state_shallow:Group size	0.22 \pm 0.02	
Diving state_shallow:No. individuals in focal area	-0.1 \pm 0.02	
Diving state_shallow:Individual spacing_tight	-2.5 \pm 1.3	1.1 \pm 0.7
Diving state_shallow:Individual spacing_loose	-3.1 \pm 0.9	1.7 \pm 0.8
Diving state_shallow:Individual spacing_veryloose	-3.5 \pm 1.2	1.0 \pm 0.9
Diving state_shallow:Individual spacing_solitary	-3.6 \pm 2.2	3.9 \pm 0.9

^aParameter retained in best model because included in significant 2-way interaction term

Supplementary Table S2. Parameter estimates and standard errors (\pm) for retained covariates ($P < 0.05$) in the multinomial GEE-based vocalisation model (responses: no calls, non-inflected, inflected or highly inflected calls). Coefficients represent the difference between the factor level and the reference factor level on the scale of the link function (cumulative logit).

Covariate(_factor level)	Call modularity
Intercept 1 (no calls)	0.16 \pm 0.25
Intercept 2 (non-inflected calls)	0.84 \pm 0.22
Intercept 3 (inflected calls)	2.63 \pm 0.24
Diving state_deep	-3.82 \pm 0.62
Distance to nearest other group_100to200	-0.40 \pm 0.47 ^a
Distance to nearest other group_10to50	-0.89 \pm 0.34 ^a
Distance to nearest other group_200to500	-0.47 \pm 0.20 ^a
Distance to nearest other group_500to1000	-0.10 \pm 0.50 ^a
Distance to nearest other group_50to100	-1.24 \pm 0.22 ^a
Individual spacing_loose	-0.56 \pm 0.19
Individual spacing_solitary	-1.83 \pm 1.51
Individual spacing_tight	-0.07 \pm 0.11
Individual spacing_veryLoose	-0.36 \pm 0.16
Diving state_deep:Distance to nearest other group_100to200	1.68 \pm 0.38
Diving state_deep:Distance to nearest other group_10to50	2.46 \pm 0.23
Diving state_deep:Distance to nearest other group_200to500	0.84 \pm 0.29
Diving state_deep:Distance to nearest other group_500to1000	0.80 \pm 1.02
Diving state_deep:Distance to nearest other group_50to100	2.49 \pm 0.97
Diving state_deep:Individual spacing_loose	1.33 \pm 0.34
Diving state_deep:Individual spacing_solitary	5.11 \pm 1.02
Diving state_deep:Individual spacing_tight	1.31 \pm 0.52
Diving state_deep:Individual spacing_veryLoose	2.22 \pm 0.67

^aParameter retained in best model because included in significant 2-way interaction term.