



**UvA-DARE (Digital Academic Repository)**

**Modeling the Impact of White-Plague Coral Disease in Climate Change Scenarios**

Zvuloni, A.; Artzy-Randrup, Y.; Katriel, G.; Loya, Y.; Stone, L.

*Published in:*  
PLoS Computational Biology

*DOI:*  
[10.1371/journal.pcbi.1004151](https://doi.org/10.1371/journal.pcbi.1004151)

[Link to publication](#)

*License*  
**CC BY**

*Citation for published version (APA):*  
Zvuloni, A., Artzy-Randrup, Y., Katriel, G., Loya, Y., & Stone, L. (2015). Modeling the Impact of White-Plague Coral Disease in Climate Change Scenarios. *PLoS Computational Biology*, 11(6), e1004151.  
<https://doi.org/10.1371/journal.pcbi.1004151>


**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

Figure S4



**Figure S4. Simulated future projections of the local coral community:** In **A)** are the number of infected corals, and in **B)** is the total community size of live corals. The simulated projections in red are equivalent to those in Figure 6 of the main text (where we used the exact values of estimated  $c(1), c(2), \dots, c(11)$ ), and in green are an example where we allowed each of the parameters  $c(1), c(2), \dots, c(11)$  to vary uniformly  $\pm 2.5\%$  from their original estimated values. We found the results to be

equivalent demonstrating the robustness of our described patterns under mild parameter variation. To make this clearer, we show here a close up of the projections from year 25 to year 75. As in Figure 6, the simulations in panels **a**, **b** and **c** relied on the demographic scenario of constant influx of recruits (64 recruits per year), while in panels **d**, **e** and **f**, they rely on the scenario of free-space regulation of recruitment (see *Materials and Methods*). Panels **a** and **d** are based on the SST time-series measured between June 2006 and May 2007 recurrently from year to year in the corresponding months. Based on this time-series, we generate future projections by adding 0.5°C (panels **b** and **e**) and 1°C (panels **c** and **f**) to the SST of each month. In these simulations we allow each new recruit to settle randomly anywhere on the 10×10 m plane.