



## UvA-DARE (Digital Academic Repository)

### The value of tailored communication in promoting medication intake behavior

Linn, A.J.

**Publication date**  
2013

[Link to publication](#)

#### **Citation for published version (APA):**

Linn, A. J. (2013). *The value of tailored communication in promoting medication intake behavior*.

#### **General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

#### **Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

## References

### A

- Aikens, J. E., & Klinkman, M. S. (2012). Changes in patients' beliefs about their antidepressant during the acute phase of depression treatment. *General Hospital Psychiatry, 34*(3), 221-226. doi: 10.1016/j.genhosppsych.2012.01.004
- Ajzen, I. (1991). The theory of planned behavior. *Organizational Behavior and Human Decision Processes, 50*(2), 179-211. doi: 10.1016/0749-5978(91)90020-T
- Allen LaPointe, N. M., Ou, F. S., Calvert, S. B., Melloni, C., Stafford, J. A., Harding, T., . . . Peterson, E. D. (2010). Changes in beliefs about medications during long-term care for ischemic heart disease. *American Heart Journal, 159*(4), 561-569. doi: 10.1016/j.ahj.2009.12.025
- Altman, D. G. (1991). *Practical Statistics for Medical Research*. London, England: Chapman & Hall.
- Andrade, A. S. A., McGruder, H. F., Wu, A. W., Celano, S. A., Skolasky Jr, R. L., Selnes, O. A., . . . McArthur, J. C. (2005). A programmable prompting device improves adherence to highly active antiretroviral therapy in HIV-infected subjects with memory impairment. *Clinical Infectious Diseases, 41*(6), 875-882. doi: 10.1086/432877
- An Analysis of Consumer Health Apps for Apple's iPhone 2012. (2012). retrieved from: <http://mobihealthnews.com/research/an-analysis-of-consumer-health-apps-for-apples-iphone-2012/>
- Artinian, N. T., Harden, J. K., Kronenberg, M. W., Vander Wal, J. S., Daher, E., Stephens, Q., & Bazzi, R. I. (2003). Pilot study of a web-based compliance monitoring device for patients with congestive heart failure. *Heart & Lung: The Journal of Critical Care, 32*(4), 226. doi: 10.1016/S0147-9563(03)00026-8
- Atkinson, N. L., & Gold, R. S. (2002). The promise and challenge of eHealth interventions. *American Journal of Health Behavior, 26*(6), 494-503. Retrieved from [www.nhitunderserved.org/resources/media/documents/ehealth\\_promise2.pdf](http://www.nhitunderserved.org/resources/media/documents/ehealth_promise2.pdf)

## B

- Baars, J. E., Markus, T., Kuipers, E. J., & van der Woude, C. J. (2010). Patients' preferences regarding shared decision-making in the treatment of inflammatory bowel disease: Results from a patient-empowerment study. *Digestion, 81*(2), 113-119. doi: 10.1159/000253862
- Bandura, A. (1977). Self-efficacy: Toward a unifying theory of behavioral change. *Psychological Review, 84*(2), 191-215. doi: 10.1037//0033-295X.84.2.191
- Barber, N., Parsons, J., Clifford, S., Darracott, R., & Horne, R. (2004). Patients' problems with new medication for chronic conditions. *Quality and Safety in Health Care, 13*(3), 172-175. doi: 10.1136/qshc.2003.005926
- Bartlett, E. E., Grayson, M., Barker, R., Levine, D. M., Golden, A., & Libber, S. (1984). The effects of physician communications skills on patient satisfaction; recall, and adherence. *Journal of Chronic Diseases, 37*(9-10), 755-764. doi: 10.1016/0021-9681(84)90044-4
- Bartlett, J. A. (2002). Addressing the challenges of adherence. *JAIDS Journal of Acquired Immune Deficiency Syndromes, 29*, S2-S10.
- Becker, M. H. (1974). *The health belief model and personal health behavior* (2nd ed.). San Francisco: Slack Thorofare, NJ.
- Bensing, J. (1991). Doctor-patient communication and the quality of care. *Social Science & Medicine, 32*(11), 1301-1310. doi: 10.1016/0277-9536(91)90047-G
- Bensing, J., & Verhaak, P. F. M. (2004). Communication in medical encounters. In J. Weinman, & A. Kaptein (Eds.), *Health psychology* (pp. 261-287). Malden: Blackwell Publishing. doi: 10.1108/09654280810899993
- Bernstein, K. I., Promislow, S., Carr, R., Rawsthorne, P., Walker, J. R., & Bernstein, C. N. (2011). Information needs and preferences of recently diagnosed patients with inflammatory bowel disease. *Inflammatory Bowel Diseases, 17*(2), 590-598. doi: 10.1002/ibd.21363

- Berry, D. C., Gillie, T., & Banbury, S. (1995). What do patients want to know: An empirical approach to explanation generation and validation. *Expert Systems with Applications*, 8(4), 419-428. doi: 10.1016/0957-4174(94)E0033-Q,
- Bezreh, T., Laws, M. B., Taubin, T., Rifkin, D. E., & Wilson, I. B. (2012). Challenges to physician-patient communication about medication use: A window into the skeptical patient's world. *Patient Preference and Adherence*, 6, 11. doi: 10.2147/PPA.S25971
- Blasi, Z. D., Harkness, E., Ernst, E., Georgiou, A., & Kleijnen, J. (2001). Influence of context effects on health outcomes: A systematic review. *The Lancet*, 357(9258), 757-762. doi: 10.1016/S0140-6736(00)04169-6
- Bregnballe, V., Schiøtz, P. O., Boisen, K. A., Pressler, T., & Thastum, M. (2011). Barriers to adherence in adolescents and young adults with cystic fibrosis: A questionnaire study in young patients and their parents. *Patient Preference and Adherence*, 5, 507. doi: 10.2147/PPA.S25308
- Brown, M. T., & Bussel, J. K. (2011). Medication adherence: WHO cares? *Mayo Clinic Proceedings*, 86(4) 304. doi: 10.4065/mcp.2010.0575
- Brown, R. F., Butow, P. N., Dunn, S. M., & Tattersall, M. H. N. (2001). Promoting patient participation and shortening cancer consultations: A randomised trial. *British Journal of Cancer*, 85(9), 1273-1279. doi: 10.1054/bjoc.2001.2073
- Brown, S. C., & Park, D. C. (2003). Theoretical models of cognitive aging and implications for translational research in medicine. *The Gerontologist*, 43(suppl 1), 57-67. doi: 10.1093/geront/43.suppl\_1.57
- Brug, J., van Assema, P., & Lechner, L. (2007). *Gezondheidsvoorlichting en gedragsverandering: Een planmatige aanpak* (7th ed.). Assen: Uitgeverij Van Gorcum.
- Bruin, M. D., Hospers, H., Borne, H. W. V. D., Kok, G., & Prins, J. (2005). Theory-and evidence-based intervention to improve adherence to antiretroviral therapy among HIVInfected patients in the netherlands: A pilot study. *AIDS Patient Care & STDs*, 19(6), 384-394. doi: 10.1089/apc.2005.19.384.
- Bull, F. C., Kreuter, M. W., & Scharff, D. P. (1999). Effects of tailored, personalized and general health messages on physical activity. *Patient Education and Counseling*, 36(2), 181-192. doi: 10.1016/S0738-3991(98)00134-7

Bultman, D. C., & Svarstad, B. L. (2000). Effects of physician communication style on client medication beliefs and adherence with antidepressant treatment. *Patient Education and Counseling, 40*(2), 173-185. doi: 10.1016/S0738-3991(99)00083-X

Butow, P., Brown, R., Cogar, S., Tattersall, M., & Dunn, S. (2002). Oncologists' reactions to cancer patients' verbal cues. *Psycho-Oncology, 11*(1), 47-58. doi: 10.1002/pon.556

Butow, P., Dunn, S., Tattersall, M., & Jones, Q. (1994). Patient participation in the cancer consultation: Evaluation of a question prompt sheet. *Annals of Oncology, 5*(3), 199. Retrieved from <http://annonc.oxfordjournals.org/content/5/3/199.short>

## C

Cameron, K. A., Ross, E. L., Clayman, M. L., Bergeron, A. R., Federman, A. D., Bailey, S. C., . . . Wolf, M. S. (2010). Measuring patients' self-efficacy in understanding and using prescription medication. *Patient Education and Counseling, 80*(3), 372-376. doi: 10.1016/j.pec.2010.06.029

Campbell, N. C., Murray, E., Darbyshire, J., Emery, J., Farmer, A., Griffiths, F., . . . Kinmonth, A. L. (2007). Designing and evaluating complex interventions to improve health care. *British Medical Journal, 334*(7591), 455-459. doi: 10.1136/bmj.39108.379965.BE

Chan, D. S., Callahan, C. W., Hatch-Pigott, V. B., Lawless, A., Proffitt, H. L., Manning, N. E., . . . Malone, F. J. (2007). Internet-based home monitoring and education of children with asthma is comparable to ideal office-based care: Results of a 1-year asthma in-home monitoring trial. *Pediatrics, 119*(3), 569-578. doi: 10.1542/peds.2006-1884

Chan, D. S., Callahan, C. W., Sheets, S. J., Moreno, C. N., & Malone, F. J. (2003). An Internet-based store-and-forward video home telehealth system for improving asthma outcomes in children. *American Journal of Health-System Pharmacy, 60*(19), 1976-1981. Retrieved from: <http://ajhp.org/content/60/19/1976.short>

Charles, T., Quinn, D., Weatherall, M., Aldington, S., Beasley, R., & Holt, S. (2007). An audiovisual reminder function improves adherence with inhaled corticosteroid therapy in asthma. *Journal of Allergy and Clinical Immunology, 119*(4), 811-816. doi: 10.1016/j.jaci.2006.11.700

- Chavannes, N. H., Sont, J. K., Van der Boog, P. J. M., & Assendelft, W. J. J. (2012). E-health bij chronische ziekten. Nog niet voor iedereen weggelegd. *Nederlands Tijdschrift Voor De Geneeskunde*, *156*, A5345. Retrieved from <http://www.ntvg.nl/publicatie/e-health-bij-chronische-ziekten/volledig/print>
- Cherry, J. C., Moffatt, T. P., Rodriguez, C., & Dryden, K. (2002). Diabetes disease management program for an indigent population empowered by telemedicine technology. *Diabetes Technology & Therapeutics*, *4*(6), 783-791. doi: 10.1089/152091502321118801
- Chomutare, T., Fernandez-Luque, L., Årsand, E., & Hartvigsen, G. (2011). Features of mobile diabetes applications: Review of the literature and analysis of current applications compared against evidence-based guidelines. *Journal of Medical Internet Research*, *13*(3) doi: 10.2196/jmir.1874
- Christensen, A., Christrup, L. L., Fabricius, P. E., Chrostowska, M., Wronka, M., Narkiewicz, K., & Hansen, E. H. (2009). Survey of patient and physician assessment of a compliance reminder device in the treatment of hypertension. *Blood Pressure*, *18*(5), 280-285. doi: 10.1080/08037050903289598
- Christensen, A., Christrup, L. L., Fabricius, P. E., Chrostowska, M., Wronka, M., Narkiewicz, K., & Hansen, E. H. (2010). The impact of an electronic monitoring and reminder device on patient compliance with antihypertensive therapy: A randomized controlled trial. *Journal of Hypertension*, *28*(1), 194. doi: 10.1097/HJH.0b013e328331b718
- Clifford, S., Barber, N., & Horne, R. (2008). Understanding different beliefs held by adherers, unintentional nonadherers, and intentional nonadherers: Application of the necessity-concerns framework. *Journal of Psychosomatic Research*, *64*(1), 41-46. doi: 10.1016/j.jpsychores.2007.05.004
- Contreras, E. M., García, O. V., Claros, N. M., Guillen, V. G., Wichmann, M. F., Martinez, J. J. C., & Fernandez, R. (2005). Efficacy of telephone and mail intervention in patient compliance with antihypertensive drugs in hypertension. ETECUM-HTA study. *Blood Pressure*, *14*(3), 151-158. doi: 10.1080/08037050510008977

- Cortese, J., & Lustria, M. L. A. (2012). Can tailoring increase elaboration of health messages delivered via an adaptive educational site on adolescent sexual health and decision making? *Journal of the American Society for Information Science and Technology*, (8), 1567. doi: 10.1002/asi.22700
- Cosnes, J., Nion-Larmurier, I., Beaugerie, L., Afchain, P., Tiret, E., & Gendre, J. (2005). Impact of the increasing use of immunosuppressants in Crohn's disease on the need for intestinal surgery. *Gut*, 54(2), 237-241. doi: 10.1136/gut.2004.045294
- Costa, F. A., Guerreiro, J. P., Melo, M. N., Miranda, A. C., Martins, A. P., Garao, J., & Madureira, B. (2005). Effect of reminder cards on compliance with antihypertensive medication. *International Journal of Pharmacy Practice*, 13(3), 205-211. doi: 10.1211/ijpp.13.3.0006
- Craig, P., Dieppe, P., Macintyre, S., Michie, S., Nazareth, I., & Petticrew, M. (2008). Developing and evaluating complex interventions: The new medical research council guidance. *British Medical Journal*, 337, a1655-a1655. doi: 10.1136/bmj.a1655

## D

- Damschroder, L. J., Aron, D. C., Keith, R. E., Kirsh, S. R., Alexander, J. A., & Lowery, J. C. (2009). Fostering implementation of health services research findings into practice: A consolidated framework for advancing implementation science. *Implementation Science*, 4(1), 50. doi: 0.1186/1748-5908-4-50
- Danese, S., Colombel, J. F., Reinisch, W., & Rutgeerts, P. (2011). Review article: Infliximab for Crohn's disease treatment-shifting therapeutic strategies after 10 years of clinical experience. *Alimentary Pharmacology & Therapeutics*, 33(8), 857-869. doi: 10.1111/j.1365-2036.2011.04598.x
- Deber, R. B. (1994). Physicians in health care management: 8. the patient-physician partnership: Decision making, problem solving and the desire to participate. *Canadian Medical Association Journal*, 151(4), 423. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1337094/pdf/cmaj00052-0025.pdf>
- DeVito Dabbs, A., Dew, M. A., Myers, B., Begey, A., Hawkins, R., Ren, D., . . . McCurry, K. R. (2009). Evaluation of a hand-held, computer-based intervention to promote early self-care behaviors after lung transplant. *Clinical Transplantation*, 23(4), 537-545. doi: 10.1111/j.1399-0012.2009.00992.x

- Dew, M. A., Goycoolea, J. M., Harris, R. C., Lee, A., Zomak, R., Dunbar-Jacob, J., . . . Kormos, R. L. (2004). An Internet-based intervention to improve psychosocial outcomes in heart transplant recipients and family caregivers: Development and evaluation. *The Journal of Heart and Lung Transplantation, 23*(6), 745-758. doi: 10.1016/j.healun.2003.07.002
- Dilorio, C., Escoffery, C., McCarty, F., Yeager, K. A., Henry, T. R., Koganti, A., . . . Wexler, B. (2009). Evaluation of WebEase: An epilepsy self-management web site. *Health Education Research, 24*(2), 185-197. doi: 10.1093/her/cyn012
- Dilorio, C., Resnicow, K., McDonnell, M., Soet, J., McCarty, F., & Yeager, K. (2003). Using motivational interviewing to promote adherence to antiretroviral medications: A pilot study. *Journal of the Association of Nurses in AIDS Care, 14*(2), 52-62. doi: 10.1177/1055329002250996
- Dijkstra, M. (2002). *An experimental investigation of synergy effects in multiple-media advertising campaigns*. (Doctoral dissertation). Retrieved from <http://arno.uvt.nl/show.cgi?fid=125979>
- DiMatteo, M. R. (2004). Variations in patients' adherence to medical recommendations: A quantitative review of 50 years of research. *Medical Care, 42*(3), 200-209. doi: 10.1097/01.mlr.0000114908.90348.f9
- DiMatteo, M. R., Giordani, P. J., Lepper, H. S., & Croghan, T. W. (2002). Patient adherence and medical treatment outcomes: A meta-analysis. *Medical Care, 40*(9), 794. doi: 10.1097/01.MLR.0000024612.61915.2D
- DiMatteo, M. R., Haskard-Zolnieriek, K. B., & Martin, L. R. (2012). Improving patient adherence: A three-factor model to guide practice. *6, (1), 74-91*. doi: 10.1080/17437199.2010.537592
- Dimoska, A., Tattersall, M. H. N., Butow, P. N., Shepherd, H., & Kinnersley, P. (2008). Can a "prompt list" empower cancer patients to ask relevant questions? *Cancer, 113*(2), 225-237. doi: 10.1002/cncr.23543
- Donovan, J. L. (1995). Patient decision making: The missing ingredient in compliance research. *International Journal of Technology Assessment in Health Care, 11*(03), 443-455. doi: 10.1017/S0266462300008667



Drotar, D. (2000). *Promoting adherence to medical treatment in chronic childhood illness: Concepts, methods, and interventions*. Erlbaum: Lawrence Erlbaum.

## E

Ediger, J. P., Walker, J. R., Graff, L., Lix, L., Clara, I., Rawsthorne, P., . . . Deering, K. (2007). Predictors of medication adherence in inflammatory bowel disease. *The American Journal of Gastroenterology*, *102*(7), 1417-1426. doi: 10.1111/j.1572-0241.2007.01212.x

Eide, H., Quera, V., Graugaard, P., & Finset, A. (2004). Physician-patient dialogue surrounding patients' expression of concern: Applying sequence analysis to RIAS. *Social Science & Medicine*, *59*(1), 145-155. doi: 10.1016/j.socscimed.2003.10.011

Elliott, R. A., Barber, N., & Horne, R. (2005). Cost-effectiveness of adherence-enhancing interventions: A quality assessment of the evidence. *The Annals of Pharmacotherapy*, *39*(3), 508-515. doi: 10.1345/aph.1E398

Eysenbach, G., & Diepgen, T. L. (1999). Patients looking for information on the Internet and seeking teleadvice: Motivation, expectations, and misconceptions as expressed in e-mails sent to physicians. *Archives of Dermatology*, *135*(2), 151. doi: 10.1001/archderm.135.2.151

## F

Fallowfield, L., & Jenkins, V. (1999). Effective communication skills are the key to good cancer care. *European Journal of Cancer*, *35*(11), 1592-1597. doi: 10.1016/S0959-8049(99)00212-9

Farmer, K. C. (1999). Methods for measuring and monitoring medication regimen adherence in clinical trials and clinical practice. *Clinical Therapeutics*, *21*(6), 1074-1090. doi: 10.1016/S0149-2918(99)80026-5

Feldman-Stewart, D., Brundage, M., & Tishelman, C. (2005). A conceptual framework for patient-professional communication: An application to the cancer context. *Psycho-Oncology*, *14*(10), 801-809. doi: 10.1002/pon.950

Fellowes, D., Wilkinson, S., & Moore, P. (2001). Communication skills training for healthcare professionals working with cancer patients, their families and/or carers. *Cochrane Database of Systematic Reviews*, 2, CD003751.

Field, A. (2009). *Discovering statistics using SPSS*. London: Sage Publications Limited.

Fishbein, M., & Yzer, M. C. (2006). Using theory to design effective health behavior interventions. *Communication Theory*, 13(2), 164-183. doi: 10.1111/j.1468-2885.2003.tb00287.x

Flocke, S. A., & Stange, K. C. (2004). Direct observation and patient recall of health behavior advice. *Preventive Medicine*, 38(3), 343-349. doi: 10.1016/j.ypmed.2003.11.004.

## G

Gadkari, A. S., & McHorney, C. A. (2012). Unintentional non-adherence to chronic prescription medications: How unintentional is it really? *BMC Health Services Research*, 12(1), 98. doi: 10.1186/1472-6963-12-98

Gallant, M., & Maticka-Tyndale, E. (2004). School-based HIV prevention programmes for african youth. *Social Science & Medicine*, 58(7), 1337-1351. doi: 10.1016/S0277-9536(03)00331-9

Geers, H. (2012). *Measuring and predicting medication adherence using dispensing data and patient beliefs*. (Doctoral dissertation). Retrieved from <http://igitur-archive.library.uu.nl/dissertations/2012-0126-200348/geers.pdf>

Gray, T. A., Orton, L. C., Henson, D., Harper, R., & Waterman, H. (2009). Interventions for improving adherence to ocular hypotensive therapy. *Cochrane Database Syst Rev*, 2(1), 1-41. doi: 10.1002/14651858.CD006132.pub2

Grunfeld, E. A., Hunter, M. S., Sikka, P., & Mittal, S. (2005). Adherence beliefs among breast cancer patients taking tamoxifen. *Patient Education and Counseling*, 59(1), 97-102. doi: 10.1016/j.pec.2004.10.005,

Grymonpre, R. E., Didur, C. D., Montgomery, P. R., & Sitar, D. S. (1998). Pill count, self-report, and pharmacy claims data to measure medication adherence in the elderly. *The Annals of Pharmacotherapy*, 32(7/8), 749-754. doi: 10.1345/aph.17423

Guendelman, S., Meade, K., Benson, M., Chen, Y. Q., & Samuels, S. (2002). Improving asthma outcomes and self-management behaviors of inner-city children: A randomized trial of the health buddy interactive device and an asthma diary. *Archives of Pediatrics & Adolescent Medicine*, *156*(2), 114. doi: 10.1001/archpedi.156.2.114

## H

Haberer, J. E., Kahane, J., Kigozi, I., Emenyonu, N., Hunt, P., Martin, J., & Bangsberg, D. R. (2010). Real-time adherence monitoring for HIV antiretroviral therapy. *AIDS and Behavior*, *14*(6), 1340-1346. doi: 10.1007/s10461-010-9799-4

Haberer, J. E., Robbins, G. K., Ybarra, M., Monk, A., Ragland, K., Weiser, S. D., . . . Bangsberg, D. R. (2012). Real-time electronic adherence monitoring is feasible, comparable to unannounced pill counts, and acceptable. *AIDS and Behavior*, *16*(2), 375-382. doi: 10.1007/s10461-011-9933-y

Hack, T. F., Degner, L. F., & Parker, P. A. (2005). The communication goals and needs of cancer patients: A review. *Psycho-Oncology*, *14*(10), 831-845. doi: 10.1002/pon.949

Hall, J. A., Irish, J. T., Roter, D. L., Ehrlich, C. M., & Miller, L. H. (1994). Satisfaction, gender, and communication in medical visits. *Medical Care*, *32*(12), 1216-1231. Retrieved from <http://www.jstor.org/stable/10.2307/3766526>

Hall, N. J., Rubin, G. P., Hungin, A. P. S., & Dougall, A. (2007). Medication beliefs among patients with inflammatory bowel disease who report low quality of life: A qualitative study. *BMC Gastroenterology*, *7*(1), 20. doi: 10.1186/1471-230X-7-20

Hardy, H., Kumar, V., Doros, G., Farmer, E., Drainoni, M. L., Rybin, D., . . . Stanic, A. (2011). Randomized controlled trial of a personalized cellular phone reminder system to enhance adherence to antiretroviral therapy. *AIDS Patient Care and STDs*, *25*(3), 153-161. doi: 10.1089/apc.2010.0006

Hawkey, G., & Hawkey, C. (1989). Effect of information leaflets on knowledge in patients with gastrointestinal diseases. *Gut*, *30*(11), 1641-1646. doi: 10.1136/gut.30.11.1641

Hawkins, R. P., Kreuter, M. W., Resnicow, K., Fishbein, M., & Dijkstra, A. (2008). Understanding tailoring in communicating about health. *Health Education Research*, *23*, 454-466. doi: 10.1093/her/cyn004

- Hayes, A. F. (2012). PROCESS: A versatile computational tool for observed variable mediation, moderation, and conditional process modeling [white paper]. Retrieved from <http://www.afhayes.com/public/process2012.pdf>
- Haynes, R. B., Ackloo, E., Sahota, N., McDonald, H. P., & Yao, X. (2008). Interventions for enhancing medication adherence. *The Cochrane Library*, 2, (4) 1-129 doi: 10.1002/14651858.CD000011.pub3
- Heaven, C. M., & Green, C. (2001). *Medical interview aural rating scale*. (Psychological Medicine Group). Manchester: Stanley House.
- Heaven, C. M., & Maguire, P. (1996). Training hospice nurses to elicit patient concerns. *Journal of Advanced Nursing*, 23(2), 280-286. doi: 10.1111/j.1365-2648.1996.tb02668.x
- Heijmans, M. (2006). *Mensen met COPD met een lage sociaal-economische status*. Utrecht: NIVEL. Retrieved from <http://www.nivel.nl/sites/default/files/bestanden/Mensen-met-COPD-met-een-lage-sociaal-economische%20status-2006.pdf>
- Hendriks, M., Vervloet, M., & Van Dijk, L. (2005). *Eindevaluatie meerjaren afspraken farmacie 2000-2004*. NIVEL. Retrieved from <http://www.narcis.nl/publication/RecordID/publicat%3A1001266>
- Higgins, J. P. T., Green, S., & Collaboration, C. (2008). *Cochrane handbook for systematic reviews of interventions*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/9780470712184.fmatter/pdf>
- Hilsden, R. J., Verhoef, M. J., Best, A., & Pocobelli, G. (2003). Complementary and alternative medicine use by canadian patients with inflammatory bowel disease: Results from a national survey. *The American Journal of Gastroenterology*, 98(7), 1563-1568. doi: 10.1111/j.1572-0241.2003.07519.x
- Ho, L. Y., Camejo, L., Kahook, M. Y., & Noecker, R. (2008). Effect of audible and visual reminders on adherence in glaucoma patients using a commercially available dosing aid. *Clinical Ophthalmology*, 2(4), 769-772. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2699814/>

- Horne, R. (2003). Treatment perceptions and self-regulation. In L. D. Cameron, & H. Leventhal (Eds.), *The self-regulation of health and illness behaviour* (pp. 138-153). London: Routledge Taylor & Francis Group.
- Horne, R. (2006). Compliance, adherence, and concordance. *Chest*, *130*(1 suppl), 65S-72S. doi: 10.1378/chest.130.1\_suppl.65S
- Horne, R., Buick, D., Fisher, M., Leake, H., Cooper, V., & Weinman, J. (2004). Doubts about necessity and concerns about adverse effects: Identifying the types of beliefs that are associated with non-adherence to HAART. *International Journal of STD & AIDS*, *15*(1), 38-44. doi: 10.1258/095646204322637245
- Horne, R., Chapman, S., Parham, R., Freemantle, N., Forbes, A., & Cooper, V. (under review). Identifying the key beliefs influencing adherence to medication in long-term conditions: A meta-analytic review of the necessity-concerns framework.
- Horne, R., Cooper, V., Gellaitry, G., Date, H. L., & Fisher, M. (2007). Patients' perceptions of highly active antiretroviral therapy in relation to treatment uptake and adherence: The utility of the necessity-concerns framework. *JAIDS Journal of Acquired Immune Deficiency Syndromes*, *45*(3), 334-341. doi: 10.1097/QAI.0b013e31806910e3
- Horne, R., Parham, R., Driscoll, R., & Robinson, A. (2009). Patients' attitudes to medicines and adherence to maintenance treatment in inflammatory bowel disease. *Inflammatory Bowel Diseases*, *15*(6), 837-844. doi: 10.1002/ibd.20846
- Horne, R., & Weinman, J. (1999). Patients' beliefs about prescribed medicines and their role in adherence to treatment in chronic physical illness. *Journal of Psychosomatic Research*, *47*(6), 555-567. doi: 10.1016/S0022-3999(99)00057-4
- Horne, R., & Weinman, J. (2002). Self-regulation and self-management in asthma: Exploring the role of illness perceptions and treatment beliefs in explaining non-adherence to preventer medication. *Psychology and Health*, *17*(1), 17-32. doi: 10.1080/08870440290001502
- Horne, R., Weinman, J., & Hankins, M. (1999). The beliefs about medicines questionnaire: The development and evaluation of a new method for assessing the cognitive representation of medication. *Psychology and Health*, *14*(1), 1-24. doi: 0.1080/08870449908407311

Hou, M. Y., Hurwitz, S., Kavanagh, E., Fortin, J., & Goldberg, A. B. (2010). Using daily text-message reminders to improve adherence with oral contraceptives: A randomized controlled trial. *Obstetrics & Gynecology*, *116*(3), 633-640. doi: 10.1097/AOG.0b013e3181eb6b0f

Houts, P. S., Doak, C. C., Doak, L. G., & Loscalzo, M. J. (2006). The role of pictures in improving health communication: A review of research on attention, comprehension, recall, and adherence. *Patient Education and Counseling*, *61*(2), 173-190. doi: 10.1016/j.pec.2005.05.004

Hugen, P. W. H., Langebeek, N., Burger, D. M., Zomer, B., van Leusen, R., Schuurman, R., . . . Hekster, Y. A. (2002). Assessment of adherence to HIV protease inhibitors: Comparison and combination of various methods, including MEMS (electronic monitoring), patient and nurse report, and therapeutic drug monitoring. *JAIDS Journal of Acquired Immune Deficiency Syndromes*, *30*(3), 324-334. doi: 10.1097/01.QAI.0000014768.35851.DE

Hulka, B. S., Cassel, J. C., Kupper, L. L., & Burdette, J. A. (1976). Communication, compliance, and concordance between physicians and patients with prescribed medications. *American Journal of Public Health*, *66*(9), 847-853. doi: 0.2105/AJPH.66.9.847

## I

Irvine, E. (2004). Patients' fears and unmet needs in inflammatory bowel disease. *Alimentary Pharmacology & Therapeutics*, *20*, 54-59. doi: 10.1111/j.1365-2036.2004.02053.x

Ilic, D. (2010). The role of the Internet on patient knowledge management, education, and decision-making. *Telemedicine and e-Health*, *16*(6), 664-669. doi: 10.1089/tmj.2010.0003

## J

Jackson, C., Clatworthy, J., Robinson, A., & Horne, R. (2009). Factors associated with non-adherence to oral medication for inflammatory bowel disease: A systematic review. *The American Journal of Gastroenterology*, *105*(3), 525-539. doi: 10.1038/ajg.2009.685

- Jan, R. L., Wang, J. Y., Huang, M. C., Tseng, S. M., Su, H. J., & Liu, L. F. (2007). An Internet-based interactive telemonitoring system for improving childhood asthma outcomes in taiwan. *Telemedicine and e-Health*, 13(3), 257-268. doi: doi:10.1089/tmj.2006.0053
- Jansen, J., Butow, P. N., Van Weert, J. C. M., Van Dulmen, S., Devine, R. J., Heeren, T. J., . . . Tattersall, M. H. N. (2008). Does age really matter? recall of information presented to newly referred patients with cancer. *Journal of Clinical Oncology*, 26(33), 5450-5457. doi: 10.1200/JCO.2007.15.2322
- Jansen, J., Van Weert, J., de Groot, J., Van Dulmen, S., Heeren, T. J., & Bensing, J. M. (2010). Emotional and informational patient cues: The impact of nurses' responses on recall. *Patient Education and Counseling*, 79(2), 218-224. doi: 10.1016/j.pec.2009.10.010
- Jansen, J., Van Weert, J. C. M., Van Der Meulen, N., Van Dulmen, S., Heeren, T., & Bensing, J. (2008). Recall in older cancer patients: Measuring memory for medical information. *The Gerontologist*, 48(2), 149-157. doi: 10.1093/geront/48.2.149
- Johnson, F. R., Özdemir, S., Mansfield, C., Hass, S., Miller, D. W., Siegel, C. A., & Sands, B. E. (2007). Crohn's disease patients' risk-benefit preferences: Serious adverse event risks versus treatment efficacy. *Gastroenterology*, 133(3), 769-779. doi: 10.1053/j.gastro.2007.04.075
- Joseph, C. L. M., Peterson, E., Havstad, S., Johnson, C. C., Hoerauf, S., Stringer, S., . . . Pallonen, U. (2007). A web-based, tailored asthma management program for urban african-american high school students. *American Journal of Respiratory and Critical Care Medicine*, 175(9), 888-895. doi: 10.1164/rccm.200608-1244OC

## K

- Kane, S. (2007). Just a spoonful of sugar helps the medicine go down... if only it was that simple; nonadherence in inflammatory bowel disease. *The American Journal of Gastroenterology*, 102(7), 1427-1428. doi: 10.1111/j.1572-0241.2007.01213.
- Kane, S., Huo, D., Aikens, J., & Hanauer, S. (2003). Medication nonadherence and the outcomes of patients with quiescent ulcerative colitis. *The American Journal of Medicine*, 114(1), 39-43. doi: 10.1016/S0002-9343(02)01383-9,

- Kane, S., & Robinson, A. (2010). Review article: Understanding adherence to medication in ulcerative colitis-innovative thinking and evolving concepts. *Alimentary Pharmacology & Therapeutics*, 32, 1051-1058. doi: 10.1111/j.1365-2036.2010.04445.x
- Kaplan, S. H., Greenfield, S., & Ware Jr, J. E. (1989). Assessing the effects of physician-patient interactions on the outcomes of chronic disease. *Medical Care*, 110-127. Retrieved from <http://www.jstor.org/stable/10.2307/3765658>
- Kessels, R. P. C. (2003). Patients' memory for medical information. *Journal of the Royal Society of Medicine*, 96(5), 219-222. doi: 10.1258/jrsm.96.5.219
- Koning, C. J. M., Maille, A. R., Stevens, I., & Dekker, F. W. (1995). Patients' opinions on respiratory care: Do doctors fulfill their needs? *Journal of Asthma*, 32(5), 355-363. doi: 10.3109/02770909509082760
- Korsch, B. M., Gozzi, E. K., & Francis, V. (1968). Gaps in doctor-patient communication. *Pediatrics*, 42(5), 855-871. doi: 10.1056/NEJM196903062801004
- Kreuter, M. W., Strecher, V. J., & Glassman, B. (1999a). One size does not fit all: The case for tailoring print materials. *Annals of Behavioral Medicine*, 21(4), 276-283. Retrieved from <http://link.springer.com/article/10.1007%2F02895958?LI=true#page-1>
- Kreuter, M. W., Farrell, D. W., Olevitch, L. R., & Brennan, L. K. (1999b). *Tailoring health messages: Customizing communication with computer technology*. New Jersey, America, Lawrence Erlbaum.
- Kreuter, M. W., & Skinne, C. S. (2000). Tailoring: What's in a name? *Health Education Research*, (15), 1-4. doi: 10.1093/her/15.1.1
- Kreuter, M. W., & Wray, R. J. (2003). Tailored and targeted health communication: Strategies for enhancing information relevance. *American Journal of Health Behavior*, 27(3), S227-S232. Retrieved from [http://www.t2d2.org/downloads/Kreuter\\_t2d2\\_2003.pdf](http://www.t2d2.org/downloads/Kreuter_t2d2_2003.pdf)
- Krishnasamy, M. (1996). Social support and the patient with cancer: A consideration of the literature. *Journal of Advanced Nursing*, 23, 757-762. doi: 10.1111/j.1365-2648.1996.tb00048.x



## L

- Lakatos, P. L. (2006). Recent trends in the epidemiology of inflammatory bowel diseases: Up or down? *World Journal of Gastroenterology*, *12*(38), 658-665. doi: 10.1038/sj.bjc.6600798
- Lang, A. (2006). The limited capacity model of mediated message processing. *Journal of Communication*, *50*(1), 46-70. doi: 10.1111/j.1460-2466.2000.tb02833.x
- Laster, S. F., Martin, J. L., & Fleming, J. B. (1996). The effect of a medication alarm device on patient compliance with topical pilocarpine. *Journal of the American Optometric Association*, *67*(11), 654.
- Latter, S., Maben, J., Myall, M., & Young, A. (2007). Perceptions and practice of concordance in nurses' prescribing consultations: Findings from a national questionnaire survey and case studies of practice in England. *International Journal of Nursing Studies*, *44*(1), 9-18. doi: 10.1016/j.ijnurstu.2005.11.005,
- Latter, S., Maben, J., Myall, M., Young, A., & Baileff, A. (2007). Evaluating prescribing competencies and standards used in nurse independent prescribers' prescribing consultations. *Journal of Research in Nursing*, *12*(1), 7-26. doi: 10.1177/1744987106073949
- Latter, S., Sibley, A., Skinner, T. C., Cradock, S., Zinken, K. M., Lussier, M. T., . . . Roberge, D. (2010). The impact of an intervention for nurse prescribers on consultations to promote patient medicine-taking in diabetes: A mixed methods study. *International Journal of Nursing Studies*, *47*(9), 1126-1138. doi: 10.1016/j.ijnurstu.2010.02.004
- Lawson, E. F., Hersh, A. O., Applebaum, M. A., Yelin, E. H., Okumura, M. J., & Von Scheven, E. (2011). Self-management skills in adolescents with chronic rheumatic disease: A cross-sectional survey. *Pediatric Rheumatology*, *9*(1), 1-7. doi: 10.1186/1546-0096-9-35
- Leventhal, H., Brissette, I., & Leventhal, E. A. (2003). *The common-sense model of self-regulation of health and illness*. London: Taylor & Francis Books, Ltd
- Leventhal, H., & Cameron, L. (1987). Behavioral theories and the problem of compliance. *Patient Education and Counseling*, *10*(2), 117-138. doi: 10.1016/0738-3991(87)90093-0

- Ley, P. (1976). Towards better doctor-patient communications. *Communication between Doctors and Patients*, Edited by Bennett AE. Londen, England: Chapman & Hall.
- Ley, P. (1979). Memory for medical information. *British Journal of Social and Clinical Psychology*, 18(2), 245-255. doi: 10.1111/j.2044-8260.1979.tb00333.x
- Ley, P. (1988). *Communicating with patients: Improving communication, satisfaction and compliance*. New York, America: Croom Helm.
- Linder-Pelz, S. (1982). Toward a theory of patient satisfaction. *Social Science & Medicine*, 16(5), 577-582. doi: 10.1016/0277-9536(82)90311-2,
- Linn, A. J., Van Dijk, L., Smit, E. G., Jansen, J., & van Weert, J. C. M. (2013). May you never forget what is worth remembering: The relationship between recall of medical information and medication adherence in patients with inflammatory bowel disease. *Journal of Crohn's and Colitis*. Advance online publication doi.org/10.1016/j.crohns.2013.04.001
- Linn, A. J., Van Weert, J. C. M., Schouten, B. C., Smit, E. G., Van Bodegraven, A. A., & Van Dijk, L. (2012). Words that make pills easier to swallow. A communication typology to address practical and perceptual barriers to medication intake behavior. *Patient Preference and Adherence*, (6), pp. 871. doi: 10.2147/PPA.S36195
- Linn, A. J., Van Weert, J. C. M., Van Dijk, L., Horne, R., & Smit, E. G. (Under review). Understanding patients' beliefs: The importance of patient satisfaction.
- Linn, A. J., Vervloet, M., Van Dijk, L., Smit, E. G., & Van Weert, J. C. M. (2011). Effects of eHealth interventions on medication adherence: A systematic review of the literature. *Journal of Medical Internet Research*, 13(4), e13. doi: PMC3278089
- Linn, A. J., Weert, J. M. C., Smit, E. G., Perry, K., & Van Dijk, L. (2013). 1+1=3? the systematic development of a theoretical and evidence-based tailored multimedia intervention to improve medication adherence. *Patient Education and Counseling*. Advance online publication. doi 10.1016/j.pec.2013.03.009
- Lustria, M. L. A., Cortese, J., Noar, S. M., & Glueckauf, R. L. (2009). Computer-tailored health interventions delivered over the web: Review and analysis of key components. *Patient Education and Counseling*, 74(2), 156-173. doi: 10.1016/j.pec.2008.08.023

## M

- Mahtani, K. R., Heneghan, C. J., Glasziou, P. P., & Perera, R. (2011). Reminder packaging for improving adherence to self-administered long-term medications. *Cochrane Database Syst Rev*, 9 (3), doi: 10.1002/14651858.CD005025.pub2/pdf/standard
- Maibach, E. W., & Cotton, D. (1995). Moving people to behavior change: A staged social cognitive approach to message design. In E. W. Maibach, & R. L. Parrot (Eds.), *Designing health messages: Approaches from communication theory and public health practice* (pp. 41-64). Thousand Oaks: Sage Publications, Inc.
- Marita, P., Leena, L., & Tarja, K. (1999). Nurses' self-reflection via videotaping to improve communication skills in health counseling. *Patient Education and Counseling*, 36(1), 3-11. doi: 10.1016/S0738-3991(98)00069-X,
- Maslowska, E., Van den Putte, B., & Smit, E. G. (2011). The effectiveness of personalized E-mail newsletters and the role of personal characteristics. *Cyberpsychology, Behavior, and Social Networking*, 14(12), 765-770. doi: 10.1089/cyber.2011.0050.
- Mauksch, L. B., Dugdale, D. C., Dodson, S., & Epstein, R. (2008). Relationship, communication, and efficiency in the medical encounter: Creating a clinical model from a literature review. *Archives of Internal Medicine*, 168(13), pp. 1387. doi: 10.1001/archinte.168.13.1387
- McGuire, L. C. (1996). Remembering what the doctor said: Organization and adults' memory for medical information. *Experimental Aging Research*, 22(4), 403-428. doi: 10.1080/03610739608254020
- McMahon, J. H., Jordan, M. R., Kelley, K., Bertagnolio, S., Hong, S. Y., Wanke, C. A., . . . Elliott, J. H. (2011). Pharmacy adherence measures to assess adherence to antiretroviral therapy: Review of the literature and implications for treatment monitoring. *Clinical Infectious Diseases*, 52(4), 493-506. doi: 10.1093/cid/ciq167
- Medical Research Council. (2000). A framework for the development and evaluation of RCTs for complex interventions to improve health. Retrieved from <http://www.mrc.ac.uk/Utilities/Documentrecord/index.htm?d=MRC003372>

- Meiland, F. J., Droes, R. M., de Lange, J., & Vernooij-Dassen, M. J. (2005). Facilitators and barriers in the implementation of the meeting centres model for people with dementia and their carers. *Health Policy, 71*(2), 243-253. doi: 10.1016/j.healthpol.2004.08.011
- Menckeberg, T. T., Bouvy, M. L., Bracke, M., Kaptein, A. A., Leufkens, H. G., Raaijmakers, J. A. M., & Horne, R. (2008). Beliefs about medicines predict refill adherence to inhaled corticosteroids. *Journal of Psychosomatic Research, 64*(1), 47-54. doi: 10.1016/j.jpsychores.2007.07.016
- Mertens, H., Hertel, G., Reuther, P., & Ricker, K. (1981). Effect of immunosuppressive drugs (azathioprine). *Annals of the New York Academy of Sciences, 377*(1), 691-699. doi: 10.1111/j.1749-6632.1981.tb33767.x
- Miller, G. A. (1956). The magical number seven, plus or minus two: Some limits on our capacity for processing information. *Psychological Review, 63*(2), 81. doi: 10.1037/h0043158
- Misono, A. S., Cutrona, S. L., Choudhry, N. K., Fischer, M. A., Stedman, M. R., Liberman, J. N., . . . Shrank, W. H. (2010). Healthcare information technology interventions to improve cardiovascular and diabetes medication adherence. *The American Journal of Managed Care, 16*(12 Suppl HIT), SP82-SP92.
- Misselbrook, D. (2001). *Thinking about patients*. Newbury: Radcliffe Publishing.
- Mohr, D. C., Boudewyn, A. C., Likosky, W., Levine, E., & Goodkin, D. E. (2001). Injectable medication for the treatment of multiple sclerosis: The influence of self-efficacy expectations and infection anxiety on adherence and ability to self-inject. *Annals of Behavioral Medicine, 23*(2), 125-132. Retrieved from [http://link.springer.com/article/10.1207%2FS15324796ABM2302\\_7?LI=true](http://link.springer.com/article/10.1207%2FS15324796ABM2302_7?LI=true)
- Moore, P., Wilkinson, S., & Rivera Mercado, S. (2004). Communication skills training for health care professionals working with cancer patients, their families and/or carers. *Cochrane Database Syst Rev, 2* (1)1-20. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/14651858.CD003751.pub2/pdf/standard>

## N

- Nacinovich, M. (2011). Defining mHealth. *Journal of Communication in Healthcare*, 4(1), 1-3. doi: 10.1179/175380611X12950033990296
- Naik, P. A., & Raman, K. (2003). Understanding the impact of synergy in multimedia communications. *Journal of Marketing Research*, 40, 375-388. Retrieved from <http://www.jstor.org/stable/10.2307/30038873>
- Nair, K., Dolovich, L., Cassels, A., McCormack, J., Levine, M., Gray, J., . . . Burns, S. (2002). What patients want to know about their medications. Focus group study of patient and clinician perspectives. *Canadian Family Physician*, 48(1), pp 104-110. Retrieved from <http://www.cfp.ca/content/48/1/104.full.pdf+html>
- Nair, K. V., Belletti, D. A., Doyle, J. J., Allen, R. R., McQueen, R. B., Saseen, J. J., . . . Jan, S. (2011). Understanding barriers to medication adherence in the hypertensive population by evaluating responses to a telephone survey. *Patient Preference and Adherence*, 5, 195. doi: 10.2147/PPA.S18481
- Nieuwkerk, P. T., De Boer-Van der Kolk, I. M., Prins, J. M., Locadia, M., & Sprangers, M. A. (2010). Self-reported adherence is more predictive of virological treatment response among patients with a lower tendency towards socially desirable responding. *Antiviral Therapy*, 15(6), 913. doi: 10.3851/IMP1644
- Nieuwkerk, P. T., & Oort, F. J. (2005). Self-reported adherence to antiretroviral therapy for HIV-1 infection and virologic treatment response: A meta-analysis. *Journal of Acquired Immune Deficiency Syndromes*, 38(4), 445-448. Retrieved from [http://journals.lww.com/jaids/Abstract/2005/04010/Self\\_Reported\\_Adherence\\_to\\_Antiretroviral\\_Therapy.10.aspx](http://journals.lww.com/jaids/Abstract/2005/04010/Self_Reported_Adherence_to_Antiretroviral_Therapy.10.aspx)
- Noar, S. M., Benac, C. N., & Harris, M. S. (2007). Does tailoring matter? meta-analytic review of tailored print health behavior change interventions. *Psychological Bulletin*, 133(4), 673. doi: 10.1037/0033-2909.133.4.673
- Nunes, V., Neilson, J., O'Flynn, N., Calvert, N., Kuntze, S., Smithson, H., . . . Clyne, W. (2009). *Medicines adherence: Involving patients in decisions about prescribed medicines and supporting adherence*. National Institute for Health and Clinical Excellence. Retrieved from C:\Users\librsjt\Documents\PatelNICE76English.htm

## O

- Odegard, P. S., & Gray, S. L. (2008). Barriers to medication adherence in poorly controlled diabetes mellitus. *The Diabetes Educator*, 34(4), 692-697. doi: 10.1177/0145721708320558
- Oh, H., Rizo, C., Enkin, M., & Jadad, A. (2005). What is eHealth (3): A systematic review of published definitions. *Journal of Medical Internet Research*, 7(1), e1. doi: 10.2196/jmir.7.1.e1
- Olthoff, C. M. G., Hoevenaars, J. G. M. M., Van den Borne, B. W., Webers, C. A. B., & Schouten, J. S. A. G. (2009). Prevalence and determinants of non-adherence to topical hypotensive treatment in dutch glaucoma patients. *Graefe's Archive for Clinical and Experimental Ophthalmology*, 247(2), 235-243. doi: 10.1007/s00417-008-0944-y
- Ong, L. M. L., De Haes, J. C. J. M., Hoos, A. M., & Lammes, F. B. (1995). Doctor-patient communication: A review of the literature. *Social Science & Medicine*, 40(7), 903-918. doi: 10.1016/0277-9536(94)00155-M
- Ownby, R. L., Hertzog, C., & Czaja, S. J. (2012). Tailored information and automated reminding to improve medication adherence in spanish-and english-speaking elders treated for memory impairment. *Clinical Gerontologist*, 35(3), 221-238. doi: 10.1080/07317115.2012.657294

## P

- Peterson, A. M., Takiya, L., & Finley, R. (2003). Meta-analysis of trials of interventions to improve medication adherence. *American Journal of Health-System Pharmacy*, (60), 657. Retrieved from <http://ajhp.org/content/60/7/657.short>
- Petrie, K. J., Perry, K., Broadbent, E., & Weinman, J. (2012). A text message programme designed to modify patients' illness and treatment beliefs improves self-reported adherence to asthma preventer medication. *British Journal of Health Psychology*, 17(1), 74-84. doi: 10.1111/j.2044-8287.2011.02033.x
- Petty, R., Priester, P., & Brinol, J. (2002). Mass media attitude change: Implications of the elaboration likelihood model of persuasion. In J. Bryant & D. Zillmann (Eds.), *Media effects* (pp. 155-198). New York: Lawrence Erlbaum Associates.

- Petty, R. E., & Cacioppo, J. T. (Eds.). (1986a). *Communication and persuasion: Central and peripheral routes to attitude change*. New York: Springer-Verlag.
- Petty, R. E., & Cacioppo, J. T. (1986b). The elaboration likelihood model of persuasion. *Advances in Experimental Social Psychology*, 19(1), 123-205.
- Petty, R. E., Cacioppo, J. T., & Goldman, R. (1981). Personal involvement as a determinant of argument-based persuasion. *Journal of Personality and Social Psychology*, 41(5), 847-855. doi: 10.1037/0022-3514.41.5.847
- Pickney, C. S., & Arnason, J. A. (2005). Correlation between patient recall of bone densitometry results and subsequent treatment adherence. *Osteoporosis International*, 16(9), 1156-1160. doi: 10.1007/s00198-004-1818-8
- Pop-Eleches, C., Thirumurthy, H., Habyarimana, J. P., Zivin, J. G., Goldstein, M. P., de Walque, D., . . . Sidle, J. (2011). Mobile phone technologies improve adherence to antiretroviral treatment in a resource-limited setting: A randomized controlled trial of text message reminders. *Aids*, 25(6), 825. doi: 10.1097/QAD.0b013e32834380c1
- Posma, E. R., Van Weert, J. C. M., Jansen, J., & Bensing, J. M. (2009). Older cancer patients' information and support needs surrounding treatment: An evaluation through the eyes of patients, relatives and professionals. *BMC Nursing*, 8(1), 1. doi: 10.1186/1472-6955-8-1
- Preuveneers, D., & Berbers, Y. (2008). *Mobile phones assisting with health self-care: A diabetes case study*. Paper at the Proceedings of the 10th International Conference on Human Computer Interaction with Mobile Devices and Services. Retrieved from <http://dl.acm.org/citation.cfm?id=1409260>
- Prochaska, J. O., DiClemente, C. C., Velicer, W. F., & Rossi, J. S. (1993). Standardized, individualized, interactive, and personalized self-help programs for smoking cessation. *Health Psychology*, 12(5), 399-405. doi: 10.1037/0278-6133.12.5.399
- Pullar, T., Kumar, S., Tindall, H., & Feely, M. (1989). Time to stop counting the tablets & quest. *Clinical Pharmacology & Therapeutics*, 46(2), 163-168. doi: 10.1038/clpt.1989.121

## R

- Ramanathan, N., Swendeman, D., Comulada, W. S., Estrin, D., & Rotheram-Borus, M. J. (in press). Identifying preferences for mobile health applications for self-monitoring and self-management: Focus group findings from HIV-positive persons and young mothers. *International Journal of Medical Informatics*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1386505612000950>
- Reynolds, N. R. (2004). Adherence to antiretroviral therapies: State of the science. *Current HIV Research*, 2(3), 207-214. doi: 10.2174/1570162043351309
- Richard, C., & Lussier, M. T. (2006). MEDICODE: An instrument to describe and evaluate exchanges on medications that occur during medical encounters. *Patient Education and Counseling*, 64(1), 197-206. doi: 10.1016/j.pec.2006.02.002
- Roberts, K. J. (2000). Barriers to and facilitators of HIV-positive patients' adherence to antiretroviral treatment regimens. *AIDS Patient Care and STDs*, 14(3), 155-168. doi: 10.1089/108729100317948
- Robinson, A. (2008). Review article: Improving adherence to medication in patients with inflammatory bowel disease. *Alimentary Pharmacology & Therapeutics*, 27, 9-14. doi: 10.1111/j.1365-2036.2008.03604.x
- Robinson, L., Francis, J., James, P., Tindle, N., Greenwell, K., & Rodgers, H. (2005). Caring for carers of people with stroke: Developing a complex intervention following the medical research council framework. *Clinical Rehabilitation*, 19(5), 560-571. doi: 10.1191/0269215505cr787oa
- Roebuck, M. C., Liberman, J. N., Gemmill-Toyama, M., & Brennan, T. A. (2011). Medication adherence leads to lower health care use and costs despite increased drug spending. *Health Affairs*, 30(1), 91-99. doi: 10.1377/hlthaff.2009.1087
- Ross, S. E., Moore, L. A., Earnest, M. A., Wittevrongel, L., & Lin, C. T. (2004). Providing a web-based online medical record with electronic communication capabilities to patients with congestive heart failure: Randomized trial. *Journal of Medical Internet Research*, 6(2), e12. doi: 10.2196/jmir.6.2.e12



- Rossiter, J. R. (2002). The C-OAR-SE procedure for scale development in marketing. *International Journal of Research in Marketing*, 19(4), 305-335. doi: 10.1016/S0167-8116(02)00097-6
- Roter, D., & Larson, S. (2002). The roter interaction analysis system (RIAS): Utility and flexibility for analysis of medical interactions. *Patient Education and Counseling*, 46(4), 243-251. doi: 10.1016/S0738-3991(02)00012-5
- Roter, D., Frankel, R. M., Hall, J. A., & Sluyter, D. (2006). The expression of emotion through nonverbal behavior in medical visits. *Journal of General Internal Medicine*, 21(S1), S28-S34. doi: 10.1111/j.1525-1497.2006.00306.x
- Rudd, P., Byyny, R. L., Zachary, V., LoVerde, M. E., Titus, C., Mitchell, W. D., & Marshall, G. (1989). The natural history of medication compliance in a drug trial: Limitations of pill counts. *Clinical Pharmacology & Therapeutics*, 46(2), 169-176. doi: 10.1038/clpt.1989.122
- Russel, M. G. V. M., & Stockbrügger, R. W. (1996). Epidemiology of inflammatory bowel disease: An update. *Scandinavian Journal of Gastroenterology*, 31(5), 417-427. doi: 10.3109/00365529609006759

## S

- Sabaté, E. (2003). *Adherence to long-term therapies: Evidence for action* World Health Organization. Geneva, Switzerland, World Health Organization.
- Safren, S., Hendriksen, E., Desousa, N., Boswell, S., & Mayer, K. (2003). Use of an on-line pager system to increase adherence to antiretroviral medications. *AIDS Care*, 15(6), 787-793. doi: 10.1080/09540120310001618630
- Sahm, L., MacCurtain, A., Hayden, J., Roche, C., & Richards, H. L. (2009). Electronic reminders to improve medication adherence—are they acceptable to the patient? *Pharmacy World & Science*, 31(6), 627-629. doi: 10.1007/s11096-009-9327-7
- Sajatovic, M., Velligan, D. I., Weiden, P. J., Valenstein, M. A., & Ogedegbe, G. (2010). Measurement of psychiatric treatment adherence. *Journal of Psychosomatic Research*, 69(6), 591-599. doi: 10.1016/j.jpsychores.2009.05.007,

- Sanson Fisher, R., Girgis, A., Boyes, A., Bonevski, B., Burton, L., & Cook, P. (2000). The unmet supportive care needs of patients with cancer. *Cancer*, *88*(1), 226-237. doi: 0.1002/(SICI)1097-0142(2000101)88:1<226::AID-CNCR30>3.0.CO;2-P
- Santschi, V., Wuerzner, G., Schneider, M. P., Bugnon, O., & Burnier, M. (2007). Clinical evaluation of IDAS II, a new electronic device enabling drug adherence monitoring. *European Journal of Clinical Pharmacology*, *63*(12), 1179-1184. doi: 10.1007/s00228-007-0364-7
- Schouten, B. C., Meeuwesen, L., & Harmsen, H. A. M. (2009). GPs' interactional styles in consultations with dutch and ethnic minority patients. *Journal of Immigrant and Minority Health*, *11*(6), 468-475. doi: 10.1007/s10903-008-9131-9
- Schüz, B., Marx, C., Wurm, S., Warner, L. M., Ziegelmann, J. P., Schwarzer, R., & Tesch-Römer, C. (2011). Medication beliefs predict medication adherence in older adults with multiple illnesses. *Journal of Psychosomatic Research*, *70*(2), 179-187. doi: 10.1016/j.jpsychores.2010.07.014
- Sewitch, M. J., Abrahamowicz, M., Barkun, A., Bitton, A., Wild, G. E., Cohen, A., & Dobkin, P. L. (2003). Patient nonadherence to medication in inflammatory bowel disease. *The American Journal of Gastroenterology*, *98*(7), 1535-1544. doi: 10.1111/j.1572-0241.2003.07522.x
- Shale, M., & Riley, S. (2003). Studies of compliance with delayed-release mesalazine therapy in patients with inflammatory bowel disease. *Alimentary Pharmacology & Therapeutics*, *18*(2), 191-198. doi: 10.1046/j.1365-2036.2003.01648.x
- Shi, L., Liu, J., Fonseca, V., Walker, P., Kalsekar, A., & Pawaskar, M. (2010). Correlation between adherence rates measured by MEMS and self-reported questionnaires: A meta-analysis. *Health and Quality of Life Outcomes*, *8*(1), pp 99. doi: 10.1186/1477-7525-8-99
- Shi, L., Liu, J., Koleva, Y., Fonseca, V., Kalsekar, A., & Pawaskar, M. (2010). Concordance of adherence measurement using self-reported adherence questionnaires and medication monitoring devices. *PharmacoEconomics*, *28*(12), 1097-1107. Retrieved from <http://www.ingentaconnect.com/content/adis/pec/2010/00000028/00000012/art0005>

- Silberman, J., Tentler, A., Ramgopal, R., & Epstein, R. M. (2008). Recall-promoting physician behaviors in primary care. *Journal of General Internal Medicine, 23*(9), 1487-1490. doi: 10.1007/s11606-008-0597-x
- Simoni, J. M., Huh, D., Frick, P. A., Pearson, C. R., Andrasik, M. P., Dunbar, P. J., & Hooton, T. M. (2009). Peer support and pager messaging to promote antiretroviral modifying therapy in seattle: A randomized controlled trial. *JAIDS Journal of Acquired Immune Deficiency Syndromes, 52*(4), pp. 465. doi: 10.1097/QAI.0b013e3181b9300c
- Simpson, S. H., Eurich, D. T., Majumdar, S. R., Padwal, R. S., Tsuyuki, R. T., Varney, J., & Johnson, J. A. (2006). A meta-analysis of the association between adherence to drug therapy and mortality. *British Medical Journal, 333*(7557), pp. 15. doi: 10.1136/bmj.38875.675486.55
- Sixma, H. J., Kerssens, J. J., Campen, C. v., & Peters, L. (2002). Quality of care from the patients' perspective: From theoretical concept to a new measuring instrument. *Health Expectations, 1*(2), 82-95. doi: 10.1046/j.1369-6513.1998.00004.
- Sluijs, E., Van Dulmen, S., Van Dijk, L., De Ridder, D., Heerdink, R., & Bensing, J. (2006). *Patient adherence to medical treatment: A meta review*. NIVEL. Retrieved from [http://igitur-archive.library.uu.nl/fss/2007-0710-215050/bensing\\_06\\_patientadherencetomedical.pdf](http://igitur-archive.library.uu.nl/fss/2007-0710-215050/bensing_06_patientadherencetomedical.pdf)
- Smets, E., Nieuwkerk, P., & Hoos, A. (2006). Therapietrouw [hfdstk 13]. In A. A. Kaptein: R.A.M. Erdman, J.B. Prins: H.B.M Van de Wiel (Eds.), *Medische psychologie* (pp. 119-126). Houten: Bohn Stafleu Van Loghum. doi: 10.1007/978-90-313-7033-7\_13
- Smit, E. S., de Vries, H., & Hoving, C. (2012). Effectiveness of a web-based multiple tailored smoking cessation program: A randomized controlled trial among dutch adult smokers. *Journal of Medical Internet Research, 14*(3), e82. doi: 10.2196/jmir.1812
- Snoei, L., Van Bodegraven, A., Oldenburg, B., Stijnen, T., & Kaptein, A. A. (2009). Prototype evaluation of a self-management Internet diary for patients with ulcerative colitis. *Patient Preference and Adherence, 3*(3), 179-187. doi: 10.2147/PPA.S5773
- Sokol, M. C., McGuigan, K. A., Verbrugge, R. R., & Epstein, R. S. (2005). Impact of medication adherence on hospitalization risk and healthcare cost. *Medical Care, 43*(6), 521-530.

Steiner, J. F. (2012). Rethinking adherence. *Annals of Internal Medicine*, *157*(8), 580-585.

Steultjens, E. E. M. J., Dekker, J. J., Bouter, L. M., Cardol, M. M., Van den Ende, E. C. H. M., & van de Nes, J. (2009). Occupational therapy for multiple sclerosis. *The Cochrane Library*, *1*, 1-16. doi: 10.1002/14651858.CD003608

Stewart, M. A. (1995). Effective physician-patient communication and health outcomes: A review. *Canadian Medical Association Journal*, *152*(9), 1423. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1337906/pdf/cmaj00069-0061.pdf>

Strandbygaard, U., Thomsen, S. F., & Backer, V. (2010). A daily SMS reminder increases adherence to asthma treatment: A three-month follow-up study. *Respiratory Medicine*, *104*(2), 166-171. doi: 10.1016/j.rmed.2009.10.003

Suominen, T., Leino-Kilpi, H., & Laippala, P. (1995). Who provides support and how? Breast cancer patients and nurses evaluate patient support. *Cancer Nursing*, *18*(4), 278. Retrieved from <http://europepmc.org/abstract/MED/7664255>

## T

Tarn, D. M., & Flocke, S. A. (2011). New prescriptions: How well do patients remember important information? *Family Medicine*, *43*(4), 254. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3099139/pdf/nihms290858.pdf>

Tarn, D. M., Heritage, J., Paterniti, D. A., Hays, R. D., Kravitz, R. L., & Wenger, N. S. (2006). Physician communication when prescribing new medications. *Archives of Internal Medicine*, *166*(17), pp. 1855. doi: 10.1001/archinte.166.17.1855

## U

Uitterhoeve, R., De Leeuw, J., Bensing, J., Heaven, C., Borm, G., DeMulder, P., & Van Achterberg, T. (2008). Cue-responding behaviours of oncology nurses in video-simulated interviews. *Journal of Advanced Nursing*, *61*(1), 71-80. doi: 10.1111/j.1365-2648.2007.04467

Unni, E. J., & Farris, K. B. (2011). Unintentional non-adherence and belief in medicines in older adults. *Patient Education and Counseling*, *83*(2), 265-268. doi: 10.1016/j.pec.2010.05.006

Urquhart, J. (1994). Role of patient compliance in clinical pharmacokinetics. *Clinical Pharmacokinetics*, 27(3), 202-215. Retrieved from [http://adisonline.com/pharmacokinetics/Abstract/1994/27030/Role\\_of\\_Patient\\_Compliance\\_in\\_Clinical.4.aspx](http://adisonline.com/pharmacokinetics/Abstract/1994/27030/Role_of_Patient_Compliance_in_Clinical.4.aspx)

Urquhart, J., & Vrijens, B. (2005). New findings about patient adherence to prescribed drug dosing regimens: An introduction to pharmionics. *European Journal of Hospital Pharmacy: Science and Practice*, 11(5), 103-106.

## V

Van der Meer, V., Bakker, M., Van den Hout, W., Rabe, K., Sterk, P., Kievit, J., . . . Sont, J. (2009). SMASHING (self-management in asthma supported by hospitals, ICT, nurses and general practitioners) study group: Internet-based self-management plus education compared with usual care in asthma: A randomized trial. *Annals of Internal Medicine*, 151, 110-120. Retrieved from <http://web.ebscohost.com/ehost/pdfviewer/pdfviewer?sid=8b60616b-8fee-4078-989a-8f30030f0737%40sessionmgr111&vid=2&hid=125>

Van der Meer, V., Van Stel, H. F., Bakker, M. J., Roldaan, A. C., Assendelft, W. J. J., Sterk, P. J., . . . Sont, J. K. (2010). Weekly self-monitoring and treatment adjustment benefit patients with partly controlled and uncontrolled asthma: An analysis of the SMASHING study. *Respiratory Research*, 11(1), pp. 74. doi: 10.1186/1465-9921-11-74

Van der Meulen, N., Jansen, J., Van Dulmen, S., Bensing, J., & Van Weert, J. (2008). Interventions to improve recall of medical information in cancer patients: A systematic review of the literature. *Psycho-Oncology*, 17(9), 857-868. doi: 10.1002/pon.1290

Van Dulmen, S. (2011). The value of tailored communication for person-centred outcomes. *Journal of Evaluation in Clinical Practice*, 17(2), 381-383. doi: 10.1111/j.1365-2753.2010.01586.x

Van Dulmen, S., Sluijs, E., Van Dijk, L., De Ridder, D., Heerdink, R., & Bensing, J. (2007). Patient adherence to medical treatment: A review of reviews. *BMC Health Services Research*, 7(1), pp. 55. doi: 10.1186/1472-6963-7-55

- Van Dulmen, S., Sluijs, E., Van Dijk, L., De Ridder, D., Heerdink, R., & Bensing, J. (2008). Furthering patient adherence: A position paper of the international expert forum on patient adherence based on an Internet forum discussion. *BMC Health Services Research*, 8(1), pp. 47. doi: 10.1186/1472-6963-8-47
- Van Geffen, E. C. G., Philbert, D., Van Boheemen, C., Van Dijk, L., Bos, M. B., & Bouvy, M. L. (2011). Patients' satisfaction with information and experiences with counseling on cardiovascular medication received at the pharmacy. *Patient Education and Counseling*, 83(3), 303-309. doi: 10.1016/j.pec.2011.04.004
- Van Tulder, M., Furlan, A., Bombardier, C., & Bouter, L. (2003). Updated method guidelines for systematic reviews in the cochrane collaboration back review group. *Spine*, 28(12), 1290-1299. doi: 10.1097/01.BRS.0000065484.95996.AF
- Van Weert, J. C. M., Jansen, J., De Bruijn, G. J., Noordman, J., Van Dulmen, S., & Bensing, J. M. (2009). QUOTEchemo: A patient-centred instrument to measure quality of communication preceding chemotherapy treatment through the patient's eyes. *European Journal of Cancer*, 45(17), pp. 2967. doi: 10.1016/j.ejca.2009.06.001
- Van Weert, J. C. M., Jansen, J., Spreeuwenberg, P. M. M., Van Dulmen, S., & Bensing, J. M. (2010). Effects of communication skills training and a question prompt sheet to improve communication with older cancer patients: A randomized controlled trial. *Critical Reviews in oncology/hematology*, 80(1), 145-159. doi: 10.1016/j.critrevonc.2010.10.010,
- Velligan, D., Wang, M., Diamond, P., Glahn, D., Castillo, D., Bendle, S., . . . Miller, A. (2007). Relationships among subjective and objective measures of adherence to oral antipsychotic medications. *Psychiatric Services*, 58(9), 1187-1192. doi: 10.1176/appi.ps.58.9.1187
- Verkaik, R., van Weert, J., & Francke, A. L. (2005). The effects of psychosocial methods on depressed, aggressive and apathetic behaviors of people with dementia: A systematic review. *International Journal of Geriatric Psychiatry*, 20(4), 301-314. doi: 10.1002/gps.1279
- Vermeire, E., Hearnshaw, H., Van Royen, P., & Denekens, J. (2001). Patient adherence to treatment: Three decades of research. A comprehensive review. *Journal of Clinical Pharmacy and Therapeutics*, 26(5), 331-342. doi: 10.1046/j.1365-2710.2001.00363.x

- Vervloet, M. (2013). *Have you taken your medication yet? The effectiveness of electronic reminders*. (Unpublished Doctoral Dissertation, University of Tilburg, Utrecht)
- Vervloet, M., Linn, A. J., Van Weert, J. C. M., de Bakker, D. H., Bouvy, M. L., & Van Dijk, L. (2012). The effectiveness of interventions using electronic reminders to improve adherence to chronic medication: A systematic review of the literature. *Journal of the American Medical Informatics Association*, *19*, 696-704. doi: doi:10.1136/amiajnl-2011-000748
- Vervloet, M., Van Dijk, L., Santen-Reestman, J., Van Vlijmen, B., Bouvy, M. L., & de Bakker, D. H. (2011). Improving medication adherence in diabetes type 2 patients through real time medication monitoring: A randomised controlled trial to evaluate the effect of monitoring patients' medication use combined with short message service (SMS) reminders. *BMC Health Services Research*, *11*(1), 5. doi: 10.1186/1472-6963-11-5
- Vervloet, M., van Dijk, L., Santen-Reestman, J., van Vlijmen, B., van Wingerden, P., Bouvy, M., & de Bakker, D. (2012). SMS reminders improve adherence to oral medication in type 2 diabetes patients who are real time electronically monitored. *International Journal of Medical Informatics*, (81), pp. 594. doi: 10.1016/j.ijmedinf.2012.05.005,
- Voorveld, H. A. M., Neijens, P. C., & Smit, E. G. (2011). Opening the black box: Understanding cross-media effects. *Journal of Marketing Communications*, *17*(2), 69-85. doi: 10.1080/13527260903160460
- Vrijens, B., De Geest, S., Hughes, D. A., Przemyslaw, K., Demonceau, J., Ruppar, T., . . . Lewek, P. (2012). A new taxonomy for describing and defining adherence to medications. *British Journal of Clinical Pharmacology*, *73*(5), 691-705. doi: 10.1111/j.1365-2125.2012.04167.x
- Vrijens, B., Vincze, G., Kristanto, P., Urquhart, J., & Burnier, M. (2008). Adherence to prescribed antihypertensive drug treatments: Longitudinal study of electronically compiled dosing histories. *British Medical Journal*, *336*(7653), 1114-1117. doi: 10.1136/bmj.39553.670231.25

## W

- Waalens, J., Bruning, A. L., Peters, M. J., & Blau, E. M. (2009). A telephone-based intervention for increasing the use of osteoporosis medication: A randomized controlled trial. *The American Journal of Managed Care*, *15*(8), e60-70.

- Walker, E. A., Molitch, M., Kramer, M. K., Kahn, S., Ma, Y., Edelstein, S., . . . Crandall, J. (2006). Adherence to preventive medications predictors and outcomes in the diabetes prevention program. *Diabetes Care*, *29*(9), 1997-2002. doi: 10.2337/dc06-0454. Retrieved from [http://www.ajmc.com/articles/AJMC\\_09aug\\_Waalen\\_e60toe70](http://www.ajmc.com/articles/AJMC_09aug_Waalen_e60toe70)
- Wantland, D. J., Portillo, C. J., Holzemer, W. L., Slaughter, R., & McGhee, E. M. (2004). The effectiveness of web-based vs. non-web-based interventions: A meta-analysis of behavioral change outcomes. *Journal of Medical Internet Research*, *6*(4), e40. doi: 10.2196/jmir.6.4.e40
- Ware, J. E., Snyder, M. K., Wright, W. R., & Davies, A. R. (1983). Defining and measuring patient satisfaction with medical care. *Evaluation and Program Planning*, *6*(3-4), 247-263. doi: 10.1016/0149-7189(83)90005-8
- Waters, B. M., Jensen, L., & Fedorak, R. N. (2005). Effects of formal education for patients with inflammatory bowel disease: A randomized controlled trial. *Canadian Journal of Gastroenterology*, *19*(4), 235. Retrieved from <http://europepmc.org/abstract/MED/15861266>
- Wessel, I., De Kooy, P. V., & Merckelbach, H. (2000). Differential recall of central and peripheral details of emotional slides is not a stable phenomenon. *Memory*, *8*(2), 95-109. doi: 10.1080/096582100387641
- Wetzels, G. E. C., Nelemans, P. J., Schouten, J. S. A. G., Van Wijk, B. L. G., & Prins, M. H. (2006). All that glitters is not gold: A comparison of electronic monitoring versus filled prescriptions—an observational study. *BMC Health Services Research*, *6*(1), pp. 8. doi: 10.1186/1472-6963-6-8
- Wise, J., & Operario, D. (2008). Use of electronic reminder devices to improve adherence to antiretroviral therapy: A systematic review. *AIDS Patient Care and STDs*, *22*(6), 495-504. doi: 10.1089/apc.2007.0180
- Wouters, H., Van Geffen, E., Baas-Thijssen, M. C., Krol-Warmerdam, E. M., Stiggelbout, A., Belitser, S., . . . Van Dijk, L. (submitted). Distangling breast cancer patients' perceptions and experiences with regard to endocrine therapy: Nature and relevance for non-adherence.



Wroe, A. L. (2002). Intentional and unintentional nonadherence: A study of decision making. *Journal of Behavioral Medicine*, 25(4), 355-372. doi: 10.1023/A:1015866415552

Wroe, A. L., & Thomas, M. G. (2003). Intentional and unintentional nonadherence in patients prescribed HAART treatment regimens. *Psychology, Health & Medicine*, 8(4), 453-463. doi: 10.1080/1354850310001604595

Wu, J. R., Moser, D. K., Lennie, T. A., & Burkhart, P. V. (2008). Medication adherence in patients who have heart failure: A review of the literature. *Nursing Clinics of North America*, 43(1), 133-153. doi: 10.1016/j.cnur.2007.10.006

## Z

Zachariae, R., Pedersen, C. G., Jensen, A. B., Ehrnrooth, E., Rossen, P., & Von Der Maase, H. (2003). Association of perceived physician communication style with patient satisfaction, distress, cancer-related self-efficacy, and perceived control over the disease. *British Journal of Cancer*, 88(5), 658-665. doi: 10.1038/sj.bjc.6600798

Zandbelt, L. C., Smets, E., Oort, F. J., & De Haes, H. (2005). Coding patient-centred behaviour in the medical encounter. *Social Science & Medicine*, 61(3), pp. 661. doi: 10.1016/j.socscimed.2004.12.006

Zandbelt, L. C., Smets, E., Oort, F. J., Godfried, M. H., & De Haes, H. (2006). Determinants of physicians' patient-centred behaviour in the medical specialist encounter. *Social Science & Medicine (1982)*, 63(4), pp. 899. doi: 10.1016/j.socscimed.2006.01.024

Zandbelt, L. C., Smets, E., Oort, F. J., Godfried, M. H., & de Haes, H. (2007). Patient participation in the medical specialist encounter: Does physicians' patient-centred communication matter? *Patient Education and Counseling*, 65(3), pp. 396. doi: 10.1016/j.pec.2006.09.011

Zedler, B. K., Kakad, P., Colilla, S., Murrelle, L., & Shah, N. R. (2011). Does packaging with a calendar feature improve adherence to self-administered medication for long-term use? A systematic review. *Clinical Therapeutics*, 33(1), 62-73. doi: 10.1016/j.clinthera.2011.02.003

- Zelikovsky, N., Schast, A. P., Palmer, J. A., & Meyers, K. E. C. (2008). Perceived barriers to adherence among adolescent renal transplant candidates. *Pediatric Transplantation, 12*(3), 300-308. doi: 10.1111/j.1399-3046.2007.00886.x
- Zimmermann, C., Del Piccolo, L., Bensing, J., Bergvik, S., De Haes, H., Eide, H., . . . Humphris, G. (2011). Coding patient emotional cues and concerns in medical consultations: The verona coding definitions of emotional sequences (VR-CoDES). *Patient Education and Counseling, 82*(2), 141-148. doi: 10.1016/j.pec.2010.03.017
- Zimmermann, C., Del Piccolo, L., & Finset, A. (2007). Cues and concerns by patients in medical consultations: A literature review. *Psychological Bulletin, 133*(3), 438-463. doi: 10.1037/0033-2909.133.3.438
- Zolnierok, K. B. H., & DiMatteo, M. R. (2009). Physician communication and patient adherence to treatment: A meta-analysis. *Medical Care, 47*(8), 826-834. doi: 10.1097/MLR.0b013e31819a5acc