



**UvA-DARE (Digital Academic Repository)**

**The black hole candidate IGR J17091-3624 going to quiescence**

Altamirano, D.; Wijnands, R.; Belloni, T.

*Published in:*  
The astronomer's telegram

[Link to publication](#)

*Citation for published version (APA):*  
Altamirano, D., Wijnands, R., & Belloni, T. (2013). The black hole candidate IGR J17091-3624 going to quiescence. *The astronomer's telegram*, 5112.

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

*UvA-DARE is a service provided by the library of the University of Amsterdam (<http://dare.uva.nl>)*

23 Jun 2014; 14:05 UT

## Outside

GCN  
IAUCs

## Other

ATel on [Twitter](#) and [Facebook](#)  
ATELstream  
ATel Community Site  
MacOS: [Dashboard Widget](#)This space free for your  
conference.IAU Symposium 305  
Polarimetry: From the Sun to  
Stars and Stellar  
Environments  
Costa Rica  
Nov 30-Dec 5 2014[ [Previous](#) | [Next](#) | [ADS](#) ]

# The black hole candidate IGR J17091-3624 going to quiescence

ATel #5112; *D. Altamirano, R. Wijnands (UvA) & T. Belloni (INAF)*  
on 7 Jun 2013; 07:30 UTCredential Certification: *Rudy Wijnands (rudy@space.mit.edu)*

Subjects: X-ray, Black Hole, Transient

Referred to by ATel #: [5192](#)

We report preliminary results on our Swift/XRT monitoring observations of the current outburst of the black hole candidate IGR J17091-3624 (e.g. Altamirano et al. 2011, ApJL, 742, 17, and references therein). Since our last report on 31 Jan 2013 (ATEL #4773), the X-ray flux as measured from Swift/XRT pointed observations has only varied by a factor not larger than 5. However, in the the last Swift/XRT pointed observation IGR J17091-3624 is barely detected, if detected at all.

The last two Swift/XRT observations were performed on 2 May 2013 (ObsID: 00035096081) and on 2 June 2013 (ObsID: 000350960812).

A source is clearly detected in the ~1.2 ksec observation performed on 2 May 2013 at coordinates consistent with IGR J17091-3624. The net count rate of the source is ~0.35 ct/s (0.5-10 keV). Similarly to what has been previously reported (e.g., ATEL #4773), in the Swift/XRT image a set of bright concentric rings can also be seen; one of those rings lies very close to IGR J17091-3624. These rings are due to the bright nearby source GX 349+2. The spectrum of IGR J17091-3624 was extracted following Evans et al. (2009, MNRAS, 397, 1177) and taking into account possible contamination of GX 349+2. Preliminary results show that the 0.5-10 keV source spectrum can be well fitted with an absorbed ( $N_{\text{H}} \sim 8.6e21 \text{ cm}^{-2}$ ) power law with a photon index of ~1.2, leading to an unabsorbed 0.5-10 keV (2.0-10 keV) flux of  $\sim 3.8E-11 \text{ ergs/cm}^2/\text{s}$  ( $\sim 3.1E-11 \text{ ergs/cm}^2/\text{s}$ ).

In the ~1 ksec Swift/XRT observation performed on 2 June 2013 only 9 photons (0.5-10 keV) could be detected in a circular region (radius of 40") centered at IGR J17091-3624 coordinates. The number of background photons, as measured with similar circular regions centered on a place far from IGR J17091-3624, varies between a total of 0 and 7 photons, most probably due to GX 349+2 contaminating photons. This contamination inhibits our ability to conclusively determine whether or not the source can be detected. Assuming the extreme case that all 9 photons are from IGR J17091-3624 (i.e. there is no background contamination), we derive an average count rate of  $\sim 9E-03 \text{ ct/s}$ , which means that the flux of IGR J17091-3624 has decreased by a factor of (at least) ~40 in the last month.

Using the best fit parameters obtained from the observation performed on 2 May 2013, and assuming a maximum count rate of  $\sim 9E-03 \text{ ct/s}$  (0.5-10 keV), we obtain (using PIMMS) a maximum unabsorbed flux (0.5-10 keV) of  $8.9E-13 \text{ ergs/cm}^2/\text{s}$ . This flux is between 5 and 9

## Related

- 5192 [Low-level X-ray variability observed from the black hole candidate IGR J17091-3624](#)
- 5112 [The black hole candidate IGR J17091-3624 going to quiescence](#)
- 4992 [MAXI/GSC detection of a hard X-ray re-brightening from the BHC 4U 1630-472](#)
- 4773 [The black hole candidate IGR J17091-3624 is still active](#)
- 4360 [Hard X-ray detection of the black hole candidates 4U 1630-47 and IGR J17091-3624 up to 200 keV with INTEGRAL](#)
- 4283 [Comments on ATel #4282: "Recent activity of the black hole X-ray binary IGR J17091-3624 as observed with the SWIFT/XRT : spectral hardening following the sharp drop in X-ray intensity"](#)
- 4282 [Recent activity of the black hole X-ray binary IGR J17091-3624 as observed with the SWIFT/XRT : spectral hardening following the sharp drop in X-ray intensity](#)
- 4173 [Swift/XRT Observations of IGR J17091-3624: Continued Activity](#)
- 4077 [Swift detects an increase in the hard X-ray emission from the BHC 4U 1630-47](#)
- 3945 [INTEGRAL detects the hard X-ray brightening of 4U 1630-47](#)
- 3916 [A possible state change in the black-hole candidate IGR J17091-3624](#)
- 3913 [The black hole candidate IGR J17091-3624 is still active](#)
- 3667 [Black hole X-ray binary IGR J17091-3624 shows a unique intensity variation pattern](#)
- 3418 [IGR J17091-3624 shows a unique quasi-'rho' class variability during recent RXTE/PCA observations](#)
- 3299 [RXTE observations strengthen the similarities between the black hole candidates IGR J17091-3624 and GRS 1915+105.](#)
- 3266 [Multiple evolving peaks in the power density spectrum and the spectral transition were detected in IGR J17091-3624](#)
- 3232 [Radio detection in 2003 of IGR J17091-3624](#)
- 3230 [IGR J17091-3624 undergoes 'heartbeat' oscillations similar to those of GRS 1915+105](#)

times higher than that measured with XMM-Newton when the source was in quiescence ( $\sim(10-18)E-14$  ergs/cm<sup>2</sup>/s, see Wijnands et. al., 2012, MNRAS, 422, 91), which could indicate the source is still transiting towards quiescence.

If the source has returned or is returning back into quiescence, it will allow for detailed studies of the optical counterpart of the source to search for orbital modulation and possible determine the mass of the assumed black hole in this system.

The daily Swift/BAT monitoring observations:  
<http://swift.gsfc.nasa.gov/docs/swift/results/transients/weak/IGRJ17091-3624/>

We will keep monitoring IGR J17091-3624 with Swift to understand if this drop in flux is temporary or permanent. We thank the Swift/Team for scheduling our observations.

- 3229 INTEGRAL observations suggest IGR J17098-3628 is not the source of 10 mHz QPOs
- 3225 Discovery of 10 mHz quasi-periodic oscillations likely from IGR J17091-3624
- 3203 The soft spectral state of the black hole candidate IGR J17091-3624 observed by INTEGRAL and Swift
- 3179 RXTE observes fast QPO evolution in IGR J17091-3624 indicating possible state transition
- 3168 0.1 Hz QPOs during RXTE observations of IGR J17091-3624
- 3167 Radio emission from IGR J17091-3624 observed with the ATCA
- 3159 INTEGRAL observations of the BHC IGR J17091-3624 in outburst
- 3150 The optical and near-infrared counterpart to IGR J17091-3624
- 3148 Swift/XRT Observations Confirm that IGR J17091-3624 is in Outburst
- 3144 Swift/BAT reports renewed activity from IGR J17091-3624
- 2958 Discovery of mHz QPOs and burst rate evolution in the active Terzan 5 neutron star transient
- 1140 Swift/XRT Observations of IGR J17091-3624 and IGR J17098-3628
- 494 Optical counterpart to IGR J17098-3628
- 478 Optical/NIR imaging of IGR J17098-3628 and IGR J16283-4838
- 152 Possible radio counterpart to IGR J17091-3624
- 149 IGR J17091-3624

[ [Telegram Index](#) ]

R. E. Rutledge, Editor-in-Chief

Derek Fox, Editor

Mansi M. Kasliwal, Co-Editor

[rrutledge@astronomerstelegam.org](mailto:rrutledge@astronomerstelegam.org)

[dfox@astronomerstelegam.org](mailto:dfox@astronomerstelegam.org)

[mansi@astronomerstelegam.org](mailto:mansi@astronomerstelegam.org)