



UvA-DARE (Digital Academic Repository)

Superinfection with drug-resistant HIV is rare and does not contribute substantially to therapy failure in a large European cohort

Bartha, I.; Assel, M.; Sloot, P.M.A.; Zazzi, M.; Torti, C.; Schülter, E.; De Luca, A.; Sönnnerborg, A.; Abecasis, A.B.; Van Laethem, K.; Rosi, A.; Svärd, J.; Paredes, R.; van de Vijver, D.A.M.C.; Vandamme, A.-M.; Müller, V.

DOI

[10.1186/1471-2334-13-537](https://doi.org/10.1186/1471-2334-13-537)

Publication date

2013

Document Version

Final published version

Published in

BMC Infectious Diseases

[Link to publication](#)

Citation for published version (APA):

Bartha, I., Assel, M., Sloot, P. M. A., Zazzi, M., Torti, C., Schülter, E., De Luca, A., Sönnnerborg, A., Abecasis, A. B., Van Laethem, K., Rosi, A., Svärd, J., Paredes, R., van de Vijver, D. A. M. C., Vandamme, A.-M., & Müller, V. (2013). Superinfection with drug-resistant HIV is rare and does not contribute substantially to therapy failure in a large European cohort. *BMC Infectious Diseases*, 13, 537. <https://doi.org/10.1186/1471-2334-13-537>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (<https://dare.uva.nl>)

Distribution of HIV sequences by subtypes.

Subtyping was carried out by the REGA subtyping tool. In the cases where the REGA tool was not able to distinguish between a pure subtype and a subs subtype or circulating recombinant form, the latter is denoted in parentheses.

| Subtype | #Sequences |
|------------------------|------------|
| HIV-1 Subtype B | 11899 |
| HIV-1 Subtype C | 288 |
| HIV-1 CRF 02_AG | 263 |
| HIV-1 Subtype A(A1) | 235 |
| HIV-1 Subtype F | 161 |
| HIV-1 Subtype G | 92 |
| HIV-1 Subtype A(01_AE) | 85 |
| HIV-1 CRF 06_CPX | 26 |
| HIV-1 Subtype G(02_AG) | 18 |
| HIV-1 Subtype D | 16 |
| HIV-1 Subtype J | 12 |
| HIV-1 Subtype A(A2) | 11 |
| HIV-1 CRF 12_BF | 4 |
| HIV-1 CRF 01_AE | 5 |
| HIV-1 CRF 11_CPX | 4 |
| HIV-1 CRF 13_CPX | 2 |
| HIV-1 CRF 10_CD | 2 |
| Undefined | 693 |