

UvA-DARE (Digital Academic Repository)

Boosting the Supercapacitance of Nitrogen-Doped Carbon by Tuning Surface Functionalities

Biemolt, J.; Denekamp, I.M.; Slot, T.K.; Rothenberg, G.; Eisenberg, D.

DOI

[10.1002/cssc.201700902](https://doi.org/10.1002/cssc.201700902)

Publication date

2017

Document Version

Other version

Published in

ChemSusChem

[Link to publication](#)

Citation for published version (APA):

Biemolt, J., Denekamp, I. M., Slot, T. K., Rothenberg, G., & Eisenberg, D. (2017). Boosting the Supercapacitance of Nitrogen-Doped Carbon by Tuning Surface Functionalities. *ChemSusChem*, 10(20), 4018-4024. <https://doi.org/10.1002/cssc.201700902>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, P.O. Box 19185, 1000 GD Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (<https://dare.uva.nl>)

Supporting Information

Boosting the Supercapacitance of Nitrogen-Doped Carbon by Tuning Surface Functionalities

Jasper Biemolt^{+, [a]} Ilse M. Denekamp^{+, [a]} Thierry K. Slot^{+, [a]} Gadi Rothenberg,^{*[a]} and David Eisenberg^{*[a, b]}

cssc_201700902_sm_miscellaneous_information.pdf




Figure S1. Cyclic voltammetry in 1 M H₂SO₄ at 5 mV/s, for carbons before a 1000 °C heat treatment (solid line) and after it (dotted line).




Figure S2. (a) Cycling behavior and (b) rate capability of sample NC-0C-4h in 1M H₂SO₄.




Figure S3. Cyclic voltammetry in 1 M H₂SO₄ at 5 mV/s, for carbons from the NC-900* batch, treated at (a) 0 °C and (b) 20 °C. Different treatment times are marked on the scheme.




Figure S4. N₂ adsorption-desorption isotherms at 77K on carbon NC900* (black), and carbons treated in acid at 0 °C / 4h (red) and at 20 °C / 1h (blue).




Figure S5. X-ray photoelectron spectra in the O-1s region for carbons treated at (a) 0 °C and (b) 20 °C.




Figure S6. CAD model and final structure of a supercapacitor testing device, 3D-printed from high impact polystyrene.