



UvA-DARE (Digital Academic Repository)

Optimizing oral health: Towards a tailored, effective and cost-effective dental care

Vermaire, J.H.

Publication date
2013

[Link to publication](#)

Citation for published version (APA):

Vermaire, J. H. (2013). *Optimizing oral health: Towards a tailored, effective and cost-effective dental care*. [Thesis, fully internal, Universiteit van Amsterdam].


General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

References



References

- Abelsen B, Olsen JA. Task division between dentists and dental hygienists in Norway. *Community Dent Oral Epidemiol* 2008; 36: 558-566
- Adair PM, Pine CM, Burnside G, Nicoll AD, Gillett A, Anwar S, Broukal Z, Chestnutt IG, Declerck D, Ping FX, Ferro R, Freeman R, Grant-Millis D, Gugushe T, Hunsrisakhun J, Irigoven-Camacho M, Lo EC, Moola MH, Naidoo S, Nyandindi U, Poulsen VJ, Ramos-Gomez F, Razanamihaje N, Shihdid S, Skeie MS, Skur OP, Splieth C, Soo TC, Whelton H, Young DW. Familial and cultural perceptions and beliefs of oral hygiene and dietary practices among ethnically and socio-economical diverse groups. *Community Dent Health* 2004; 21 (suppl): 102-111
- Ahovuo-Saloranta A, Hiiri A, Nordblad A, Mäkelä M, Worthington HV. Pit and fissure sealants for preventing dental decay in the permanent teeth of children and adolescents. *Cochrane Database Syst Rev* 2008; Oct 8: CD001830
- Amin MS, Harrison RL. A conceptual model of parental behavior change following a child's dental general anesthesia procedure. *Pediatr Den.* 2007; 29: 278-286
- Anderson MH. Current concepts of dental caries and its prevention. *Oper Dent* 2001; 6: 11-18
- Arrow PG. Oral hygiene in the control of occlusal caries. *Community Dent Oral Epidemiol* 1998 Oct; 26: 324-330
- Arrow PG. Cost minimisation analysis of two occlusal caries preventive programmes. *Community Dent Health* 2000; 17: 85-91
- Ashford M, Blinkhorn AS. Marketing dental care to the reluctant patient. *Br Dent J* 1999; 186: 436-41
- Astrøm AN, Okullo I. Temporal stability of the theory of planned behavior: a prospective analysis of sugar consumption among Ugandan adolescents. *Community Dent Oral Epidemiol.* 2004; 32: 426-434
- Astrøm AN, Kiwanuka SN. Examining intention to control preschool children's sugar snacking: a study of carers in Uganda. *Int J Paediatr Dent* 2006; 16: 10-18
- Ayo-Yusuf OA, Reddy PS, van den Borne BW. Longitudinal Association of adolescents' sense of coherence with tooth-brushing using an integrated behaviour change model. *Community Dent Oral Epidemiol* 2009; 37: 68-77
- Bagramian RA, Garcia-Godov F, Volpe AR. The global increase in dental caries. A pending public health crisis. *Am Dent J* 2009; 22: 3-8

- Baker RM. Economic rationality and health and lifestyle choices for people with diabetes. *Soc Sci Med* 2006; 63: 2341-53
- Baker R, van Exel J, Mason H, Stricklin M. Connecting Q & surveys: a test of three methods to explore factor membership in a large sample. *Operant Subjectivity* 2010;34: 38-58
- Barner, JC, Mason HL, Murray MD. Assessment of asthma patients' willingness to pay for and give time to an asthma self management program. *Clin Ther* 1999; 21,878-894
- Berndsen M, Eijkman MAJ, Hoogstraten J. Compliance perceived by Dutch periodontists and hygienists. *J Clin Periodontol* 1993; 20: 668-672
- Bledsoe LK. Smoking cessation: An application of theory of planned behavior to understanding progress through stages of change. *Addict Behav* 2006; 31: 1271-1276
- Brandão IM, Arcieri RM, Sundefeld ML, Moimaz SA. [Early childhood caries: the influence of socio-behavioral variables and health locus of control in a group of children from Araraquara, São Paulo, Brazil] *Cad Saude Publica* 2006; 22: 1247-1256.
- Brathall D. Introducing the Significant Caries Index together with a proposal for a new global oral health goal for 12-year-olds. *Int Dent J* 2000; 50: 378-384
- Brennan D, Spencer J, Roberts-Thomson K. Dental knowledge and oral Health among middle-aged adults. *Aust NZ J Public Health* 2010; 34: 472-475
- Brouwer WBF, Niessen LW, Postma MJ, Rutten FFH. Need for differential discounting of costs and health effects in cost effectiveness analyses. *BMJ* 2005; 331: 446-448
- Brown SR. Political Subjectivity: Applications of Q-methodology in political science. *Yale University Press*. 1980
- Brown SR. A primer on Q methodology. *Operant Subjectivity* 1993; 16: 91-138
- Brown SR Q methodology as the foundation for a science of subjectivity. *Operant Subjectivity* 1995; 18: 1-16
- Bryant LD, Green JM, Hewison J. Understanding of Down's syndrome: A Q-methodological Investigation. *Soc Sci Med* 2006; 63: 1188-1200
- Caffell, AC. Dental caries in medieval Britain (c. AD 450-1540) : temporal, geographical and contextual patterns. Durham theses, Durham University, 2004. Available at Durham E-Theses. Online available: <http://etheses.dur.ac.uk/1279/>
- Campbell MK, Torgerson DJ. Bootstrapping: estimating confidence intervals for cost-effectiveness ratios. *Q J Med* 1999; 92: 177-182
- Carr MW. Dentistry, an agency of health service. New York. *The Commonwealth Fund* 1946. p 137 OCLCnr: 214298282

- Carvalho JC, Thylstrup A, Ekstrand KR. Results after 3 years of non-operative occlusal caries treatment of erupting permanent first molars. *Community Dent Oral Epidemiol* 1992; 20: 187-192
- Carvalho TS, Sampaio FC, Diniz A, Bönecker M, van Amerongen WE. Two years survival rate of Class II ART restorations in primary molars using two ways to avoid saliva contamination. *Int J Paediatr Dent* 2010; 20: 419-425
- Chapman K, Ogden J. How do people change their diet? An exploration into mechanisms of dietary change. *J Health Psychol* 2009; 14: 1229-1242
- Chase I, Berkowitz RJ, Proskin HM, Weinstein P, Billings R. Clinical outcomes for Early Childhood Caries (ECC): the influence of health locus of control. *Eur J Paediatr Dent* 2004; 5: 76-80
- College voor Zorgverzekeringen. [Guidelines for pharmaco-economic research – updated version]. College voor Zorgverzekeringen, Diemen. March 2006. Document 25001605
- Coppa A, Bondioli L, Cucina A, Frayer DW, Jarrigel C et al. Early Neolithic tradition of dentistry. *Nature* 2006; 440: 755-756
- Cross RM. Exploring attitudes: the case for Q-methodology. *Health Educ Res* 2005; 20: 206-13
- Cubbin C, Sundquist K, Ahlen H, Johansson SE, Winkleby MA, Sundquist J. Neighborhood deprivation and cardiovascular disease risk factors: protective and harmful effects. *Scand J Pub Health* 2006; 34: 228-237
- Daly B, Clarke W, McEvoy W, Periam K, Zoitopoulos L. Child oral health concerns amongst parents and primary care givers in a Sure Start Local Programme. *Community Dent Health* 2010; 27: 167-171
- Davies GM, Duxbury JT, Boothman NJ, Davies RM. Challenges associated with the evaluation of a dental health promotion programme in a deprived urban area. *Community Dent Health* 2007; 24: 117-121
- Desai S, Alva S. Maternal education and child health; is there a strong causal relationship? *Demography* 1998; 35: 71-81
- Divaris K, Rozier RG, King RS. Effectiveness of a school-based fluoride mouthrinse program. *J dent Res* 2012; 91: 282-287
- Dorri, M., Sheiham, A., Watt, R. The influence of peer social networks on toothbrushing behavior in Iranian adolescents in Mashhad. *Community Dent Oral Epidemiol* 2010; 38: 498-506

- Drummond MF, Sculpher MJ, Torrance GW, O'Brien BJ, Stoddart GJ. Methods for the evaluation of health care programmes, 3rd ed. Oxford: *Oxford University Press* 2005. ISBN 019-852945-7
- Doran N, Spring B, McChargue D, Pergadia M, Richmond M. Impulsivity and smoking relapse. *Nicotine and Tobacco Res* 2004; 6: 641-647
- Durward CS, Wright FA. Dental knowledge, attitudes, and behaviors of Indochinese and Australian-born adolescents. *Community Dent Oral Epidemiol* 1989; 17:14-18
- Ekstrand KR, Kuzmina IN, Kuzmina E, Christiansen MEC. Two and a half year outcome of caries preventive programs offered to groups of children in the Solntsevsky district of Moscow. *Caries Res* 2000; 34: 8-19
- Ekstrand KR, Christiansen MEC. Outcomes of a non-operative caries treatment programme for children and adolescents. *Caries Res* 2005; 39: 455-467
- Ersin NK, Eden E, Eronat N, Totu FI, Ates M. Effectiveness of 2-year application of school-based chlorhexidine varnish, sodium fluoride gel and dental health education programs in high-risk adolescents. *Quintessence Int* 2008; 39: 45-51
- Esclassan R, Grimoud AM, Ruas MP, Donat R, Sevin A et al. Dental caries, tooth wear and diet in an adult medieval (12th-14th century) population from Mediterranean France. *Arch Oral Biol* 2009; 54: 287-297
- Evans RW, Dennison PJ. The Caries Management System: an evidence-based preventive strategy for dental practitioners. Application for children and adolescents. *Aus Dent J* 2009; 54: 381-389
- van Exel NJA, de Graaf G, Brouwer WBF. Care for a break? An investigation of informal caregiver's attitudes towards respite care using Q-methodology. *Health Policy* 2007; 83: 332-42
- van Exel NJA, de Graaf G., Brouwer WBF. "Everyone dies, so you might as well have fun!" Attitudes of Dutch youths about their health lifestyle. *Soc Sci Med* 2006; 63: 2628-2639
- Fejerskov O. Changing paradigms in concepts on dental caries: consequences for oral health care. *Caries Res* 2004; 38: 182-191
- Fisher J, Johnston S, Hewson N, van Dijk W, Reich E, Eiselé JL, Bougeois D. FDI Global Caries Initiative; implementing a paradigm shift in dental practice and the global policy context. *Int Dent J* 2012; 62: 169-174
- Freeman R, Sheiham A. Understanding decision-making processes for sugar consumption in adolescence. *Community Dent Oral Epidemiol* 1997;25: 228-232
- Garcia RI, Sohn W. The paradigm shift to prevention and its relationship to dental education. *J Dent Educ.* 2012; 76: 36-45
- Gillchrist JA, Brumley DE, Blackford JU. Community socioeconomic status and children's dental health. *JADA* 2001; 132: 216-222

- Glanz K, Rimer BK, Lewis FM. Health Behavior and Health Education. *Theory, Research and Practice*. 2002; San Fransisco: Wiley & Sons
- Gray PG, Todd JE, Slack GL, Bulman JS. Adult dental health in England and Wales in 1968. Her Majesty's Stationary Office, London 1970
- Greene JC, Vermillion JR (1964). The simplified oral hygiene index. *JADA* 1964; 68:7-13
- Greenland S. Introduction to regression modeling. In: Rothman KJ, Greenland S, Lash TL, eds. *Modern epidemiology*. Philadelphia: Lippincott Williams & Wilkins, 2008; 418-455
- Grimes DA, Schulz KF. Bias and causal associations in observational research. *Lancet* 2002; 359: 248-252
- Gussy MG, Waters EB, Riggs EM, Lo SK, Kilpatrick NM. Parental knowledge, beliefs and behaviours for oral health of toddlers residing in rural Victoria. *Aust Dent J* 2008; 53: 52-60
- Hakkart - van Roijen L, Tan SS, Bouwmans CAM. [Manual for cost analysis, methods and fixed costs for economical evaluations in healthcare]. College voor Zorgverzekeringen. Updated Version 2010. Diemen: CVZ 2011
- Hanson MD, Chen E. Socioeconomic status and health behaviors in adolescence. A review of the literature. *J Behav Med* 2007; 30: 263-285
- Hausen H, Seppä L, Poutanen R, Niinimaa A, Lahti S, Kärkkäinen S, Pietilä I. Noninvasive control of dental caries in children with active initial lesions. *Caries Res* 2007; 41: 384-391
- van Helvoort - Postulart D, Dirksen CD, Kessels AGH, van Engelshoven JMA, Hunink MGM. A comparison between willingness to pay and willingness to give up time. *Eur J Health Econ* 2009; 10:81-91
- Hietsalo P, Seppä L, Lahti S, Niinimaa A, Kallio J, Aronen P, Sintonen H, Hausen H. Cost-effectiveness of an experimental caries-control regimen in a 3.4-yr randomized clinical trial among 11-12-yr-old Finnish schoolchildren. *Eur J Oral Sci* 2009; 117: 729-733
- Horrocks S, Anderson E, Salisbury C. Systematic review of whether NPs working in primary care can provide equivalent care to doctors. *British Med J* 2002; 324: 819-823
- Jerkovic K, Binnenkade JM, van der Kruk JJ, van der Most JA, Talsma AC et al. Differences in oral health behaviour between children from high and children from low SES schools in the Netherlands. *Community Dent Health* 2009; 26: 110-115
- Jerkovic K, van Offenbeek MA, Slot DE, van der Schans CP. Changes in the professional domain of Dutch dental hygienists. *Int J Dent Hyg* 2010; 8: 301-307
- Jha AK. Time to get serious about pay for performance. *JAMA* 2013; 309: 347-348
- Kalf RRJ, Schepman SM, Batenburg RS. [Actual data on dental employment capacity in the Netherlands] Utrecht. *Nivel* 2010. ISBN 97 8946 1220 530
- Kalsbeek H, Eijkman MAJ, Verrips GHW. [A survey on oral health after the start of the TJZ-decree] *TNO/ACTA*, 1989 ISBN 90-6743-145-1
- Kaye PL, Fiske J, Bower EJ, Newton JT, Fenlon M. Views and experiences of parents and

siblings of adults with Down Syndrome regarding oral healthcare: a qualitative and quantitative study. *Br Dent J* 2005; 198: 571-578

- Keene H. History of Dental Caries in Human Populations: The First Million Years. Symposium and Workshop on Animal Models in Cariology, Sturbridge, Massachusetts, 1980
- Kegeles SS, Lund AK. Adolescents' health beliefs and acceptance of a novel preventive dental activity: a further note. *Soc Sci Med* 1984; 19: 979-82
- Knecht MC, Syrjälä AM, Knuuttila ML. Locus of control beliefs predicting oral and diabetes health behavior and health status. *Acta Odontol Scand* 1999; 57: 127-131
- Kraf RL, Pander Maat HLW. [Readability research: old problems, new chances] *Tijdschr. Taalbeh* 2009; 31: 97-123
- Kreuger L, van Exel NJA, Nieboer A. Needs of persons with severe intellectual disabilities: a Q-methodological study of clients with severe Behavioural disorders and severe intellectual disabilities. *J Applied Res Intellect Disabilities* 2008; 21: 466-76
- Kumar JV. 2011 in Oral Hygiene aids. Textbook of preventive and community dentistry (2nd ed.) pp 412-413. Reed Elsevier India Ltd. ISBN 978-81-312-2530-1
- Lencová E, Pikhart H, Broukal Z, Tsakos G. Relationship between parental locus of control and caries experience in preschool children – cross-sectional survey. *BMC Public Health* 2008; 8: 208
- Li Y, Wang W. Predicting caries in permanent teeth from caries in primary teeth: an eight-year cohort study. *J Dent Res* 2002; 81: 561-566
- Locker D, Grushka M. Response trends and nonresponse bias in a mail survey of oral and facial pain. *J Public Health Dent*. 1988; 48: 20-25
- López R, Frydenberg M, Baelum V. Non-participation and adjustment for bias in case-control studies of periodontitis. *Eur J Oral Sci* 2008; 116: 405-411
- Luthar SS, Latendresse SJ. Children of the affluent: challenges to well-being. *Psychosom Med* 2005; 14: 49-53
- Machiulskiene V, Nyvad B, Baelum V. Determinants of dropout in a community intervention trial on the caries-preventive effect of chewing gums. *Public Health Dent* 2002; 62: 21-27
- Marinho VCC, Higgins JPT, Logan S, Sheiham A. Fluoride toothpastes for preventing dental caries in children and adolescents. Cochrane Database of Systematic Reviews 2003, Issue 1. Art. No.: CD002278
- Marinho VCC, Higgins JPT, Logan S, Sheiham A. Fluoride gels for preventing dental caries in children and adolescents. Cochrane Database of Systematic Reviews 2002, Issue 1. Art. No.: CD002280
- Martins RK, McNeil DW. Review of Motivational Interviewing in promoting health behaviors. *Clin Psych Rev* 2009; 29: 283-293
- Michie S, Johnston M, Abraham C, Lawton R, Parker D, Walker A. Making psychological theory

useful for implementing evidence based practice: a consensus approach. *Qual Saf Health Care* 2005; 14:26-33

- Milsom KM, Tickle M, Blinkhorn AS. Dental pain and dental treatment of young children attending the general dental service. *Br Dent J* 2002; 192: 280-284
- Mohebbi SZ, Virtanen JI, Murtomaa H, Vahid - Gopayegani M, Vehkalahti MM. Mothers as facilitators of oral hygiene in early childhood. *Int J Paediatr Dent* 2008; 18: 48-55
- Mohebbi SZ, Virtanen JI, Vahid - Golpayegani M, Vehkalahti MM. A cluster randomised trial of effectiveness of educational intervention in primary health care on early childhood caries. *Caries Res* 2009; 43: 110-118
- Mora T, Gil J. Peer effects in adolescent BMI: Evidence from Spain. *Health Econ* 2012 DOI: 10.1002/hec.2817
- Moskovitz M, Abud W, Ram D. The influence of an oral health education program provided in a community dental clinic on the prevalence of caries among 12-14 year-old children. *J Clin Pediatr Dent* 2009; 33: 259-264
- Nivell / Dutch consumers' association. [waiting for the dentist]. *Consumentengids* 2002 page 55
- NZA [Dutch Health Authority] 2011. Policy rule BR/CU 7008
- Norheim PW, Heloë LA. Comparison between participants and non-participants in a dental health survey in Northern Norway. *Community Dent Oral Epidemiol* 1975; 3: 56-60
- Ohrn K, Crossner CG, Börgesson I, Taube A. Accuracy of dental hygienists in diagnosing dental decay. *Community Dent Oral Epidemiol* 1996; 24: 182-186
- Ohrn K, Hakeberg M, Abrahamsson KH. Dental beliefs, patients' specific attitudes towards dentists and dental hygienists: a comparative study. *Int J Dent Hyg* 2008; 6: 205-213
- Oppenheim AN. Questionnaire design, interviewing and attitude measurement. 1992: *Continuum*, London
- Oscarson N, Källestål C, Fjeddahl A, Lindholm L. Cost-effectiveness of different caries preventive measures in a high-risk population of Swedish adolescents. *Community Dent Oral Epidemiol* 2003; 31: 169-78
- Oscarson N, Lindholm L, Källestål C. The value of caries preventive care among 19-year olds using the contingent valuation method within a cost-benefit approach. *Community Dent Oral Epidemiol* 2007; 35: 109-17
- Owais A, Hanif B, Siddiqui AR, Agha A, Zaidi AK. Does improving maternal knowledge of vaccines impact infant immunization rates? A community-based randomized controlled trial in Karachi, Pakistan. *BMC Public Health* 2011; 11: 239
- Pease D, Boger R, Melby J, Pfaff J and Wolins L. Reliability of the Q-sort inventory of parenting behaviors. *Edu Psych Measurement* 1989; 49: 11-7
- Peng B, Petersen PE, Fan MW, Tai BJ. Oral health status and oral health behaviour of

12-year-old urban schoolchildren in the People's Republic of China. *Community Dent Health* 1997; 14: 238-244

- Petersen PE, Aleksejuniene J, Christensen LB, Eriksen HM, Kalo I. Oral health behavior and attitudes of adults in Lithuania. *Acta Odontol Scand* 2000;58:243-8
- Petersen PE. The world oral health report 2003; continuous improvement of oral health in the 21st century – the approach of the WHO Global Oral Health Programme. *Community Dent Oral Epidemiol* 2003; 31 (Suppl 1): 3-24
- Petersson GH, Brathall D. Caries risk assessment: a comparison between the computer program 'Cariogram', dental hygienists and dentists. *Swed Dent J* 2000; 24: 129-137
- Pienihäkkinen K, Jokela J. Clinical outcomes of risk-based caries prevention in preschool-aged children. *Community Dent Oral Epidemiol* 2002; 30: 143-150
- Pine CM, McGoldrick PM, Burnside G, Curnow MM, Chesters RK, Nicholson J, Huntington E. An intervention programme to establish regular toothbrushing: understanding parents' beliefs and motivating children. *Int Dent J*. 2000; Suppl: 312-323
- Poorterman JHG, Schuller AA. [Dental care among Dutch National Health Service insured children; final measurement 2005] ACTA/TNO survey. Amsterdam: ACTA 2006. ISBN: 978-90-804110-4-3
- Poos MJJC, Smit JM, Groen J, Kommer GJ, Slobbe LCJ. [Costs of illness in the Netherlands 2005]. 270751019 Bilthoven: RIVM, 2008 Available online: www.rivm.nl/bibliotheek/rapporten/270751019.pdf
- Poutanen R, Lahti S, Tolvanen M, Hausen H. Parental influence on children's oral health related behavior. *Acta Odontol Scand* 2006; 64: 286-292
- Poutanen R, Lahti S, Seppä L, Tolvanen M, Hausen H. Oral health-related knowledge, attitudes, behavior and family characteristics among Finnish schoolchildren with and without active initial caries lesions. *Acta Odontol Scand* 2007; 65: 87-96
- Reisine S, Litt M, Tinanoff N. A biopsychosocial model to predict caries in preschool children. *Pediatr Dent* 1994; 16: 413-418
- Rosenstock IM, Strecher VJ, Becker MH. Social learning theory and the Health Belief Model. *Health Educ Q* 1988; 15: 175-83
- Ryan CJ, Zerwic JJ. Knowledge of symptom clusters among adults at risk for acute myocardial infarction. *Nurs Res* 2004; 53: 363-369
- Sackett DL. Evaluation of health services. In *Health and preventive medicine* (ed. J.M. Last), pp 1800-1823. 1980 Appleton-Century Crofts, New York
- Sbraraini A, Evans RW. Caries risk reduction in patients attending a caries management clinic. *Austr Dent J* 2008; 53: 340-348
- Schnabel BJ, McNamara Jr JA, Franchi L, Bacetti T. Q-sort assessment vs visual analogue scale in the evaluation of smile esthetics. *Am J Orthod Dentofacial Orthop* 2009; 135: S61-71

- Schmolck P. (2002). PQMethod (version 2.11). [Computer software]. Available at <http://schmolck.userweb.mwn.de/qmethod/>
- Schuller AA (ed). [Oral health in adults 2007] TNO survey KvL/GL/2009.048. Leiden: TNO 2009. ISBN 978-90-5986-320-0
- Schwarzer R, Cao DS, Lippke S. Stage-matched minimal interventions to enhance physical activity in Chinese adolescents. *J Adolesc Health* 2010; 47: 533-539
- Skeie MS, Riordan PJ, Klock KS, Espelid I. Parental risk attitudes and caries-related behaviours among immigrant and western native children in Oslo. *Community Dent Oral Epidemiol* 2006; 34: 103-113
- Sköld UM. On caries prevalence and school-based fluoride programmes in Swedish adolescents. *Swed Dent J* 2005; 178 (Suppl) 11-75
- Slobbe LCJ, Smit JM, Groen J, Poos MJJC, Kommer GJ. [Costs of illness in the Netherlands 2007; trends in Dutch health expenditures 1999-2010]. 270751023 Bilthoven: RIVM, 2011. Available online: www.rivm.nl/dsresource?objectid=rivmp:61294&type=org&disposition=inline&ns_nc=1
- Smith NW Current systems in psychology: history, theory, research, and applications. *Wadsworth*. 2001
- Söder B, Yakob M, Meurman JH, Andersson LC, Söder PO. The association of dental plaque with cancer mortality in Sweden. A longitudinal study. *BMJ Open* 2012; 2: e001083
- Sohn W, Taichman LS, Ismail AI, Reisine S. Caregivers perception of child's oral health status among low-income African Americans. *Pediatr Dent* 2008; 30: 480-487
- Soto-Barreras U, Olvera-Rubio JO, Loyola-Rodriguez JP, Reyes-Macias JF, Martinez-Martinez RE, Patiño-Marin N, Martinez-Castañón GA, Aradillas-Garcia C, Little JW. Peripheral arterial disease associated with caries and periodontal disease. *J Periodontol* 2012 doi:10.1902/jop.2012.120051
- Splieth CH, Steffen H, Welk A, Schwahn C. Responder and Nonresponder Analysis for a Caries Prevention Program. *Caries Res* 2005; 39: 269-272
- Stamm JW, Bohannon HM, Graves RC, Disney JA. The efficiency of caries prevention with weekly fluoride mouthrinses. *J Dent Educ* 1984; 48: 617-626
- Stenberg P, Hakansson J, Akerman S. Attitudes to dental health and care among 20 to 25-year-old Swedes: results from a questionnaire. *Acta Odontol Scand* 2000;58:102-106
- Stephenson W (1935). Correlating persons instead of tests. *Character and Personality* 4:17-25
- Stewart JE, Wolfe GR, Maeder L, Hartz GW. Changes in dental knowledge and self-efficacy scores following interventions to change oral hygiene behaviour. *Patient Educ and Counseling* 1996; 27: 269-277
- Syrjälä AM, Ylöstalo P, Niskanen MC, Knuuttila ML. Relation of different measures of psychological characteristics to oral health habits, diabetes adherence and related clinical variables among diabetic patients. *Eur J Oral Sci* 2004; 112: 109-114

- Tan SS, Bouwmans CA, Rutten FF, Hakkaart-van Roijen L. Update of the Dutch manual for costing in economic evaluations. *Int J Technol Assess Health Care* 2012; 28: 152-158
- Tan SS, Rutten FF, van Ineveld BM, Redekop WK, Hakkaart-van Roijen L. Comparing methodologies for the cost estimation of hospital services. *Eur J Health Econ* 2009; 10: 39-45
- Thomson WM, Mackay TD. Child dental caries patterns described using a combination of area-based and household-based socio-economic status measures. *Community Dent Health* 2004; 21: 285-290
- Thorstensson H, Johansson B. Does oral health say anything about survival in later life? Findings in a Swedish cohort of 80+ years at baseline. *Community Dent Oral Epidemiol* 2009; 37: 325-332
- Thylstrup A, Vinther D, Christiansen J. Promoting changes in clinical practice. Treatment time and outcome studies in a Danish public child dental health clinic. *Community Dent Oral Epidemiol* 1997; 25: 126-134
- Tianviwat S, Chongsuivattong V, Birch S. Prevention versus cure: Measuring parental preferences for sealants and fillings as treatments for childhood caries in Southern Thailand. *Health Policy* 2008; 86: 64-71
- Tianviwat S, Chongsuivattong V, Birch S. Optimizing the mix of basic dental services for Southern Thai Schoolchildren based on resource consumption, service needs and parental preference. *Community Dent Oral Epidemiol* 2009; 37: 372-380
- Tickle M, Milsom KM, Humphris GM, Blinkhorn AS. Parental attitudes to the care of the carious primary dentition. *Br Dent J* 2003; 195: 451-455
- Tielens M, van Staa A, Jedeloo S, van Exel NJA, Wiemar W. Q-methodology to identify Young adult renal transplant recipients at risk for non-adherence. *Transplantation* 2008; 85: 700-706
- Tillis TS, Stach DJ, Cross-Poline GN, Annan SD, Astroth DB, Wolfe P. The transtheoretical model applied to an oral self-care behavioral change: development and testing of instruments for stages of change and decisional balance. *J Dent Hyg* 2003; 77: 16-25
- Tinanoff N. Potential to improve oral health care through evidence, protocols and payment models. *J Public Health Dent* 2012; 72: Suppl 1 48-51
- Tolvanen M, Lahti S, Hausen H. Changes in toothbrushing frequency in relation to changes in health related knowledge and attitudes among children – a longitudinal study. *Eur J Oral Sci* 2010; 118: 284-289
- Vanagas G, Milašauskienė Ž, Grabauskas V, Mickevičienė A. Associations between parental skills and their attitudes toward importance to develop good oral hygiene skills in their children. *Medicina (Kaunas)* 2009; 45: 718-723
- Varrela TM. Prevalence and distribution of dental caries in a late medieval population in Finland. *Arch Oral Biol* 1991; 36: 553-559

- van der Velden U, The Dutch periodontal screening index validation and its application in the Netherlands. *J Clin Periodontol* 2009; 36: 1018-1024
- Vermaire JH, Hoogstraten J, van Loveren C, Poorterman JHG, van Exel NJA. Attitudes towards oral health among parents of 6-year-old children at risk of developing caries. *Community Dent Oral Epidemiol* 2010; 38: 507-520
- Vermaire JH, van Loveren C, Poorterman JHG, Hoogstraten J. Non-participation in a Randomized Controlled Trial: the effect on clinical and non-clinical variables. *Caries Res* 2011; 45: 269-274
- Vermaire JH, van Exel NJ, van Loveren C, Brouwer WBF. Putting your money where your mouth is: parents' valuation of good oral health of their children. *Soc Sci Med* 2012; 75: 2200-2206
- Walzer S, Zweifel P. Willingness-to-pay for caregivers of children with asthma or wheezing conditions. *Ther Clin Risk Manag* 2007; 3: 157-165
- Warren E, Pollicino C, Curtis B, Evans W, Sbaraini A, Schwarz E. Modeling the long-term cost-effectiveness of the Caries Management System in an Australian population. *Value Health* 2010; 13: 750-760
- Watts S, Stenner P. *Doing Q Methodological Research: Theory, Method and Interpretation*. London: Sage. 2012.
- Website of Statistics Netherlands: last visited June 25th 2012 www.cbs.nl/en-GB/menu/themas/bevolking/cijfers/extra/piramide-fx.htm?Languageswitch=on
- WHO website: www.who.int/oral_health/media/en/orh_figure6.pdf, last visited Nov 26 2012
- WHO Oral Health Country / Area Profile Programme 2009. www.mah.se/CAPP website last visited 9th May 2012
- WHO Oral Health Unit. (1979). A guide to oral health epidemiological investigations. Geneva: World Health Organization. http://whqlibdoc.who.int/hq/1979/ORH_EPID_GUIDE_79.1.pdf.
- Wiggen TI, Wang NJ. Caries and background factors in Norwegian and immigrant 5-year-old children. *Community Dent Oral Epidemiol* 2010; 38: 19-28
- Zhu L, Petersen PE, Wang HY, Bian JY, Zhang BX. Oral health knowledge, attitudes and behaviour of adults in China. *Int Dent J* 2005; 55: 231-224