



UvA-DARE (Digital Academic Repository)

Trends in treatment, incidence and survival of hypopharynx cancer: a 20-year population-based study in the Netherlands

Petersen, J.F.; Timmermans, A.J.; van Dijk, B.A.C.; Overbeek, L.I.H.; Smit, L.A.; Hilgers, F.J.M.; Stuiver, M.M.; van den Brekel, M.W.M.

DOI

[10.1007/s00405-017-4766-6](https://doi.org/10.1007/s00405-017-4766-6)

Publication date

2018

Document Version

Other version

Published in

European Archives of Oto-Rhino-Laryngology

License

CC BY

[Link to publication](#)

Citation for published version (APA):

Petersen, J. F., Timmermans, A. J., van Dijk, B. A. C., Overbeek, L. I. H., Smit, L. A., Hilgers, F. J. M., Stuiver, M. M., & van den Brekel, M. W. M. (2018). Trends in treatment, incidence and survival of hypopharynx cancer: a 20-year population-based study in the Netherlands. *European Archives of Oto-Rhino-Laryngology*, 275(1), 181-189. <https://doi.org/10.1007/s00405-017-4766-6>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).


Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (<https://dare.uva.nl>)

Supplementary material

eFigure 1. Cumulative incidence of incidence of salvage/functional TL or death.



The X-axis depicts the time in years since diagnosis, the Y-axis depicts the cumulative probability on a salvage/functional TL or death.

Supplementary table 1. 5-Year OS rate per treatment modality and TNM-classification

TNM classification	Treatment Modality	5-year OS 1991-2010	N	P value
T1N0	RT	46%	85	0.736
	CRT	50%	6	
	TL	56%	18	
T1N+	RT	39%	128	0.959
	CRT	41%	27	
	TL	38%	8	
T2N0	RT	44%	194	

	CRT	69%	36	
	TL	50%	44	0.025
T2N+	RT	32%	273	
	CRT	37%	145	
	TL	25%	48	0.091
T3N0	RT	36%	75	
	CRT	59%	39	
	TL	42%	48	0.024
T3N+	RT	20%	189	
	CRT	35%	183	
	TL	39%	107	<0.001
T4N0	RT	20%	111	
	CRT	38%	69	
	TL	38%	101	<0.001
T4N+	RT	9%	256	
	CRT	20%	247	
	TL	24%	193	<0.001

N= number of patients, P value was calculated between the three treatment options per TNM-classification

(Log Rank)