



## UvA-DARE (Digital Academic Repository)

### A spectral-timing approach to the study of AGN outflows

de Jesus Silva, C.V.

**Publication date**

2018

**Document Version**

Other version

**License**

Other

[Link to publication](#)

**Citation for published version (APA):**

de Jesus Silva, C. V. (2018). *A spectral-timing approach to the study of AGN outflows*.

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

## Bibliography

- Alston, W. N., Markevičiūtė, J., Kara, E., Fabian, A. C., & Middleton, M. 2014, MNRAS, 445, L16
- Alston, W. N., Vaughan, S., & Uttley, P. 2013a, MNRAS, 435, 1511
- Alston, W. N., Vaughan, S., & Uttley, P. 2013b, MNRAS, 429, 75
- Antonucci, R. 1993, ARA&A, 31, 473
- Antonucci, R. R. J., & Miller, J. S. 1985, ApJ, 297, 621
- Aoki, K., Iwata, I., Ohta, K., et al. 2006, ApJ, 651, 84
- Arav, N. 1996, ApJ, 465, 617
- Arav, N., Kaastra, J., Kriss, G. A., et al. 2005, ApJ, 620, 665
- Arav, N., Korista, K. T., Barlow, T. A., & Begelman. 1995, Nature, 376, 576
- Arav, N., Moe, M., Costantini, E., et al. 2008, ApJ, 681, 954
- Arav, N., Gabel, J. R., Korista, K. T., et al. 2007, ApJ, 658, 829
- Arav, N., Edmonds, D., Borguet, B., et al. 2012, A&A, 544, A33
- Arav, N., Chamberlain, C., Kriss, G. A., et al. 2015, A&A, 577, A37
- Arévalo, P., & Uttley, P. 2006, MNRAS, 367, 801
- Arévalo, P., Uttley, P., Lira, P., et al. 2009, MNRAS, 397, 2004
- Barcons, X., Nandra, K., Barret, D., et al. 2015, Journal of Physics: Conference Series, 610, 012008
- Barvainis, R. 1987, ApJ, 320, 537
- Behar, E., Rasmussen, A. P., Blustin, A. J., et al. 2003, ApJ, 598, 232
- Behar, E., Sako, M., & Kahn, S. M. 2001, ApJ, 563, 497
- Bennert, N., Jungwiert, B., Komossa, S., Haas, M., & Chini, R. 2006, A&A, 459, 55
- Blandford, R. D., & McKee, C. F. 1982, ApJ, 255, 419
- Blustin, A. J., Page, M. J., Fuerst, S. V., Branduardi-Raymont, G., & Ashton, C. E. 2005, A&A, 431, 111

- Bottorff, M. C., Korista, K. T., & Shlosman, I. 2000, *ApJ*, 537, 134
- Breedt, E., McHardy, I. M., Arévalo, P., et al. 2010, *MNRAS*, 403, 605
- Cameron, D. T., McHardy, I., Dwelly, T., et al. 2012, *MNRAS*, 422, 902
- Cappi, M., Done, C., Behar, E., et al. 2013, ArXiv e-prints, [arXiv:1306.2330](https://arxiv.org/abs/1306.2330) [[astro-ph.HE](#)], ads
- Chartas, G., Brandt, W. N., & Gallagher, S. C. 2003, *ApJ*, 595, 85
- Collinson, J. S., Ward, M. J., Landt, H., et al. 2017, *MNRAS*, 465, 358
- Costantini, E. 2010, *Space Sci. Rev.*, 157, 265
- Costantini, E., Gallo, L. C., Brandt, W. N., Fabian, A. C., & Boller, T. 2007a, *MNRAS*, 378, 873
- Costantini, E., Kaastra, J. S., Arav, N., et al. 2007b, *A&A*, 461, 121
- Costantini, E., Kriss, G., Kaastra, J. S., et al. 2016, *A&A*, 595, A106
- Crenshaw, D. M., & Kraemer, S. B. 2007, *ApJ*, 659, 250
- Crenshaw, D. M., & Kraemer, S. B. 2012, *ApJ*, 753, 75
- Crenshaw, D. M., Kraemer, S. B., Boggess, A., et al. 1999, *ApJ*, 516, 750
- Crenshaw, D. M., Kraemer, S. B., & George, I. M. 2003a, *ARA&A*, 41, 117
- Crenshaw, D. M., Kraemer, S. B., Gabel, J. R., et al. 2003b, *ApJ*, 594, 116
- Crummy, J., Fabian, A. C., Gallo, L., & Ross, R. R. 2006, *MNRAS*, 365, 1067
- De Marco, B., Ponti, G., Cappi, M., et al. 2013, *MNRAS*, 431, 2441
- De Rosa, G., Peterson, B. M., Ely, J., et al. 2015, *ApJ*, 806, 128
- de Vaucouleurs, G., de Vaucouleurs, A., Corwin, Jr., H. G., et al. 1991, Third Reference Catalogue of Bright Galaxies. Volume I: Explanations and references. Volume II: Data for galaxies between  $0^h$  and  $12^h$ . Volume III: Data for galaxies between  $12^h$  and  $24^h$ .
- den Herder, J. W., Brinkman, A. C., Kahn, S. M., et al. 2001, *A&A*, 365, L7
- Denney, K. D., Watson, L. C., Peterson, B. M., et al. 2009, *ApJ*, 702, 1353
- Di Gesu, L., Costantini, E., Arav, N., et al. 2013, *A&A*, 556, A94
- Di Matteo, T., Springel, V., & Hernquist, L. 2005, *Nature*, 433, 604
- Done, C. 2010, ArXiv e-prints, [arXiv:1008.2287](https://arxiv.org/abs/1008.2287) [[astro-ph.HE](#)], ads
- Done, C., Davis, S. W., Jin, C., Blaes, O., & Ward, M. 2012, *MNRAS*, 420, 1848
- Dovciak, M., Matt, G., Bianchi, S., et al. 2013, ArXiv e-prints, [arXiv:1306.2331](https://arxiv.org/abs/1306.2331) [[astro-ph.HE](#)], ads
- Dumont, A.-M., Abrassart, A., & Collin, S. 2000, *A&A*, 357, 823
- Ebrero, J., Kaastra, J. S., Kriss, G. A., de Vries, C. P., & Costantini, E. 2013, *MNRAS*, 435, 3028
- Ebrero, J., Kriss, G. A., Kaastra, J. S., et al. 2011, *A&A*, 534, A40
- Elvis, M., Wilkes, B. J., & Lockman, F. J. 1989, *AJ*, 97, 777
- Fabian, A. C. 1979, *Proceedings of the Royal Society of London Series A*, 366, 449
- Fabian, A. C. 2012, *ARA&A*, 50, 455
- Fabian, A. C., Alston, W. N., Cackett, E. M., et al. 2017, *Astronomische Nachrichten*, 338, 269

- Fabian, A. C., Zoghbi, A., Ross, R. R., et al. 2009, *Nature*, 459, 540
- Ferland, G. J., Porter, R. L., van Hoof, P. A. M., et al. 2013, *Rev. Mexicana Astron. Astrofis.*, 49, 137
- Ferland, G. J., Chatzikos, M., Guzmán, F., et al. 2017, *Rev. Mexicana Astron. Astrofis.*, 53, 385
- Ferrarese, L., & Merritt, D. 2000, *ApJ*, 539, L9
- Fiore, F., Elvis, M., Mathur, S., Wilkes, B. J., & McDowell, J. C. 1993, *ApJ*, 415, 129
- Foltz, C. B., Weymann, R. J., Morris, S. L., & Turnshek, D. A. 1987, *ApJ*, 317, 450
- Gabel, J. R., Kraemer, S. B., Crenshaw, D. M., et al. 2005, *ApJ*, 631, 741
- Gallo, L. C., Boller, T., Brandt, W. N., Fabian, A. C., & Vaughan, S. 2004, *A&A*, 417, 29
- Gaskell, C. M. 1988, *ApJ*, 325, 114
- Gaskell, C. M., & Klimek, E. S. 2003, *Astronomical and Astrophysical Transactions*, 22, 661
- Gebhardt, K., Bender, R., Bower, G., et al. 2000, *ApJ*, 539, L13
- George, I. M., & Fabian, A. C. 1991, *MNRAS*, 249, 352
- George, I. M., Turner, T. J., Netzer, H., et al. 1998, *ApJS*, 114, 73
- Gierliński, M., & Done, C. 2004, *MNRAS*, 349, L7
- Gierliński, M., Middleton, M., Ward, M., & Done, C. 2008, *Nature*, 455, 369
- Goad, M. R., Korista, K. T., De Rosa, G., et al. 2016, *ApJ*, 824, 11
- González-Martín, O., & Vaughan, S. 2012, *A&A*, 544, A80
- Green, J. C., Froning, C. S., Osterman, S., et al. 2012, *ApJ*, 744, 60
- Greenstein, J. L., & Schmidt, M. 1964, *ApJ*, 140, 1
- Grier, C. J., Peterson, B. M., Pogge, R. W., et al. 2012, *ApJ*, 755, 60
- Grier, C. J., Peterson, B. M., Horne, K., et al. 2013, *ApJ*, 764, 47
- Haardt, F., & Maraschi, L. 1993, *ApJ*, 413, 507
- Hall, P. B. 2007, *AJ*, 133, 1271
- Halpern, J. P. 1984, *ApJ*, 281, 90
- Hardcastle, M. J., Evans, D. A., & Croston, J. H. 2007, *MNRAS*, 376, 1849
- Håring, N., & Rix, H.-W. 2004, *ApJ*, 604, L89
- Hitomi Collaboration. 2016, *Nature*, 535, 117
- Hutchings, J. B., Crenshaw, D. M., Kraemer, S. B., et al. 2002, *AJ*, 124, 2543
- Kaastra, J. S. 2017a, *Astronomische Nachrichten*, 338, 146
- Kaastra, J. S. 2017b, *A&A*, 605, A51
- Kaastra, J. S., & Bleeker, J. A. M. 2016, *A&A*, 587, A151
- Kaastra, J. S., Mewe, R., Liedahl, D. A., Komossa, S., & Brinkman, A. C. 2000, *A&A*, 354, L83
- Kaastra, J. S., Mewe, R., & Nieuwenhuijzen, H. 1996, in *UV and X-ray Spectroscopy of Astrophysical and Laboratory Plasmas*, ed. K. Yamashita & T. Watanabe, 411
- Kaastra, J. S., Raassen, A. J. J., Mewe, R., et al. 2004, *A&A*, 428, 57

## BIBLIOGRAPHY

---

- Kaastra, J. S., Detmers, R. G., Mehdipour, M., et al. 2012, *A&A*, 539, A117
- Kaastra, J. S., Kriss, G. A., Cappi, M., et al. 2014a, *Science*, 345, 64
- Kaastra, J. S., Terashima, Y., Kallman, T., et al. 2014b, *ArXiv e-prints*, arXiv:1412.1171 [astro-ph.HE], ads
- Kalberla, P. M. W., Burton, W. B., Hartmann, D., et al. 2005, *A&A*, 440, 775
- Kallman, T., & Bautista, M. 2001, *ApJS*, 133, 221
- Kara, E., Alston, W. N., Fabian, A. C., et al. 2016, *MNRAS*, 462, 511
- Kara, E., Fabian, A. C., Cackett, E. M., et al. 2013, *MNRAS*, 434, 1129
- Kaspi, S., Brandt, W. N., Netzer, H., et al. 2000, *ApJ*, 535, L17
- Kaspi, S., Netzer, H., Chelouche, D., et al. 2004, *ApJ*, 611, 68
- Kaspi, S., Brandt, W. N., George, I. M., et al. 2002, *ApJ*, 574, 643
- King, A., & Pounds, K. 2015, *ARA&A*, 53, 115
- Korista, K. T., Voit, G. M., Morris, S. L., & Weymann, R. J. 1993, *ApJS*, 88, 357
- Kormendy, J., & Ho, L. C. 2013, *ARA&A*, 51, 511
- Kotov, O., Churazov, E., & Gilfanov, M. 2001, *MNRAS*, 327, 799
- Kraemer, S. B., Tombesi, F., & Bottorff, M. 2017, in *American Astronomical Society Meeting Abstracts*, Vol. 229, *American Astronomical Society Meeting Abstracts*, 250.57
- Kraemer, S. B., Crenshaw, D. M., Gabel, J. R., et al. 2006, *ApJS*, 167, 161
- Kriss, G. A., Krolik, J. H., Otani, C., et al. 1996, *ApJ*, 467, 629
- Kriss, G. A., Scott, J. E., Alexander, T., et al. 2002, in *Bulletin of the American Astronomical Society*, Vol. 35, *American Astronomical Society Meeting Abstracts*, 571
- Krolik, J. H., Horne, K., Kallman, T. R., et al. 1991, *ApJ*, 371, 541
- Krolik, J. H., & Kriss, G. A. 1995, *ApJ*, 447, 512
- Krolik, J. H., & Kriss, G. A. 2001, *ApJ*, 561, 684
- Krongold, Y., Nicastro, F., Elvis, M., et al. 2007, *ApJ*, 659, 1022
- Laha, S., Guainazzi, M., Dewangan, G. C., Chakraborty, S., & Kembhavi, A. K. 2014, *MNRAS*, 441, 2613
- Laor, A., Jannuzi, B. T., Green, R. F., & Boroson, T. A. 1997, *ApJ*, 489, 656
- Lawrence, A., Watson, M. G., Pounds, K. A., & Elvis, M. 1987, *Nature*, 325, 694
- Lightman, A. P., & White, T. R. 1988, *ApJ*, 335, 57
- Lodders, K., Palme, H., & Gail, H.-P. 2009, *Landolt Börnstein*, 44
- Longinotti, A. L., Krongold, Y., Kriss, G. A., et al. 2013, *ApJ*, 766, 104
- Lyubarskii, Y. E. 1997, *MNRAS*, 292, 679
- Mao, J., Kaastra, J. S., Mehdipour, M., et al. 2017, *A&A*, 607, A100
- Mathews, W. G., & Ferland, G. J. 1987, *ApJ*, 323, 456
- Mathur, S., Gupta, A., Page, K., et al. 2017, *ApJ*, 846, 55
- McHardy, I. M. 1989, in *ESA Special Publication*, Vol. 296, *Two Topics in X-Ray Astronomy*, Volume 1: X Ray Binaries. Volume 2: AGN and the X Ray Background, ed. J. Hunt & B. Battrick

- McHardy, I. M., Koerding, E., Knigge, C., Uttley, P., & Fender, R. P. 2006, *Nature*, 444, 730
- McHardy, I. M., Papadakis, I. E., Uttley, P., Page, M. J., & Mason, K. O. 2004, *MNRAS*, 348, 783
- McHardy, I. M., Cameron, D. T., Dwelly, T., et al. 2014, *MNRAS*, 444, 1469
- McKernan, B., Yaqoob, T., & Reynolds, C. S. 2007, *MNRAS*, 379, 1359
- Mehdipour, M., Branduardi-Raymont, G., & Page, M. J. 2010, *A&A*, 514, A100
- Murray, N., & Chiang, J. 1995, *ApJ*, 454, L105
- Mushotzky, R. F., Done, C., & Pounds, K. A. 1993, *ARA&A*, 31, 717
- Nandra, K., & Pounds, K. A. 1992, *Nature*, 359, 215
- Nandra, K., Pounds, K. A., & Stewart, G. C. 1990, *MNRAS*, 242, 660
- Nandra, K., Barret, D., Barcons, X., et al. 2013, *ArXiv e-prints*, arXiv:1306.2307 [astro-ph.HE], ads
- Netzer, H. 1996, *ApJ*, 473, 781
- Netzer, H. 2015, *ARA&A*, 53, 365
- Nicastro, F., Fiore, F., Perola, G. C., & Elvis, M. 1999, *ApJ*, 512, 184
- Otani, C., Kii, T., Reynolds, C. S., et al. 1996, *PASJ*, 48, 211
- Padovani, P., Alexander, D. M., Assef, R. J., et al. 2017, *A&A Rev.*, 25, 2
- Pancoast, A., Brewer, B. J., Treu, T., LAMP2008 Collaboration, & LAMP2011 Collaboration. 2013, in *American Astronomical Society Meeting Abstracts*, Vol. 221, American Astronomical Society Meeting Abstracts #221, 309.08
- Peterson, B. M. 2014, *Space Sci. Rev.*, 183, 253
- Peterson, B. M., & Bentz, M. C. 2006, *New A Rev.*, 50, 796
- Peterson, B. M., Denney, K. D., De Rosa, G., et al. 2013, *ApJ*, 779, 109
- Pounds, K. A., & King, A. R. 2013, *MNRAS*, 433, 1369
- Pounds, K. A., & Vaughan, S. 2011, *MNRAS*, 413, 1251
- Press, W. H. 1978, *Comments on Astrophysics*, 7, 103
- Press, W. H., Teukolsky, S. A., Vetterling, W. T., & Flannery, B. P. 1992, *Numerical recipes in FORTRAN. The art of scientific computing*
- Press, W. H., Teukolsky, S. A., Vetterling, W. T., & Flannery, B. P. 2007, *Numerical Recipes 3rd Edition: The Art of Scientific Computing*, 3rd edn. (New York, NY, USA: Cambridge University Press)
- Proga, D. 2007, in *Astronomical Society of the Pacific Conference Series*, Vol. 373, The Central Engine of Active Galactic Nuclei, ed. L. C. Ho & J.-W. Wang, 267
- Proga, D., Stone, J. M., & Kallman, T. R. 2000, *ApJ*, 543, 686
- Rees, M. J. 1984, *ARA&A*, 22, 471
- Rees, M. J. 1987, *MNRAS*, 228, 47P
- Reeves, J. N., Nandra, K., George, I. M., et al. 2004, *ApJ*, 602, 648
- Reynolds, C. S. 1997, *MNRAS*, 286, 513
- Reynolds, C. S., Fabian, A. C., Nandra, K., et al. 1995, *MNRAS*, 277, 901
- Romero, G. E., Boettcher, M., Markoff, S., & Tavecchio, F. 2017, *Space Sci. Rev.*,

- 207, 5
- Salpeter, E. E. 1964, *ApJ*, 140, 796
- Sanfrutos, M., Miniutti, G., Krongold, Y., Agís-González, B., & Longinotti, A. L. 2016, *MNRAS*, 457, 510
- Shakura, N. I., & Sunyaev, R. A. 1973, *A&A*, 24, 337
- Silva, C. V., Uttley, P., & Costantini, E. 2016, *A&A*, 596, A79
- Smith, R. K., Abraham, M. H., Allured, R., et al. 2016, in *Proc. SPIE*, Vol. 9905, *Space Telescopes and Instrumentation 2016: Ultraviolet to Gamma Ray*, 99054M
- Springob, C. M., Haynes, M. P., Giovanelli, R., & Kent, B. R. 2005, *ApJS*, 160, 149
- Steenbrugge, K. C., Fenovčík, M., Kaastra, J. S., Costantini, E., & Verbunt, F. 2009, *A&A*, 496, 107
- Steenbrugge, K. C., Kaastra, J. S., de Vries, C. P., & Edelson, R. 2003, *A&A*, 402, 477
- Steenbrugge, K. C., Kaastra, J. S., Crenshaw, D. M., et al. 2005, *A&A*, 434, 569
- Stern, J., Behar, E., Laor, A., Baskin, A., & Holczer, T. 2014, *MNRAS*, 445, 3011
- Suganuma, M., Yoshii, Y., Kobayashi, Y., et al. 2006, *ApJ*, 639, 46
- Terrell, J. 1964, *Science*, 145, 918
- Tombesi, F., Cappi, M., Reeves, J. N., & Braitto, V. 2012, *MNRAS*, 422, L1
- Tombesi, F., Cappi, M., Reeves, J. N., et al. 2010, *A&A*, 521, A57
- Turner, T. J., Nandra, K., George, I. M., Fabian, A. C., & Pounds, K. A. 1993, *ApJ*, 419, 127
- Turnshek, D. A. 1998, in *Structure et Evolution du Milieu Inter-Galactique Revele par Raies D’Absorption dans le Spectre des Quasars*, 13th Colloque d’Astrophysique de l’Institut d’Astrophysique de Paris, ed. P. Petitjean & S. Charlot, 263
- Ulrich, M.-H., Maraschi, L., & Urry, C. M. 1997, *ARA&A*, 35, 445
- Urry, C. M., & Padovani, P. 1995, *PASP*, 107, 803
- Uttley, P., Cackett, E. M., Fabian, A. C., Kara, E., & Wilkins, D. R. 2014, *A&A Rev.*, 22, 72
- Uttley, P., & McHardy, I. M. 2001, *MNRAS*, 323, L26
- Uttley, P., McHardy, I. M., & Papadakis, I. E. 2002, *MNRAS*, 332, 231
- Uttley, P., McHardy, I. M., Papadakis, I. E., Cagnoni, I., & Fruscione, A. 1999, *Nuclear Physics B Proceedings Supplements*, 69, 490
- Uttley, P., McHardy, I. M., & Vaughan, S. 2005, *MNRAS*, 359, 345
- Vaughan, B. A., & Nowak, M. A. 1997, *ApJ*, 474, L43
- Vaughan, S., Edelson, R., Warwick, R. S., Malkan, M. A., & Goad, M. R. 2001, *MNRAS*, 327, 673
- Vaughan, S., & Uttley, P. 2005, *MNRAS*, 362, 235
- Vaughan, S., & Uttley, P. 2006, *Advances in Space Research*, 38, 1405
- Vaughan, S., Uttley, P., Pounds, K. A., Nandra, K., & Strohmayer, T. E. 2011a, *MNRAS*, 413, 2489
- Vaughan, S., Uttley, P., Pounds, K. A., Nandra, K., & Strohmayer, T. E. 2011b,

- MNRAS, 413, 2489
- Wakker, B. P., Lockman, F. J., & Brown, J. M. 2011, ApJ, 728, 159
- Weymann, R. J., Morris, S. L., Foltz, C. B., & Hewett, P. C. 1991, ApJ, 373, 23
- Wilkins, D. R., Gallo, L. C., Silva, C. V., et al. 2017, MNRAS, 471, 4436
- Willingale, R., Starling, R. L. C., Beardmore, A. P., Tanvir, N. R., & O'Brien, P. T. 2013, MNRAS, 431, 394
- Yaqoob, T., Warwick, R. S., & Pounds, K. A. 1989, MNRAS, 236, 153
- Zel'dovich, Y. B., & Novikov, I. D. 1964, Soviet Physics Doklady, 9, 246
- Zoghbi, A., Fabian, A. C., Reynolds, C. S., & Cackett, E. M. 2012, MNRAS, 422, 129
- Zoghbi, A., Fabian, A. C., Uttley, P., et al. 2010, MNRAS, 401, 2419
- Zoghbi, A., Uttley, P., & Fabian, A. C. 2011, MNRAS, 412, 59





## Contribution from co-authors

The bibliographic information for the chapters contained in this thesis is presented below. The relative importance of the co-authors is indicated by the order of the author list.

**Chapter 2:** Timing the warm absorber in NGC 4051

**Silva, C.V.**, Uttley, P., & Costantini, E., 2016, *A&A*, 596, A79.

**Chapter 3:** Constraining the physical properties of the UV ionized absorber in NGC 5548 with time-dependent photoionization modeling

**Silva, C.V.**, Kriss, G.A., Costantini, E., Uttley, P., et al.

To be submitted to *Astronomy and Astrophysics*

**Chapter 4:** The variability of the warm absorber in I Zwicky 1 as seen by XMM-Newton

**Silva, C.V.**, Costantini, E., Giustini, M., Kriss, G.A., Brandt, W.N., Gallo, L.C., Wilkins, D.R.

Submitted to *Monthly Notices of the Royal Astronomical Society*



## First-author articles

1. **Silva, C.V.**, Uttley, P., & Costantini, E., 2016.  
A&A, 596, A79. (**Chapter 2**)  
*Timing the warm absorber in NGC 4051*
2. **Silva, C.V.**, Costantini, E., Giustini, M., Kriss, G.A., Brandt, W.N., Gallo, L.C., Wilkins, D.R.  
Submitted to Monthly Notices of the Royal Astronomical Society (**Chapter 4**)  
*The short and long-term variability of the warm absorber in I Zw 1*
3. **Silva, C.V.**, Kriss, G.A., Costantini, E., Uttley, P., et al.  
To be submitted to Astronomy and Astrophysics (**Chapter 3**)  
*Constraining the physical properties of the UV ionized absorber in NGC 5548 with time-dependent photoionization modeling*

## Co-authored articles

1. Markoff, S., Nowak, M.A., Gallo, E., Hynes, R., Wilms, J., Plotkin, R.M., Maitra, D., **Silva, C.V.**, Drappeu, S., 2015.  
The Astrophysical Journal Letters, 812, Issue 2, L25.  
*As Above, So Below: Exploiting Mass Scaling in Black Hole Accretion to Break Degeneracies in Spectral Interpretation*
2. Wilkins, D. R.; Gallo, L.C.; **Silva, C.V.**; Costantini, E.; Brandt, W. N.; Kriss, G.A., 2017.  
Monthly Notices of the Royal Astronomical Society, Volume 471, Issue 4, p.4436-4451.  
*Revealing structure and evolution within the corona of the Seyfert galaxy I Zw 1*




## Nederlandse Samenvatting

Het universum is structureel georganiseerd, van de kleinste tot de grootste schalen. Sterren, stellare restanten, gas, stof/gruis, en donkere materie zijn middels de zwaartekracht aan elkaar gebonden in grotere systemen, genaamd sterrenstelsels. Volgens de meest recente waarnemingen bevat het waarneembare universum op zijn minst enkele biljoenen sterrenstelsels. Deze vormen samen weer grotere structuren, i.e. sterrenstelsel clusters, die vervolgens superclusters kunnen vormen. Men vermoedt dat er in het centrum van ieder sterrenstelsel een superzwaar zwart gat (hierna SMBH) bevindt. Sommige sterrenstelsels vertonen tekenen van activiteit in de kern, gerelateerd aan de accretie van materiaal op de SMBH. De centrale gebieden van sterrenstelsels, waar deze fenomenen plaatsvinden, worden actieve sterrenstelsels (hierna AGN) genoemd, en zijn extreem heldere bronnen.

De krachtige en aanhoudende emissie van AGNs reikt over het gehele elektromagnetisch spectrum. De materie die in een spiraalbeweging invalt, vormt een accretieschijf die thermische straling uitzendt in de vorm van optisch en UV licht. Krachtige non-thermische röntgenstraling wordt geproduceerd in een hete corona met lage dichtheid, gelegen in de binnenste delen van de kern. Accretie op de SMBH gaat ook gepaard met uitstromen. Deze uitstromen, in de vorm van sterk gecollimeerde straalstromen of een minder gecollimeerde wind van geïoniseerd gas, kan krachtig genoeg zijn om het gastheer-stelsel of zelfs het medium tussen clusters te beïnvloeden. De overdracht van stralings- of kinetische energie naar het sterrenstelsel in de vorm van uitstromen wordt ‘AGN feedback’ genoemd.

AGN feedback wordt vaak aangehaald als de waarschijnlijke verklaring voor de waargenomen connectie tussen de SMBH en zijn gastheer-stelsel. Observaties tonen aan dat de massa van het zwarte gat correleert met de snelheidsverdeling van de sterren in de centrale bobbel (i.e. de ‘bulge’) van het sterrenstelsel en de massa deze bobbel. Dit suggereert dat de groei en co-evolutie van de SMBH en het sterrenstelsel op een bepaalde wijze gereguleerd worden door de AGN. Om te achterhalen of de uitstromen verantwoordelijk zijn voor deze relatie is het eerst noodzakelijk om de

overdracht van energie van de uitstromen naar het omgevende medium te kwantificeren. Hierdoor is het karakteriseren van de fysische eigenschappen van de uitstromen en hun bijdrage aan AGN feedback van cruciaal belang voor het begrijpen van de formatie en evolutie van de grootschalige structuren.



**Figuur A:** Close-up van het sterrenstelsel NGC 1068, genomen met de Hubble Space Telescope van de NASA. De inzet toont een illustratieve zoom-in op de centrale AGN. Origineel van NASA/JPL-Caltech.

Dit proefschrift richt zich op de studie van geïoniseerde uitstromen in de vorm van een zwak gecollimeerde wind. Deze uitstromen worden gedetecteerd middels de blauw verschoven absorptie lijnen in de UV en röntgen spectra van nabijgelegen Seyfert-sterrenstelsels. De hier gepresenteerde onderzoeken zijn gericht op het blootleggen van de fysieke eigenschappen van het gas door gebruik te maken van technieken gericht op de tijdvariaties in de energiespectra, i.e. ‘spectrale-timing’ analysetechnieken. Uit de analyse van de spectra is het mogelijk om sommige karakteristieken van het gas af te leiden, zoals de ionisatietoestand, de kolomdichtheid en de snelheid van de uitstroom. Het bepalen van de afstand van het gas tot de centrale bron is daarentegen niet eenduidig en is echter van fundamenteel belang voor het vaststellen van de bijdrage van deze uitstromen aan AGN feedback. De ionisatieparameter is dusdanig gedefinieerd dat de radiële afstand van het gas samenhangt met de dichtheid van het gas. Hierdoor leidt een afschatting van de dichtheid van het gas tot een schatting


---

van de radiële afstand van het gas tot de centrale bron. Het gas, welke gefotoïoniseerd wordt door de centrale bron, is onderworpen aan de intrinsieke variaties van het ioniserende continuüm. Zodoende reageert het gas op veranderingen in de invallende flux en wordt meer geïoniseerd wanneer de flux toeneemt en recombineert gedurende perioden van afnemende flux. De responstijd van het gas op de variaties in het continuüm is omgekeerd evenredig met de dichtheid. Het in detail registreren van de variabiliteit van de bron en de reactie van het gas op deze veranderingen levert derhalve een schatting van de dichtheid van het gas en daarmee een afstand van het gas tot de centrale bron. In dit proefschrift worden nieuwe technieken ontwikkeld om het absorberende gas te bestuderen, door gebruik te maken van de combinatie van de spectrale en temporale eigenschappen van het gas. Deze methoden bieden bruikbare hulpmiddelen voor het, in de toekomst, inperken van de fysische parameters van het geïoniseerde gas welke UV- en röntgenstralen absorbeert. Dit maakt het mogelijk om een completere schatting te maken van de rol van deze uitstromen in AGN feedback. De onderzoeken waarin we deze methoden toepassen en de implicaties van de daaruit volgende resultaten, worden hieronder kort beschreven.

In hoofdstuk 2 wordt een nieuwe methode ontwikkeld om het tijdsafhankelijke gedrag van de uitstroom, in reactie op de variabiliteit van het continuüm, te beoordelen. De respons van het gas op veranderingen in de ioniserende flux van de bron wordt berekend door het combineren van spectrale-timing analysetechnieken met een tijdsafhankelijk foto-ionisatiemodel. Vervolgens worden, voor het eerst, de effecten van de absorptie door foto-ionisatie op de röntgen-tijdvertragingen van AGNs voorspeld. Het signatuur van de uitstroom in de spectra van de tijdvertraging versus de Fourier-frequentie van een AGN is geassocieerd met de responstijd van het gas op de variaties in de flux van de ioniserende bron als gevolg van de foto-ionisatie en radiatieve recombinitie. Dit resulteert in een tijdsvertraging tussen de variaties in de lage-energie-röntgenstraling, welke beïnvloed wordt door de talrijke absorptiekenmerken, en de band van de hoge-energie-röntgenstraling waar de variaties in de continuüm domineren. Het toepassen van deze nieuwe methode op de uitgebreide waarnemingen, gemaakt met de XMM-Newton, van NGC 4051, toont aan dat het absorberende gas van deze bron in staat is een vertraging in de lage energie emissie te produceren (tot 100 seconden) bij lage Fourier-frequenties. De gevolgen van de bijdrage van het absorberende gas op de tijdsvertragingen in de röntgenstraling van de AGN zijn tweedelig. Ten eerste, het incorporeren van dit effect in het modelleren van de vertragingen maken het mogelijk om de verscheidene fysische processen meer accurate te ontrafelen, aangezien de bijdrage van het absorberende gas de andere processen te niet doet of zelfs overheerst over de andere processen die op vergelijkbare tijdschalen plaatsvinden. Ten tweede, dit onderzoek onthult de potentie van de spectrale-timing analysetechnieken om de uitstromen in het algemeen te karakteriseren. Met name in het geval van toekomstige missies, zoals Athena, waarbij deze methoden routinematig



toegepast kunnen worden voor het in groot detail in kaart brengen van de uitstromen van AGN.



**Figuur B:** Artistieke impressie van AGN-uitstromen. Origineel van NASA en M.Weiss (Chandra X-ray Center).

In hoofdstuk 3 wordt het tijdsafhankelijke foto-ionisatiemodel, ontwikkeld voor de studie van het absorberende gas in hoofdstuk 2, uitgebreid en toegepast op de studie van het absorberende gas in de UV-band. Het model levert de tijdsafhankelijke kolomdichtheden van de ionen op, aangezien deze reageren op de variaties in het continuüm. In de optisch dunne limiet, zijn de kolomdichtheden van de ionen recht evenredig met de gemeten equivalente breedtes van de absorptietroggen. Vanwege deze lineariteit is het mogelijk om de voorspelde ionenconcentraties als een functie van tijd direct te vergelijken met de lichtcurven van de equivalente breedtes van de verschillende ionen. Het tijdsafhankelijk gedrag van het gas wordt zodoende berekend voor een reeks van gasdichtheden en ionisatietoestanden. Door het vergelijken van deze voorspellingen met de waargenomen data, is het mogelijk om tegelijkertijd de dichtheid en de ionisatieparameter van ieder gascomponent te schatten. De validiteit van deze innovatieve methode wordt hier gedemonstreerd door de toepassing ervan op de uitstekende data van NGC 5548, verkregen met de Cosmic Origins Spectrograph op HST gedurende een uitgebreide waarnemingscampagne. Door de tijdsafhankelijke modellen te fitten

---

aan de lichtkrommen van de equivalente breedtes, zijn zowel de dichtheid- als de ionisatieparameters van twee van de zes componenten van de UV-uitstroom in NGC 5548 ingeperkt. De inperkingen op de dichtheid kunnen vervolgens worden gebruikt om de locatie van deze componenten van de uitstroom te schatten. Deze interessante resultaten benadrukken de potentie van de tijdafhankelijke foto-ionisatiemodellen bij het verklaren van de variabiliteit van het absorberende gas en tonen aan dat het gebruik van deze modellen een veelvermogende methode is om de fysische parameters van de uitstromen bloot te leggen.

Ten slotte, in hoofdstuk 4, worden nieuwe waarnemingen van röntgenstraling, gemaakt met XMM-Newton van de Seyfert 1 sterrenstelsel I Zwicky 1 (I ZW 1) geanalyseerd. De geïoniseerde uitstroom in deze bron lijkt variabel te zijn op lange tijdschalen, echter vertoont de variabiliteit geen correlatie met de ioniserende bron, zoals verwacht zou worden volgens klassieke foto-ionisatiemodellen. Uitgebreid onderzoek van de spectrale- en temporale eigenschappen van het lage-energie-röntgenstralingsabsorptiespectrum suggereert een scenario waarbij delen met verschillende dichtheden, ontwikkeld in een niet-homogene uitstroom, over de jaren langs het gezichtsveld van de waarnemer bewegen. Dit verklaart de langetermijnveranderingen in de ionisatie van het gas en de afwezigheid van een correlatie met de ioniserende emissie. De resultaten van dit onderzoek onderbouwen de behoefte aan theoretische modellen die in staat zijn om het complexe gedrag van het absorberende gas te reproduceren, zoals de waargenomen variabiliteit in de uitstroom in I ZW 1.



## Summary

The Universe is structurally organized, from the smallest to the largest scales. Stars, stellar remnants, gas, dust, and dark matter, are gravitationally bound in large systems called galaxies. According to the most recent observations, the observable Universe contains, at least, a couple of trillions of galaxies. These form larger structures, galaxy clusters, which may be organized in superclusters. It is thought that a super-massive black hole (SMBH) resides in the center of each galaxy. Some galaxies show signs of nuclear activity related to accretion of material onto the SMBH. The central regions of the galaxies associated with this phenomenon are called Active Galactic Nuclei (AGN).

AGN are extremely bright. The powerful and persistent emission of AGN spans the whole electromagnetic spectrum. While spiralling inwards, the accreting material forms an accretion disk which emits thermal radiation in the optical and the UV. Strong X-ray emission is powered by a hot and tenuous medium, the ‘corona’, situated in the inner most regions of the nucleus. Accretion onto a SMBH is also associated with outflow events. AGN outflows, either in the form of highly collimated jets or less collimated winds of ionized gas, can be powerful enough to impact the host galaxy, or even the intra-cluster medium. The transfer of radiative or kinetic energy to the galaxy and its surroundings in the form of outflows is termed ‘AGN feedback’.

AGN feedback is often evoked as the likely explanation for the observed connection between the SMBH and its host. Observations show the mass of the black hole to correlate with the velocity dispersion of stars in the bulge, and with the galaxy bulge mass, which suggests the growth and co-evolution of the SMBH and the galaxy to be somehow regulated by the AGN. To decide whether the outflows are responsible for this relationship, it is first necessary to quantify the energy transferred by the outflowing material onto the surrounding medium. Hence, characterizing the physical properties of the outflows and their contribution to AGN feedback is of crucial importance to the understanding of large-scale structure formation and evolution.



**Figure A:** NASA’s Hubble Space Telescope close-up of the galaxy NGC 1068. The zoomed-in inset shows an illustration of the central AGN. Credits: NASA/JPL-Caltech.


This thesis focuses on the study of ionized outflows in the form of ‘winds’. These outflows are detected by the imprint of blueshifted absorption features in the UV and X-ray spectra of nearby Seyfert galaxies. The studies here presented are aimed at uncovering the physical properties of the gas through the use of spectral-timing analysis techniques. From the analysis of the spectra it is possible to infer some of the characteristics of the gas, such as its ionization state, column density, and outflow velocity. Determining the distance of the gas from the central source however is not trivial, yet it is vital information for assessing the contribution of these outflows to AGN feedback. Through the definition of the ionization parameter, the radial distance is tied to the density of the gas, thus estimating the density of the gas results in an estimate of its distance to the central source. The gas, photoionized by the central source, is subjected to the intrinsic variations of the ionizing continuum. Accordingly, the gas reacts to the changes in the incident flux, becoming more ionized when the flux increases and recombining during periods of decreasing flux. The response time of the gas to the continuum variations is inversely proportional to the density. Monitoring the variability of the source and the response of the gas to these changes in detail thus yields an estimate of the density, and hence the distance of the gas from the central source. In this thesis, novel techniques are developed to study the absorbing gas by taking into account its combined spectral and temporal properties.

---

These methods offer useful tools for future constraints on the physical parameters of the ionized UV and X-ray absorbers, allowing for a more complete assessment of the role of these outflows in AGN feedback. The studies where we apply these methods and the implications of their results, are briefly described below.

In Chapter 2, a new method is developed aimed at assessing the time-dependent behaviour of the outflow, responding to the continuum variability. Combining spectral-timing analysis with a time-dependent photoionization model, the response of the gas to changes in the ionizing flux of the source is computed. Then, and for the first time, the effects of photoionized absorption on the X-ray time lags of AGN are predicted. The signature of the outflow in the lag-frequency spectra of AGN is associated with the response time of the gas to variations in the flux of the ionizing source, due to photoionization and radiative recombination. This results in a time delay between the variations in the soft X-rays, which are affected by numerous absorption features, and the hard X-ray band where the continuum variations dominate. Applying this novel method to the extensive *XMM-Newton* observations of NGC 4051, it is shown that the warm absorber in this source is capable of producing a soft lag (up to 100 s) at low Fourier frequencies. The consequences of the contribution of the absorbing gas to the X-ray time lags of AGN are two fold. Firstly, including this effect in the modelling of the lags will allow the different physical processes at play to be disentangled more accurately, since the contribution of the absorber may wash out or even dominate over other processes which may occur on similar timescales. Secondly, this study reveals the potential of spectral-timing analysis to characterize the outflows at large, particularly when future missions, such as Athena, become available, allowing these methods to be routinely used for mapping AGN outflows in great detail.

In Chapter 3, the time-dependent photoionization model developed for the study of the X-ray absorbing gas in Chapter 2 is expanded and applied to the study of the ionized absorbers in the UV band. The model yields the time-dependent ionic column densities as these respond to the variations in the illuminating continuum. In the optically thin limit, the ionic column densities are directly proportional to the measured equivalent widths of the absorption troughs. Due to this linearity, it is possible to directly compare the predicted ion concentrations as a function of time to the equivalent width light curves of the different ions. The time-dependent behaviour of the gas is thus computed for a range of gas densities and ionization states. When comparing these predictions to the real data, it is possible to estimate, simultaneously, the density and ionization parameter of each gas component. The validity of this innovative method is here demonstrated through its application to the exquisite data of NGC 5548, obtained with the Cosmic Origins Spectrograph on HST during an extensive monitoring campaign. By fitting the time-dependent models to the equivalent width light curves, both the density and ionization parameters of two out of the six compo-



**Figure B:** Artist impression of AGN outflows. Credit: NASA and M. Weiss (Chandra X-ray Center).

nents of the UV outflow in NGC 5548 are constrained. The constraints on the density can then be used to estimate the location of these components of the outflow. These exciting results highlight the potential of time-dependent photoionization models in explaining the variability of the absorbing gas, as well as demonstrating this technique as a powerful method to uncover the physical parameters of the outflows.

Lastly, in Chapter 4, new X-ray observations taken with *XMM-Newton* of the Seyfert 1 galaxy I Zwicky 1 (I ZW 1) are analysed. The ionized outflow in this source appears to be variable on long timescales, yet its variability does not show a correlation with the ionizing source, as would be expected from classical photoionization models. Extensive modeling of the rich soft X-ray absorption spectrum through time-averaged spectral fitting, flux resolved spectroscopy, and time-resolved spectroscopy suggests a scenario where different clumps of different densities, developed in a non-homogenous outflow, cross the observer's line-of-sight over the years. This explains the long term changes in the ionization of the gas and the apparent absence of a correlation with the ionizing luminosity. The results of this study substantiate the need for theoretical models capable of reproducing more complex behaviour of the absorbing gas, such as the observed variability in the outflow in I ZW 1.

## Acknowledgements

And so it ends. Words are insufficient to describe how it feels to come to the end of my Ph.D. What I can say is that I have learned a whole lot over these past four and half years, both about science and about myself. The biggest lesson I can take out of it is that 'I can do it'. Thinking of what it took to get here, the determination, the commitment, the persistency to follow my dream, and all of you who took part on this journey! First I would like to my Ph.D. supervisors, Elisa and Phil. Thank you for putting your trust in me from the moment your first approached me with the offer for this position. I did not know back then that finishing a Ph.D. was even harder than being able to start one and neither did I know back then what the right recipe was for a successful Ph.D. It required trust from both sides and I am really glad we took the chance. These four and a half years were overall such a great experience. I was challenged beyond what I thought my capabilities were, I got to work in a healthy and inclusive environment, and I got to pursue really interesting scientific projects (and talk about it over, and over, all around the globe). With your guidance I have grown to become a confident researcher and learned to not fear complex problems. Phil, thank you for almost never losing your patience when I asked the same question twice (or maybe even three times?) and thank you for tolerating the mistakes in my drafts 'associated to' my not-so-great English at times. Elisa, thank you for being such a great mentor and role model, and thank you for all your support both on my scientific but also personal struggles and achievements. All in all, it was really fantastic to go through this experience with you both! I can also not forget my Master's thesis supervisor, Sera. Getting to the point of being offered this Ph.D. position had a lot to do with how you pushed me to go further during the nearly two years we worked together. I had no research experience when I started my first project with you, I was coming from a different culture, had a different background, and it was a rough path at times. There was so much catching up to do and you never let me off easy, which in the end really helped me to step up my game. I grew a lot during those two years, eventually got a Ph.D. position that really suited me well and when I graduated from



my Master's you even put on a nice dress for me - I guess the influence went both ways? So thanks for having such an impact at those early stages when I really needed a wake up call. I am really happy you will be part of another graduation ceremony, this time on an even fancier gown!

I would like to thank Jerry, Margherita, and Missagh for the crucial contribution they offered to this thesis. I am really happy I had the opportunity to work closely with all of you. I would like to thank Martin for helping out when needed, we would not have achieved some of these results without you, or at least not in time for this defence. The same goes for Jelle de Plaa. Thank you for always coming for the rescue when most needed, particularly at the initial stages of my project. I would also like to thank Frank Uittenbosch for all the ICT support at SRON. Everything seemed to collapse at the worst moments and you were always there to quickly fix it. Thank you! I would like to thank our scientific community as well. As a young researcher I always felt welcome whenever I was at a conference, a workshop, or a work visit. I enjoyed to meet and interacting with you all.

I would also like to thank my Ph.D. sisters, Abbie and Sascha. I do not want to imagine what this journey would have been like if I did not have the two of you. You could understand my struggles and accomplishments like nobody else, usually over a cup of tea, either in Amsterdam or Utrecht. We constantly had each other's back, even when we were not physically there. Sharing this journey with you made the moments of joy so much more enjoyable and the moments of despair so much more bearable. Abbie, I will be missing you greatly. The spa days, the homely haircuts, the make-up tutorials, the movies, the quick pasta dinners, the times you joined me for a sewing afternoon every now and then. And the science. Emergency Skype calls, conference talk rehearsals, one-to-one tutorials... Thanks for being there for me! Sascha, I am happy Elisa has hired us both. It was so much fun to share this four and a half years with you. You're the kindest Dutch person I know, you have supported me through and through, and were always willing to help and give advice, which was much appreciated. I really enjoyed our long chats and how open and welcoming you were. I had great fun with you and your mother pursuing the perfect craft materials and fabrics, and learning how to perfect an embroidery stitch. And Japan, so many good memories! Thanks for everything! By this time Sammie is already getting anxious while reading this, not seeing her name coming up. Of course I did not forget you! I could write a couple of pages about how important your friendship has been towards this achievement. You were there before it even started, you were there throughout and you will be there, right next to me when I will become a doctor. You were always there for me as a friend, but as a colleague you did exceptionally well too. Your advice and support towards professional matters has been just incredible, you are always willing to go one step further, with everything you do. And can I just say, a motorcycle ride

---

was everything that I needed in the middle of my writing hermit stage. I truly loved it!

I would also like to thank to my API girls Susan, Amruta, Marieke, Smriti, Lucy, Danai, Daniela, Chiara, Liliana, Natalie and Caroline. How supportive you all are and how much you all inspired me in a way or another! I would like to thank Georgi, Riley, Stefano, Macla, Alice, Adam and Oscar. There was never a boring day with you! I would like to thank all the support I got from Milena, Lide, Annemarie and Vivian. Milena, I am probably one of the few who did not mind your hugs, sometimes I actually needed them. Thank you for being so caring! And overall, I would like to thank everyone at the API (old and new) for making it feel like home during the past six years.

Then I would like to thank my SRON crew. Igone, Kristhell, Margherita, Zuzanna, Ioanna, Laura, and Marianne. How amazing it was to work alongside you! To have your friendship and your support, to be inspired and empowered by you. I would like to thank Daniele, Davide, François, Giacomo, Junjie and Liyi. I will not forget the coffee breaks and how much you spoiled me with nonsense conversations, Italian cookies, and Japanese sweets. I would also like to thank Ton for encouraging me to speak Dutch more often, I really enjoyed our conversations during ‘de koffietijd’. And to everyone else at SRON who made it so pleasant to work there. Thank you!

I would also like to thank Jill, Tim, Annick, Marijn, Irene, and Pascal for their friendship over these years. Every minute I spent with you, I was not stressing about work. The best parties, the best cocktails, the best dinners, and when needed the best hugs. Thank you guys!

And I would like to thank Chris. Going through this all together was quite an experience! You always did everything you could such that I would experience the best out of everything. You asked over, and over, ‘how can I help?’, sometimes I just needed a hug and a cup of tea, other times I just wanted to discuss subjects with you until they became clear to me. When I really was stressed you did not ask anything, you made sure I could just work and that everything else would just run smoothly. You were just so, so caring during the hardest bits. You have been my rock through it all, while going through the same challenge yourself. So, thank you! I am so proud we did it together!

Obrigada à minha família. Pai e mãe, esta tese é dedicada a vocês porque é a vocês que devo tudo o que sou! Sem vocês nada disto teria sido possível. Obrigada pelo esforço, dedicação e apoio incondicional todos estes anos. A mãe disse uma vez, que o resultado do esforço de tanto trabalho foi fazer com que eu fosse ficando cada vez mais longe de casa. E foi verdade! E amor é isso mesmo! É não só me terem

## *Acknowledgements*

---

deixado ir tão longe quanto quis, mas continuarem a motivar-me para fazer e ser mais e melhor, mesmo que a saudade vos doa. Nunca vos poderei agradecer o suficiente por tudo o que vocês fizeram para que eu pudesse chegar aqui, mas vocês sabem e eu sei. Obrigada! Obrigada também às melhores irmãs, Ju e Ana. Estar longe de vocês foi sem dúvida um dos maiores sacrifícios que tive de fazer para chegar aqui. Vocês são tudo para mim e o vosso apoio e compreensão foram essenciais estes anos. Obrigada! E obrigada ao Martim e à Benedita por serem o meu sorriso. Gosto de vocês tanto, até ao céu!

Thank you,  
Cátia

Cover design by Chris Elenbaas  
Concept by Cátia Silva  
Image credits: ESA/Hubble