



UvA-DARE (Digital Academic Repository)

Improving radiation dose delivery for moving targets using image guidance

Rooijen, D.C. van

Publication date
2012

[Link to publication](#)

Citation for published version (APA):

Rooijen, D. C. V. (2012). *Improving radiation dose delivery for moving targets using image guidance*. [Thesis, fully internal, Universiteit van Amsterdam].

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, P.O. Box 19185, 1000 GD Amsterdam, The Netherlands. You will be contacted as soon as possible.

Reference list

1. Fowler JF: **The linear-quadratic formula and progress in fractionated radiotherapy.** *Br J Radiol* 1989, **62**: 679-694.
2. Ginzton EL, Mallory KB, Kaplan HS: **The Stanford medical linear accelerator. I. Design and development.** *Stanford Med Bull* 1957, **15**: 123-140.
3. Thwaites DI, Tuohy JB: **Back to the future: the history and development of the clinical linear accelerator.** *Phys Med Biol* 2006, **51**: R343-R362.
4. Takahashi S: **Conformation radiotherapy. Rotation techniques as applied to radiography and radiotherapy of cancer.** *Acta Radiol Diagn (Stockh)* 1965, Suppl.
5. Mackie TR, Holmes T, Swerdloff S, Reckwerdt P, Deasy JO, Yang J *et al.*: **Tomotherapy: a new concept for the delivery of dynamic conformal radiotherapy.** *Med Phys* 1993, **20**: 1709-1719.
6. Chang SD, Murphy M, Geis P, Martin DP, Hancock SL, Doty JR *et al.*: **Clinical experience with image-guided robotic radiosurgery (the Cyberknife) in the treatment of brain and spinal cord tumors.** *Neurol Med Chir (Tokyo)* 1998, **38**: 780-783.
7. Tsien KC: **The application of automatic computing machines to radiation treatment planning.** *Br J Radiol* 1955, **28**: 432-439.
8. Mohan R, Barest G, Brewster LJ, Chui CS, Kutcher GJ, Laughlin JS *et al.*: **A comprehensive three-dimensional radiation treatment planning system.** *Int J Radiat Oncol Biol Phys* 1988, **15**: 481-495.
9. Ellis F, Hall EJ, Oliver R: **A compensator for variations in tissue thickness for high energy beams.** *Br J Radiol* 1959, **32**: 421-422.
10. Brahme A, Roos JE, Lax I: **Solution of an integral equation encountered in rotation therapy.** *Phys Med Biol* 1982, **27**: 1221-1229.
11. Brahme A: **Optimization of stationary and moving beam radiation therapy techniques.** *Radiother Oncol* 1988, **12**: 129-140.
12. Webb S: **Optimisation of conformal radiotherapy dose distributions by simulated annealing.** *Phys Med Biol* 1989, **34**: 1349-1370.
13. Convery D, Rosenbloom M: **The generation of intensity modulated fields for conformal radiotherapy by dynamic collimation.** *Phys Med Biol* 1992, **37**: 1359-1374.
14. Bortfeld T, Boyer AL, Schlegel W, Kahler DL, Waldron TJ: **Realization and verification of three-dimensional conformal radiotherapy with modulated fields.** *Int J Radiat Oncol Biol Phys* 1994, **30**: 899-908.
15. Budiharto T, Haustermans K, Kovacs G: **External beam radiotherapy for prostate cancer.** *J Endourol* 2010, **24**: 781-789.
16. Haus AG, Pinsky SM, Marks JE: **A technique for imaging patient treatment area during a therapeutic radiation exposure.** *Radiology* 1970, **97**: 653-656.
17. Meertens H, van Herk M, Weeda J: **A liquid ionisation detector for digital radiography of therapeutic megavoltage photon beams.** *Phys Med Biol* 1984, **30**: 313-321.

18. De Neve W, Van den Heuvel F, De Beukeleer M, Coghe M, Thon L, De Roover P *et al.*: **Routine clinical on-line portal imaging followed by immediate field adjustment using a tele-controlled patient couch.** *Radiother Oncol* 1992, **24**: 45-54.
19. Jaffray DA, Siewerdsen JH, Wong JW, Martinez AA: **Flat-panel cone-beam computed tomography for image-guided radiation therapy.** *Int J Radiat Oncol Biol Phys* 2002, **53**: 1337-1349.
20. Nederveen A, Lagendijk J, Hofman P: **Detection of fiducial gold markers for automatic on-line megavoltage position verification using a marker extraction kernel (MEK).** *Int J Radiat Oncol Biol Phys* 2000, **47**: 1435-1442.
21. Stein JP, Lieskovsky G, Cote R, Groshen S, Feng AC, Boyd S *et al.*: **Radical cystectomy in the treatment of invasive bladder cancer: long-term results in 1,054 patients.** *J Clin Oncol* 2001, **19**: 666-675.
22. Muren LP, Smaaland R, Dahl O: **Organ motion, set-up variation and treatment margins in radical radiotherapy of urinary bladder cancer.** *Radiother Oncol* 2003, **69**: 291-304.
23. Sengelov L, von der Maase H: **Radiotherapy in bladder cancer.** *Radiother Oncol* 1999, **52**: 1-14.
24. Pos FJ, van Tienhoven G, Hulshof MC, Koedooder K, Gonzalez Gonzalez D: **Concomitant boost radiotherapy for muscle invasive bladder cancer.** *Radiother Oncol* 2003, **68**: 75-80.
25. Pos FJ, Hulshof M, Lebesque J, Lotz H, van Tienhoven G, Moonen L *et al.*: **Adaptive radiotherapy for invasive bladder cancer: a feasibility study.** *Int J Radiat Oncol Biol Phys* 2006, **64**: 862-868.
26. Hulshof MC, van Andel G, Bel A, Gangel P, van de Kamer JB: **Intravesical markers for delineation of target volume during external focal irradiation of bladder carcinomas.** *Radiother Oncol* 2007, **84**: 49-51.
27. Mangar S, Thompson A, Miles E, Huddart R, Horwich A, Khoo V: **A feasibility study of using gold seeds as fiducial markers for bladder localization during radical radiotherapy.** *Br J Radiol* 2007, **80**: 279-283.
28. Pos F, Bex A, Dees-Ribbers HM, Betgen A, van Herk M, Remeijer P: **Lipiodol injection for target volume delineation and image guidance during radiotherapy for bladder cancer.** *Radiother Oncol* 2009, **93**: 364-367.
29. Allen MS, Darling GE, Pechet TT, Mitchell JD, Herndon JE, Landreneau RJ *et al.*: **Morbidity and mortality of major pulmonary resections in patients with early-stage lung cancer: initial results of the randomized, prospective ACOSOG Z0030 trial.** *Ann Thorac Surg* 2006, **81**: 1013-1019.
30. Qiao X, Tullgren O, Lax I, Sirzen F, Lewensohn R: **The role of radiotherapy in treatment of stage I non-small cell lung cancer.** *Lung Cancer* 2003, **41**: 1-11.
31. LEKSELL L: **The stereotaxic method and radiosurgery of the brain.** *Acta Chir Scand* 1951, **102**: 316-319.
32. Nagata Y, Takayama K, Matsuo Y, Norihisa Y, Mizowaki T, Sakamoto T *et al.*: **Clinical outcomes of a phase I/II study of 48 Gy of stereotactic body radiotherapy in 4 fractions for primary lung cancer using a stereotactic body frame.** *Int J Radiat Oncol Biol Phys* 2005, **63**: 1427-1431.

33. Onishi H, Shirato H, Nagata Y, Hiraoka M, Fujino M, Gomi K *et al.*: **Hypofractionated stereotactic radiotherapy (HypoFXSRT) for stage I non-small cell lung cancer: updated results of 257 patients in a Japanese multi-institutional study.** *J Thorac Oncol* 2007, **2**: S94-100.
34. Sonke JJ, Lebesque J, van HM: **Variability of four-dimensional computed tomography patient models.** *Int J Radiat Oncol Biol Phys* 2008, **70**: 590-598.
35. Sonke JJ, Rossi M, Wolthaus J, van HM, Damen E, Belderbos J: **Frameless stereotactic body radiotherapy for lung cancer using four-dimensional cone beam CT guidance.** *Int J Radiat Oncol Biol Phys* 2009, **74**: 567-574.
36. Underberg RW, Lagerwaard FJ, van TH, Cuijpers JP, Slotman BJ, Senan S: **Time trends in target volumes for stage I non-small-cell lung cancer after stereotactic radiotherapy.** *Int J Radiat Oncol Biol Phys* 2006, **64**: 1221-1228.
37. Fokdal L, Honore H, Hoyer M, Meldgaard P, Fode K, von der Maase H: **Impact of changes in bladder and rectal filling volume on organ motion and dose distribution of the bladder in radiotherapy for urinary bladder cancer.** *Int J Radiat Oncol Biol Phys* 2004, **59**: 436-444.
38. Lotz HT, Pos FJ, Hulshof MC, van Herk M, Lebesque JV, Duppen JC *et al.*: **Tumor motion and deformation during external radiotherapy of bladder cancer.** *Int J Radiat Oncol Biol Phys* 2006, **64**: 1551-1558.
39. Meijer GJ, Rasch C, Remeijer P, Lebesque JV: **Three-dimensional analysis of delineation errors, setup errors, and organ motion during radiotherapy of bladder cancer.** *Int J Radiat Oncol Biol Phys* 2003, **55**: 1277-1287.
40. Miralbell R, Nouet P, Rouzaud M, Bardina A, Hejira N, Schneider D: **Radiotherapy of bladder cancer: relevance of bladder volume changes in planning boost treatment.** *Int J Radiat Oncol Biol Phys* 1998, **41**: 741-746.
41. Pos FJ, Koedooder K, Hulshof MC, van Tienhoven G, Gonzalez Gonzalez D: **Influence of bladder and rectal volume on spatial variability of a bladder tumor during radical radiotherapy.** *Int J Radiat Oncol Biol Phys* 2003, **55**: 835-841.
42. Piet AH, Hulshof MC, Pieters BR, Pos FJ, de Reijke TM, Koning CC: **Clinical results of a concomitant boost radiotherapy technique for muscle-invasive bladder cancer.** *Strahlenther Onkol* 2008, **184**: 313-318.
43. Galvin JM, De Neve W.: **Intensity modulating and other radiation therapy devices for dose painting.** *J Clin Oncol* 2007, **25**: 924-930.
44. Sondergaard J, Hoyer M, Petersen JB, Wright P, Grau C, Muren LP: **The normal tissue sparing obtained with simultaneous treatment of pelvic lymph nodes and bladder using intensity-modulated radiotherapy.** *Acta Oncol* 2009, **48**: 238-244.
45. Hsu A, Pawlicki T, Luxton G, Hara W, King CR: **A study of image-guided intensity-modulated radiotherapy with fiducials for localized prostate cancer including pelvic lymph nodes.** *Int J Radiat Oncol Biol Phys* 2007, **68**: 898-902.
46. ICRU: *Report 62: Prescribing, recording and reporting photon beam therapy.* Maryland, Bethesda: 1999.
47. Kehwar TS: **Analytical approach to estimate normal tissue complication probability using best fit of normal tissue tolerance doses into the NTCP equation of the linear quadratic model.** *J Cancer Res Ther* 2005, **1**: 168-179.
48. Wang-Chesebro A, Xia P, Coleman J, Akazawa C, Roach M, III: **Intensity-modulated radiotherapy improves lymph node coverage and dose to critical**

- structures compared with three-dimensional conformal radiation therapy in clinically localized prostate cancer.** *Int J Radiat Oncol Biol Phys* 2006, **66**: 654-662.
49. Ashman JB, Zelefsky MJ, Hunt MS, Leibel SA, Fuks Z: **Whole pelvic radiotherapy for prostate cancer using 3D conformal and intensity-modulated radiotherapy.** *Int J Radiat Oncol Biol Phys* 2005, **63**: 765-771.
 50. Muren LP, Wasbo E, Helle SI, Hysing LB, Karlsdottir A, Odland OH *et al.*: **Intensity-Modulated Radiotherapy of Pelvic Lymph Nodes in Locally Advanced Prostate Cancer: Planning Procedures and Early Experiences.** *Int J Radiat Oncol Biol Phys* 2008, **71**: 1034-1041.
 51. Herr HW, Bochner BH, Dalbagni G, Donat SM, Reuter VE, Bajorin DF: **Impact of the number of lymph nodes retrieved on outcome in patients with muscle invasive bladder cancer.** *J Urol* 2002, **167**: 1295-1298.
 52. Leissner J, Hohenfellner R, Thuroff JW, Wolf HK: **Lymphadenectomy in patients with transitional cell carcinoma of the urinary bladder; significance for staging and prognosis.** *BJU Int* 2000, **85**: 817-823.
 53. Quek ML, Sanderson KM, Daneshmand S, Stein JP: **The importance of an extended lymphadenectomy in the management of high-grade invasive bladder cancer.** *Expert Rev Anticancer Ther* 2004, **4**: 1007-1016.
 54. Kupelian PA, Langen KM, Zeidan OA, Meeks SL, Willoughby TR, Wagner TH *et al.*: **Daily variations in delivered doses in patients treated with radiotherapy for localized prostate cancer.** *Int J Radiat Oncol Biol Phys* 2006, **66**: 876-882.
 55. van Haaren PM, Bel A, Hofman P, van Vulpen M, Kotte AN, van der Heide UA: **Influence of daily setup measurements and corrections on the estimated delivered dose during IMRT treatment of prostate cancer patients.** *Radiother Oncol* 2009, **90**: 291-298.
 56. Wertz H, Lohr F, Dobler B, Mai S, Welzel G, Boda-Heggemann J *et al.*: **Dosimetric consequences of a translational isocenter correction based on image guidance for intensity modulated radiotherapy (IMRT) of the prostate.** *Phys Med Biol* 2007, **52**: 5655-5665.
 57. van Herten YR, van de Kamer JB, van Wieringen N, Pieters BR, Bel A: **Dosimetric evaluation of prostate rotations and their correction by couch rotations.** *Radiother Oncol* 2008, **88**: 156-162.
 58. Orton NP, Tome WA: **The impact of daily shifts on prostate IMRT dose distributions.** *Med Phys* 2004, **31**: 2845-2848.
 59. Bortfeld T, Schlegel W, Rhein B: **Decomposition of pencil beam kernels for fast dose calculations in three-dimensional treatment planning.** *Med Phys* 1993, **20**: 311-318.
 60. Yu CX, Wong JW: **Implementation of the ETAR method for 3D inhomogeneity correction using FFT.** *Med Phys* 1993, **20**: 627-632.
 61. de Greef M, Crezee J, van Eijk JC, Pool R, Bel A: **Accelerated ray-tracing for radiotherapy dose calculations on a GPU.** *Med Phys* 2009, **36**: 4095-4102.
 62. van Herk M, Remeijer P, Rasch C, Lebesque JV: **The probability of correct target dosage: dose-population histograms for deriving treatment margins in radiotherapy.** *Int J Radiat Oncol Biol Phys* 2000, **47**: 1121-1135.

63. Tome WA, Fowler JF: **On cold spots in tumor subvolumes.** *Med Phys* 2002, **29**: 1590-1598.
64. Marchant TE, Moore CJ, Rowbottom CG, MacKay RI, Williams PC: **Shading correction algorithm for improvement of cone-beam CT images in radiotherapy.** *Phys Med Biol* 2008, **53**: 5719-5733.
65. Richter A, Hu Q, Steglich D, Baier K, Wilbert J, Guckenberger M *et al.*: **Investigation of the usability of conebeam CT data sets for dose calculation.** *Radiat Oncol* 2008, **3**: 42.
66. Engels B, Soete G, Verellen D, Storme G: **Conformal arc radiotherapy for prostate cancer: increased biochemical failure in patients with distended rectum on the planning computed tomogram despite image guidance by implanted markers.** *Int J Radiat Oncol Biol Phys* 2009, **74**: 388-391.
67. Ludlum E, Mu G, Weinberg V, Roach M, III, Verhey LJ, Xia P: **An algorithm for shifting MLC shapes to adjust for daily prostate movement during concurrent treatment with pelvic lymph nodes.** *Med Phys* 2007, **34**: 4750-4756.
68. Rossi PJ, Schreibmann E, Jani AB, Master VA, Johnstone PA: **Boost first, eliminate systematic error, and individualize CTV to PTV margin when treating lymph nodes in high-risk prostate cancer.** *Radiother Oncol* 2009, **90**: 353-358.
69. van Rooijen DC, van de Kamer JB, Pool R, Hulshof MC, Koning CC, Bel A: **The effect of on-line position correction on the dose distribution in focal radiotherapy for bladder cancer.** *Radiat Oncol* 2009, **4**: 38.
70. Chai X, van Herk M, van de Kamer JB, Remeijer P, Bex A, Betgen A *et al.*: **Behavior of lipiodol markers during image guided radiotherapy of bladder cancer.** *Int J Radiat Oncol Biol Phys* 2010, **77**: 309-314.
71. Bel A, van Rooijen DC, Kamphuis M, Pool R: **APlan: A 4D treatment planning evaluation program.** *Radiother Oncol* 2008, **88**: S365.
72. Guan H, Dong H: **Dose calculation accuracy using cone-beam CT (CBCT) for pelvic adaptive radiotherapy.** *Phys Med Biol* 2009, **54**: 6239-6250.
73. Hatton J, McCurdy B, Greer PB: **Cone beam computerized tomography: the effect of calibration of the Hounsfield unit number to electron density on dose calculation accuracy for adaptive radiation therapy.** *Phys Med Biol* 2009, **54**: N329-N346.
74. Lee L, Le QT, Xing L: **Retrospective IMRT dose reconstruction based on cone-beam CT and MLC log-file.** *Int J Radiat Oncol Biol Phys* 2008, **70**: 634-644.
75. Rong Y, Smilowitz J, Tewatia D, Tome WA, Paliwal B: **Dose calculation on kV cone beam CT images: an investigation of the Hu-density conversion stability and dose accuracy using the site-specific calibration.** *Med Dosim* 2010, **35**: 195-207.
76. van Zijtveld M, Dirkx M, Heijmen B: **Correction of conebeam CT values using a planning CT for derivation of the "dose of the day".** *Radiother Oncol* 2007, **85**: 195-200.
77. Yoo S, Yin FF: **Dosimetric feasibility of cone-beam CT-based treatment planning compared to CT-based treatment planning.** *Int J Radiat Oncol Biol Phys* 2006, **66**: 1553-1561.
78. Kamath S, Song W, Chvetsov A, Ozawa S, Lu H, Samant S *et al.*: **An image quality comparison study between XVI and OBI CBCT systems.** *J Appl Clin Med Phys* 2011, **12**: 3435.

79. National Electrical Manufacturers Association. Digital Imaging and Communications in Medicine (DICOM). Standards Publications PS 3.3-2009 . 2009.
80. Ahnesjo A: **Collapsed cone convolution of radiant energy for photon dose calculation in heterogeneous media.** *Med Phys* 1989, **16**: 577-592.
81. Low DA, Harms WB, Mutic S, Purdy JA: **A technique for the quantitative evaluation of dose distributions.** *Med Phys* 1998, **25**: 656-661.
82. Wertz H, Stsepankou D, Blessing M, Rossi M, Knox C, Brown K *et al.*: **Fast kilovoltage/megavoltage (kVMV) breathhold cone-beam CT for image-guided radiotherapy of lung cancer.** *Phys Med Biol* 2010, **55**: 4203-4217.
83. Yeung AR, Li J, Shi W, Newlin H, Morris CG, Samant S *et al.*: **Optimal image-guidance scenario with cone-beam computed tomography in conventionally fractionated radiotherapy for lung tumors.** *Am J Clin Oncol* 2010, **33**: 276-280.
84. Nijkamp J, de JR, Sonke JJ, Remeijer P, van VC, Marijnen C: **Target volume shape variation during hypo-fractionated preoperative irradiation of rectal cancer patients.** *Radiother Oncol* 2009, **92**: 202-209.
85. Freund Y, Schapire R: **A decision-theoretic generalization of on-line learning and an application to boosting.** *Journal of Computer en System Sciences* 1997, **55**: 119-139.
86. Jahne B, Schar H, Korkel S: **Principles of filter design.** In *Handbook of Computer Vision and Applications*. Oxford: Academic Press; 1999.
87. Bol GH, Kotte AN, van der Heide UA, Lagendijk JJ: **Simultaneous multi-modality ROI delineation in clinical practice.** *Comput Methods Programs Biomed* 2009, **96**: 133-140.
88. Chai X, van HM, van de Kamer JB, Hulshof MC, Remeijer P, Lotz HT *et al.*: **Finite element based bladder modeling for image-guided radiotherapy of bladder cancer.** *Med Phys* 2011, **38**: 142-150.
89. Baumann P, Nyman J, Hoyer M, Wennberg B, Gagliardi G, Lax I *et al.*: **Outcome in a prospective phase II trial of medically inoperable stage I non-small-cell lung cancer patients treated with stereotactic body radiotherapy.** *J Clin Oncol* 2009, **27**: 3290-3296.
90. Inoue T, Shimizu S, Onimaru R, Takeda A, Onishi H, Nagata Y *et al.*: **Clinical outcomes of stereotactic body radiotherapy for small lung lesions clinically diagnosed as primary lung cancer on radiologic examination.** *Int J Radiat Oncol Biol Phys* 2009, **75**: 683-687.
91. Lagerwaard FJ, Haasbeek CJ, Smit EF, Slotman BJ, Senan S: **Outcomes of risk-adapted fractionated stereotactic radiotherapy for stage I non-small-cell lung cancer.** *Int J Radiat Oncol Biol Phys* 2008, **70**: 685-692.
92. Hurkmans CW, Cuijpers JP, Lagerwaard FJ, Widder J, van der Heide UA, Schuring D *et al.*: **Recommendations for implementing stereotactic radiotherapy in peripheral stage IA non-small cell lung cancer: report from the Quality Assurance Working Party of the randomised phase III ROSEL study.** *Radiat Oncol* 2009, **4**: 1.
93. Lehmann J, Perks J, Semon S, Harse R, Purdy JA: **Commissioning experience with cone-beam computed tomography for image-guided radiation therapy.** *J Appl Clin Med Phys* 2007, **8**: 2354.

94. Stippel G, van Rooijen D, Bel A: **Robust Automatic Delineation of Body Contours on Cone-Beam CT Images.** *Proceedings of the XVth ICCR 2010.*
95. Wang L, Hayes S, Paskalev K, Jin L, Buyyounouski MK, Ma CC *et al.*: **Dosimetric comparison of stereotactic body radiotherapy using 4D CT and multiphase CT images for treatment planning of lung cancer: evaluation of the impact on daily dose coverage.** *Radiother Oncol* 2009, **91**: 314-324.
96. Galerani AP, Grills I, Hugo G, Kestin L, Mohammed N, Chao KK *et al.*: **Dosimetric impact of online correction via cone-beam CT-based image guidance for stereotactic lung radiotherapy.** *Int J Radiat Oncol Biol Phys* 2010, **78**: 1571-1578.
97. Roach M, III, DeSilvio M, Lawton C, Uhl V, Machtay M, Seider MJ *et al.*: **Phase III trial comparing whole-pelvic versus prostate-only radiotherapy and neoadjuvant versus adjuvant combined androgen suppression: Radiation Therapy Oncology Group 9413.** *J Clin Oncol* 2003, **21**: 1904-1911.
98. Roach M, III, DeSilvio M, Valicenti R, Grignon D, Asbell SO, Lawton C *et al.*: **Whole-pelvis, "mini-pelvis," or prostate-only external beam radiotherapy after neoadjuvant and concurrent hormonal therapy in patients treated in the Radiation Therapy Oncology Group 9413 trial.** *Int J Radiat Oncol Biol Phys* 2006, **66**: 647-653.
99. Staffurth J: **A review of the clinical evidence for intensity-modulated radiotherapy.** *Clin Oncol (R Coll Radiol)* 2010, **22**: 643-657.
100. Fiorino C, Alongi F, Perna L, Broggi S, Cattaneo GM, Cozzarini C *et al.*: **Dose-volume relationships for acute bowel toxicity in patients treated with pelvic nodal irradiation for prostate cancer.** *Int J Radiat Oncol Biol Phys* 2009, **75**: 29-35.
101. Ahunbay EE, Peng C, Chen GP, Narayanan S, Yu C, Lawton C *et al.*: **An on-line replanning scheme for interfractional variations.** *Med Phys* 2008, **35**: 3607-3615.
102. Cozzarini C, Fiorino C, Di MN, Alongi F, Broggi S, Cattaneo M *et al.*: **Significant reduction of acute toxicity following pelvic irradiation with helical tomotherapy in patients with localized prostate cancer.** *Radiother Oncol* 2007, **84**: 164-170.
103. Sanguineti G, Endres EJ, Parker BC, Bicquart C, Little M, Chen G *et al.*: **Acute toxicity of whole-pelvis IMRT in 87 patients with localized prostate cancer.** *Acta Oncol* 2008, **47**: 301-310.
104. Alicikus ZA, Yamada Y, Zhang Z, Pei X, Hunt M, Kollmeier M *et al.*: **Ten-year outcomes of high-dose, intensity-modulated radiotherapy for localized prostate cancer.** *Cancer* 2011, **117**: 1429-1437.
105. Dolezel M, Odratzka K, Vaculikova M, Vanasek J, Sefrova J, Paluska P *et al.*: **Dose escalation in prostate radiotherapy up to 82 Gy using simultaneous integrated boost: direct comparison of acute and late toxicity with 3D-CRT 74 Gy and IMRT 78 Gy.** *Strahlenther Onkol* 2010, **186**: 197-202.
106. Yan D, Vicini F, Wong J, Martinez A: **Adaptive radiation therapy.** *Phys Med Biol* 1997, **42**: 123-132.
107. Foroudi F, Wong J, Kron T, Rolfo A, Haworth A, Roxby P *et al.*: **Online Adaptive Radiotherapy for Muscle-Invasive Bladder Cancer: Results of a Pilot Study.** *Int J Radiat Oncol Biol Phys* 2011, **81**: 765-771
108. Lalondrelle S, Huddart R, Warren-Oseni K, Hansen VN, McNair H, Thomas K *et al.*: **Adaptive-predictive organ localization using cone-beam computed tomography**

- for improved accuracy in external beam radiotherapy for bladder cancer. *Int J Radiat Oncol Biol Phys* 2011, **79**: 705-712.**
109. Taylor H, Lalondrelle S, McDonald F, McNair H, Huddart R: **Developing advanced competencies in CBCT for the implementation of adaptive bladder radiotherapy.** *Radiother Oncol* 2010, **95**: S27-S28.
 110. Mestrovic A, Nichol A, Clark BG, Otto K: **Integration of on-line imaging, plan adaptation and radiation delivery: proof of concept using digital tomosynthesis.** *Phys Med Biol* 2009, **54**: 3803-3819.
 111. Lyman JT: **Complication probability as assessed from dose-volume histograms.** *Radiat Res Suppl* 1985, **8**: S13-S19.
 112. Emami B, Lyman J, Brown A, Coia L, Goitein M, Munzenrider JE *et al.*: **Tolerance of normal tissue to therapeutic irradiation.** *Int J Radiat Oncol Biol Phys* 1991, **21**: 109-122.
 113. Otto K: **Volumetric modulated arc therapy: IMRT in a single gantry arc.** *Med Phys* 2008, **35**: 310-317.
 114. Teoh M, Clark CH, Wood K, Whitaker S, Nisbet A: **Volumetric modulated arc therapy: a review of current literature and clinical use in practice.** *Br J Radiol* 2011, **84**: 967-996.
 115. McGrath SD, Matuszak MM, Yan D, Kestin LL, Martinez AA, Grills IS: **Volumetric modulated arc therapy for delivery of hypofractionated stereotactic lung radiotherapy: A dosimetric and treatment efficiency analysis.** *Radiother Oncol* 2010, **95**: 153-157.
 116. Rasch C, Barillot I, Remeijer P, Touw A, van HM, Lebesque JV: **Definition of the prostate in CT and MRI: a multi-observer study.** *Int J Radiat Oncol Biol Phys* 1999, **43**: 57-66.
 117. Villeirs GM, Van VK, Vakaet L, Bral S, Claus F, De Neve WJ *et al.*: **Interobserver delineation variation using CT versus combined CT + MRI in intensity-modulated radiotherapy for prostate cancer.** *Strahlenther Onkol* 2005, **181**: 424-430.
 118. Raaymakers BW, Lagendijk JJ, Overweg J, Kok JG, Raaijmakers AJ, Kerkhof EM *et al.*: **Integrating a 1.5 T MRI scanner with a 6 MV accelerator: proof of concept.** *Phys Med Biol* 2009, **54**: N229-N237.
 119. Kerkhof EM, Raaymakers BW, van VM, Zonnenberg BA, Bosch JL, van Moorselaar RJ *et al.*: **A new concept for non-invasive renal tumour ablation using real-time MRI-guided radiation therapy.** *BJU Int* 2011, **107**: 63-68.
 120. Steenbakkers RJ, Duppen JC, Fitton I, Deurloo KE, Zijp LJ, Comans EF *et al.*: **Reduction of observer variation using matched CT-PET for lung cancer delineation: a three-dimensional analysis.** *Int J Radiat Oncol Biol Phys* 2006, **64**: 435-448.
 121. Shiue CY, Welch MJ: **Update on PET radiopharmaceuticals: life beyond fluorodeoxyglucose.** *Radiol Clin North Am* 2004, **42**: 1033-53, viii.
 122. Bentzen SM, Gregoire V: **Molecular imaging-based dose painting: a novel paradigm for radiation therapy prescription.** *Semin Radiat Oncol* 2011, **21**: 101-110.