UNIVERSITY OF AMSTERDAM

UvA-DARE (Digital Academic Repository)

Shedding light on detritus: Interactions between invertebrates, bacteria and substrates in benthic habitats

Hunting, E.R.

Publication date
2013

Link to publication

Citation for published version (APA):
Hunting, E. R. (2013). *Shedding light on detritus: Interactions between invertebrates, bacteria and substrates in benthic habitats*. [Thesis, fully internal, Universiteit van Amsterdam].

General rights
It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations
If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: https://uba.uva.nl/en/contact, or a letter to: Library of the University of Amsterdam, Secretariat, P.O. Box 19185, 1000 GD Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (https://dare.uva.nl)

Download date:17 Oct 2026

References

Adcock, JA. 1979. Energetics of a population of the isopod Asellus aquaticus: life history and production. Freshwater Biology 9:343–355.

Alongi, DM. 1987. The influence of mangrove-derived tannins on intertidal meiobenthos in tropical estuaries. Oecologia 71: 537-540.

Anderson, MJ. 2001. A new method for non-parametric multivariate analysis of variance. Austral Ecology 26:32–46.

Armisén, R. 1991. Agar and agarose biotechnological applications. Hydrobiologia 221:157–166.

Arnold, TM, Targett NM. 2002. Marine tannins: the importance of a mechanistic framework for predicting ecological roles. Journal of Chemical Ecology 28: 1919-1933.

Baldy, V, Chauvet E, Charcosset J, Gessner MO 2002 Microbial dynamics associated with leaves decomposing in the mainstem and floodplain pond of a large river. Aquat Microb Ecol 28:25–36

Baliga, BS, Cohen SA, Munro HN. 1970. Effect of cycloheximide on the reaction of puromycin with polysome-bound peptidyl-tRNA. FEBS Letters 8:249–252.

Bärlocher, F, Porter CW. 1986. Digestive enzymes and feeding strategies of three stream invertebrates. Journal of the North American Benthological Society 5:58–66.

Basak, UC, Das AB, Das P. 1996. Chlorophylls, caretenoids and secondary metabolites in leaves of 14 species of mangrove. Bulletin of Marine Science 58 : 654-659.

Baylor, ER, Sutcliffe WH 1963 Dissolved organic matter in seawater as a source of particulate food. Limnology and Oceanography 8: 369-371.

Bell, T. et al. 2005. The contribution of species richness and composition to bacterial services. Nature, 436, 1157-60.

Bell, JJ. 2007 Contrasting patterns of species and functional composition of coral reef sponge assemblages Vol. 339: 73–81, 2007

Bell, JJ. The functional roles of marine sponges, Estuarine, Coastal and Shelf Science, Volume 79, Issue 3, 10 September 2008, Pages 341-353

Benner, R, Peele ER, Hodson RE. 1986. Microbial utilization of dissolved organic matter from leaves of the red mangrove, Rhizophora mangle, in the Fresh Creek estuary, Bahamas. Estuarine, Coastal and Shelf Science 23: 607-619.

Bertics, VJ, Ziebis W. 2009 Biodiversity of benthic microbial communities in bioturbated coastal sediments is controlled by geochemical microniches. International Society for Microbial Ecology Journal 3:1269–1285.

Bervoets, L. et al. 1996. Tolerance of Chironomus riparius larvae Diptera: Chironimidae to salinity. B Environ Contam Tox 57, 829-835

Bespalov, VA, Zhulin IB, Taylor BL 1996 Behavioral responses of *Escherichia coli* to changes in redox potential. Proc Natl Acad Sci USA 93:10084–10089

Bhat, TK, Singh B, Sharma OP 1998 Microbial degradation of tannins—a current perspective. Biodegradation 9:343–357

Bingham, BL 1992 Life histories in an epifaunal community – Coupling of adult and larval processes. Ecology 736: 2244-2259

Birchenough, SNR, Parker RE, McManus E, Barry J. 2012. Combining bioturbation and redox metrics: potential tools for assessing seabed function. Ecological Indicators 12:8–16.

Blair, JM, RW Parmelee, MH Beare. 1990. Decay rates, nitrogen fluxes and decomposer communities in single and mixed-species foliar litter. Ecology 71: 1976-1985.

Blockwell, SJ, Taylor, EJ, Jones I. Pascoe, D. 1998. The influence of freshwater pollutants and Interaction with *Asellus aquaticus* L. on the feeding activity of *Gammarus pulex* L.. Archives of Environmental Contamination and Toxicology., 34, 41-47.

Bochner, BR. 1989 Sleuthing out bacterial identities. Nature 339:157-158

Boulton, AJ, JM Quinn. 2000. A simple and versatile technique for assessing cellulose decomposition potential in floodplain and riverine sediments. Archiv für Hydrobiologie 150:133–151.

Boulton, A, P Boon 1991. A review of methodology used to measure leaf litter decomposition in lotic environments: time to turn over an old leaf? Australian Journal of Marine and Freshwater Research 42:1–43.

Boyero, L, RG Pearson, MO Gessner, LA Barmuta, V Ferreira, MAS Graça, D Dudgeon, AJ Boulton, M Callisto, E Chauvet, JE Helson, A Bruder, RJ Albariño, et al. 2011. A global experiment suggests climate warming will not accelerate litter decomposition in streams but might reduce carbon sequestration. Ecology Letters 14:289–294.

Brant, JB, Sulzman, EW, Myrold, DD, 2006. Microbial community utilization of added carbon substrates in response to long-term carbon input manipulation. Soil Biology & Biochemistry 38, 2219e2232.

Brooks, AC, Gaskell, PN, Maltby, LL 2009. Sublethal effects and predator-prey interactions: Implications for ecological risk assessment. Environmental Toxicology and Chemistry. 28: 2449–2457.

Browne, KA, Zimmer RK 2001 Controlled field release of a waterborne chemical signal stimulates planktonic larvae to settle. Biol. Bull. 200: 87-91

Bryant, JP, Clausen TP, Reichardt PB, McCarthy MC, Werner RA 1987 Effect of nitrogen fertilization upon secondary chemistry and nutritional value of quaking aspen *Populus tremuloides* Michx. leaves for the large aspen tortrix *Choristoneura conflictana* Walker. Oecologia 734: 513-517.

Bundschuh, M., Appeltauer, A., Dabrunz, A.; Schulz, R. 2012. Combined effect of invertebrate predation and sublethal pesticide exposure on the behavior and survival of *Asellus aquaticus* Crustacea; Isopoda. Arch Environ Contam Toxicol., 63, 77-85.

Cameron, GN, LaPoint TW. 1978. Effects of tannins on the decomposition of Chinese tallow leaves by terrestrial and aquatic invertebrates. Oecologia 3: 349-366.

Camilleri, JC, Ribi G 1986 Leaching of dissolved organic carbon DOC from dead leaves, formation of flakes from DOC, and feeding on flakes by crustaceans in mangroves. Marine Biology 913: 337-344.

Canhoto, C, Graça, MAS 2008. Interactions between fungi aquatic hyphomycetes and invertebrates. In: Sridhar, K.R., Bärlocher, F., Hyde, K.D. Eds., Novel

Techniques and Ideas in Mycology. Fungal Diversity Research Series. University of Hong Kong, pp. 205e325.

Carballeira, NM, F Shabali. 1994. Unusual lipids in the Caribbean sponge *Amphimedon viridis* and *Desmapsamma anchorata*. Journal of Natural Products 57 8: 1152-1159.

Cardinale, BJ, Palmer, MA. 2002. Disturbance moderates biodiversity-ecosystem function relationships: Experimental evidence from caddisflies in stream mesocosms. Ecology, 83, 1915–1927.

Cargill, AS, KW Cummins, BJ Hanson, RR Lowry. 1985. The role of lipids as feeding stimulants for shredding aquatic insects. Freshwater Biology 15:455–464.

Carpenter, SR 1980. Enrichment of Lake Wingra, Wisconsin, by submersed macrophyte decay. Ecology 61:1145–1155.

Chapman, VJ 1976. Mangrove vegetation. Vaduz: Strauss and Cramer.

Chapman, K, Whittaker, JB, Heal, OW 1988. Metabolic and faunal activity in litters of tree mixtures compared with pure stands. - Agric. Ecosyst. Environ. 24: 33-40.

Cebrian, E. G Agell, R Martı, MJ Uriz. 2006. Response of the Mediterranean sponge Chondrosia reniformis Nardo to copper pollution. Environmental Pollution 452-458

Cornwell, WK et al. 2008 Plant species traits are the predominant control on litter decomposition rates within biomes worldwide. Ecol. Lett. 11, 1065–1071

Corredor JE, Wilkinson CR, Vicente VP, Morell JM, Otero E. 1988. Nitrate release by Caribbean reef sponges. Lim-nology and Oceanography 33: 114-120.

Covich, AP, MC Austen, F Bärlocher, E Chauvet, et al. 2004. The role of biodiversity in the functioning of freshwater and marine benthic systems. BioScience 54:767–775.

Cuffney, TF, JB Wallace, GJ Lugthart. 1990. Experimental evidence quantifying the role of benthic invertebrates in organic-matter dynamics of headwater streams. Freshwater Biology 23:281–299.

Cummins, KW, and MJ Klug. 1979. Feeding ecology of stream invertebrates. Annual Review of Ecology, Evolution, and Systematics 10:147–72.

Dang, CK, M Schindler, E Chauvet, and MO Gessner. 2009. Temperature oscillation coupled with fungal community shifts can modulate warming effects on litter decomposition. Ecology 90:122–131.

Danger, M, Cornut, J Elger, Chauvet E. Effects of burial on leaf litter quality, microbial conditioning and palatability to three shredder taxa. Freshwater Biology. 2012, 57, 1017–1030.

Danovaro, R, GM Luna, A Dell'Anno, B Pietrangeli. 2006. Comparison of two fingerprinting techniques, Terminal Restriction Fragment Length Polymorphism and Automated Ribosomal Intergenic Spacer Analysis, for determination of bacterial diversity in aquatic environments. Applied and Environmental Microbiology 72:5982–5989.

Dawson MN, Raskoff KA, Jacobs DK 1998 Field preservation of marine invertebrate tissue for DNA analyses. Mol Mar Biol Biotechnol 7:145-152

De Boer, W. et al. 2005 Living in a fungal world: impact of fungi on soil bacterial niche development. FEMS Microbiol. Rev. 29, 795–811

De Goeij JM, L Moodley, M Houtekamer, NM Carballeira and FC Van Duyl. 2008a. Tracing 13C-enriched dissolved and particulate organic carbon in the bacteria-containing coral reef sponge *Halisarca caerulea*: Evidence for DOM-feeding. Limnology and Oceanography 53:1376-1386.

De Goeij JM, Van den Berg H, Van Oostveen MM, Epping EHG, Van Duyl FC 2008b Major bulk dissolved organic carbon DOC removal by encrusting coral reef cavity sponges. Mar Ecol Prog Ser 357:139–151

De Goeij, JM, D van Oevelen, MJA Vermeij, R Osinga, JJ Middelburg, AFPM de Goeij and W Admiraal 2013 Surviving in a marine desert: the sponge loop retains resources within coral reefs. Submitted

De Voogd NJ, DFR Cleary. 2007. Relating species traits to environmental variables in Indonesian coral reef sponge assemblages. Marine and Freshwater Research, 58, 240–249

De Voogd NJ, Cleary DFR, Hoeksema BW, Noor A, Van Soest RWM. 2006. Sponge beta diversity in the Spermonde Archipelago, SW Sulawesi, Indonesia. Marine Ecology Progress Series 309: 131-142.

Del Giorgio, PA, JM Gasol. 1995. Biomass distribution in freshwater plankton communities. American Naturalist 146:135–152.

Denward, CMT, H Edling, LJ Tranvik. 1999. Effects of solar radiation on bacterial and fungal density on aquatic plant detritus. Freshwater Biology 41:575–582.

Diaz M 2012 Mangrove and coral reef sponge faunas: untold stories about shallow water Porifera in the Caribbean. Hydrobiologia 687:179-190

Diaz MC, Smith KP, Rützler K. 2004. Sponge species richness and abundance as indicators of mangrove epibenthic community health. Atoll Research Bulletin 518: 1-11.

Dittmar T, Hertkorn N, Kattner G, Lara RJ 2006 Mangroves, a major source of dissolved organic carbon to the oceans. Global Biogeochem Cycles 20:GB1012

Dittmar, T. 2004. Evidence for terrigenous dissolved organic nitrogen in the Arctic deep sea. Limnology and Oceanography 491 148-156.

Docherty KM, Young KC, Maurice PA, Bridgham, SD 2006 Dissolved organic matter concentration and quality influences upon structure and function of freshwater microbial communities. Microb Ecol 52:378–388

Duyl Van FC, Moodley L, Nieuwland G, IJzerloo L, Soest van RWM, Houtekamer M, Meesters EH, Middelburg JJ 2011 Coral cavity sponges depend on reef-derived food resources: stable isotope and fatty acid constraints. Mar Biol 158:1653-1666

Ebbing JHJ. 1997. Geochemische inventarisatie van enkele baaien op Curaçao. TNO, NITG 97-238-B.

Egglishaw, H. J. 1964. The distributional relationship between the bottom fauna and plant detritus in streams. Journal of Animal Ecology 33:463–476.

Eiler, A, S Langenheder, S Bertilsson, LJ Tranvik. 2003. Heterotrophic bacterial growth efficiency and community structure at different natural organic carbon concentrations. Applied and Environmental Microbiology 69:3701-3709.

Ellison, AM, Farnsworth EJ 1992 The ecology of Belizean mangrove-root fouling communities: patterns of epibiont distribution and abundance, and effects on root growth. Hydrobiologia 247:87-98

Ellison, AM, Farnsworth EJ 1996 Spatial and temporal variability in growth of Rhizophora mangle saplings on coral cays: links with variation in insulation, herbivory, and local sedimentation rate. Journal of Ecology 84-5: 717-731

Ellison, AM, Farnsworth EJ, Twilley RR 1996 Facultative mutualism between red mangroves and root-fouling sponges in Belizean mangal. Ecology 778: 2431-2444

Ellison, AM, Farnsworth EJ. 1990. The ecology of Belizean mangrove-root fouling communities. I. Epibenthic fauna are barriers to isopod attack of red-mangroves. Journal of Experimental Marine Biology and Ecology 142: 91-104.

Engel, S, Pawlik JR. 2000. Allelopathic activities of sponge extracts. Marine Ecology Progress Series 207: 273-281.

Engel, S, Pawlik JR. 2005. Interactions among Florida spong-es. II. Mangrove habitats. Marine Ecology Progress Series

Engelhaupt, E, Bianchi TS, Wetzel RG, Tarr MA 2002 Photochemical transformations and bacterial utilization of high-molecular-weight dissolved organic carbon in a southern Louisiana tidal stream Bayou Trepagnier. Biogeochemistry 62:39–58

Engqvist, L. 2005. The mistreatment of covariate interaction terms in linear model analyses of behavioral and evolutionary ecology studies. Animal Behavior 70:967–971.

Erickson, AA, Bell SS, Dawes CJ. 2004. Does mangrove leaf chemistry help explain crab herbivory patterns? Biotropica 36: 333-343.

Erwin, PM, Pita L, López-Legentil S, Turon X. 2012 Stability of sponge-bacteria symbioses over large seasonal shifts in temperature and irradiance. Appl Environ Microbiol. In press.

Farnsworth, EJ, Ellison AM. 1996 Scale-dependent spatial and temporal variability in biogeography of mangrove root epibionts communities. Ecological Monographs 66:45-66

Feller, IC. 1995. Effects of nutrient enrichment on growth and herbivory of dwarf red mangrove Rhizophora mangle. Ecol Monogr 654: 477-505

Feller IC, McKee KL, Whigham DF, O'Niell JP 2003 Nitrogen vs. phosphorus limitation across an ecotonal gradient in a mangrove forest. Biogeochemistry 622: 145-175

Feller, IC, Whigham DF, McKee KL, Lovelock CE. 2003 Ntrogen limitation of growth and nutrient dynamics in a disturbed mangrove forest, Indian River Lagoon, Florida. Oecologia 1343: 405-414

Field, JA, Lettinga G 1992 Toxicity of tannic compounds to microorganisms. In Hemmingway, RW, Laks PE eds, Plant polyphenols: synthesis, properties, significance. Plenum Press, New York:673–692

Francois, FJC, Poggiale, JP, Durbec, SG. 1997. A new approach for the modelling of sediment reworking induced by a macrobenthic community. Acta Biotheoretica. 45, 295–319.

Fransen, CHJM. 1986. Carribean bryozoa: *Anasca* and *Ascophora imperfecta* of the inner bays of Curaçao and Bonaire. Studies on the fauna of Curaçao and other Caribbean Islands 68.

Freeman, C, Ostle J, Kang H 2001. An enzymic latch on a global carbon store. Nature. 409, 149

Freeman, CJ, RW Thacker, 2011. Complex interactions between marine sponges and their symbiotic microbial communities Limnology and Oceanography 56 5, 1577-1586

Garland, JL. 1997. Analysis and interpretation of community-level physiological profiles in microbial ecology. FEMS Microbiology Ecology, 24: 289-300.

Garland, JL, Mills AL. 1991. Classification and characterization of heterotrophic microbial communities on the basis of patterns of community-level sole-carbon source utilization. Applied and Environmental Microbiology. 57, 2351–2359.

Garland, JL. 1997 Analysis and interpretation of community-level physiological profiles in microbial ecology. FEMS Microbiol Ecol 24:289–300

Garland, JL. 1999 Potential and limitations of BIOLOG for microbial community analysis. Microbial Biosystems: New Frontiers. Proceedings of the 8th International symposium on Microbial Ecology. Ed. Bell CR, Brylinski M, Johnson-Green P Atlantic Canada Society for Microbial Ecology, Halifax, Canada:1-7

Gerino, M, G Stora, F François-Carcaillet, et al. 2003. Macro-invertebrate functional groups in freshwater and marine sediments : a common mechanistic classification. Vie et Milieu 53:221–232.

Gessner, MO, E Chauvet. 2002. A case for using litter breakdown to assess functional stream integrity. Ecological Applications 1:498–510.

Gessner, MO, et al. 2010. Diversity meets decomposition. Trends in Ecology and Evolution 25:372–380.

Gonçalves, AL, et al. 2011. Uranium contaminated water does not affect microbial activity but decreases feeding by the shredder Sericostoma vittatum. Fundam. Appl. Limnol. 179/1, 17–25.

Gonzalez, JM, MAS. Graça. 2003. Conversion of leaf litter to secondary production by a shredding caddis-fly. Freshwater Biology 48:1578–1592.

Gotelli, NJ, Entsminger GL. 2006. EcoSim: Null models soft-ware for ecology v.7.72. Acquired Intelligence Inc. & Ke-sey-Bear. Jericho, VT 05465. http://garyentsminger.com/ ecosim.htm.

Graça, MAS. 2001. The role of invertebrates on leaf litter decomposition in streams: a review. International Review of Hydrobiology 86:383–393.

Granek, EF, Compton JE, Phillips DL 2009 Mangrove-exported nutrient incorporation by sessile coral reef invertebrates. Ecosystems 12:462-472

Gravel, D, Bell T, Barbera C, Bouvier T, Pommier T, Vanail P. et al. 2011 Experimental niche evolution alters the strength of the diversity-productivity relationship. Nature 469:89-94

Guerra-Castro, E, Young P, Pérez-Vázquez A, Carteron S, Alvizu A 2011 Spatial variability and human disturbance of sponge assemblages associated with mangrove roots in the southern Caribbean. Marine and Freshwater Research 62:491–501

Haanstra, L, Doelman, P, Oude Voshaar, JH. 1985. The use of sigmoidal concentration-response curves in soil ecotoxicological research. Plant Soil. 293–297.

Hagerman, AE 1987 Radial diffusion assay for determining tannin in plant extracts. J Chem Ecol 13 3: 437 – 449

Hagerman, AE. 1988. Extraction of tannin from fresh and preserved leaves. Journal of Chemical Ecology 14: 453-461.

Hall, RO, Meyer JL. 1998. The trophic significance of bacteria in a detritus-based stream food web. Ecology, 79, 1995– 2012.

Hammer, Ø, Harper DAT, Ryan PD 2001 PAST: Paleontological Statistics Software Package for Education and Data Analysis. Palaeontologia Electronica 41: 9pp http://palaeo-electronica.org/2001_1/past/issue1_01.htm

Hardoim, CC, Costa R, Araujo FV, Hajdu E, Peixoto R, Lins U, et al. 2009 Diversity of bacteria in the marine sponge Aplysina fulva in Brazilian coastal Waters. Appl Environ Microbiol 75:3331–3343

Hättenschwiler, S, Vitousek PM 2000 The role of polyphenols in terrestrial ecosystem nutrient cycling. Trends in Ecology & Evolution 15-6:238-243

Haukioja, E, Ossipov V, Koricheva J, Honkanen T, Larsson S, Lempa K 1998 Biosynthetic origin of carbon-based secondary compounds: cause of variable responses of woody plants to fertilization? Chemoecology 8: 133 – 139.

Hay, MEJ, J Stachowicz, E Cruz-Rivera, S Bullard, MS Deal, N Lindquist. 1998. Bioassays with marine and freshwater macroorganisms. Pages 39–141 in K. F. Haynes and J. G. Millar editors. Methods in chemical ecology. Volume 2. Bioassay methods. Chapman and Hall, New York.

Henrikson, AA, Pawlik JR 1995 A new antifouling assay method: Results from field experiments using extracts of four marine organisms. J Exp Mar Biol Ecol 1942: 157 – 165

Hentschel U, Hopke J, Horn M, Friedrich A.B, Wagner M, Hacker J, Moore BS 2002 Molecular evidence for a uniform microbial community in sponges from different oceans. Appl Environ Microbiol 68:4431-4440

Herbst, GN. 1980. Effect of burial on food value and consumption of leaf detritus by aquatic invertebrates in a lowland forest stream. Oikos 35:411–424.

Hieber, M, MO Gessner. 2002. Contribution of stream detrivores, fungi, and bacteria to leaf breakdown based on biomass estimates. Ecology 83:1026–1038.

Hildrew, AG., CR Townsend, J. Francis, and K. Finch. 1984. Cellulolytic decomposition in streams of contrasting pH and its relationship with invertebrate community structure. Freshwater Biology 14:323–328.

Hillebrand, H, B Matthiessen. 2009. Biodiversity in a complex world: consolidation and progress in functional biodiversity research. Ecology Letters 12:1405–1419.

Hindell JS, Quinn GP. 2000. Effects of sewage effluent on the population structure of Brachidontes rostratus Mytilidae on a temperate intertidal rocky shore. Mar. Freshw. Res. 51: 543-551.

Hladyz, S, Gessner MO, Giller PS, Pozo J, Woodward G. 2009. Resource quality and stoichiometric constraints on stream ecosystem functioning. Freshwater Biology, 54: 957–970.

Hooper, JNA, Van Soest RWM 2002 Systema Porifera. Kluwer Acedamic/Plenum publishers, New York.

Hunting, E.R., R.W.M. Van Soest RWM, H.G. van der Geest, A. Vos and A.O. Debrot. 2008. Diversity and spatial heterogeneity of mangrove associated sponges of Curaçao and Aruba. Contributions to Zoology 774:205–215.

Hunting, ER, de Goeij JM, Asselman M, van Soest RWM, van der Geest HG 2010b Degradation of mangrove-derived organic matter in mangrove associated sponges. Bull Mar Sci 86:871-877

Hunting, ER, Franken O, Knopperts F, Kraak MHS, Vargas R, Röling WFM, van der Geest HG 2013 Substrate as a driver of sponge distributions in mangrove ecosystems. Mar Ecol Prog Ser: 486: 133-141.

Hunting, ER, van der Geest HG, Krieg AJ, van Mierlo MBL, van Soest RWM 2010a Mangrove-sponge associations: a possible role for tannins. Aquat Ecol 44:679-684

Hunting, ER, HG van der Geest. 2011. Predictability of bacterial activity and denitrification in aquatic sediments with continuous measurements of redox potential Eh. International Journal of Environmental Science and Technology 83:553–560.

Hunting, ER, MH Whatley, HG van der Geest, C Mulder, MHS Kraak, T Breure, W Admiraal. 2012. Invertebrate footprints on detritus processing, bacterial community structure and spatiotemporal redox profiles. Freshwater Science 31:723–731.

Hunting, ER, AA Kampfraath. 2013. Contribution of bacteria to redox potential (Eh) measurements in sediments. Int. J. Environ. Sci. Technol. 10: 55-62.

Hunting, ER, SM Ubels, MHS Kraak, HG van der Geest 2013. Root-derived organic matter confines sponge community composition in mangrove ecosystems. Ecol. Proces. 2013(2):14.

Hurlbert JS. 1971. The non-concept of species diversity: a critique and alternative parameters. Ecology 52: 577-586.

Imberger, SJ, RM. Thompson, MR Grace. 2010. Searching for effective indicators of ecosystem function in urban streams: assessing cellulose decomposition potential. Freshwater Biology 55:2089–2106.

Jenkins, GB, Woodward G, Hildrew AG. 2013. Long-term amelioration of acidity accelerates decomposition in headwater streams. Global Change Biology. In press.

Jobbagy, Esteban G, Robert B. Jackson. 2000. The Vertical Distribution of Soil Organic Carbon and Its Relation to Climate and Vegetation Ecological Applications, Vol. 10, No. 2 pp. 423-436

Jonsson, M, Malmqvist, B. 2000 Ecosystem process rate increases with animal species richness: evidence from leaf-eating, aquatic insects. Oikos 89, 519–523

Jonsson, MB, Malmqvist, B. 2003. Importance of species identity and number for process rates within different stream invertebrate functional feeding groups. Journal of Animal Ecology 72:453–459.

Kampfraath, AA, ER Hunting, C Mulder, AM Breure, MO Gessner, MHS Kraak, W Admiraal. 2012. DECOTAB – a multipurpose standard substrate to assess litter quality effects on microbial decomposition and invertebrate consumption. Freshwater Science, 314:1156-1162. 2012.

Kandil, FE, Grace MH, Seigler DS, Cheeseman JM. 2004. Polyphenolics in Rhizophora mangle L. leaves and their changes during leaf development and senescence. Trees 18: 518-528.

Kattner, G, Koch, B, Dittmar, T, Witt, M, Hertkorn, N. 2006: Modification of terrestrial dissolved organic matter in tropical coastal waters , 9th Int. Estuarine Biogeochemistry Symposium, 7-11 May, Warnemuende, Germany.

Kelly, DJ, Bothwell ML, Schindler DW 2003 Effects of solar ultraviolet radiation on stream benthic communities: An intersite comparison. Ecology 84:2724-2740.

Keunen, MMCE, AO Debrot. 1995. A quantitative study of the seagrass and algal meadows of the Spaanse Water, Curaçao, the Netherlands Antilles. Aquatic Botany 51 3-4: 291-310.

Kiffeny PM, Clements WH. 1994. Effects of heavy metals on a macroinvertebrate assemblage from a rocky mountain stream in experimental microcosms. J-NABS 13:511-523.

Klump, K, J-F Soussana. 2009. Using functional traits to predict grassland ecosystem change: a mathematical test of the response-and-effect trait approach. Global Change Biology 15:2921–2934.

Koch BP, Harder J, Lara RJ, Kattner G 2005 The effect of selective microbial degradation on the composition of mangrove derived pentacyclic triterpenols in surface sediments. Org Geochem 36:273–285

Köhler B, von Wachenfeldt E, Kothawala D, Tranvik L 2012 Reactivity continuum of dissolved organic carbon decomposition in lake water. Journal of Geophysical Research 117: G01024

Kristensen E, Bouillon S, Dittmar T, Marchand C 2008 Organic carbon dynamics in mangrove ecosystems: a review. Aquat Bot 89:201–219

Kristensen, E, JE Kostka. 2005. Macrofaunal burrows and irrigation in marine sediment: microbiological and biogeochemical interactions. Pages 125–157 in E. Kristensen, R. R. Haese, and J. E. Kostka editors. Interactions between macro- and microorganisms in marine sediment, coastal and estuarine Studies 60. American Geophysical Union, Washington, DC.

Kubanek J, Lester SE, Fenical W, Hay ME. 2004. Ambigu-ous role of phlorotannins as chemical defenses in the brown alga Fucus vesiculosus. Marine Ecology Progress Series 277: 79-93.

Kuznetsova AM, Orlova, OV, Savinov, AB 1984 Aggregates of organic matter in fresh waters and their role in the nutrition of small filter feeder crustaceans. Gidrobiol. Zh. 20, 3-8.

Lecerf, A, E. Chauvet. 2008. Intraspecific variability in leaf traits strongly affects alder leaf decomposition in a stream. Basic and Applied Ecology 9:598–605.

Lee SY. 1999. Tropical mangrove ecology: physical and biotic factors influencing ecosystem structure and function.

Lee, YK, J-H Lee, HK Lee. 2001. Microbial symbiosis in marine sponges. The Journal of Microbiology 39 4: 254-264.

Lewis EL. 1980. The practical salinity scale of 1978 and its antecedents. IEEE Journal of Oceanic Engineering OE-5: 3-8.

Lin Y-M, Liu JW, Xiang P, Lin P, Ye GF, Strernberg DSL 2006 Tannin dynamics of propagules and leaves of *Kandelia candel* and *Bruguiera gymnorrhiza* in the Jiulong River Estuary, Fujian, China. Biogeochemistry 78: 343–359.

Loayza-Muro, RA, R Elías-Letts, JK Marticorena-Ruiz, EJ Palomino, JF Duivenvoorden, MHS Kraak, W Admiraal, 2010. Metal-induced shifts in

benthic macroinvertebrate community composition in Andean high altitude streams. Environ. Toxicol. Chem. 2912: 2761-2768.

Lugo AE, Snedaker SC. 1974. The ecology of mangroves.

Maas, JL, C van de Guchte, FCM Kerkum. 2002. Methodebeschrijvingen voor de beoordeling van verontreinigde waterbodems volgens de TRIADE benadering. Rijksinstituut voor Integraal Zoetwaterbeheer en Afvalwaterbehandeling nota 93.027. www.vliz.be/imisdocs/publications/155685.pdf

Macedo-Sousa, JA, Gerhardt, A, Brett, CMA, Nogueira, AJA, Soares, AMVM. 2008. Behavioural responses of indigenous benthic invertebrates *Echinogammarus meridionalis*, *Hydropsyche pellucidula* and *Choroterpes picteti* to a pulse of acid mine drainage: A laboratorial study. – Environ. Pollut. 156, 966 – 973.

Macedo-Sousa, J. A.; Pestana, J. L. T.; Gerhardt, A.; Nogueira, A. J. A.; Soares, A. M. V. M. Behavioural and feeding responses of *Echinogammarus meridionalis* Crustacea, Amphipoda to acid mine drainage. – Chemosphere. 2007, 67, 1663 –1670.

Maie N and R. Jaffe. 2006. Quantitative and qualitative aspects of dissolved organic carbon leached from senescent plants in an oligotrophic wetland. Biogeochemistry 783:285–314

Maldonado M 2006. The ecology of the sponge larva. Can J Zool 842: 175-194

Maldonado, M. 2007. Intergenerational transmission of symbiotic bacteria in oviparous and vivparous demosponges, with emphasis on intracytoplasmically-compartmented bacterial types. Journal of the Marine Biological Association, U.K. 87: 1701-1713.

Maltby, L, Clayton, SA, Wood, RM, McLoughlin, N. 2002. Evaluation of the *Gammarus pulex* in situ feeding assay as a biomonitor of water quality: Robustness, responsiveness, and relevance. Environmental Toxicology and Chemistry. 21, 361–368.

Mann CJ, Wetzel RG 1995 Dissolved organic carbon and its utilization in a riverine wetland ecosystem. Biogeochemistry 31:99–120

Mariani S, Uriz MJ, Turon X, Alcoverro T 2006. Dispersal strategies in sponge larvae: integrating the life history of larvae and the hydrologic component. Oecologia 1491: 174-184

Martin MM, Rockholm DC, Martin JS. 1985. Effects of sur-factants, pH, and certain cations on precipitation of proteins by tannins. Journal of Chemical Ecology 11: 485-493.

Martin JS, Martin MM. 1983. Tannin assay in ecological Annual Review of Ecology and Systematics 5: 39-64. studies. Precipitation of ribulose-1,5 biphosphate carbox-ylase/oxygenase by tannic acid, quebracho, and oak foliage extracts. Journal of Chemical Ecology 9: 285-294.

McKie, BG, G Woodward, S Hladyz, M Nistorescu, E Preda, C Popescu, PS Giller, B Malmqvist. 2008. Ecosystem functioning in stream assemblages from different regions: contrasting responses to variation in detritivore richness, evenness and density. Journal of Animal Ecology 77:495–504.

McKie, BG, M Schindler, MO Gessner, B Malmqvist. 2009. Placing biodiversity and ecosystem functioning in context: environmental perturbations and the effects of species richness in a stream field experiment. Oecologia 160:757–770.

McLean EL and Yoshioka PM 2008 Substratum effects on the growth and survivorship of the sponge *Desmapsamma anchorata*. Caribb J Sci 44:83-89

Mermillod-Blondin, F. 2011. The functional significance of bioturbation and biodeposition on biogeochemical processes at the water–sediment interface in freshwater and marine ecosystems. Journal of the North American Benthological Society 30:770–778.

Mermillod-Blondin, F, R Rosenberg. 2006. Ecosystem engineering: the impact of bioturbation on biogeochemical processes in marine and freshwater benthic habitats. Aquatic Sciences 68:434–442.

Mermillod-Blondin, F, M Gérino, M Creuzé des Châtelliers, V Degrange. 2002. Functional diversity among 3 detritivorous hyporheic invertebrates: an experimental study in microcosms. Journal of the North American Benthological Society 21:132–149.

Metzler, GM, LA Smock. 1990. Storage and dynamics of subsurface detritus in a sand-bottomed stream. Canadian Journal of Fisheries and Aquatic Sciences 47:588–594.

Meyer JL, Edwards RT, Risley R 1987 Bacterial growth on dissolved organic carbon from a blackwater river. Microb Ecol 13:13–29

Meysman, FJR, JJ Middelburg, CHR Heip. 2006. Bioturbation: a fresh look at Darwin's last idea. Trends in Ecology and Evolution 21:688–695.

Michaud, E, G Desrosiers, F Mermillod-Blondin, B Sundby, G Stora. 2005. The functional group approach to bioturbation: the effects of biodiffusers and gallery-diffusers of the *Macoma balthica* community on sediment oxygen uptake. Journal of Experimental Marine Biology and Ecology 326:77–88.

Mill, T, Hemdry DG, Richardson H 1980 Free-radical oxidants in natural waters. Science 207: 886-887.

Monari, M, J Foschi, P Cortesi, R Rosmini, O Cattani, GP Serrazanetti. 2008. Chloramphenicol influence on antioxidant enzymes with preliminary approach on microsomal CYP1A immunopositive-protein in Chamelea gallina. Chemosphere 73:272–280.

Mopper, K, Zhou X 1990 Hydroxyl radical photoproduction in the sea and its potential impact on marine processes. Science 250: 661-664

Mouchet, M. A, Villéger, S, Mason, NW, Mouillot, D. 2010. Functional diversity measures: an overview of their redundancy and their ability to discriminate community assembly rules. Functional Ecology, 244, 867-876.

Mulder, C, JJ Elser. 2009. Soil acidity, ecological stoichiometry and allometric scaling in grassland food webs. Global Change Biology 15:2730–2738.

Mulder, C, Boit, A, Mori, S, Vonk, et al. 2012. Distributional incongruence of Biodiversity-Ecosystem Functioning. Adv. Ecol. Res. 46, 1–88.

Mumby, PJ, Edwards AJ, Arias-Gonzales JE, et al. 2004. Mangroves enhance the biomass of coral reef fish communities in the Carribean. Nature 427: 533-536.

Muyzer, G, de Waal EC, Uitterlinden AG. 1993 Profiling of complex microbial populations by denaturing gradient gel electrophoresis analysis of polymerase chain reaction-amplified genes coding for 16S rRNA. Appl Environ Microbiol 59:695–700

Myers, RT, Zak, DR, White, DC, Peacock, A. 2001. Landscape-level patterns of microbial composition and substrate use in upland forest ecosystems. Soil Science Society of America Journal 65, 359–367.

Naeem, S, DE Bunker. 2009. TraitNet: furthering biodiversity research through the curation, discovery, and sharing of species trait data. Pages 281–289 in S. Naeem, D. E. Bunker, A. Hector, M. Loreau, and C. P. Perring editors. Biodiversity, ecosystem functioning, and human well-being: an ecological and economic perspective. Oxford University Press, Oxford, UK.

Nagelkerken, I, Roberts CM, van der Velde G, Dorenbosch M, van Riel MC, Cocheret de la Morinière E, Nienhuis PH. 2002. How important are mangroves and seagrass beds for coral-reef fish? The nursery hypothesis tested on an island scale. Marine Ecology Progress Series 24: 299-305.

Navel, S, Mermillod-Blondin, F, Montuelle, B, et al. 2010. Interactions between fauna and sediment control the breakdown of plant litter in river sediments. Freshwater Biology, 55, 753–766.

Newcombe, RG 1998 Two-Sided Confidence Intervals for the Single Proportion: Comparison of Seven Methods. Statistics in Medicine 17:857-872

Niki, E. 1991. Action of ascorbic acid as a scavenger of active and stable oxygen radicals. American Journal of Clinical Nutrition 54:1119–1124.

Nogaro, G, F Mermillod-Blondin, B Montuelle, J-C. et al. 2008. Chironomid larvae stimulate biogeochemical and microbial processes in a riverbed covered with fine sediment. Aquatic Sciences 70:156–168.

Nogaro, G, F Mermillod-Blondin, HM Valett, et al. 2009. Ecosystem engineers at the sediment-water interface: bioturabtion and consumer-substrate interaction. Oecologia Berlin 161:125–138.

Northup, RR, Dahlgren RA, McColl 1998 Polyphenols as regulators of plant-litter-soil interactions in Northern California's pygmy forest: A positive feedback? Biogeochemistry 42: 189–220.

O'Gara, BA, Bohannon, VK, Teague, MW, Smeaton, MB. Copper-induced changes in locomotor behaviors and neuronal physiology of the freshwater oligochaete, *Lumbriculus variegates*. Aquatic Toxicology. 2004, 69, 51-66

O'Halloran K, Cacanaugh J-A, Harding JS. 2008. Response of a New Zealand mayfly *Deleatidium* spp. to acid mine drainage: implications for mine remediation. Environ Toxicol Chem 27, 1135-1140.

Odum, EP, AA de la Cruz. 1963. Detritus as a major component of ecosystems. American Institute of Biological Sciences Bulletin 13:39–40.

Osawa, R., TP Walsh. 1993. Visual reading method for detection of bacterial tannase. Applied and Environmental Microbiology. 59-4. pp. 1251-1252.

Papaspyrou, ST, Greegersen, E Kristensen, B Christensen, RP Cox. 2006 Microbial reaction rates and bacterial communities in sediment surrounding burrows of two nereid polychaetes *Nereis diversicolor* and *N. virens*. Marine Biology 148:541–550.

Papaspyrou, S, T Gregersen, RP Cox, M Thessalou-Legaki, E Kristensen. 2005 Sediment properties and bacterial community in the burrows of the mud shrimp *Pestarella tyrrhena* Decapoda: Thalassinidae. Aquatic Microbial Ecology 38:181–190.

Pavia, H, GB Toth. 2000. Inducible chemical resistance to herbivory in the brown seaweed *Ascophyllum nodosum*. Ecology 81:3212–3225.

Pawlik J 1992 Chemical ecology of the settlement of benthic marine invertebrates. Oceanogr. Mar. Biol. Annu. Rev. 30: 273-335

Pawlik JR, SE McMurray, TP Henkel. 2007. Abiotic factors control sponge ecology in Florida mangroves. Marine Ecology Progress Series 339: 93-98.

Pestana, JLT, Ré, A, Nogueira, AJA, Soares, AMVM. 2007. Effects of Cadmium and Zinc on the feeding behaviour of two freshwater crustaceans: *Atyaephyra desmarestii* Decapoda and *Echinogammarus meridionalis* Amphipoda. – Chemosphere. 2007, 68, 1556 –1562.

Petersen, RC, KW Cummins. 1974. Leaf processing in a woodland stream. Freshwater Biology 4:343–368.

Piccini C, Conde D, Pernthaler J, Sommaruga R 2009 Alteration of chromophoric dissolved organic matter by solar UV radiation causes rapid changes in bacterial community composition. Photoch Photobiol Sci 8:1321–1328

Rader, RB, JV McArthur, JM Aho. 1994. Relative importance of mechanisms determining decomposition in a southeastern blackwater stream. American Midland Naturalist 132:19–31.

Ragazzi E, Veronese G 1973 Quantitative analysis of phenolics compounds after thin-layer chromatographic separation. J Chromatogr 77: 369-375

Reiss, J, JR Bridle, JM Montoya, G Woodward. 2009. Emerging horizons in biodiversity and ecosystem functioning research. Trends in Ecology and Evolution 24:505-514.

Ribes M, Jiménez E, Yahel G, López-Sendino P, Diez B, Massana R, Sharp JH, Coma R 2012 Functional convergence of microbes associated with temperate marine sponges. Environ Microbiol 14:1224–1239

Roberts DE, AR Davis, SP Cummins. 2006. Experimental manipulation of shade, silt, nutrients and salinity on the temperate reef sponge *Cymbastela concentrica*. Marine Ecology Progress Series. 307: 143-154.

Roussel, H, Chauvet, E, Bonzom, J. Alteration of leaf decomposition in copper-contaminated freshwater mesocosms. Environ. Toxicol. Chem. 2008, 27, 637–644.

Rützler K, Diaz MC, Van Soest RWM, Zea S, Smith KP, Alvarez KP, Wulff JL. 2000. Diversity of sponge fauna in mangrove ponds, Pelican Cays, Belize. Atoll Research Bul-letin 476: 231-247.

Rützler K, Duran S, Piantoni C. 2007. Adaptation of reef and mangrove sponges to stress: evidence for ecological speciation exemplified by *Chrondrilla caribensis* new species Demospongiae, Chondrosida. Marine Ecology 28: 95-111.

Rützler K. 1995. Low-tide exposure of sponges in a Caribbean mangrove community. Marine Ecology 16: 165-179.

Rützler K., MC Diaz, RWM van Soest, et al. 2000. Diversity of sponge fauna in mangrove ponds, Pelican Cays, Belize. Atoll Research Bulletin 476: 231-247.

Rützler, K, RWM van Soest, B Alvarez. 2003. Svenzeai, a Caribbean reef sponge with giant larvae, and *Scopalina ruetzleri*: A comparative fine-structural approach to classification Demospongiae, Halichondrida, Dictyonellidae. Invertebrate Biology 122 3: 203-222.

Rützler, K, RWM van Soest, C Piantoni. 2009. Sponges Porifera of the Gulf of Mexico, waters and biota. eds Tunnel, J.W., D.L. Felder and S.A. Earle. Gulf of Mexico origin, waters and biota. Texas A&M University Press.

Salles, JF, F. Poly, B Schmid, X Le Roux. 2009. Community niche predicts the functioning of denitrifying bacterial assemblages. Ecology 90: 3324-3332.

Santos, AL, Oliveira V, Baptista I, Henriques I, Gomes N, Almeida A, Correia A, Cunha A 2012 Wavelength dependence of biological damage induced by UV radiation on bacteria. Arch Microbiol 195:63–74

Scalbert, A. 1991. Antimicrobial properties of tannins. Phytochemistry 30: 3875-3883.

Schmitt, TM, Lindquist N, Hay ME 1998 Seaweed secondary metabolites as antifoulants: effects of *Dictyota* spp. diterpenes on survivorship, settlement, and development of marine invertebrate larvae. Chemoecology 8:125–131

Schmitz, F.J., R.S. Prasad, Y. Gopichand, M. B. Hossain, D. Van der Helm and P. Schmidt. 1981. Acanthifolicin, a new episulfide-containing polyether carboxylic acid from extracts of the marine sponge *Pandaros acanthifolium*. J. Am. Chem. Soc. 103 9, pp 2467–2469

Scully, NM, McQueen DJ, Laen DRS 1996 Hydrogen peroxide formation: the interaction of Ultraviolet radiation and dissolved organic carbon in lake waters along a 43-75 oN gradient. Limnology & Oceanography 41: 540-548.

Siung-Chang, A. 1997. A review of marine pollution issues in the Caribbean. Environmental Geochemistry and Health

Smith, J. J., and G. A. McFeters. 1997. Mechanisms of INT 2-4-iodophenyl-3-4-nitrophenyl-5-phenyl tetrazolium chloride, and CTC 5-cyano-2,3-ditolyl tetrazolium chloride reduction in *Escherichia coli* K-12. Journal of Microbiological Methods 29:161–175.

Solan, M, BJ Cardinale, AL Downing, KAM. Engelhardt, JL Ruesink, DS Srivastava. 2004. Extinction and ecosystem function in the marine benthos. Science 306:1177–1180.

Stewart, RIA, Dossena, M, Bohan, DA, Jeppesen, E, Kordas, RL, Ledger, ME, Meerhoff, M, Moss, B, Mulder, C, Shurin, JB, Suttle, B, Thompson, R, Trimmer, M, Woodward, G. 2013. Mesocosm experiments as a tool for ecological climate change research. Adv. Ecol. Res. 48, in press.

Stief, P. 2007. Enhanced exoenzyme activities in sediments in the presence of deposit-feeding *Chironomus riparius* larvae. Freshwater Biology 52:1807–1819.

Stierle AC, JH Cardellina, FL Singleton. 1988. A marine *Micrococcus luteus* produces metabolites ascribed to the sponge *Tedania ignis*. Cellular and Molecular Life Sciences 44 11-12: 1021.

Suberkropp, K. 1991. Relationships between growth and sporulation of aquatic hyphomycetes on decomposing leaf litter. Mycological Research 95:843–850.

Sulzberger B, Durisch-Kaiser E 2009 Chemical characterization of dissolved organic matter DOM: A prerequisite for understanding UV-induced changes of DOM absorption properties and bioavailability. Aquat Sci 71: 104–126

Sutherland JP. 1980. Dynamics of the epibenthic community on roots of the mangrove *Rhizophora mangle*, at Bahía de Buche, Venezuela. Marine Biology 85: 75-84.

Tank, JL, EJ Rosi-Marshall, NA Griffiths, SA Entrekin, ML Stephen. 2010. A review of allochthonous organic matter dynamics and metabolism in streams. Journal of the North American Benthological Society 29:118–146.

Taylor, MW, R Radax, D Steger, M Wagner. 2007. Sponge-associated microorganisms: evolution, ecology and biotechnological potential. Microb. Molec. Biol. Rev.: 295–347.

Thacker RW, Freeman CJ 2012 Sponge-microbe symbioses: recent advances and new directions. Adv. Mar. Biol. 62:57–111

Tiegs, SD, SD Langhans, K Tockner, MO Gessner. 2007. Cotton strips as a leaf surrogate to measure decomposition in river flood plain habitats. Journal of the North American Benthological Society 26:70–77.

Tomlinson PB. 1986. The botany of mangroves. Cambridge, Mass.: Cambridge University Press.

Tranvik L, Kokolj S 1998 Decreased biodegradability of algal DOC due to interactive effects of UV radiation and humic matter. Aquat Microb Ecol 14: 301–307

Traunspurger, W., M. Bergtold, W. Goedkoop. 1997 The effects of nematodes on bacterial activity and abundance in a freshwater sediment. Oecologia Berlin 112:118–122.

Ugland KI, Gra, JS, Ellingse, KE. 2003. The species accumulation curve and estimation of species richness. Journal of Animal Ecology 72: 888-897.

Uriz M-J, Maldonado M, Turon X, Marti R. 1998. How do reproductive output, larval behaviour and recruitment contribute to adult spatial patterns in Mediterranean encrusting sponges? Marine Ecology Progress Series, 167: 137-148

Usseglio-Polatera P., M. Bournaud, P. Richoux, and H. Tachet. 2000 Biomonitoring through biological traits of benthic macroinvertebrates: how to use species trait databases? Hydrobiologia 422/423:153–162.

Van de Bund, WJ, W Goedkoop, RK Johnson. 1994. Effects of deposit-feeder activity on bacterial production and abundance in profundal lake sediment. Journal of the North American Benthological Society 13:532–539.

Van der Geest, HG, Greve, GD, De Haas, EM, Scheper, BB, Kraak, MHS, Stuijfzand, SC, Augustijn, KH, Admiraal, W. 1999. Survival and behavioral responses of larvae of the caddisfly *Hydropsyche angustipennis* to copper and diazinon. Environmental Toxicology and Chemistry 18-9, 1965e1971.

Van Soest, RWM. 1978 Marine sponges from Curaçao and other Caribbean islands. Part I. Keratosa. In eds Hummelinck PW, Van der Steen LJ. Studies on the fauna of Curaçao and other Caribbean islands 56:1–94

Van Soest, RWM. 1980 Marine sponges from Curaçao and other Caribbean islands. Part II. Haplosclerida. In eds Hummelinck PW, Van der Steen LJ. Studies on the fauna of Curaçao and other Caribbean islands 62:1–173

Van Soest, RWM. 1984 Marine sponges from Curaçao and other Caribbean islands. Part III. Poecilosclerida. Pages In eds Hummelinck PW, Van der Steen LJ.Studies on the fauna of Curaçao and other Caribbean islands 66:1–167

Van Soest, RWM, Boury-Esnault, N, Hooper, JNA, Rützler, K, de Voogd, NJ, Alvarez, B, Hajdu, E, AB Pisera, J. Vacelet, R. Manconi, C. Schoenberg, D. Janussen, K.R. Tabachnick and M. Klautau 2008. World Porifera database. Available online at http://www.marinespecies.org/porifera

Vorenhout, M, HG van der Geest, ER Hunting. 2011. Improved datalogger and novel probes for continuous redox measurements in wetlands. International Journal of Environmental Analytical Chemistry 917/918:801–810.

Voss, GL, 1976. Seashore life of Florida and the Caribbean. Banyan Books, Inc. Miami, Florida.

Wagenaar Hummelinck P. 1977. Marine localities. Studies on the fauna of Curacao and other Carribean Islands 51.

Wallace, JB, JR. Webster. 1996. The role of macroinvertebrates in stream ecosystem function. Annual Review of Entomology 41:115–139.

Wardle, DA, KI Bonner, KS Nicholson. 1997. Biodiversity and plant litter: experimental evidence which does not support the view that enhanced species richness affects ecosystem function. Oikos 79: 247-258.

Webster, JR, EF Benfield. 1986. Vascular plant breakdown in freshwater ecosystems. Annual Review of Ecology and Systematics 17:567–594.

Weisz, JB, N Lindquist, CS Martens. 2008. Do associated microbial abundances impact demosponge pumping rates and tissue densities. Oecologia 155: 367-376.

Weisz JB, Hentschel U, Lindquist N, Martens CS 2007 Linking abundance and diversity of sponge-associated microbial communities to metabolic differences in host sponges. Mar Biol 152:475–483

Wetzel, RG, Hatcher, PG, Bianchi, TS. 1995. Natural photolysis by ultraviolet irradiance of recalcitrant dissolved organic matter to simple substrates for rapid bacterial metabolism. Limnology and Oceanography 40:1369-1380.

Whalan S, Ettinger-Epstein P, Battershill C, de Nys R 2008 Larval vertical migration and hierarchical selectivity of settlement in a brooding marine sponge. Mar Ecol Prog Ser 368: 145 – 154.

Wieltschnig, C, UR Fischer, B Velimirov, AKT Kirschner. 2008. Effects of deposit-feeding macrofauna on benthic bacteria, viruses, and protozoa in a silty freshwater sediment. Microbial Ecology 56:1–12.

Woodward, G. 2009. Biodiversity, ecosystem functioning and food webs in freshwaters: assembling the jigsaw puzzle. Freshwater Biology 54:2171–2181.

Woodward, G, MO Gessner, PS Giller et al. 2012. Continental-scale effects of nutrient pollution on stream ecosystem functioning. Science 336:1438–1440.

Wulff, JL. 2000. Sponge predators may determine differences in sponge fauna between two sets of mangrove cays, Be-lize Barrier Reef. Atoll Research Bulletin 477: 251-263.

Wulff, JL. 2001 Assessing and monitoring coral reef sponges: why and how? Bull Mar Sci 69:831–846

Wulff, JL. 2004 Sponges on mangrove roots, Twin Cays, Belize: Early stages of community assembly. Atoll Research Bulletin 519:1–10.

Wulff, JL. 2005 Trade-off s in resistance to competitors and predators, and their eff ects on the diversity of tropical marine sponges. J. Anim. Ecol. 74: 313–321.

Wulff, JL. 2009 Sponge Community Dynamics on Caribbean Mangrove Roots: Significance of Species Idiosyncrasies. Smithsonian Contributions to Marine Science 38:501–14

Wulff, JL. 2010 Regeneration of Sponges in Ecological Context: Is Regeneration an Integral Part of Life History and Morphological Strategies? Integr Comp Biol 50: 494-505.

Wulff, JL. 2012 Ecological Interactions and the Distribution, Abundance, and Diversity of Sponges. Advances in Marine Biology 61:273–344.

Yang, J, Sun J, Lee OO, Wong YH, Qian PY 2011 Phylogenetic diversity and community structure of sponge-associated bacteria from mangroves of the Caribbean Sea. Aquat Microb Ecol 62:231-240

Young, RG, KJ Collier. 2009. Contrasting responses to catchment modification among a range of functional and structural indicators of river ecosystem health. Freshwater Biology 54:2155–2170.

Young, RG, C Matthaei, CR Townsend. 2008. Organic matter breakdown and ecosystem metabolism: functional indicators for assessing river ecosystem health. Journal of the North American Benthological Society 27:605–625.

Zepp RG, Erickson III DJ, Paul ND, Sulzberger B 2011 Effects of solar UV radiation and climate change on biogeochemical cycling: interactions and feedbacks. Photochem Photobiol Sci 10: 261-279

Zepp RG, Schlotzhauer PF, R. Merritt. Sink, RM 1985. Photosensitized transformations involving electronic energy transfer in natural waters: role of humic substances. Environmental Science & Technology 19 1: 74-81

Zwart, G, BC Crump, M Agterveld, F Hagen, SK Han. 2002. Typical freshwater bacteria: an analysis of available 16S rRNA gene sequences from plankton of lakes and rivers. Aquatic Microbial Ecology 28:141–155.

Zwart, G, WD Hiorns, BA Methé, MP Van Agterveld, R Huismans, SC Nold, JP Zehr, and HJ Laanbroek. 1998. Nearly identical 16S rRNA sequences recovered from lakes in North America and Europe indicate the existence of clades of globally distributed freshwater bacteria. Systematic and Applied Microbiology 21:546–556.