



UvA-DARE (Digital Academic Repository)

Shedding light on detritus: Interactions between invertebrates, bacteria and substrates in benthic habitats

Hunting, E.R.

Publication date
2013

[Link to publication](#)

Citation for published version (APA):

Hunting, E. R. (2013). *Shedding light on detritus: Interactions between invertebrates, bacteria and substrates in benthic habitats*.

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

References

- Adcock, JA. 1979. Energetics of a population of the isopod *Asellus aquaticus*: life history and production. *Freshwater Biology* 9:343–355.
- Alongi, DM. 1987. The influence of mangrove-derived tannins on intertidal meiobenthos in tropical estuaries. *Oecologia* 71: 537-540.
- Anderson, MJ. 2001. A new method for non-parametric multivariate analysis of variance. *Austral Ecology* 26:32–46.
- Armisen, R. 1991. Agar and agarose biotechnological applications. *Hydrobiologia* 221:157–166.
- Arnold, TM, Targett NM. 2002. Marine tannins: the importance of a mechanistic framework for predicting ecological roles. *Journal of Chemical Ecology* 28: 1919-1933.
- Baldy, V, Chauvet E, Charcosset J, Gessner MO 2002 Microbial dynamics associated with leaves decomposing in the mainstem and floodplain pond of a large river. *Aquat Microb Ecol* 28:25–36
- Baliga, BS, Cohen SA, Munro HN. 1970. Effect of cycloheximide on the reaction of puromycin with polysome-bound peptidyl-tRNA. *FEBS Letters* 8:249–252.
- Bärlocher, F, Porter CW. 1986. Digestive enzymes and feeding strategies of three stream invertebrates. *Journal of the North American Benthological Society* 5:58–66.
- Basak, UC, Das AB, Das P. 1996. Chlorophylls, carotenoids and secondary metabolites in leaves of 14 species of mangrove. *Bulletin of Marine Science* 58 : 654-659.
- Baylor, ER, Sutcliffe WH 1963 Dissolved organic matter in seawater as a source of particulate food. *Limnology and Oceanography* 8: 369-371.
- Bell, T. et al. 2005. The contribution of species richness and composition to bacterial services. *Nature*, 436, 1157-60.
- Bell, JJ. 2007 Contrasting patterns of species and functional composition of coral reef sponge assemblages Vol. 339: 73–81, 2007
- Bell, JJ. The functional roles of marine sponges, *Estuarine, Coastal and Shelf Science*, Volume 79, Issue 3, 10 September 2008, Pages 341-353
- Benner, R, Peele ER, Hodson RE. 1986. Microbial utilization of dissolved organic matter from leaves of the red mangrove, *Rhizophora mangle*, in the Fresh Creek estuary, Bahamas. *Estuarine, Coastal and Shelf Science* 23: 607-619.
- Bertics, VJ, Ziebis W. 2009 Biodiversity of benthic microbial communities in bioturbated coastal sediments is controlled by geochemical microniches. *International Society for Microbial Ecology Journal* 3:1269–1285.
- Bervoets, L. et al. 1996. Tolerance of *Chironomus riparius* larvae (Diptera: Chironimidae) to salinity. *B Environ Contam Tox* 57, 829-835
- Bespalov, VA, Zhulin IB, Taylor BL 1996 Behavioral responses of *Escherichia coli* to changes in redox potential. *Proc Natl Acad Sci USA* 93:10084–10089
- Bhat, TK, Singh B, Sharma OP 1998 Microbial degradation of tannins—a current perspective. *Biodegradation* 9:343–357
- Bingham, BL 1992 Life histories in an epifaunal community – Coupling of adult and larval processes. *Ecology* 736: 2244-2259

- Birchenough, SNR, Parker RE, McManus E, Barry J. 2012. Combining bioturbation and redox metrics: potential tools for assessing seabed function. *Ecological Indicators* 12:8–16.
- Blair, JM, RW Parmelee, MH Beare. 1990. Decay rates, nitrogen fluxes and decomposer communities in single and mixed-species foliar litter. *Ecology* 71: 1976-1985.
- Blockwell, SJ, Taylor, EJ, Jones I. Pascoe, D. 1998. The influence of freshwater pollutants and Interaction with *Asellus aquaticus* L. on the feeding activity of *Gammarus pulex* L.. *Archives of Environmental Contamination and Toxicology.*, 34, 41-47.
- Bochner, BR. 1989 Sleuthing out bacterial identities. *Nature* 339:157-158
- Boulton, AJ, JM Quinn. 2000. A simple and versatile technique for assessing cellulose decomposition potential in floodplain and riverine sediments. *Archiv für Hydrobiologie* 150:133–151.
- Boulton, A, P Boon 1991. A review of methodology used to measure leaf litter decomposition in lotic environments: time to turn over an old leaf? *Australian Journal of Marine and Freshwater Research* 42:1–43.
- Boyero, L, RG Pearson, MO Gessner, LA Barmuta, V Ferreira, MAS Graça, D Dudgeon, AJ Boulton, M Callisto, E Chauvet, JE Helson, A Bruder, RJ Albariño, et al. 2011. A global experiment suggests climate warming will not accelerate litter decomposition in streams but might reduce carbon sequestration. *Ecology Letters* 14:289–294.
- Brant, JB, Sulzman, EW, Myrold, DD, 2006. Microbial community utilization of added carbon substrates in response to long-term carbon input manipulation. *Soil Biology & Biochemistry* 38, 2219e2232.
- Brooks, AC, Gaskell, PN, Maltby, LL 2009. Sublethal effects and predator-prey interactions: Implications for ecological risk assessment. *Environmental Toxicology and Chemistry*. 28: 2449–2457.
- Browne, KA, Zimmer RK 2001 Controlled field release of a waterborne chemical signal stimulates planktonic larvae to settle. *Biol. Bull.* 200: 87-91
- Bryant, JP, Clausen TP, Reichardt PB, McCarthy MC, Werner RA 1987 Effect of nitrogen fertilization upon secondary chemistry and nutritional value of quaking aspen *Populus tremuloides* Michx. leaves for the large aspen tortrix *Choristoneura conflictana* Walker. *Oecologia* 73: 513-517.
- Bundsschuh, M., Appeltauer, A., Dabrunz, A.; Schulz, R. 2012. Combined effect of invertebrate predation and sublethal pesticide exposure on the behavior and survival of *Asellus aquaticus* Crustacea; Isopoda. *Arch Environ Contam Toxicol.*, 63, 77-85.
- Cameron, GN, LaPoint TW. 1978. Effects of tannins on the decomposition of Chinese tallow leaves by terrestrial and aquatic invertebrates. *Oecologia* 3: 349-366.
- Camilleri, JC, Ribi G 1986 Leaching of dissolved organic carbon DOC from dead leaves, formation of flakes from DOC, and feeding on flakes by crustaceans in mangroves. *Marine Biology* 91: 337-344.
- Canhoto, C, Graça, MAS 2008. Interactions between fungi aquatic hyphomycetes and invertebrates. In: Sridhar, K.R., Bärlocher, F., Hyde, K.D. Eds., *Novel*

- Techniques and Ideas in Mycology. Fungal Diversity Research Series. University of Hong Kong, pp. 205e325.
- Carballeira, NM, F Shabali. 1994. Unusual lipids in the Caribbean sponge *Amphimedon viridis* and *Desmapsamma anchorata*. *Journal of Natural Products* 57 8: 1152-1159.
- Cardinale, BJ, Palmer, MA. 2002. Disturbance moderates biodiversity-ecosystem function relationships: Experimental evidence from caddisflies in stream mesocosms. *Ecology*, 83, 1915–1927.
- Cargill, AS, KW Cummins, BJ Hanson, RR Lowry. 1985. The role of lipids as feeding stimulants for shredding aquatic insects. *Freshwater Biology* 15:455–464.
- Carpenter, SR 1980. Enrichment of Lake Wingra, Wisconsin, by submersed macrophyte decay. *Ecology* 61:1145–1155.
- Chapman, VJ 1976. Mangrove vegetation. Vaduz: Strauss and Cramer.
- Chapman, K, Whittaker, JB, Heal, OW 1988. Metabolic and faunal activity in litters of tree mixtures compared with pure stands. - *Agric. Ecosyst. Environ.* 24: 33-40.
- Cebrian, E, G Agell, R Martí, MJ Uriz. 2006. Response of the Mediterranean sponge *Chondrosia reniformis* Nardo to copper pollution. *Environmental Pollution* 452-458
- Cornwell, WK et al. 2008 Plant species traits are the predominant control on litter decomposition rates within biomes worldwide. *Ecol. Lett.* 11, 1065–1071
- Corredor JE, Wilkinson CR, Vicente VP, Morell JM, Otero E. 1988. Nitrate release by Caribbean reef sponges. *Limnology and Oceanography* 33: 114-120.
- Covich, AP, MC Austen, F Bärlocher, E Chauvet, et al. 2004. The role of biodiversity in the functioning of freshwater and marine benthic systems. *BioScience* 54:767–775.
- Cuffney, TF, JB Wallace, GJ Lugthart. 1990. Experimental evidence quantifying the role of benthic invertebrates in organic-matter dynamics of headwater streams. *Freshwater Biology* 23:281–299.
- Cummins, KW, and MJ Klug. 1979. Feeding ecology of stream invertebrates. *Annual Review of Ecology, Evolution, and Systematics* 10:147–72.
- Dang, CK, M Schindler, E Chauvet, and MO Gessner. 2009. Temperature oscillation coupled with fungal community shifts can modulate warming effects on litter decomposition. *Ecology* 90:122–131.
- Danger, M, Cornut, J Elger, Chauvet E. Effects of burial on leaf litter quality, microbial conditioning and palatability to three shredder taxa. *Freshwater Biology*. 2012, 57, 1017–1030.
- Danovaro, R, GM Luna, A Dell'Anno, B Pietrangeli. 2006. Comparison of two fingerprinting techniques, Terminal Restriction Fragment Length Polymorphism and Automated Ribosomal Intergenic Spacer Analysis, for determination of bacterial diversity in aquatic environments. *Applied and Environmental Microbiology* 72:5982–5989.
- Dawson MN, Raskoff KA, Jacobs DK 1998 Field preservation of marine invertebrate tissue for DNA analyses. *Mol Mar Biol Biotechnol* 7:145-152
- De Boer, W. et al. 2005 Living in a fungal world: impact of fungi on soil bacterial niche development. *FEMS Microbiol. Rev.* 29, 795–811

- De Goeij JM, L Moodley, M Houtekamer, NM Carballeira and FC Van Duyl. 2008a. Tracing ¹³C-enriched dissolved and particulate organic carbon in the bacteria-containing coral reef sponge *Halisarca caerulea*: Evidence for DOM-feeding. *Limnology and Oceanography* 53:1376-1386.
- De Goeij JM, Van den Berg H, Van Oostveen MM, Epping EHG, Van Duyl FC 2008b Major bulk dissolved organic carbon DOC removal by encrusting coral reef cavity sponges. *Mar Ecol Prog Ser* 357:139-151
- De Goeij, JM, D van Oevelen, MJA Vermeij, R Osinga, JJ Middelburg, AFPM de Goeij and W Admiraal 2013 Surviving in a marine desert: the sponge loop retains resources within coral reefs. Submitted
- De Voogd NJ, DFR Cleary. 2007. Relating species traits to environmental variables in Indonesian coral reef sponge assemblages. *Marine and Freshwater Research*, 58, 240-249
- De Voogd NJ, Cleary DFR, Hoeksema BW, Noor A, Van Soest RWM. 2006. Sponge beta diversity in the Spermonde Archipelago, SW Sulawesi, Indonesia. *Marine Ecology Progress Series* 309: 131-142.
- Del Giorgio, PA, JM Gasol. 1995. Biomass distribution in freshwater plankton communities. *American Naturalist* 146:135-152.
- Denward, CMT, H Edling, LJ Tranvik. 1999. Effects of solar radiation on bacterial and fungal density on aquatic plant detritus. *Freshwater Biology* 41:575-582.
- Diaz M 2012 Mangrove and coral reef sponge faunas: untold stories about shallow water Porifera in the Caribbean. *Hydrobiologia* 687:179-190
- Diaz MC, Smith KP, Rützler K. 2004. Sponge species richness and abundance as indicators of mangrove epibenthic community health. *Atoll Research Bulletin* 518: 1-11.
- Dittmar T, Hertkorn N, Kattner G, Lara RJ 2006 Mangroves, a major source of dissolved organic carbon to the oceans. *Global Biogeochem Cycles* 20:GB1012
- Dittmar, T. 2004. Evidence for terrigenous dissolved organic nitrogen in the Arctic deep sea. *Limnology and Oceanography* 49:148-156.
- Docherty KM, Young KC, Maurice PA, Bridgman, SD 2006 Dissolved organic matter concentration and quality influences upon structure and function of freshwater microbial communities. *Microb Ecol* 52:378-388
- Duyl Van FC, Moodley L, Nieuwland G, IJzerloo L, Soest van RWM, Houtekamer M, Meesters EH, Middelburg JJ 2011 Coral cavity sponges depend on reef-derived food resources: stable isotope and fatty acid constraints. *Mar Biol* 158:1653-1666
- Ebbing JHJ. 1997. Geochemische inventarisatie van enkele baaien op Curaçao. TNO, NITG 97-238-B.
- Egglisshaw, H. J. 1964. The distributional relationship between the bottom fauna and plant detritus in streams. *Journal of Animal Ecology* 33:463-476.
- Eiler, A, S Langenheder, S Bertilsson, LJ Tranvik. 2003. Heterotrophic bacterial growth efficiency and community structure at different natural organic carbon concentrations. *Applied and Environmental Microbiology* 69:3701-3709.
- Ellison, AM, Farnsworth EJ 1992 The ecology of Belizean mangrove-root fouling communities: patterns of epibiont distribution and abundance, and effects on root growth. *Hydrobiologia* 247:87-98

- Ellison, AM, Farnsworth EJ 1996 Spatial and temporal variability in growth of *Rhizophora* mangrove saplings on coral cays: links with variation in insulation, herbivory, and local sedimentation rate. *Journal of Ecology* 84-5: 717-731
- Ellison, AM, Farnsworth EJ, Twilley RR 1996 Facultative mutualism between red mangroves and root-fouling sponges in Belizean mangal. *Ecology* 778: 2431-2444
- Ellison, AM, Farnsworth EJ. 1990. The ecology of Belizean mangrove-root fouling communities. I. Epibenthic fauna are barriers to isopod attack of red-mangroves. *Journal of Experimental Marine Biology and Ecology* 142: 91-104.
- Engel, S, Pawlik JR. 2000. Allelopathic activities of sponge extracts. *Marine Ecology Progress Series* 207: 273-281.
- Engel, S, Pawlik JR. 2005. Interactions among Florida sponge-es. II. Mangrove habitats. *Marine Ecology Progress Series*
- Engelhaupt, E, Bianchi TS, Wetzel RG, Tarr MA 2002 Photochemical transformations and bacterial utilization of high-molecular-weight dissolved organic carbon in a southern Louisiana tidal stream Bayou Trepagnier. *Biogeochemistry* 62:39-58
- Engqvist, L. 2005. The mistreatment of covariate interaction terms in linear model analyses of behavioral and evolutionary ecology studies. *Animal Behavior* 70:967-971.
- Erickson, AA, Bell SS, Dawes CJ. 2004. Does mangrove leaf chemistry help explain crab herbivory patterns? *Biotropica* 36: 333-343.
- Erwin, PM, Pita L, López-Legentil S, Turon X. 2012 Stability of sponge-bacteria symbioses over large seasonal shifts in temperature and irradiance. *Appl Environ Microbiol*. In press.
- Farnsworth, EJ, Ellison AM. 1996 Scale-dependent spatial and temporal variability in biogeography of mangrove root epibionts communities. *Ecological Monographs* 66:45-66
- Feller, IC. 1995. Effects of nutrient enrichment on growth and herbivory of dwarf red mangrove *Rhizophora* mangle. *Ecol Monogr* 654: 477-505
- Feller IC, McKee KL, Whigham DF, O'Niell JP 2003 Nitrogen vs. phosphorus limitation across an ecotonal gradient in a mangrove forest. *Biogeochemistry* 622: 145-175
- Feller, IC, Whigham DF, McKee KL, Lovelock CE. 2003 Nitrogen limitation of growth and nutrient dynamics in a disturbed mangrove forest, Indian River Lagoon, Florida. *Oecologia* 1343: 405-414
- Field, JA, Lettinga G 1992 Toxicity of tannic compounds to microorganisms. In Hemmingway, RW, Laks PE eds, *Plant polyphenols: synthesis, properties, significance*. Plenum Press, New York:673-692
- Francois, FJC, Poggiale, JP, Durbec, SG. 1997. A new approach for the modelling of sediment reworking induced by a macrobenthic community. *Acta Biotheoretica*. 45, 295-319.
- Fransen, CHJM. 1986. Caribbean bryozoa: *Anasca* and *Ascophora imperfecta* of the inner bays of Curaçao and Bonaire. *Studies on the fauna of Curaçao and other Caribbean Islands* 68.
- Freeman, C, Ostle J, Kang H 2001. An enzymic latch on a global carbon store. *Nature*. 409, 149

- Freeman, CJ, RW Thacker, 2011. Complex interactions between marine sponges and their symbiotic microbial communities *Limnology and Oceanography* 56 5, 1577-1586
- Garland, JL. 1997. Analysis and interpretation of community-level physiological profiles in microbial ecology. *FEMS Microbiology Ecology*, 24: 289-300.
- Garland, JL, Mills AL. 1991. Classification and characterization of heterotrophic microbial communities on the basis of patterns of community-level sole-carbon source utilization. *Applied and Environmental Microbiology*. 57, 2351–2359.
- Garland, JL. 1997 Analysis and interpretation of community-level physiological profiles in microbial ecology. *FEMS Microbiol Ecol* 24:289–300
- Garland, JL. 1999 Potential and limitations of BIOLOG for microbial community analysis. *Microbial Biosystems: New Frontiers. Proceedings of the 8th International symposium on Microbial Ecology*. Ed. Bell CR, Brylinski M, Johnson-Green P Atlantic Canada Society for Microbial Ecology, Halifax, Canada:1-7
- Gerino, M, G Stora, F François-Carcaillet, et al. 2003. Macro-invertebrate functional groups in freshwater and marine sediments: a common mechanistic classification. *Vie et Milieu* 53:221–232.
- Gessner, MO, E Chauvet. 2002. A case for using litter breakdown to assess functional stream integrity. *Ecological Applications* 1:498–510.
- Gessner, MO, et al. 2010. Diversity meets decomposition. *Trends in Ecology and Evolution* 25:372–380.
- Gonçalves, AL, et al. 2011. Uranium contaminated water does not affect microbial activity but decreases feeding by the shredder *Sericostoma vittatum*. *Fundam. Appl. Limnol.* 179/1, 17–25.
- Gonzalez, JM, MAS. Graça. 2003. Conversion of leaf litter to secondary production by a shredding caddis-fly. *Freshwater Biology* 48:1578–1592.
- Gotelli, NJ, Entsminger GL. 2006. *EcoSim: Null models soft-ware for ecology v.7.72*. Acquired Intelligence Inc. & Ke-sey-Bear. Jericho, VT 05465. <http://garyentsminger.com/ecosim.htm>.
- Graça, MAS. 2001. The role of invertebrates on leaf litter decomposition in streams: a review. *International Review of Hydrobiology* 86:383–393.
- Granek, EF, Compton JE, Phillips DL 2009 Mangrove-exported nutrient incorporation by sessile coral reef invertebrates. *Ecosystems* 12:462-472
- Gravel, D, Bell T, Barbera C, Bouvier T, Pommier T, Vanail P. et al. 2011 Experimental niche evolution alters the strength of the diversity-productivity relationship. *Nature* 469:89-94
- Guerra-Castro, E, Young P, Pérez-Vázquez A, Carteron S, Alvizu A 2011 Spatial variability and human disturbance of sponge assemblages associated with mangrove roots in the southern Caribbean. *Marine and Freshwater Research* 62:491–501
- Haanstra, L, Doelman, P, Oude Voshaar, JH. 1985. The use of sigmoidal concentration-response curves in soil ecotoxicological research. *Plant Soil*. 293–297.
- Hagerman, AE 1987 Radial diffusion assay for determining tannin in plant extracts. *J Chem Ecol* 13 3: 437 – 449

- Hagerman, AE. 1988. Extraction of tannin from fresh and preserved leaves. *Journal of Chemical Ecology* 14: 453-461.
- Hall, RO, Meyer JL. 1998. The trophic significance of bacteria in a detritus-based stream food web. *Ecology*, 79, 1995– 2012.
- Hammer, Ø, Harper DAT, Ryan PD 2001 PAST: Paleontological Statistics Software Package for Education and Data Analysis. *Palaeontologia Electronica* 41: 9pp http://palaeo-electronica.org/2001_1/past/issue1_01.htm
- Hardoim, CC, Costa R, Araujo FV, Hajdu E, Peixoto R, Lins U, et al. 2009 Diversity of bacteria in the marine sponge *Aplysina fulva* in Brazilian coastal Waters. *Appl Environ Microbiol* 75:3331–3343
- Hättenschwiler, S, Vitousek PM 2000 The role of polyphenols in terrestrial ecosystem nutrient cycling. *Trends in Ecology & Evolution* 15-6:238-243
- Haukioja, E, Ossipov V, Koricheva J, Honkanen T, Larsson S, Lempa K 1998 Biosynthetic origin of carbon-based secondary compounds: cause of variable responses of woody plants to fertilization? *Chemoecology* 8: 133 – 139.
- Hay, MEJ, J Stachowicz, E Cruz-Rivera, S Bullard, MS Deal, N Lindquist. 1998. Bioassays with marine and freshwater macroorganisms. Pages 39–141 in K. F. Haynes and J. G. Millar editors. *Methods in chemical ecology*. Volume 2. Bioassay methods. Chapman and Hall, New York.
- Henrikson, AA, Pawlik JR 1995 A new antifouling assay method: Results from field experiments using extracts of four marine organisms. *J Exp Mar Biol Ecol* 194: 157 – 165
- Hentschel U, Hopke J, Horn M, Friedrich A.B, Wagner M, Hacker J, Moore BS 2002 Molecular evidence for a uniform microbial community in sponges from different oceans. *Appl Environ Microbiol* 68:4431-4440
- Herbst, GN. 1980. Effect of burial on food value and consumption of leaf detritus by aquatic invertebrates in a lowland forest stream. *Oikos* 35:411–424.
- Hieber, M, MO Gessner. 2002. Contribution of stream detritivores, fungi, and bacteria to leaf breakdown based on biomass estimates. *Ecology* 83:1026–1038.
- Hildrew, AG., CR Townsend, J. Francis, and K. Finch. 1984. Cellulolytic decomposition in streams of contrasting pH and its relationship with invertebrate community structure. *Freshwater Biology* 14:323–328.
- Hillebrand, H, B Matthiessen. 2009. Biodiversity in a complex world: consolidation and progress in functional biodiversity research. *Ecology Letters* 12:1405–1419.
- Hindell JS, Quinn GP. 2000. Effects of sewage effluent on the population structure of *Brachidontes rostratus* Mytilidae on a temperate intertidal rocky shore. *Mar. Freshw. Res.* 51: 543-551.
- Hladyz, S, Gessner MO, Giller PS, Pozo J, Woodward G. 2009. Resource quality and stoichiometric constraints on stream ecosystem functioning. *Freshwater Biology*, 54: 957–970.
- Hooper, JNA, Van Soest RWM 2002 *Systema Porifera*. Kluwer Academic/Plenum publishers, New York.
- Hunting, E.R., R.W.M. Van Soest RWM, H.G. van der Geest, A. Vos and A.O. Debrot. 2008. Diversity and spatial heterogeneity of mangrove associated sponges of Curaçao and Aruba. *Contributions to Zoology* 774:205–215.

- Hunting, ER, de Goeij JM, Asselman M, van Soest RWM, van der Geest HG 2010b Degradation of mangrove-derived organic matter in mangrove associated sponges. *Bull Mar Sci* 86:871-877
- Hunting, ER, Franken O, Knopperts F, Kraak MHS, Vargas R, Röling WFM, van der Geest HG 2013 Substrate as a driver of sponge distributions in mangrove ecosystems. *Mar Ecol Prog Ser*: 486: 133-141.
- Hunting, ER, van der Geest HG, Krieg AJ, van Mierlo MBL, van Soest RWM 2010a Mangrove-sponge associations: a possible role for tannins. *Aquat Ecol* 44:679-684
- Hunting, ER, HG van der Geest. 2011. Predictability of bacterial activity and denitrification in aquatic sediments with continuous measurements of redox potential Eh. *International Journal of Environmental Science and Technology* 83:553–560.
- Hunting, ER, MH Whatley, HG van der Geest, C Mulder, MHS Kraak, T Breure, W Admiraal. 2012. Invertebrate footprints on detritus processing, bacterial community structure and spatiotemporal redox profiles. *Freshwater Science* 31:723–731.
- Hunting, ER, AA Kampfraath. 2013. Contribution of bacteria to redox potential (Eh) measurements in sediments. *Int. J. Environ. Sci. Technol.* 10: 55-62.
- Hunting, ER, SM Ubels, MHS Kraak, HG van der Geest 2013. Root-derived organic matter confines sponge community composition in mangrove ecosystems. *Ecol. Proces.* 2013(2):14.
- Hurlbert JS. 1971. The non-concept of species diversity: a critique and alternative parameters. *Ecology* 52: 577-586.
- Imberger, SJ, RM. Thompson, MR Grace. 2010. Searching for effective indicators of ecosystem function in urban streams: assessing cellulose decomposition potential. *Freshwater Biology* 55:2089–2106.
- Jenkins, GB, Woodward G, Hildrew AG. 2013. Long-term amelioration of acidity accelerates decomposition in headwater streams. *Global Change Biology*. In press.
- Jobbagy, Esteban G, Robert B. Jackson. 2000. The Vertical Distribution of Soil Organic Carbon and Its Relation to Climate and Vegetation *Ecological Applications*, Vol. 10, No. 2 pp. 423-436
- Jonsson, M, Malmqvist, B. 2000 Ecosystem process rate increases with animal species richness: evidence from leaf-eating, aquatic insects. *Oikos* 89, 519–523
- Jonsson, MB, Malmqvist, B. 2003. Importance of species identity and number for process rates within different stream invertebrate functional feeding groups. *Journal of Animal Ecology* 72:453–459.
- Kampfraath, AA, ER Hunting, C Mulder, AM Breure, MO Gessner, MHS Kraak, W Admiraal. 2012. DECOTAB – a multipurpose standard substrate to assess litter quality effects on microbial decomposition and invertebrate consumption. *Freshwater Science*, 314:1156-1162. 2012.
- Kandil, FE, Grace MH, Seigler DS, Cheeseman JM. 2004. Polyphenolics in *Rhizophora mangle* L. leaves and their changes during leaf development and senescence. *Trees* 18: 518-528.

- Kattner, G, Koch, B, Dittmar, T, Witt, M, Hertkorn, N. 2006: Modification of terrestrial dissolved organic matter in tropical coastal waters , 9th Int. Estuarine Biogeochemistry Symposium, 7-11 May, Warnemuende, Germany.
- Kelly, DJ, Bothwell ML, Schindler DW 2003 Effects of solar ultraviolet radiation on stream benthic communities: An intersite comparison. *Ecology* 84:2724-2740.
- Keunen, MMCE, AO Debrot. 1995. A quantitative study of the seagrass and algal meadows of the Spaanse Water, Curaçao, the Netherlands Antilles. *Aquatic Botany* 51 3-4: 291-310.
- Kiffeny PM, Clements WH. 1994. Effects of heavy metals on a macroinvertebrate assemblage from a rocky mountain stream in experimental microcosms. *J-NABS* 13:511-523.
- Klump, K, J-F Soussana. 2009. Using functional traits to predict grassland ecosystem change: a mathematical test of the response-and-effect trait approach. *Global Change Biology* 15:2921-2934.
- Koch BP, Harder J, Lara RJ, Kattner G 2005 The effect of selective microbial degradation on the composition of mangrove derived pentacyclic triterpenols in surface sediments. *Org Geochem* 36:273-285
- Köhler B, von Wachenfeldt E, Kothawala D, Tranvik L 2012 Reactivity continuum of dissolved organic carbon decomposition in lake water. *Journal of Geophysical Research* 117: G01024
- Kristensen E, Bouillon S, Dittmar T, Marchand C 2008 Organic carbon dynamics in mangrove ecosystems: a review. *Aquat Bot* 89:201-219
- Kristensen, E, JE Kostka. 2005. Macrofaunal burrows and irrigation in marine sediment: microbiological and biogeochemical interactions. Pages 125-157 in E. Kristensen, R. R. Haese, and J. E. Kostka editors. *Interactions between macro- and microorganisms in marine sediment, coastal and estuarine Studies* 60. American Geophysical Union, Washington, DC.
- Kubanek J, Lester SE, Fenical W, Hay ME. 2004. Ambiguous role of phlorotannins as chemical defenses in the brown alga *Fucus vesiculosus*. *Marine Ecology Progress Series* 277: 79-93.
- Kuznetsova AM, Orlova, OV, Savinov, AB 1984 Aggregates of organic matter in fresh waters and their role in the nutrition of small filter feeder crustaceans. *Gidrobiol. Zh.* 20, 3-8.
- Lecerf, A, E. Chauvet. 2008. Intraspecific variability in leaf traits strongly affects alder leaf decomposition in a stream. *Basic and Applied Ecology* 9:598-605.
- Lee SY. 1999. Tropical mangrove ecology: physical and biotic factors influencing ecosystem structure and function.
- Lee, YK, J-H Lee, HK Lee. 2001. Microbial symbiosis in marine sponges. *The Journal of Microbiology* 39 4: 254-264.
- Lewis EL. 1980. The practical salinity scale of 1978 and its antecedents. *IEEE Journal of Oceanic Engineering* OE-5: 3-8.
- Lin Y-M, Liu JW, Xiang P, Lin P, Ye GF, Stjernberg DSL 2006 Tannin dynamics of propagules and leaves of *Kandelia candel* and *Bruguiera gymnorhiza* in the Jiulong River Estuary, Fujian, China. *Biogeochemistry* 78: 343-359.
- Loayza-Muro, RA, R Elías-Letts, JK Marticorena-Ruiz, EJ Palomino, JF Duivenvoorden, MHS Kraak, W Admiraal, 2010. Metal-induced shifts in

- benthic macroinvertebrate community composition in Andean high altitude streams. *Environ. Toxicol. Chem.* 2912: 2761-2768.
- Lugo AE, Snedaker SC. 1974. The ecology of mangroves.
- Maas, JL, C van de Guchte, FCM Kerkum. 2002. Methodebeschrijvingen voor de beoordeling van verontreinigde waterbodems volgens de TRIADE benadering. Rijksinstituut voor Integraal Zoetwaterbeheer en Afvalwaterbehandeling nota 93.027. www.vliz.be/imisdocs/publications/155685.pdf
- Macedo-Sousa, JA, Gerhardt, A, Brett, CMA, Nogueira, AJA, Soares, AMVM. 2008. Behavioural responses of indigenous benthic invertebrates *Echinogammarus meridionalis*, *Hydropsyche pellucidula* and *Choroterpes picteti* to a pulse of acid mine drainage: A laboratorial study. – *Environ. Pollut.* 156, 966 – 973.
- Macedo-Sousa, J. A.; Pestana, J. L. T.; Gerhardt, A.; Nogueira, A. J. A.; Soares, A. M. V. M. Behavioural and feeding responses of *Echinogammarus meridionalis* Crustacea, Amphipoda to acid mine drainage. – *Chemosphere.* 2007, 67, 1663–1670.
- Maie N and R. Jaffe. 2006. Quantitative and qualitative aspects of dissolved organic carbon leached from senescent plants in an oligotrophic wetland. *Biogeochemistry* 783:285–314
- Maldonado M 2006. The ecology of the sponge larva. *Can J Zool* 842: 175-194
- Maldonado, M. 2007. Intergenerational transmission of symbiotic bacteria in oviparous and viviparous demosponges, with emphasis on intracytoplasmically-compartmented bacterial types. *Journal of the Marine Biological Association, U.K.* 87: 1701-1713.
- Maltby, L, Clayton, SA, Wood, RM, McLoughlin, N. 2002. Evaluation of the *Gammarus pulex* in situ feeding assay as a biomonitor of water quality: Robustness, responsiveness, and relevance. *Environmental Toxicology and Chemistry.* 21, 361–368.
- Mann CJ, Wetzel RG 1995 Dissolved organic carbon and its utilization in a riverine wetland ecosystem. *Biogeochemistry* 31:99–120
- Mariani S, Uriz MJ, Turon X, Alcoverro T 2006. Dispersal strategies in sponge larvae: integrating the life history of larvae and the hydrologic component. *Oecologia* 1491: 174-184
- Martin MM, Rockholm DC, Martin JS. 1985. Effects of surfactants, pH, and certain cations on precipitation of proteins by tannins. *Journal of Chemical Ecology* 11: 485-493.
- Martin JS, Martin MM. 1983. Tannin assay in ecological Annual Review of Ecology and Systematics 5: 39-64. studies. Precipitation of ribulose-1,5 biphosphate carbox-ylase/oxygenase by tannic acid, quebracho, and oak foliage extracts. *Journal of Chemical Ecology* 9: 285-294.
- McKie, BG, G Woodward, S Hladyz, M Nistorescu, E Preda, C Popescu, PS Giller, B Malmqvist. 2008. Ecosystem functioning in stream assemblages from different regions: contrasting responses to variation in detritivore richness, evenness and density. *Journal of Animal Ecology* 77:495–504.
- McKie, BG, M Schindler, MO Gessner, B Malmqvist. 2009. Placing biodiversity and ecosystem functioning in context: environmental perturbations and the effects of species richness in a stream field experiment. *Oecologia* 160:757–770.

- McLean EL and Yoshioka PM 2008 Substratum effects on the growth and survivorship of the sponge *Desmapsamma anchorata*. *Caribb J Sci* 44:83-89
- Mermillod-Blondin, F. 2011. The functional significance of bioturbation and biodeposition on biogeochemical processes at the water–sediment interface in freshwater and marine ecosystems. *Journal of the North American Benthological Society* 30:770–778.
- Mermillod-Blondin, F, R Rosenberg. 2006. Ecosystem engineering: the impact of bioturbation on biogeochemical processes in marine and freshwater benthic habitats. *Aquatic Sciences* 68:434–442.
- Mermillod-Blondin, F, M Gérino, M Creuzé des Châtelliers, V Degrange. 2002. Functional diversity among 3 detritivorous hyporheic invertebrates: an experimental study in microcosms. *Journal of the North American Benthological Society* 21:132–149.
- Metzler, GM, LA Smock. 1990. Storage and dynamics of subsurface detritus in a sand-bottomed stream. *Canadian Journal of Fisheries and Aquatic Sciences* 47:588–594.
- Meyer JL, Edwards RT, Risley R 1987 Bacterial growth on dissolved organic carbon from a blackwater river. *Microb Ecol* 13:13–29
- Meysman, FJR, JJ Middelburg, CHR Heip. 2006. Bioturbation: a fresh look at Darwin’s last idea. *Trends in Ecology and Evolution* 21:688–695.
- Michaud, E, G Desrosiers, F Mermillod-Blondin, B Sundby, G Stora. 2005. The functional group approach to bioturbation: the effects of biodiffusers and gallery-diffusers of the *Macoma balthica* community on sediment oxygen uptake. *Journal of Experimental Marine Biology and Ecology* 326:77–88.
- Mill, T, Hemdry DG, Richardson H 1980 Free-radical oxidants in natural waters. *Science* 207: 886-887.
- Monari, M, J Foschi, P Cortesi, R Rosmini, O Cattani, GP Serrazanetti. 2008. Chloramphenicol influence on antioxidant enzymes with preliminary approach on microsomal CYP1A immunopositive-protein in *Chamelea gallina*. *Chemosphere* 73:272–280.
- Mopper, K, Zhou X 1990 Hydroxyl radical photoproduction in the sea and its potential impact on marine processes. *Science* 250: 661-664
- Mouchet, M. A, Villéger, S, Mason, NW, Mouillot, D. 2010. Functional diversity measures: an overview of their redundancy and their ability to discriminate community assembly rules. *Functional Ecology*, 244, 867-876.
- Mulder, C, JJ Elser. 2009. Soil acidity, ecological stoichiometry and allometric scaling in grassland food webs. *Global Change Biology* 15:2730–2738.
- Mulder, C, Boit, A, Mori, S, Vonk, et al. 2012. Distributional incongruence of Biodiversity-Ecosystem Functioning. *Adv. Ecol. Res.* 46, 1–88.
- Mumby, PJ, Edwards AJ, Arias-Gonzales JE, et al. 2004. Mangroves enhance the biomass of coral reef fish communities in the Caribbean. *Nature* 427: 533-536.
- Muyzer, G, de Waal EC, Uitterlinden AG. 1993 Profiling of complex microbial populations by denaturing gradient gel electrophoresis analysis of polymerase chain reaction-amplified genes coding for 16S rRNA. *Appl Environ Microbiol* 59:695–700

- Myers, RT, Zak, DR, White, DC, Peacock, A. 2001. Landscape-level patterns of microbial composition and substrate use in upland forest ecosystems. *Soil Science Society of America Journal* 65, 359–367.
- Naeem, S, DE Bunker. 2009. TraitNet: furthering biodiversity research through the curation, discovery, and sharing of species trait data. Pages 281–289 in S. Naeem, D. E. Bunker, A. Hector, M. Loreau, and C. P. Perring editors. *Biodiversity, ecosystem functioning, and human well-being: an ecological and economic perspective*. Oxford University Press, Oxford, UK.
- Nagelkerken, I, Roberts CM, van der Velde G, Dorenbosch M, van Riel MC, Cocheret de la Morinière E, Nienhuis PH. 2002. How important are mangroves and seagrass beds for coral-reef fish? The nursery hypothesis tested on an island scale. *Marine Ecology Progress Series* 24: 299-305.
- Navel, S, Mermillod-Blondin, F, Montuelle, B, et al. 2010. Interactions between fauna and sediment control the breakdown of plant litter in river sediments. *Freshwater Biology*, 55, 753–766.
- Newcombe, RG 1998 Two-Sided Confidence Intervals for the Single Proportion: Comparison of Seven Methods. *Statistics in Medicine* 17:857-872
- Niki, E. 1991. Action of ascorbic acid as a scavenger of active and stable oxygen radicals. *American Journal of Clinical Nutrition* 54:1119–1124.
- Nogaro, G, F Mermillod-Blondin, B Montuelle, J-C. et al. 2008. Chironomid larvae stimulate biogeochemical and microbial processes in a riverbed covered with fine sediment. *Aquatic Sciences* 70:156–168.
- Nogaro, G, F Mermillod-Blondin, HM Valett, et al. 2009. Ecosystem engineers at the sediment-water interface: bioturbation and consumer-substrate interaction. *Oecologia Berlin* 161:125–138.
- Northup, RR, Dahlgren RA, McColl 1998 Polyphenols as regulators of plant-litter-soil interactions in Northern California's pygmy forest: A positive feedback? *Biogeochemistry* 42: 189–220.
- O'Gara, BA, Bohannon, VK, Teague, MW, Smeaton, MB. Copper-induced changes in locomotor behaviors and neuronal physiology of the freshwater oligochaete, *Lumbriculus variegates*. *Aquatic Toxicology*. 2004, 69, 51-66
- O'Halloran K, Cacanough J-A, Harding JS. 2008. Response of a New Zealand mayfly *Deleatidium* spp. to acid mine drainage: implications for mine remediation. *Environ Toxicol Chem* 27, 1135-1140.
- Odum, EP, AA de la Cruz. 1963. Detritus as a major component of ecosystems. *American Institute of Biological Sciences Bulletin* 13:39–40.
- Osawa, R., TP Walsh. 1993. Visual reading method for detection of bacterial tannase. *Applied and Environmental Microbiology*. 59-4. pp. 1251-1252.
- Papaspyrou, ST, Gregersen, E Kristensen, B Christensen, RP Cox. 2006 Microbial reaction rates and bacterial communities in sediment surrounding burrows of two nereid polychaetes *Nereis diversicolor* and *N. virens*. *Marine Biology* 148:541–550.
- Papaspyrou, S, T Gregersen, RP Cox, M Thessalou-Legaki, E Kristensen. 2005 Sediment properties and bacterial community in the burrows of the mud shrimp *Pestarella tyrrhena* Decapoda: Thalassinidae. *Aquatic Microbial Ecology* 38:181–190.

- Pavia, H, GB Toth. 2000. Inducible chemical resistance to herbivory in the brown seaweed *Ascophyllum nodosum*. *Ecology* 81:3212–3225.
- Pawlik J 1992 Chemical ecology of the settlement of benthic marine invertebrates. *Oceanogr. Mar. Biol. Annu. Rev.* 30: 273-335
- Pawlik JR, SE McMurray, TP Henkel. 2007. Abiotic factors control sponge ecology in Florida mangroves. *Marine Ecology Progress Series* 339: 93-98.
- Pestana, JLT, Ré, A, Nogueira, AJA, Soares, AMVM. 2007. Effects of Cadmium and Zinc on the feeding behaviour of two freshwater crustaceans: *Atyaephyra desmarestii* Decapoda and *Echinogammarus meridionalis* Amphipoda. – *Chemosphere*. 2007, 68, 1556 –1562.
- Petersen, RC, KW Cummins. 1974. Leaf processing in a woodland stream. *Freshwater Biology* 4:343–368.
- Piccini C, Conde D, Perntaler J, Sommaruga R 2009 Alteration of chromophoric dissolved organic matter by solar UV radiation causes rapid changes in bacterial community composition. *Photoch Photobiol Sci* 8:1321–1328
- Rader, RB, JV McArthur, JM Aho. 1994. Relative importance of mechanisms determining decomposition in a southeastern blackwater stream. *American Midland Naturalist* 132:19–31.
- Ragazzi E, Veronese G 1973 Quantitative analysis of phenolics compounds after thin-layer chromatographic separation. *J Chromatogr* 77: 369-375
- Reiss, J, JR Bridle, JM Montoya, G Woodward. 2009. Emerging horizons in biodiversity and ecosystem functioning research. *Trends in Ecology and Evolution* 24:505-514.
- Ribes M, Jiménez E, Yahel G, López-Sendino P, Diez B, Massana R, Sharp JH, Coma R 2012 Functional convergence of microbes associated with temperate marine sponges. *Environ Microbiol* 14:1224–1239
- Roberts DE, AR Davis, SP Cummins. 2006. Experimental manipulation of shade, silt, nutrients and salinity on the temperate reef sponge *Cymbastela concentrica*. *Marine Ecology Progress Series*. 307: 143-154.
- Roussel, H, Chauvet, E, Bonzom, J. Alteration of leaf decomposition in copper-contaminated freshwater mesocosms. *Environ. Toxicol. Chem.* 2008, 27, 637–644.
- Rützler K, Diaz MC, Van Soest RWM, Zea S, Smith KP, Alvarez KP, Wulff JL. 2000. Diversity of sponge fauna in mangrove ponds, Pelican Cays, Belize. *Atoll Research Bulletin* 476: 231-247.
- Rützler K, Duran S, Piantoni C. 2007. Adaptation of reef and mangrove sponges to stress: evidence for ecological speciation exemplified by *Chondrilla caribensis* new species Demospongiae, Chondrosida. *Marine Ecology* 28: 95-111.
- Rützler K. 1995. Low-tide exposure of sponges in a Caribbean mangrove community. *Marine Ecology* 16: 165-179.
- Rützler K., MC Diaz, RWM van Soest, et al. 2000. Diversity of sponge fauna in mangrove ponds, Pelican Cays, Belize. *Atoll Research Bulletin* 476: 231-247.
- Rützler, K, RWM van Soest, B Alvarez. 2003. *Svenzeai*, a Caribbean reef sponge with giant larvae, and *Scopalina ruetzleri*: A comparative fine-structural approach to classification Demospongiae, Halichondrida, Dictyonellidae. *Invertebrate Biology* 122 3: 203-222.

- Rützler, K, RWM van Soest, C Piantoni. 2009. Sponges Porifera of the Gulf of Mexico, waters and biota. eds Tunnel, J.W., D.L. Felder and S.A. Earle. Gulf of Mexico origin, waters and biota. Texas A&M University Press.
- Salles, JF, F. Poly, B Schmid, X Le Roux. 2009. Community niche predicts the functioning of denitrifying bacterial assemblages. *Ecology* 90: 3324-3332.
- Santos, AL, Oliveira V, Baptista I, Henriques I, Gomes N, Almeida A, Correia A, Cunha A 2012 Wavelength dependence of biological damage induced by UV radiation on bacteria. *Arch Microbiol* 195:63–74
- Scalbert, A. 1991. Antimicrobial properties of tannins. *Phytochemistry* 30: 3875-3883.
- Schmitt, TM, Lindquist N, Hay ME 1998 Seaweed secondary metabolites as antifoulants: effects of *Dictyota* spp. diterpenes on survivorship, settlement, and development of marine invertebrate larvae. *Chemoecology* 8:125–131
- Schmitz, F.J., R.S. Prasad, Y. Gopichand, M. B. Hossain, D. Van der Helm and P. Schmidt. 1981. Acanthifolicin, a new episulfide-containing polyether carboxylic acid from extracts of the marine sponge *Pandaros acanthifolium*. *J. Am. Chem. Soc.* 103 9, pp 2467–2469
- Scully, NM, McQueen DJ, Laen DRS 1996 Hydrogen peroxide formation: the interaction of Ultraviolet radiation and dissolved organic carbon in lake waters along a 43-75 nM gradient. *Limnology & Oceanography* 41: 540-548.
- Siung-Chang, A. 1997. A review of marine pollution issues in the Caribbean. *Environmental Geochemistry and Health*
- Smith, J. J., and G. A. McFeters. 1997. Mechanisms of INT 2-4-iodophenyl-3-4-nitrophenyl-5-phenyl tetrazolium chloride, and CTC 5-cyano-2,3-ditolyl tetrazolium chloride reduction in *Escherichia coli* K-12. *Journal of Microbiological Methods* 29:161–175.
- Solan, M, BJ Cardinale, AL Downing, KAM. Engelhardt, JL Ruesink, DS Srivastava. 2004. Extinction and ecosystem function in the marine benthos. *Science* 306:1177–1180.
- Stewart, RIA, Dossena, M, Bohan, DA, Jeppesen, E, Kordas, RL, Ledger, ME, Meerhoff, M, Moss, B, Mulder, C, Shurin, JB, Suttle, B, Thompson, R, Trimmer, M, Woodward, G. 2013. Mesocosm experiments as a tool for ecological climate change research. *Adv. Ecol. Res.* 48, in press.
- Stief, P. 2007. Enhanced exoenzyme activities in sediments in the presence of deposit-feeding *Chironomus riparius* larvae. *Freshwater Biology* 52:1807–1819.
- Stierle AC, JH Cardellina, FL Singleton. 1988. A marine *Micrococcus luteus* produces metabolites ascribed to the sponge *Tedania ignis*. *Cellular and Molecular Life Sciences* 44 11-12: 1021.
- Suberkropp, K. 1991. Relationships between growth and sporulation of aquatic hyphomycetes on decomposing leaf litter. *Mycological Research* 95:843–850.
- Sulzberger B, Durisch-Kaiser E 2009 Chemical characterization of dissolved organic matter DOM: A prerequisite for understanding UV-induced changes of DOM absorption properties and bioavailability. *Aquat Sci* 71: 104–126
- Sutherland JP. 1980. Dynamics of the epibenthic community on roots of the mangrove *Rhizophora mangle*, at Bahía de Buche, Venezuela. *Marine Biology* 85: 75-84.

- Tank, JL, EJ Rosi-Marshall, NA Griffiths, SA Entekin, ML Stephen. 2010. A review of allochthonous organic matter dynamics and metabolism in streams. *Journal of the North American Benthological Society* 29:118–146.
- Taylor, MW, R Radax, D Steger, M Wagner. 2007. Sponge-associated microorganisms: evolution, ecology and biotechnological potential. *Microb. Molec. Biol. Rev.*: 295–347.
- Thacker RW, Freeman CJ 2012 Sponge-microbe symbioses: recent advances and new directions. *Adv. Mar. Biol.* 62:57–111
- Tiegs, SD, SD Langhans, K Tockner, MO Gessner. 2007. Cotton strips as a leaf surrogate to measure decomposition in river flood plain habitats. *Journal of the North American Benthological Society* 26:70–77.
- Tomlinson PB. 1986. *The botany of mangroves*. Cambridge, Mass.: Cambridge University Press.
- Tranvik L, Kokolj S 1998 Decreased biodegradability of algal DOC due to interactive effects of UV radiation and humic matter. *Aquat Microb Ecol* 14: 301–307
- Traunsperger, W., M. Bergtold, W. Goedkoop. 1997 The effects of nematodes on bacterial activity and abundance in a freshwater sediment. *Oecologia Berlin* 112:118–122.
- Ugland KI, Gra, JS, Ellingse, KE. 2003. The species accumulation curve and estimation of species richness. *Journal of Animal Ecology* 72: 888-897.
- Uriz M-J, Maldonado M, Turon X, Marti R. 1998. How do reproductive output, larval behaviour and recruitment contribute to adult spatial patterns in Mediterranean encrusting sponges? *Marine Ecology Progress Series*, 167: 137-148
- Usseglio-Polatera P., M. Bournaud, P. Richoux, and H. Tachet. 2000 Biomonitoring through biological traits of benthic macroinvertebrates: how to use species trait databases? *Hydrobiologia* 422/423:153–162.
- Van de Bund, WJ, W Goedkoop, RK Johnson. 1994. Effects of deposit-feeder activity on bacterial production and abundance in profundal lake sediment. *Journal of the North American Benthological Society* 13:532–539.
- Van der Geest, HG, Greve, GD, De Haas, EM, Scheper, BB, Kraak, MHS, Stuijzand, SC, Augustijn, KH, Admiraal, W. 1999. Survival and behavioral responses of larvae of the caddisfly *Hydropsyche angustipennis* to copper and diazinon. *Environmental Toxicology and Chemistry* 18-9, 1965e1971.
- Van Soest, RWM. 1978 Marine sponges from Curaçao and other Caribbean islands. Part I. Keratosa. In eds Hummelinck PW, Van der Steen LJ. *Studies on the fauna of Curaçao and other Caribbean islands* 56:1–94
- Van Soest, RWM. 1980 Marine sponges from Curaçao and other Caribbean islands. Part II. Haplosclerida. In eds Hummelinck PW, Van der Steen LJ. *Studies on the fauna of Curaçao and other Caribbean islands* 62:1–173
- Van Soest, RWM. 1984 Marine sponges from Curaçao and other Caribbean islands. Part III. Poecilosclerida. Pages In eds Hummelinck PW, Van der Steen LJ. *Studies on the fauna of Curaçao and other Caribbean islands* 66:1–167
- Van Soest, RWM, Boury-Esnault, N, Hooper, JNA, Rützler, K, de Voogd, NJ, Alvarez, B, Hajdu, E, AB Pisera, J. Vacelet, R. Manconi, C. Schoenberg, D. Janussen, K.R. Tabachnick and M. Klautau 2008. World Porifera database. Available online at <http://www.marinespecies.org/porifera>

- Vorenhout, M, HG van der Geest, ER Hunting. 2011. Improved datalogger and novel probes for continuous redox measurements in wetlands. *International Journal of Environmental Analytical Chemistry* 917/918:801–810.
- Voss, GL, 1976. *Seashore life of Florida and the Caribbean*. Banyan Books, Inc. Miami, Florida.
- Wagenaar Hummelinck P. 1977. Marine localities. *Studies on the fauna of Curacao and other Caribbean Islands* 51.
- Wallace, JB, JR. Webster. 1996. The role of macroinvertebrates in stream ecosystem function. *Annual Review of Entomology* 41:115–139.
- Wardle, DA, KI Bonner, KS Nicholson. 1997. Biodiversity and plant litter: experimental evidence which does not support the view that enhanced species richness affects ecosystem function. *Oikos* 79: 247-258.
- Webster, JR, EF Benfield. 1986. Vascular plant breakdown in freshwater ecosystems. *Annual Review of Ecology and Systematics* 17:567–594.
- Weisz, JB, N Lindquist, CS Martens. 2008. Do associated microbial abundances impact demosponge pumping rates and tissue densities. *Oecologia* 155: 367-376.
- Weisz JB, Hentschel U, Lindquist N, Martens CS 2007 Linking abundance and diversity of sponge-associated microbial communities to metabolic differences in host sponges. *Mar Biol* 152:475–483
- Wetzel, RG, Hatcher, PG, Bianchi, TS. 1995. Natural photolysis by ultraviolet irradiance of recalcitrant dissolved organic matter to simple substrates for rapid bacterial metabolism. *Limnology and Oceanography* 40:1369-1380.
- Whalan S, Ettinger-Epstein P, Battershill C, de Nys R 2008 Larval vertical migration and hierarchical selectivity of settlement in a brooding marine sponge. *Mar Ecol Prog Ser* 368: 145 – 154.
- Wieltschnig, C, UR Fischer, B Velimirov, AKT Kirschner. 2008. Effects of deposit-feeding macrofauna on benthic bacteria, viruses, and protozoa in a silty freshwater sediment. *Microbial Ecology* 56:1–12.
- Woodward, G. 2009. Biodiversity, ecosystem functioning and food webs in freshwaters: assembling the jigsaw puzzle. *Freshwater Biology* 54:2171–2181.
- Woodward, G, MO Gessner, PS Giller et al. 2012. Continental-scale effects of nutrient pollution on stream ecosystem functioning. *Science* 336:1438–1440.
- Wulff, JL. 2000. Sponge predators may determine differences in sponge fauna between two sets of mangrove cays, Be-lize Barrier Reef. *Atoll Research Bulletin* 477: 251-263.
- Wulff, JL. 2001 Assessing and monitoring coral reef sponges: why and how? *Bull Mar Sci* 69:831–846
- Wulff, JL. 2004 Sponges on mangrove roots, Twin Cays, Belize: Early stages of community assembly. *Atoll Research Bulletin* 519:1–10.
- Wulff, JL. 2005 Trade-off s in resistance to competitors and predators, and their effects on the diversity of tropical marine sponges. *J. Anim. Ecol.* 74: 313–321.
- Wulff, JL. 2009 Sponge Community Dynamics on Caribbean Mangrove Roots: Significance of Species Idiosyncrasies. *Smithsonian Contributions to Marine Science* 38:501–14

- Wulff, JL. 2010 Regeneration of Sponges in Ecological Context: Is Regeneration an Integral Part of Life History and Morphological Strategies? *Integr Comp Biol* 50: 494-505.
- Wulff, JL. 2012 Ecological Interactions and the Distribution, Abundance, and Diversity of Sponges. *Advances in Marine Biology* 61:273–344.
- Yang, J, Sun J, Lee OO, Wong YH, Qian PY 2011 Phylogenetic diversity and community structure of sponge-associated bacteria from mangroves of the Caribbean Sea. *Aquat Microb Ecol* 62:231-240
- Young, RG, KJ Collier. 2009. Contrasting responses to catchment modification among a range of functional and structural indicators of river ecosystem health. *Freshwater Biology* 54:2155–2170.
- Young, RG, C Matthaei, CR Townsend. 2008. Organic matter breakdown and ecosystem metabolism: functional indicators for assessing river ecosystem health. *Journal of the North American Benthological Society* 27:605–625.
- Zepp RG, Erickson III DJ, Paul ND, Sulzberger B 2011 Effects of solar UV radiation and climate change on biogeochemical cycling: interactions and feedbacks. *Photochem Photobiol Sci* 10: 261-279
- Zepp RG, Schlotzhauer PF, R. Merritt. Sink, RM 1985. Photosensitized transformations involving electronic energy transfer in natural waters: role of humic substances. *Environmental Science & Technology* 19 1: 74-81
- Zwart, G, BC Crump, M Agterveld, F Hagen, SK Han. 2002. Typical freshwater bacteria: an analysis of available 16S rRNA gene sequences from plankton of lakes and rivers. *Aquatic Microbial Ecology* 28:141–155.
- Zwart, G, WD Hiorns, BA Methé, MP Van Agterveld, R Huismans, SC Nold, JP Zehr, and HJ Laanbroek. 1998. Nearly identical 16S rRNA sequences recovered from lakes in North America and Europe indicate the existence of clades of globally distributed freshwater bacteria. *Systematic and Applied Microbiology* 21:546–556.