



UvA-DARE (Digital Academic Repository)

Search for a multi-Higgs-boson cascade in $W+W-bb^{-}$ events with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV

Aad, G.; et al., [Unknown]; Aben, R.; Beemster, L.J.; Bentvelsen, S.C.M.; Berglund, E.; Bobbink, G.J.; Bos, K.; Boterenbrood, H.; Castelli, A.; Colijn, A.P.; de Jong, P.J.; de Nooij, L.; Deluca, C.; Deviveiros, P.O.; Dhaliwal, S.; Ferrari, P.; Gadatsch, S.; Geerts, D.A.A.; Hartjes, F.G.; Hessey, N.P.; Hod, N.; Igonkina, O.; Kluit, P.M.; Koffeman, E.N.; Lee, H.C.; Lenz, T.; Linde, F.L.; Mahlstedt, J.; Mechnich, J.; Mussche, I.; Oussoren, K.; Pani, P.; Salek, D.; Valencic, N.; van der Deijl, P.C.; van der Geer, R.; van der Graaf, H.; van der Leeuw, R.H.L.; van Vulpen, I.B.; Verkerke, W.; Vermeulen, J.C.; Vranjes Milosavljevic, M.; Vreeswijk, M.; Weits, H.

Published in:

Physical Review D. Particles, Fields, Gravitation, and Cosmology

DOI:

[10.1103/PhysRevD.89.032002](https://doi.org/10.1103/PhysRevD.89.032002)

[Link to publication](#)

Citation for published version (APA):

Aad, G., et al., U., Aben, R., Beemster, L. J., Bentvelsen, S., Berglund, E., ... Weits, H. (2014). Search for a multi-Higgs-boson cascade in $W+W-bb^{-}$ events with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. *Physical Review D. Particles, Fields, Gravitation, and Cosmology*, 89(3), [032002]. <https://doi.org/10.1103/PhysRevD.89.032002>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <http://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (<http://dare.uva.nl>)

Search for a multi-Higgs-boson cascade in $W^+W^-b\bar{b}$ events with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV

G. Aad *et al.**

(ATLAS Collaboration)

(Received 6 December 2013; published 19 February 2014)

A search is presented for new particles in an extension to the Standard Model that includes a heavy Higgs boson (H^0), an intermediate charged Higgs-boson pair (H^\pm), and a light Higgs boson (h^0). The analysis searches for events involving the production of a single heavy neutral Higgs boson which decays to the charged Higgs boson and a W boson, where the charged Higgs boson subsequently decays into a W boson and the lightest neutral Higgs boson decaying to a bottom–antibottom-quark pair. Such a cascade results in a W -boson pair and a bottom–antibottom-quark pair in the final state. Events with exactly one lepton, missing transverse momentum, and at least four jets are selected from a data sample corresponding to an integrated luminosity of 20.3 fb^{-1} , collected by the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV at the LHC. The data are found to be consistent with Standard Model predictions, and 95% confidence-level upper limits are set on the product of cross section and branching ratio. These limits range from 0.065 to 43 pb as a function of H^0 and H^\pm masses, with m_{h^0} fixed at 125 GeV.

DOI: 10.1103/PhysRevD.89.032002

PACS numbers: 12.60.–i, 13.85.Rm, 14.80.–j

I. INTRODUCTION

Recently, a Higgs boson has been discovered by the ATLAS [1] and CMS [2] Collaborations with a mass of approximately 125 GeV. This observation has been supported by complementary evidence from the CDF and D0 Collaborations [3]. The study of such a boson, responsible for breaking electroweak symmetry in the Standard Model (SM), is one of the major objectives of experimental high-energy physics. A vital question is whether this state is in fact the Higgs boson of the SM, or part of an extended Higgs sector (such as that of the minimal supersymmetric Standard Model [4,5]), a composite Higgs boson [6], or a completely different particle with Higgs-like couplings (such as a radion in warped extra dimensions [7,8] or a dilaton [9]).

This article reports a search for particles in an extension to the SM that includes heavier Higgs bosons in addition to a light neutral Higgs boson, h^0 , with mass $m_{h^0} = 125$ GeV. Rather than assuming a particular theoretical model, this analysis follows a simplified model approach by searching for a specific multi-Higgs-boson cascade topology [10]. Many beyond-the-SM Higgs models introduce a second Higgs doublet. In addition to the h^0 , such models contain a heavy charged Higgs-boson pair H^\pm and a heavier neutral state H^0 . An additional pseudoscalar particle, A , may also exist within the two-Higgs-doublet model (2HDM) [11]

* Full author list given at the end of the article.

Published by the American Physical Society under the terms of the Creative Commons Attribution 3.0 License. Further distribution of this work must maintain attribution to the author(s) and the published articles title, journal citation, and DOI.

framework, but this analysis assumes it to be too heavy to participate in the cascade decay considered here.

This article reports the first search at the LHC for new particles in the final state $W^\pm W^\mp b\bar{b}$, via the process $gg \rightarrow H^0$ followed by the cascade, $H^0 \rightarrow W^\mp H^\pm \rightarrow W^\mp W^\pm h^0 \rightarrow W^\mp W^\pm b\bar{b}$, as illustrated in Fig. 1. Other production modes, such as associated production or vector-boson fusion lead to different final states and are not considered here. The $W^\pm W^\mp b\bar{b}$ final state also appears in top-quark pair production. In this search, one of the W bosons is assumed to decay to hadrons leading to jets and the other one decays to an electron plus a neutrino ($e + \text{jets}$) or a muon plus a neutrino ($\mu + \text{jets}$). The same final state has been used by CDF in a similar search for Higgs-boson cascades [12]. Other related searches have been performed for charged Higgs bosons in top-quark decays $t \rightarrow H^\pm b$ [13–18]. Boosted decision trees (BDTs) are used to distinguish the Higgs-boson cascade events from the predominantly $t\bar{t}$ background.




FIG. 1. Diagram showing the Higgs-boson cascade $gg \rightarrow H^0 \rightarrow W^\mp H^\pm \rightarrow W^\mp W^\pm h^0 \rightarrow W^\mp W^\pm b\bar{b}$.

II. ATLAS DETECTOR AND DATA SAMPLE

The ATLAS experiment [19] at the LHC is a multipurpose particle physics detector with approximately forward-backward symmetric cylindrical geometry [20]. It consists of an inner tracking detector surrounded by a thin superconducting solenoid, electromagnetic and hadronic calorimeters, and a muon spectrometer incorporating three large superconducting toroid magnet assemblies.

The data used in this analysis were collected during 2012 from pp collisions at a center-of-mass energy of 8 TeV using triggers designed to select high transverse momentum (p_T [20]) electrons or muons. The data sample corresponds to an integrated luminosity of 20.3 fb^{-1} .

III. SIGNAL AND BACKGROUND SIMULATION

The production of H^0 bosons via gluon fusion with $m_{H^0} = 325\text{--}1025 \text{ GeV}$ and subsequent decays $H^0 \rightarrow W^\mp H^\pm$ with $m_{H^\pm} = 225\text{--}925 \text{ GeV}$ and $H^\pm \rightarrow W^\pm h^0$ with $m_{h^0} = 125 \text{ GeV}$, is modeled using the MADGRAPH [21] Monte Carlo (MC) event generator with an effective vertex to model the fermion loop and a narrow natural width of 50 MeV. Additional radiation, hadronization, and showering are described by PYTHIA v6.4 [22]. Thirty-six different mass pairs are tested for the Higgs-boson cascade signal within the above m_{H^\pm} and m_{H^0} mass ranges.

The dominant SM background to this signature is top-quark pair production. This background is modeled using simulated events from the MC@NLO v4.01 [23] event generator with the CT10 [24] parton distribution functions (PDFs). The parton shower and the underlying event simulation are performed with HERWIG v6.520 [25] and JIMMY v4.31 [26], respectively, using the AUET2 tune [27]. The $t\bar{t}$ cross section for pp collisions at a center-of-mass energy of $\sqrt{s} = 8 \text{ TeV}$ is assumed to be $\sigma_{t\bar{t}} = 253_{-15}^{+13} \text{ pb}$ for a top-quark mass of 172.5 GeV. It has been calculated at next-to-next-to-leading order (NNLO) in QCD including resummation of next-to-next-to-leading-logarithmic soft-gluon terms with Top++2.0 [28–33]. The PDF and α_s uncertainties are calculated using the PDF4LHC prescription [34] with the 68% C.L. of the MSTW2008 NNLO [35,36], CT10 NNLO [24,37] and NNPDF2.3 5f FFN [38] PDF sets, added in quadrature to obtain the normalization and factorization scale uncertainties. Additional $t\bar{t}$ samples used to estimate various systematic effects are generated with POWHEG [39–41] interfaced to HERWIG/JIMMY, POWHEG interfaced to PYTHIA, and AcerMC v3.8 [42] interfaced to PYTHIA. The $t\bar{t}$ modeling is also checked with samples generated by ALPGEN [43] interfaced with HERWIG.

Other backgrounds are expected to originate from vector-boson production with associated jets (W -boson + jets and Z -boson/ γ^* + jets), as well as single top-quark, diboson (WW , WZ , ZZ), and multijet production. All background

predictions, except that for multijet production, are obtained from simulated events.

The W/Z -boson + jets contribution is simulated using ALPGEN interfaced to HERWIG/JIMMY, and is normalized to NNLO theoretical cross sections [44,45]. The contribution from single top-quark production is simulated using MC@NLO interfaced to HERWIG/JIMMY for the s -channel top-quark production and Wt production, and with AcerMC interfaced to PYTHIA for the t channel, and normalized to approximate NNLO theoretical cross sections [46–48]. Finally, diboson production is simulated with HERWIG and normalized to next-to-leading order (NLO) theoretical cross sections [49].

All generated events are passed through the detailed ATLAS detector simulation [50] based on GEANT4 [51], with the exception of the additional samples used to account for systematic effects in $t\bar{t}$ production, for which a parametrized simulation [50] of the calorimeter response is used. The events are then processed with the same reconstruction software as the data. MC events are overlaid with additional minimum bias events generated with PYTHIA to simulate the effect of pileup (additional pp interactions in either the same or close by bunch crossings as the primary interaction); the number of overlaid proton-proton interactions is chosen to match the distribution of the number of additional interactions observed in the data.

Multijet production may mimic the presence of a lepton, but the contribution from these processes is found to be small. It is estimated from the data by the matrix method [52] in the μ + jets and e + jets channels. The matrix method is a technique to estimate the number of events with a fake, isolated lepton in the signal selection, and uses *loose* and *tight* isolation definitions for leptons. The tight isolation definitions are those used in this analysis, and tight leptons are a subset of the loose leptons. In a selection dominated by real leptons, the efficiency (ϵ_{real}) of a loose lepton to also pass the tight isolation requirements is measured. The rate (ϵ_{fake}) of loose leptons passing the tight requirements is measured in a multijet-dominated selection. These rates, ϵ_{real} and ϵ_{fake} , are used to estimate the multijet contribution to the analysis selection.

IV. EVENT SELECTION

This analysis relies on the measurement of jets, electrons, muons and the missing transverse momentum (E_T^{Miss}) [53]. Since this analysis investigates a final state dominated by top-quark pair production, a selection similar to the top-quark cross-section measurement by the ATLAS Collaboration [54] is used.

Jets are reconstructed using the anti- k_r algorithm [55] with a radius parameter $R = 0.4$, and are calibrated at the energy cluster level [56] to compensate for differing calorimeter response to hadronic and electromagnetic showers. A correction for pileup is applied to the jet energy [57]. Jets are required to have $p_T > 25 \text{ GeV}$ and $|\eta| < 2.5$.

Jets from additional pp interactions are suppressed by requiring the jet vertex fraction (JVF) to be larger than 0.5 for jets with $p_T < 50$ GeV and $|\eta| < 2.4$. The JVF variable is defined as the transverse momentum weighted fraction of tracks associated with the jet that are compatible with originating from the primary vertex. The primary vertex is defined as the vertex with the largest $\sum p_T^2$ of associated tracks. Jets are b tagged (identified as the product of a b quark) using the MV1 tagger [58], which combines several tagging algorithms [59] using an artificial neural network. A 70% tagging efficiency is achieved in identifying b jets with $p_T > 20$ GeV and $|\eta| < 2.5$ in simulated $t\bar{t}$ events, while the light-jet rejection factor is 130. Additional corrections to the tagging efficiency and mistagging rate are derived from data and applied to all simulated samples [58,60–62].

Electrons are identified [63] as energy clusters in the electromagnetic calorimeter matched to reconstructed tracks in the inner detector. Selected electrons are required to pass stringent selection requirements that provide good discrimination between isolated electrons and jets. Isolation requirements are imposed in cones of calorimeter energy deposits [$\Delta R(e, \text{deposit}) < 0.2$] and inner-detector tracks [$\Delta R(e, \text{track}) < 0.3$] around the electrons direction where $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$. The calorimeter isolation is corrected for leakage of the energy of the electron into the isolation cone and for energy deposits from pileup events. Both the calorimeter and the inner-detector isolation requirements are chosen to give 90% efficiency. Selected electrons are required to have transverse momentum $p_T > 25$ GeV and pseudorapidity in the range $|\eta| < 2.47$, excluding the calorimeter barrel/end-cap transition region $1.37 < |\eta| < 1.52$.

Muons are reconstructed [64] using information from the muon spectrometer and the inner detector and are required to fulfill isolation requirements. Muons are required to have transverse momentum $p_T > 25$ GeV and $|\eta| < 2.5$. The isolation variable [65,66] for muons is defined as $I_\mu = \sum p_T^{\text{track}} / p_T^\mu$, where the sum runs over all tracks (except the one matched to the muon) that pass quality requirements and have $p_T^{\text{track}} > 1$ GeV and $\Delta R(\mu, \text{track}) < 10$ GeV/ p_T^μ . Muons with $I_\mu < 0.05$ are selected.

The transverse momentum of neutrinos is inferred from the magnitude of the missing transverse momentum in the event. The missing transverse momentum is constructed from the negative vector sum of the reconstructed jets, the topological calorimeter energy deposits outside of jets, and the muon momenta, all projected onto the transverse plane.

Overlapping objects are subject to a removal procedure. The jet closest to a selected electron is removed, if it is within $\Delta R(e, \text{jet}) < 0.2$. Electrons with $\Delta R(e, \text{jet}) < 0.4$ to any remaining jets and muons with $\Delta R(\mu, \text{jet}) < 0.4$ between the muon and nearest jet are removed since their likely origin is hadron decays.

TABLE I. Expected background contributions with their total (systematic and statistical) uncertainties and the observed number of events with exactly one lepton and at least four jets, and in the SPR region, which additionally requires at least two b -tagged jets. In the table, contributions from processes with light-flavor (LF) u, d, s quarks and heavy-flavor (HF) c, b quarks are distinguished.

Source	$e/\mu + \geq 4$ jets	SPR yields
$t\bar{t}$	$36.0_{-3.8}^{+3.7} \times 10^4$	$14.0_{-2.0}^{+2.1} \times 10^4$
W -boson + jets LF	$16.0_{-8.3}^{+8.2} \times 10^4$	$6.0_{-4.1}^{+4.2} \times 10^2$
W -boson + jets HF	$8.6_{-4.4}^{+4.4} \times 10^4$	$4.6_{-2.4}^{+2.5} \times 10^3$
Z -boson + jets LF	$26.0_{-6.4}^{+6.3} \times 10^3$	$11.0_{-7.7}^{+8.3} \times 10^1$
Z -boson + jets HF	$4.9_{-1.0}^{+1.1} \times 10^3$	$6.7_{-1.6}^{+1.7} \times 10^2$
Single top-quark	$16.0_{-2.1}^{+2.0} \times 10^3$	$46.0_{-7.3}^{+7.6} \times 10^2$
WW, WZ, ZZ	$26.0_{-5.5}^{+5.4} \times 10^2$	$6.9_{-2.0}^{+1.9} \times 10^1$
Fake leptons	$1.8_{-1.8}^{+1.8} \times 10^4$	$8.6_{-8.6}^{+8.6} \times 10^2$
Total	$68.0_{-18.0}^{+14.0} \times 10^4$	$15.1_{-2.4}^{+2.2} \times 10^4$
Observed	664876	151123

Events are selected using single-lepton triggers with p_T thresholds of 24 or 36 GeV for muons and 24 or 60 GeV for electrons (the lower momentum triggers also apply isolation requirements). Events are required to have exactly one reconstructed isolated electron or muon matching the corresponding trigger object and a primary vertex reconstructed from at least five tracks, each with $p_T > 400$ MeV. At least four jets with $p_T > 25$ GeV and $|\eta| < 2.5$ are required, of which at least two must be identified as b jets. Additional requirements to reduce the multijet background are applied:

- (i) in the e + jets channel: $E_T^{\text{miss}} > 30$ GeV and $m_T^W > 30$ GeV,
- (ii) in the μ + jets channel: $E_T^{\text{miss}} > 20$ GeV and $m_T^W + E_T^{\text{miss}} > 60$ GeV.

The transverse W -boson mass is defined as $m_T^W = \sqrt{2p_T^\ell p_T^\nu (1 - \cos(\varphi^\ell - \varphi^\nu))}$, where p_T is the transverse momentum, φ is the azimuthal angle, and ℓ and ν refer to the charged lepton and the neutrino, respectively. Different requirements are used for the muon and electron channels due to different levels of multijet background contamination. The signal preregion (SPR) is defined to contain events that pass these requirements. Table I illustrates the expected yields of the background and the observed number of events in this region.

V. EVENT RECONSTRUCTION AND MULTIVARIATE ANALYSIS

A. Event reconstruction

The Higgs-boson cascade event reconstruction begins with identification of the leptonically decaying W boson. It is assumed that the missing transverse momentum is due to the resulting neutrino. The neutrino pseudorapidity is set to the value which results in an invariant mass of the lepton




FIG. 2 (color online). Distributions of reconstructed masses in simulation for the three Higgs bosons in the cascade; the lightest Higgs boson, h^0 (left, as $m_{b\bar{b}}$), the charged Higgs boson, H^\pm (middle, as $m_{b\bar{b}W}$), and the heavy Higgs boson, H^0 (right, as $m_{b\bar{b}WW}$), shown for three example mass hypotheses.

and neutrino closest to the nominal W -boson mass [67]; in the case of degenerate solutions, the smallest magnitude of pseudorapidity is chosen. Next, the two b -tagged jets are used to reconstruct the lightest Higgs-boson candidate, h^0 ; if there are more than two b -tagged jets, the two jets with the highest b -tagging scores [58] are used. The hadronically decaying W boson is identified from the remaining jets as the pair with reconstructed dijet mass closest to the nominal W -boson mass. The charged Higgs-boson candidate H^\pm is constructed from the light h^0 and the W -boson candidate which gives the larger value of m_{H^\pm} . The heavy neutral Higgs-boson candidate H^0 is then formed as $b\bar{b}WW$. Figure 2 illustrates the reconstructed mass distributions for the h^0 , H^\pm , and H^0 in simulation for selected mass values. Note that incorrect choice of neutrino rapidity or incorrect assignment of jets to the W -boson or Higgs-boson candidates will lead to a broadening of the reconstructed mass distributions, rather than a systematic bias.

Since the dominant background is top-quark pair production, the two b quarks and two W bosons are combined in Wb pairs to give top-quark candidates. The combination which minimizes the sum of the absolute value of their differences from the nominal top-quark mass [67] for both pairs is chosen. The invariant masses of the top-quark candidates are useful to discriminate $t\bar{t}$ events from the Higgs-boson signal. The masses (m_t , $m_{\bar{t}}$) of the two top-quark candidates and the absolute values of their differences ($|m_t - m_{\bar{t}}|$) are calculated.

B. Multivariate analysis

A multivariate analysis is performed to distinguish the Higgs-boson cascade from $t\bar{t}$ events. Several reconstructed kinematic quantities, including the invariant masses of the Higgs-boson candidates as described above, are used as inputs to a BDT classifier, provided in the TMVA [68] package. TMVA provides a ranking for the input variables, which is derived by counting how often an input variable is used to split decision tree nodes, and by weighting each split occurrence by the square of the gain in signal-to-background separation it has achieved and by the number

of events in that node. Several combinations of input variables are tested in training the BDTs. The inputs for the BDTs are optimized for the best expected cross-section limits while avoiding overtraining, and the variable rankings of TMVA are used as heuristics in choosing the BDT inputs. Seven kinematic variables are chosen to achieve the best expected result across the entire signal mass grid:

- (i) $m_{b\bar{b}}$, $m_{b\bar{b}W}$ and $m_{b\bar{b}WW}$, as described above;
- (ii) $\Delta R(b, \bar{b})$, the angular distance between the pair of b -tagged jets used to reconstruct the light Higgs-boson candidate;
- (iii) leptonic m_t , the top-quark mass reconstructed using the leptonically decaying W boson;
- (iv) hadronic m_t , the top-quark mass reconstructed using the hadronically decaying W boson;
- (v) $|m_t - m_{\bar{t}}|$.

For cascades originating from a high-mass Higgs boson, the reconstructed top-quark masses along with $m_{Wb\bar{b}}$ are the highest-ranked input variables. For the low-mass Higgs-boson cascades, $m_{b\bar{b}}$ and $\Delta R(b, \bar{b})$ have the highest rank. Since the kinematics of the Higgs-boson cascade vary greatly with the masses of the heavy and intermediate Higgs bosons, a different BDT is trained for each signal mass hypothesis.

Only MC events that pass the SPR requirements are used in the training of the BDTs. Each BDT is constructed as a forest with 750 decision trees, and is trained against simulated background event samples. The stochastic gradient boosting method [68] is used to improve classification accuracy and its robustness against statistical fluctuations. Each BDT is checked for overtraining with a statistically independent test sample.

For each of the 36 signal mass points, a final threshold is chosen for its respective BDT output which gives the best expected sensitivity, measured using the same confidence-level calculations as applied to the data and described below. A counting experiment is then performed using events that pass those BDT output thresholds. In this way, the BDT thresholds divide the SPR into 36 nonorthogonal signal regions, one for each signal mass point.

VI. BACKGROUND VALIDATION IN CONTROL REGIONS

The modeling of the SM backgrounds is validated in three background-dominated control regions. The control regions retain the requirements of one lepton and at least four jets, and each region has additional requirements. In control regions with fewer than two b -tagged jets, the two jets with the highest b -tagging scores are used to reconstruct the lightest Higgs boson, h^0 . The following control regions are used:

- (i) Control Region 1 (CR1): at least four jets, exactly one lepton and no b -tagged jets. This region validates primarily the W -boson + jets modeling. This region is background enriched relative to the hypothetical signal due to the b -tag veto.
- (ii) Control Region 2 (CR2): at least four jets, exactly one lepton and exactly one b -tagged jet. This region validates primarily the modeling of the $t\bar{t}$ background.




FIG. 3 (color online). Distributions of $m_{b\bar{b}}$ with uncertainties in the control regions CR1 (top) and CR2 (bottom). The data (black points) are compared to the background model (stacked histogram). In control regions with fewer than two b -tagged jets, the two jets with the highest b -tagging scores are used. The final bin contains any overflow events. Two choices of signal hypotheses are also shown.

This background is fractionally larger, compared to a hypothetical signal, here than in the signal region due to the b -tagging cut, which preferentially selects the higher p_T b quarks from top-quark decay. Although a potential signal would not be absent in this control region, the different levels of signal and $t\bar{t}$ contributions allow a test of $t\bar{t}$ modeling by comparing levels of agreement between data and prediction in the signal and CR2 regions.

- (iii) Control Region 3 (CR3): at least four jets, exactly one lepton, at least two b -tagged jets, and $m_{b\bar{b}} > 150$ GeV. This region focuses primarily on validation of the modeling of the $t\bar{t}$ background with kinematics similar to the hypothetical signal, but is background enriched due to the $m_{b\bar{b}} > 150$ GeV requirement.

Figures 3 and 4 illustrate the modeling of the Higgs-boson mass reconstruction in CR1, CR2 and CR3. The data and simulation agree within total uncertainties over the entire phase space. This is important, as the BDT may utilize any part of this phase space to build a powerful discriminant. In




FIG. 4 (color online). Distributions of $m_{b\bar{b}}$ (top) and $m_{b\bar{b}WW}$ (bottom) with uncertainties in the control region CR3. The data (black points) are compared to the background model (stacked histogram). The final bin contains any overflow events. Two choices of signal hypotheses are also shown.

addition, the BDT output in each of the three control regions is compared to the predicted output and found to agree within statistical and systematic uncertainties.

VII. SYSTEMATIC UNCERTAINTIES

Several sources of systematic uncertainties are relevant to this analysis.

Instrumental systematic uncertainties are related to the reconstruction of physics objects. For jets, systematic uncertainties on the jet energy scale, energy resolution, and reconstruction efficiency are included. For leptons, the systematic uncertainties from the momentum or energy scale and resolution, trigger efficiency, reconstruction, and identification efficiency are incorporated. Systematic uncertainties related to the performances of the b tagging and JVF requirements are also included.

Due to the presence of multiple (≥ 4) jets and the dominant $t\bar{t}$ background (roughly 90% in the signal region), significant systematic uncertainties are associated with jets and the modeling of the $t\bar{t}$ background. Table II lists the impact of these uncertainties on the background estimates and signal efficiency for an example signal region given by the BDT threshold for a signal with $m_{H^0}, m_{H^\pm} = 425, 225$ GeV.

Several sources of uncertainty on the jet energy scale calibration are considered, such as uncertainties due to pileup and the light-quark and gluon composition. These

TABLE II. Details of the systematic uncertainties relative to the total expected background and the signal efficiency in the signal region for a Higgs-boson cascade signal with $m_{H^0}, m_{H^\pm} = 425, 225$ GeV. The signal region for this mass point is defined as the events that pass the BDT threshold for this mass sample. The positive and negative relative shifts have been averaged for compactness.

Uncertainty	Background Yields	Signal efficiency (%)
		$m_{H^0}=425$ GeV $m_{H^\pm}=225$ GeV
Jet vertex fraction	± 1.6	± 2.1
b -tagging efficiency	± 8.8	± 14
Jet energy scale	± 3.9	± 7
Jet energy resolution	± 1.1	± 11
Jet reconstruction efficiency	$\pm < 1.0$	$\pm < 1.0$
μ momentum	$\pm < 1.0$	$\pm < 1.0$
e energy	$\pm < 1.0$	$\pm < 1.0$
Lepton trigger efficiency	$\pm < 1.0$	± 1.8
Lepton identification efficiency	± 1.5	± 2.1
Lepton reconstruction efficiency	$\pm < 1.0$	$\pm < 1.0$
W -boson + jets shape	$\pm < 1.0$	\dots
Quark/gluon radiation	$\pm < 1.0$	± 2.8
$t\bar{t}$ modeling	± 2.7	\dots
Background normalization	± 5.5	\dots
Luminosity	± 2.8	± 2.8
Total uncertainty	± 12	± 20

sources are added in quadrature and listed as one systematic uncertainty in Table II. As a further uncertainty, the jet energy is smeared to cover any disagreements in the jet energy resolution measured in data and in simulated event samples. A jet reconstruction efficiency [69] systematic uncertainty is applied by randomly discarding a fraction of low- p_T jets in the simulated events. The jet b -tagging efficiencies are evaluated in data and MC [58]. The difference is corrected with a scale factor, the uncertainty of which is treated as a systematic uncertainty. A small discrepancy in the efficiency of the JVF requirement has been observed between data and MC simulation. The JVF requirement is varied to cover this observed discrepancy, and the resulting change in the expected background is taken as a systematic uncertainty.

Systematic uncertainties associated with leptons are found to have a small effect, typically less than 1% relative to background estimates and signal efficiency. For muons, the uncertainty in the momentum scale and resolution is accounted for. For electrons, the uncertainties in the energy scale and resolution are included. For both leptons, uncertainties on the trigger, identification, and reconstruction efficiencies are incorporated.

The uncertainty due to the modeling of initial- and final-state quark and gluon radiation (ISR/FSR) is estimated using $t\bar{t}$ events produced with the AcerMC generator interfaced with PYTHIA, where the parameters controlling ISR/FSR are varied in a range suggested by the data in the analysis of Ref. [70]. For the signal, events generated with varied ISR/FSR parameters in PYTHIA are compared to the nominal simulation; the differences in background yields and signal efficiency estimates are taken as a systematic uncertainty.

The systematic uncertainty due to the modeling of $t\bar{t}$ production is estimated by comparing results obtained with MC@NLO, POWHEG, and ALPGEN signal samples. An uncertainty due to the theoretical $t\bar{t}$ cross section [71] is applied to the overall $t\bar{t}$ normalization. Since this is the dominant background the effect on the total background uncertainty is substantial (about 5% relative to the background estimate); the total normalization uncertainty on the background is 5.5%.

Since non- $t\bar{t}$ processes account for less than 10% of the background in the signal region, systematic uncertainties associated with them are found to have a small impact on the overall background uncertainty. The systematic uncertainty related to the modeling of W -boson + jets is determined by varying the parametrization of the renormalization and factorization scales in ALPGEN. As default, both scales are set to $(m_W^2 + (p_T^W)^2)$ and this is varied by factors of 2 and by changing the form to $(m_W^2 + \sum_{\text{jets}} p_T^2)$. This systematic uncertainty is found to be small ($< 1\%$). An overall uncertainty of 4% is applied to the W -boson + jets estimate due to uncertainties in the cross section, with an additional 24% per jet added in quadrature due to the uncertainty in Berends scaling [72]. This results in a

TABLE III. Expected background and observed yield, with expected and observed cross-section upper limits for each signal hypothesis in their respective signal regions. For the expected cross-section limits, the uncertainties describe a range which contains the limits in 68% and 95% of simulated experiments, respectively. Also shown is the p value for the background-only hypothesis.

Masses [GeV]		$t\bar{t}$	Yields		Efficiency (%) Signal	Limits [pb] at 95% C.L.		Background-only p value
m_{H^0}	m_{h^\pm}		Total background	Observed		Expected	Observed	
325	225	$8.4^{+1.0}_{-1.0} \times 10^3$	$8.9^{+1.0}_{-1.3} \times 10^3$	9244	$0.96^{+0.32}_{-0.32}$	11^{+5+12}_{-3-5}	13	0.36
425	225	$9.8^{+1.2}_{-1.2} \times 10^4$	$10.3^{+1.2}_{-1.5} \times 10^4$	103738	$2.9^{+0.8}_{-0.8}$	41^{+18+40}_{-12-19}	40	0.49
425	325	$9.4^{+1.1}_{-1.1} \times 10^4$	$9.8^{+1.1}_{-1.4} \times 10^4$	99770	$2.9^{+0.7}_{-0.7}$	40^{+17+40}_{-11-18}	39	0.49
525	225	$11.4^{+1.6}_{-1.5} \cdot 10^4$	$12.3^{+1.6}_{-1.9} \times 10^4$	124802	$3.8^{+0.8}_{-0.8}$	42^{+17+41}_{-12-19}	43	0.49
525	325	$11.5^{+1.6}_{-1.6} \times 10^4$	$12.6^{+1.7}_{-1.9} \times 10^4$	127702	$4.6^{+1.0}_{-1.0}$	35^{+15+34}_{-10-16}	52	0.49
525	425	$41.0^{+6.3}_{-6.0} \times 10^2$	$44.0^{+6.9}_{-7.1} \times 10^2$	4342	$0.31^{+0.1}_{-0.1}$	23^{+11+28}_{-7-11}	23	0.49
625	225	$20.3^{+2.9}_{-3.0} \times 10^3$	$23.0^{+3.4}_{-4.0} \times 10^3$	22907	$1.6^{+0.4}_{-0.4}$	21^{+8+20}_{-6-9}	20	0.5
625	325	$10.0^{+1.5}_{-1.3} \times 10^3$	$10.8^{+1.7}_{-1.7} \times 10^3$	11064	$1.5^{+0.3}_{-0.4}$	11^{+5+11}_{-3-5}	11	0.49
625	425	$20.5^{+3.4}_{-3.0} \times 10^2$	$24.4^{+4.1}_{-4.9} \cdot 10^2$	2294	$0.85^{+0.27}_{-0.22}$	$4.8^{+2.1+5.2}_{-1.4-2.2}$	4.3	0.5
625	525	$22.0^{+3.4}_{-3.7} \times 10^2$	$25.3^{+4.4}_{-5.0} \times 10^2$	2564	$1.0^{+0.3}_{-0.2}$	$4.3^{+1.8+4.5}_{-1.2-2.0}$	4.2	0.5
725	225	$31.8^{+5.2}_{-5.2} \times 10^2$	$37.7^{+6.9}_{-7.6} \times 10^2$	3710	$2.4^{+0.6}_{-0.6}$	$2.6^{+1.1+2.6}_{-0.7-1.2}$	2.4	0.5
725	325	$36.0^{+5.2}_{-5.7} \times 10^2$	$41.0^{+7.0}_{-7.8} \times 10^2$	3980	$2.7^{+0.6}_{-0.6}$	$2.1^{+0.9+2.2}_{-0.6-1.0}$	2.0	0.5
725	425	$24.9^{+4.3}_{-3.9} \times 10^2$	$29.6^{+5.7}_{-6.2} \times 10^2$	2828	$2.8^{+0.7}_{-0.6}$	$1.7^{+0.7+1.8}_{-0.5-0.8}$	1.5	0.5
725	525	$13.4^{+2.1}_{-1.9} \times 10^2$	$16.3^{+3.3}_{-3.5} \cdot 10^2$	1538	$2.8^{+0.7}_{-0.6}$	$0.84^{+0.40+1.00}_{-0.25-0.40}$	0.72	0.5
725	625	$23.6^{+3.6}_{-3.5} \times 10^2$	$28.7^{+5.3}_{-6.1} \times 10^2$	2702	$3.5^{+0.9}_{-0.9}$	$1.2^{+0.6+1.4}_{-0.4-0.6}$	1.1	0.5
825	225	$7.1^{+0.92}_{-1.3} \times 10^2$	$8.9^{+1.4}_{-2.4} \times 10^2$	830	$1.4^{+0.4}_{-0.4}$	$0.91^{+0.42+1.00}_{-0.27-0.43}$	0.80	0.5
825	325	$10.8^{+1.5}_{-1.7} \times 10^2$	$13.0^{+2.4}_{-2.8} \times 10^2$	1237	$2.4^{+0.6}_{-0.6}$	$0.82^{+0.36+0.89}_{-0.23-0.38}$	0.72	0.5
825	425	$10.5^{+1.9}_{-1.6} \times 10^2$	$12.7^{+2.7}_{-2.5} \times 10^2$	1186	$2.3^{+0.6}_{-0.5}$	$0.92^{+0.41+1.00}_{-0.26-0.42}$	0.80	0.5
825	525	$8.0^{+1.6}_{-1.3} \times 10^2$	$9.9^{+2.4}_{-2.8} \times 10^2$	901	$2.9^{+0.7}_{-0.7}$	$0.55^{+0.25+0.62}_{-0.16-0.26}$	0.46	0.5
825	625	$5.9^{+0.8}_{-1.0} \times 10^2$	$7.7^{+1.6}_{-1.8} \times 10^2$	696	$2.5^{+0.7}_{-0.7}$	$0.36^{+0.18+0.45}_{-0.11-0.18}$	0.28	0.5
825	725	$5.1^{+0.8}_{-0.7} \times 10^2$	$6.6^{+1.6}_{-1.3} \times 10^2$	628	$1.6^{+0.5}_{-0.4}$	$0.56^{+0.28+0.71}_{-0.17-0.27}$	0.49	0.5
925	225	$5.7^{+0.9}_{-0.8} \times 10^2$	$7.0^{+1.3}_{-1.4} \times 10^2$	641	$2.1^{+0.5}_{-0.5}$	$0.51^{+0.22+0.55}_{-0.14-0.24}$	0.44	0.5
925	325	$7.4^{+1.1}_{-1.2} \times 10^2$	$9.3^{+1.4}_{-1.9} \times 10^2$	876	$2.7^{+0.7}_{-0.6}$	$0.58^{+0.27+0.69}_{-0.17-0.27}$	0.53	0.5
925	425	$6.6^{+1.0}_{-1.0} \times 10^2$	$8.2^{+1.6}_{-1.7} \times 10^2$	796	$3.1^{+0.7}_{-0.7}$	$0.40^{+0.18+0.46}_{-0.12-0.19}$	0.38	0.5
925	525	$6.0^{+1.0}_{-1.1} \times 10^2$	$8.1^{+1.8}_{-1.9} \times 10^2$	787	$3.3^{+0.9}_{-0.8}$	$0.37^{+0.17+0.43}_{-0.11-0.18}$	0.36	0.5
925	625	$1.8^{+0.4}_{-0.3} \times 10^2$	$2.4^{+0.6}_{-0.6} \times 10^2$	185	$2.4^{+0.6}_{-0.6}$	$0.17^{+0.08+0.20}_{-0.05-0.08}$	0.12	0.5
925	725	$2.8^{+0.7}_{-0.4} \times 10^2$	$3.8^{+1.0}_{-0.9} \times 10^2$	359	$2.7^{+0.7}_{-0.7}$	$0.30^{+0.14+0.34}_{-0.09-0.14}$	0.27	0.5
925	825	$4.7^{+0.7}_{-0.7} \times 10^2$	$6.0^{+1.3}_{-1.2} \times 10^2$	537	$3.6^{+1.0}_{-0.9}$	$0.22^{+0.11+0.28}_{-0.07-0.11}$	0.17	0.5
1025	225	$2.9^{+0.5}_{-0.7} \times 10^2$	$3.7^{+1.1}_{-1.2} \times 10^2$	306	$1.9^{+0.5}_{-0.5}$	$0.23^{+0.11+0.28}_{-0.07-0.11}$	0.15	0.5
1025	325	$7.1^{+1.0}_{-1.2} \times 10^2$	$9.4^{+2.0}_{-2.2} \times 10^2$	839	$3.3^{+0.8}_{-0.8}$	$0.37^{+0.17+0.41}_{-0.11-0.17}$	0.29	0.5
1025	425	$5.4^{+0.8}_{-0.9} \times 10^2$	$7.1^{+1.5}_{-1.7} \cdot 10^2$	691	$3.3^{+0.8}_{-0.8}$	$0.33^{+0.15+0.37}_{-0.09-0.15}$	0.31	0.5
1025	525	$2.4^{+0.5}_{-0.6} \times 10^2$	$3.5^{+1.6}_{-1.1} \cdot 10^2$	297	$3.0^{+0.8}_{-0.7}$	$0.19^{+0.09+0.22}_{-0.05-0.09}$	0.15	0.5
1025	625	$4.3^{+0.7}_{-0.9} \times 10^2$	$5.7^{+1.6}_{-1.4} \times 10^2$	477	$3.6^{+1.0}_{-0.9}$	$0.19^{+0.10+0.25}_{-0.06-0.09}$	0.13	0.5
1025	725	$1.4^{+0.2}_{-0.3} \times 10^2$	$2.0^{+0.5}_{-0.6} \cdot 10^2$	162	$1.8^{+0.5}_{-0.4}$	$0.15^{+0.08+0.19}_{-0.05-0.07}$	0.09	0.5
1025	825	$2.1^{+0.3}_{-0.5} \times 10^2$	$3.0^{+0.7}_{-1.0} \times 10^2$	241	$2.6^{+0.6}_{-0.6}$	$0.14^{+0.07+0.18}_{-0.04-0.07}$	0.09	0.5
1025	925	$9.4^{+1.2}_{-1.7} \times 10$	$13.7^{+4.7}_{-4.4} \times 10$	110	$1.9^{+0.5}_{-0.5}$	$0.10^{+0.06+0.15}_{-0.03-0.05}$	0.07	0.5

48% uncertainty for events with four jets, contributing to the overall 5.5% uncertainty on the background normalization.

The systematic uncertainty due to single top-quark, diboson, and Z-boson + jets production is evaluated by varying their cross sections within their uncertainties as described in Ref. [52]. Since these contributions are small, the systematics associated with them are found to be negligible (< 1%).

Finally, the luminosity uncertainty, measured using techniques similar to those described in Ref. [73], is 2.8%.

VIII. RESULTS

The yields in the signal regions are given in Table III. The observed yields are found to be consistent with SM background expectations, within uncertainties. The BDT outputs for three example signal mass points are illustrated in Fig. 5.




FIG. 5 (color online). Distributions of the BDT output in the signal regions for three example signal mass points, m_{H^0} , $m_{H^\pm} = 1025, 225$ GeV (top), m_{H^0} , $m_{H^\pm} = 625, 325$ GeV (middle), m_{H^0} , $m_{H^\pm} = 1025, 625$ GeV (bottom). Signal histograms have been scaled to a production cross section of 1 pb. BDT thresholds are shown as dashed lines for each mass point. The background model is shown as the colored stacked histogram. The final bin contains any overflow events.




FIG. 6 (color online). The expected (top) and observed (middle) 95% C.L. upper limits on the cross section for $gg \rightarrow H^0 \rightarrow W^\mp H^\pm \rightarrow W^\pm W^\mp h^0 \rightarrow W^\pm W^\mp b\bar{b}$ as a function of m_{H^0} and m_{H^\pm} . The ratio (bottom) of the observed 95% C.L. upper limits on the cross section to the theoretical cross section for a heavy Higgs boson produced via gluon-gluon fusion at the SM rate.

The 95% confidence-level production cross-section upper limits for the various signal hypotheses are obtained using the CLs frequentist method [74], with the profile likelihood ratio of the number of events that pass the BDT threshold as the test statistic [75] as implemented in Ref. [76]. Systematic uncertainties are treated as nuisance parameters and the calculation uses the asymptotic approximation [75]. Table III presents the signal efficiencies, the

TABLE IV. Interpretation of the results in some type-II 2HDM parameter space choices. For each value of m_{H^0} , m_{H^\pm} , where at least one valid point is found, sample points in the space of the parameters [$\tan(\beta)$, $\sin(\beta - \alpha)$, m_A , and \mathcal{M}_{12}^2] which satisfy potential stability, unitarity and perturbativity constraints and give the smallest ratio of excluded to predicted cross section are shown.

m_{H^0} [GeV]	m_{H^\pm} [GeV]	$\tan(\beta)$	$\sin(\beta - \alpha)$	m_A [GeV]	\mathcal{M}_{12}^2 [TeV ²]	$\sigma(H^0)$ [pb]	BF($H^0 \rightarrow h^0 W^+ W^-$)	Excluded/predicted
325	225	15	0.99	303	6.9×10^{-3}	28	0.222	2.1
425	225	20	0.99	439	8.9×10^{-3}	2	0.404	41
425	325	10	0.99	486	1.8×10^{-2}	10	0.288	14
525	325	10	0.99	384	2.7×10^{-2}	3	0.436	39
525	425	10	0.99	384	2.7×10^{-2}	5	0.136	34
625	325	10	0.99	549	3.9×10^{-2}	1	0.501	20
625	425	10	0.99	693	3.9×10^{-2}	2	0.607	4.1
625	525	10	0.99	693	3.9×10^{-2}	3	0.219	7.7
725	325	1	0.99	675	5.9×10^{-2}	0.3	0.009	664
725	425	10	0.99	731	5.2×10^{-2}	1	0.643	3.5
725	525	10	0.99	731	5.2×10^{-2}	1	0.659	1.1
725	625	10	0.99	396	5.2×10^{-2}	1	0.002	440
825	525	1	0.99	788	1.3×10^{-1}	0.3	0.024	76
825	625	1	0.99	788	1.3×10^{-1}	0.3	0.021	41
825	725	10	0.999	807	6.8×10^{-2}	1	0.168	4.1
925	725	1	0.999	921	2.4×10^{-1}	0.2	0.003	530
1025	825	1	0.999	920	3.4×10^{-1}	0.1	0.003	243

total expected background and observed event counts for each signal case, as well as the expected and observed limits with the local p values. The p values are defined as the probabilities under the background-only hypothesis to observe these data or data which are more signal-like. The p values have a maximum possible value of 0.5, which is the case when $n < b$, where b is the number of events expected from the background model and n is the number of events observed in the data.

Since the signal regions are correlated, background-only pseudoexperiments are used to estimate the expected distribution of the p values in all the signal regions, accounting for the correlations. The observed distribution of p values is found to be consistent with the expectation from pseudoexperiments. The expected and observed limits as a function of the H^0 and H^\pm masses are illustrated in Fig. 6. The limits are the weakest in low Higgs-boson mass regions due to the poorer separation between $t\bar{t}$ and signal events.

In order to facilitate the comparison of these results with those obtained by other experiments, the observed cross-section limits are compared to the predictions for a heavy Higgs boson with SM-like gg -fusion production (Fig. 6). The theoretical production cross section of a heavy SM-like Higgs boson (only gluon fusion is considered) is calculated in the complex-pole scheme using the dFG [77] program, to NNLO in QCD. NLO electroweak corrections are also applied, as well as QCD soft-gluon resummations up to next-to-next-to-leading log. Using this benchmark, the cross-section upper limits observed are greater than the theoretical cross sections of the heavy Higgs boson, H^0 , for all mass points tested. Therefore, the current limits are not stringent enough to exclude models with SM-like production rates even with 100% branching ratios for both

$H^0 \rightarrow H^\pm W^\pm$ and $H^\pm \rightarrow h^0 W^\pm$ and SM values for BR ($h^0 \rightarrow b\bar{b}$). The limits are most stringent in the high H^0 and H^\pm mass regions, where the ratio of the limits to the theoretical cross section is nearly unity. This search produces tighter bounds than those obtained by the CDF Collaboration [12].

Additionally, the results of this search are interpreted in the context of a heavy CP -even Higgs boson of a type-II two-Higgs-doublet model [78] produced via gluon fusion. This model has seven free parameters: the mass of the CP -even Higgs bosons (m_{h^0} and m_{H^0}), the mass of the CP -odd Higgs boson (m_A), the mass of the charged scalar (m_{H^\pm}), the mixing angle between the CP -even Higgs bosons (α), the ratio of the vacuum expectation values of the two Higgs doublets ($\tan \beta$), and the Z_2 -symmetry soft-breaking-term coefficient of the Higgs potential (\mathcal{M}_{12}^2). The parameter space of the type-II 2HDM is sampled for given values of m_{H^0} and m_{H^\pm} and assuming $m_{h^0} = 125$ GeV and $\sin(\beta - \alpha) \geq 0.99$. The latter assumptions are made in order to maintain a SM-like Higgs boson with properties similar to those observed at the LHC. The gluon-fusion production cross section is calculated with SusHi [79] at NNLO precision in QCD corrections, and the branching ratio of the cascade $H^0 \rightarrow W^\mp H^\pm \rightarrow W^+ W^- h \rightarrow W^+ W^- b\bar{b}$ with 2HDMC [80]. Only parameter space points that satisfy theory constraints are considered. The theory constraints include Higgs-potential stability, tree-level unitarity for Higgs-boson scattering [81], and the perturbative nature of the quartic Higgs-boson couplings, as these are implemented in 2HDMC. The type-II 2HDM phase space is scanned with a million random points per (m_{H^0} , m_{H^\pm}) pair. The majority of the spanned phase space violates the theoretical constraints mentioned above. The points with

the lowest cross section times branching fraction $\sigma \times \text{BF}(\text{excluded})/\sigma \times \text{BF}(\text{theory})$ which satisfy the above constraints are shown in Table IV, where σ is the cross section and BF is the branching fraction. None are excluded by the limits presented here.

In conclusion, the first LHC search for a topology in which a heavy Higgs boson decays via a cascade of lighter charged and neutral Higgs bosons has been performed by the ATLAS experiment using data corresponding to an integrated luminosity of 20.3 fb^{-1} in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. No significant excess of events above the expectation from the SM background was found and limits on the production cross section have been set.

ACKNOWLEDGMENTS

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently. We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and

VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET, ERC and NSRF, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT and NSRF, Greece; ISF, MINERVA, GIF, DIP and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; BRF and RCN, Norway; MNiSW and NCN, Poland; GRICES and FCT, Portugal; MNE/IFA, Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America. The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (U.K.) and BNL (U.S.) and in the Tier-2 facilities worldwide.

-
- [1] ATLAS Collaboration, *Phys. Lett. B* **716**, 1 (2012).
 [2] CMS Collaboration, *Phys. Lett. B* **716**, 30 (2012).
 [3] T. Aaltonen *et al.* (CDF Collaboration and D0 Collaboration), *Phys. Rev. Lett.* **109**, 071804 (2012).
 [4] H. P. Nilles, *Phys. Rep.* **110**, 1 (1984).
 [5] H. E. Haber, *Phys. Rep.* **117**, 75 (1985).
 [6] D. B. Kaplan, H. Georgi, and S. Dimopoulos, *Phys. Lett.* **136B**, 187 (1984).
 [7] C. Csaki, M. Graesser, L. Randall, and J. Terning, *Phys. Rev. D* **62**, 045015 (2000).
 [8] G. F. Giudice, R. Rattazzi, and J. D. Wells, *Nucl. Phys.* **B595**, 250 (2001).
 [9] W. Goldberger, B. Grinstein, and W. Skiba, *Phys. Rev. Lett.* **100**, 111802 (2008).
 [10] J. A. Evans, B. Kilminster, M. A. Luty, and D. Whiteson, *Phys. Rev. D* **85**, 055009 (2012).
 [11] J. F. Gunion and H. E. Haber, *Phys. Rev. D* **67**, 075019 (2003).
 [12] T. Aaltonen *et al.* (CDF Collaboration), *Phys. Rev. Lett.* **110**, 121801 (2013).
 [13] ATLAS Collaboration, *J. High Energy Phys.* 03 (2013) 076.
 [14] ATLAS Collaboration, *J. High Energy Phys.* 06 (2012) 039.
 [15] T. Aaltonen *et al.* (CDF Collaboration), *Phys. Rev. Lett.* **103**, 101803 (2009).
 [16] V. Abazov *et al.* (D0 Collaboration), *Phys. Lett. B* **682**, 278 (2009).
 [17] ATLAS Collaboration, *Eur. Phys. J. C* **73**, 2465 (2013).
 [18] CMS Collaboration, *J. High Energy Phys.* 07 (2012) 143.
 [19] ATLAS Collaboration, *JINST* **3**, S08003 (2008).
 [20] ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the center of the detector and the z axis along the beam pipe. The x axis points from the IP to the center of the LHC ring, and the y axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$.
 [21] J. Alwall, M. Herquet, F. Maltoni, O. Mattelaer, and T. Stelzer, *J. High Energy Phys.* 06 (2011) 128.
 [22] T. Sjöstrand, S. Mrenna, and P. Skands, *J. High Energy Phys.* 05 (2006) 026.
 [23] S. Frixione *et al.*, *J. High Energy Phys.* 29 (2002) 0206.
 [24] H.-L. Lai, M. Guzzi, J. Huston, Z. Li, P. M. Nadolsky, J. Pumplin, and C.-P. Yuan, *Phys. Rev. D* **82**, 074024 (2010).
 [25] G. Corcella *et al.*, *J. High Energy Phys.* 10 (2001) 0101.
 [26] J. M. Butterworth, J. R. Forshaw, and M. H. Seymour, *Z. Phys. C* **72**, 637 (1996).
 [27] ATLAS Collaboration, Report No. ATL-PHYS-PUB-2011-008, 2010.
 [28] M. Cacciari, M. Czakon, M. Mangano, A. Mitov, and P. Nason, *Phys. Lett. B* **710**, 612 (2012).
 [29] P. Bärnreuther, M. Czakon, and A. Mitov, *Phys. Rev. Lett.* **109**, 132001 (2012).

- [30] M. Czakon and A. Mitov, *J. High Energy Phys.* **12** (2012) 054.
 [31] M. Czakon and A. Mitov, *J. High Energy Phys.* **01** (2013) 080 (2013).
 [32] M. Czakon, P. Fiedler, and A. Mitov, *Phys. Rev. Lett.* **110**, 252004 (2013).
 [33] M. Czakon *et al.*, arXiv:1112.5675.
 [34] M. Botje *et al.*, arXiv:1101.0538.
 [35] A. D. Martin, W. J. Stirling, R. S. Thorne, and G. Watt, *Eur. Phys. J. C* **63**, 189 (2009).
 [36] A. D. Martin, W. J. Stirling, R. S. Thorne, and G. Watt, *Eur. Phys. J. C* **64**, 653 (2009).
 [37] J. Gao *et al.* arXiv:1302.6246.
 [38] R. D. Ball *et al.*, *Nucl. Phys.* **B867**, 244 (2013).
 [39] S. Frixione, P. Nason, and C. Oleari, *J. High Energy Phys.* **11** (2007) 070.
 [40] P. Nason, *J. High Energy Phys.* **11** (2004) 040.
 [41] S. Alioli, P. Nason, C. Oleari, and E. Re, *J. High Energy Phys.* **06** (2010) 043.
 [42] B. Kersevan, P. Borut, and E. Richter-Wąs, *Comput. Phys. Commun.* **184**, 919 (2013).
 [43] M. Mangano, F. Piccinini, A. D. Polosa, M. Moretti, and R. Pittau, *J. High Energy Phys.* **07** (2003) 001.
 [44] R. Gavin *et al.*, *Comput. Phys. Commun.* **184**, 208 (2013).
 [45] A. Sherstnev and R. S. Thorne, *Eur. Phys. J. C* **55**, 553 (2008).
 [46] N. Kidonakis, *Phys. Rev. D* **83**, 091503 (2011).
 [47] N. Kidonakis, *Phys. Rev. D* **81**, 054028 (2010).
 [48] N. Kidonakis, *Phys. Rev. D* **82**, 054018 (2010).
 [49] J. M. Campbell and R. K. Ellis, *Phys. Rev. D* **60**, 113006 (1999).
 [50] ATLAS Collaboration, *Eur. Phys. J. C* **70**, 823 (2010).
 [51] GEANT4 Collaboration, *Nucl. Instrum. Methods Phys. Res., Sect. A* **506**, 250 (2003).
 [52] ATLAS Collaboration, *Eur. Phys. J. C* **71**, 1577 (2011).
 [53] ATLAS Collaboration, *Eur. Phys. J. C* **72**, 1844 (2012).
 [54] ATLAS Collaboration, *Phys. Lett. B* **711**, 244 (2012).
 [55] M. Cacciari, G. P. Salam, and G. Soyez, *J. High Energy Phys.* **04** (2008) 063.
 [56] ATLAS Collaboration, Report No. ATL-LARG-PUB-2009-001-2, 2008.
 [57] ATLAS Collaboration, Report No. ATLAS-CONF-2012-064, 2012.
 [58] ATLAS Collaboration, Report No. ATLAS-CONF-2012-043, 2012.
 [59] ATLAS Collaboration, Report No. ATLAS-CONF-2011-102, 2011.
 [60] ATLAS Collaboration, Report No. ATLAS-CONF-2012-097, 2012.
 [61] ATLAS Collaboration, Report No. ATLAS-CONF-2012-039, 2012.
 [62] ATLAS Collaboration, Report No. ATLAS-CONF-2012-040, 2012.
 [63] ATLAS Collaboration, *Eur. Phys. J. C* **72**, 1909 (2012).
 [64] ATLAS Collaboration, Report No. ATLAS-CONF-2010-064, 2010.
 [65] ATLAS Collaboration, *Phys. Rev. D* **88**, 012004 (2013).
 [66] K. Rehermann and B. Tweedie, *J. High Energy Phys.* **03** (2011) 059.
 [67] J. Beringer, J. F. Arguin, R. M. Barnett, K. Copic, O. Dahl, D. E. Groom, C. J. Lin, J. Lys, H. Murayama, C. G. Wohl *et al.* (Particle Data Group), *Phys. Rev. D* **86**, 010001 (2012).
 [68] A. Hocker *et al.*, *Proc. Sci.*, ACAT (2007) 040.
 [69] ATLAS Collaboration, *Eur. Phys. J. C* **73**, 2304 (2013).
 [70] ATLAS Collaboration, *Eur. Phys. J. C* **72**, 2043 (2012).
 [71] ATLAS Collaboration, Report No. ATLAS-CONF-2012-149, 2012.
 [72] J. Alwall, S. Hoche, F. Krauss, N. Lavesson, L. Lonnblad *et al.*, *Eur. Phys. J. C* **53**, 473 (2008).
 [73] ATLAS Collaboration, *Eur. Phys. J. C* **73**, 2518 (2013).
 [74] A. L. Read, *J. Phys. G* **28**, 2693 (2002).
 [75] G. Cowan, K. Cranmer, E. Gross, and O. Vitells, *Eur. Phys. J. C* **71**, 1 (2011).
 [76] L. Moneta *et al.*, *Proc. Sci.*, ACAT2010 (2010) 057.
 [77] S. Heinemeyer *et al.* (LHC Higgs Cross Section Working Group), arXiv:1307.1347.
 [78] J. F. Gunion, H. E. Haber, G. L. Kane, and S. Dawson, *Front. Phys.* **80**, 1 (2000).
 [79] R. V. Harlander, S. Liebler, and H. Mantler, *Comput. Phys. Commun.* **184**, 1605 (2013).
 [80] D. Eriksson, J. Rathsman, and O. Stal, *Comput. Phys. Commun.* **181**, 189 (2010).
 [81] I. Ginzburg and I. Ivanov, *Phys. Rev. D* **72**, 115010 (2005).

G. Aad,⁴⁸ T. Abajyan,²¹ B. Abbott,¹¹² J. Abdallah,¹² S. Abdel Khalek,¹¹⁶ O. Abdinov,¹¹ R. Aben,¹⁰⁶ B. Abi,¹¹³ M. Abolins,⁸⁹ O. S. AbouZeid,¹⁵⁹ H. Abramowicz,¹⁵⁴ H. Abreu,¹³⁷ Y. Abulaiti,^{147a,147b} B. S. Acharya,^{165a,165b,b} L. Adamczyk,^{38a} D. L. Adams,²⁵ T. N. Addy,⁵⁶ J. Adelman,¹⁷⁷ S. Adomeit,⁹⁹ T. Adaye,¹³⁰ S. Aefsky,²³ T. Agatonovic-Jovin,^{13b} J. A. Aguilar-Saavedra,^{125b,c} M. Agustoni,¹⁷ S. P. Ahlen,²² A. Ahmad,¹⁴⁹ F. Ahmadov,^{64,d} M. Ahsan,⁴¹ G. Aielli,^{134a,134b} T. P. A. Åkesson,⁸⁰ G. Akimoto,¹⁵⁶ A. V. Akimov,⁹⁵ M. A. Alam,⁷⁶ J. Albert,¹⁷⁰ S. Albrand,⁵⁵ M. J. Alconada Verzini,⁷⁰ M. Aleksa,³⁰ I. N. Aleksandrov,⁶⁴ F. Alessandria,^{90a} C. Alexa,^{26a} G. Alexander,¹⁵⁴ G. Alexandre,⁴⁹ T. Alexopoulos,¹⁰ M. Alhroob,^{165a,165c} M. Aliev,¹⁶ G. Alimonti,^{90a} L. Alio,⁸⁴ J. Alison,³¹ B. M. M. Allbrooke,¹⁸ L. J. Allison,⁷¹ P. P. Allport,⁷³ S. E. Allwood-Spiers,⁵³ J. Almond,⁸³ A. Aloisio,^{103a,103b} R. Alon,¹⁷³ A. Alonso,³⁶ F. Alonso,⁷⁰ A. Altheimer,³⁵ B. Alvarez Gonzalez,⁸⁹ M. G. Alviggi,^{103a,103b} K. Amako,⁶⁵ Y. Amaral Coutinho,^{24a} C. Amelung,²³ V. V. Ammosov,^{129,a} S. P. Amor Dos Santos,^{125a} A. Amorim,^{125a,e} S. Amoroso,⁴⁸ N. Amram,¹⁵⁴ G. Amundsen,²³ C. Anastopoulos,³⁰ L. S. Ancu,¹⁷ N. Andari,³⁰ T. Andeen,³⁵ C. F. Anders,^{58b} G. Anders,^{58a} K. J. Anderson,³¹ A. Andreazza,^{90a,90b} V. Andrei,^{58a} X. S. Anduaga,⁷⁰ S. Angelidakis,⁹ P. Anger,⁴⁴ A. Angerami,³⁵ F. Anghinolfi,³⁰ A. V. Anisenkov,¹⁰⁸ N. Anjos,^{125a} A. Annovi,⁴⁷ A. Antonaki,⁹ M. Antonelli,⁴⁷ A. Antonov,⁹⁷ J. Antos,^{145b} F. Anulli,^{133a} M. Aoki,¹⁰² L. Aperio Bella,¹⁸ R. Apolle,^{119,f} G. Arabidze,⁸⁹ I. Aracena,¹⁴⁴ Y. Arai,⁶⁵ A. T. H. Arce,⁴⁵ S. Arfaoui,¹⁴⁹ J.-F. Arguin,⁹⁴ S. Argyropoulos,⁴²

E. Arik,^{19a} M. Arik,^{19a} A. J. Armbruster,⁸⁸ O. Arnaez,⁸² V. Arnal,⁸¹ O. Arslan,²¹ A. Artamonov,⁹⁶ G. Artoni,²³ S. Asai,¹⁵⁶ N. Asbah,⁹⁴ S. Ask,²⁸ B. Asman,^{147a,147b} L. Asquith,⁶ K. Assamagan,²⁵ R. Astalos,^{145a} A. Astbury,¹⁷⁰ M. Atkinson,¹⁶⁶ N. B. Atlay,¹⁴² B. Auerbach,⁶ E. Auge,¹¹⁶ K. Augsten,¹²⁷ M. Aurousseau,^{146b} G. Avolio,³⁰ G. Azuelos,^{94g} Y. Azuma,¹⁵⁶ M. A. Baak,³⁰ C. Bacci,^{135a,135b} A. M. Bach,¹⁵ H. Bachacou,¹³⁷ K. Bachas,¹⁵⁵ M. Backes,³⁰ M. Backhaus,²¹ J. Backus Mayes,¹⁴⁴ E. Badescu,^{26a} P. Bagiachi,^{133a,133b} P. Bagnaia,^{133a,133b} Y. Bai,^{33a} D. C. Bailey,¹⁵⁹ T. Bain,³⁵ J. T. Baines,¹³⁰ O. K. Baker,¹⁷⁷ S. Baker,⁷⁷ P. Balek,¹²⁸ F. Balli,¹³⁷ E. Banas,³⁹ S. Banerjee,¹⁷⁴ D. Banfi,³⁰ A. Bangert,¹⁵¹ V. Bansal,¹⁷⁰ H. S. Bansil,¹⁸ L. Barak,¹⁷³ S. P. Baranov,⁹⁵ T. Barber,⁴⁸ E. L. Barberio,⁸⁷ D. Barberis,^{50a,50b} M. Barbero,⁸⁴ T. Barillari,¹⁰⁰ M. Barisonzi,¹⁷⁶ T. Barklow,¹⁴⁴ N. Barlow,²⁸ B. M. Barnett,¹³⁰ R. M. Barnett,¹⁵ A. Baroncelli,^{135a} G. Barone,⁴⁹ A. J. Barr,¹¹⁹ F. Barreiro,⁸¹ J. Barreiro Guimarães da Costa,⁵⁷ R. Bartoldus,¹⁴⁴ A. E. Barton,⁷¹ P. Bartos,^{145a} V. Bartsch,¹⁵⁰ A. Bassalat,¹¹⁶ A. Basye,¹⁶⁶ R. L. Bates,⁵³ L. Batkova,^{145a} J. R. Batley,²⁸ M. Battistin,³⁰ F. Bauer,¹³⁷ H. S. Bawa,^{144h} T. Beau,⁷⁹ P. H. Beauchemin,¹⁶² R. Beccherle,^{50a} P. Bechtle,²¹ H. P. Beck,¹⁷ K. Becker,¹⁷⁶ S. Becker,⁹⁹ M. Beckingham,¹³⁹ A. J. Beddall,^{19c} A. Beddall,^{19c} S. Bedikian,¹⁷⁷ V. A. Bednyakov,⁶⁴ C. P. Bee,⁸⁴ L. J. Beemster,¹⁰⁶ T. A. Beermann,¹⁷⁶ M. Begel,²⁵ K. Behr,¹¹⁹ C. Belanger-Champagne,⁸⁶ P. J. Bell,⁴⁹ W. H. Bell,⁴⁹ G. Bella,¹⁵⁴ L. Bellagamba,^{20a} A. Bellerive,⁵⁹ M. Bellomo,³⁰ A. Belloni,⁵⁷ O. L. Beloborodova,¹⁰⁸ⁱ K. Belotskiy,⁹⁷ O. Beltramello,³⁰ O. Benary,¹⁵⁴ D. Benchekroun,^{136a} K. Bendtz,^{147a,147b} N. Benekos,¹⁶⁶ Y. Benhamou,¹⁵⁴ E. Benhar Noccioli,⁴⁹ J. A. Benitez Garcia,^{160b} D. P. Benjamin,⁴⁵ J. R. Bensinger,²³ K. Benslama,¹³¹ S. Bentvelsen,¹⁰⁶ D. Berge,³⁰ E. Bergeas Kuutmann,¹⁶ N. Berger,⁵ F. Berghaus,¹⁷⁰ E. Berglund,¹⁰⁶ J. Beringer,¹⁵ C. Bernard,²² P. Bernat,⁷⁷ R. Bernhard,⁴⁸ C. Bernius,⁷⁸ F. U. Bernlochner,¹⁷⁰ T. Berry,⁷⁶ P. Berta,¹²⁸ C. Bertella,⁸⁴ F. Bertolucci,^{123a,123b} M. I. Besana,^{90a} G. J. Besjes,¹⁰⁵ O. Bessidskaia,^{147a,147b} N. Besson,¹³⁷ S. Bethke,¹⁰⁰ W. Bhimji,⁴⁶ R. M. Bianchi,¹²⁴ L. Bianchini,²³ M. Bianco,³⁰ O. Biebel,⁹⁹ S. P. Bieniek,⁷⁷ K. Bierwagen,⁵⁴ J. Biesiada,¹⁵ M. Biglietti,^{135a} J. Bilbao De Mendizabal,⁴⁹ H. Bilokon,⁴⁷ M. Bindi,^{20a,20b} S. Binet,¹¹⁶ A. Bingul,^{19c} C. Bini,^{133a,133b} B. Bittner,¹⁰⁰ C. W. Black,¹⁵¹ J. E. Black,¹⁴⁴ K. M. Black,²² D. Blackburn,¹³⁹ R. E. Blair,⁶ J.-B. Blanchard,¹³⁷ T. Blazek,^{145a} I. Bloch,⁴² C. Blocker,²³ J. Blocki,³⁹ W. Blum,^{82a} U. Blumenschein,⁵⁴ G. J. Bobbink,¹⁰⁶ V. S. Bobrovnikov,¹⁰⁸ S. S. Bocchetta,⁸⁰ A. Bocci,⁴⁵ C. R. Boddy,¹¹⁹ M. Boehler,⁴⁸ J. Boek,¹⁷⁶ T. T. Boek,¹⁷⁶ N. Boelaert,³⁶ J. A. Bogaerts,³⁰ A. G. Bogdanchikov,¹⁰⁸ A. Bogouch,^{91a} C. Bohm,^{147a} J. Bohm,¹²⁶ V. Boisvert,⁷⁶ T. Bold,^{38a} V. Boldea,^{26a} A. S. Boldyrev,⁹⁸ N. M. Bolnet,¹³⁷ M. Bomben,⁷⁹ M. Bona,⁷⁵ M. Boonekamp,¹³⁷ S. Bordini,⁷⁹ C. Borer,¹⁷ A. Borisov,¹²⁹ G. Borissov,⁷¹ M. Borri,⁸³ S. Borroni,⁴² J. Bortfeldt,⁹⁹ V. Bortolotto,^{135a,135b} K. Bos,¹⁰⁶ D. Boscherini,^{20a} M. Bosman,¹² H. Boterenbrood,¹⁰⁶ J. Bouchami,⁹⁴ J. Boudreau,¹²⁴ E. V. Bouhova-Thacker,⁷¹ D. Boumediene,³⁴ C. Bourdarios,¹¹⁶ N. Bousson,⁸⁴ S. Boutouil,^{136d} A. Boveia,³¹ J. Boyd,³⁰ I. R. Boyko,⁶⁴ I. Bozovic-Jelisavcic,^{13b} J. Bracinik,¹⁸ P. Branchini,^{135a} A. Brandt,⁸ G. Brandt,¹⁵ O. Brandt,⁵⁴ U. Bratzler,¹⁵⁷ B. Brau,⁸⁵ J. E. Brau,¹¹⁵ H. M. Braun,^{176a} S. F. Brazzale,^{165a,165c} B. Brelier,¹⁵⁹ K. Brendlinger,¹²¹ R. Brenner,¹⁶⁷ S. Bressler,¹⁷³ T. M. Bristow,⁴⁶ D. Britton,⁵³ F. M. Brochu,²⁸ I. Brock,²¹ R. Brock,⁸⁹ F. Broggi,^{90a} C. Bromberg,⁸⁹ J. Bronner,¹⁰⁰ G. Brooijmans,³⁵ T. Brooks,⁷⁶ W. K. Brooks,^{32b} J. Brosamer,¹⁵ E. Brost,¹¹⁵ G. Brown,⁸³ J. Brown,⁵⁵ P. A. Bruckman de Renstrom,³⁹ D. Bruncko,^{145b} R. Bruneliere,⁴⁸ S. Brunet,⁶⁰ A. Bruni,^{20a} G. Bruni,^{20a} M. Bruschi,^{20a} L. Bryngemark,⁸⁰ T. Buanes,¹⁴ Q. Buat,⁵⁵ F. Bucci,⁴⁹ P. Buchholz,¹⁴² R. M. Buckingham,¹¹⁹ A. G. Buckley,⁴⁶ S. I. Buda,^{26a} I. A. Budagov,⁶⁴ B. Budick,¹⁰⁹ F. Buehrer,⁴⁸ L. Bugge,¹¹⁸ M. K. Bugge,¹¹⁸ O. Bulekov,⁹⁷ A. C. Bundock,⁷³ M. Bunse,⁴³ H. Burckhart,³⁰ S. Burdin,⁷³ T. Burgess,¹⁴ B. Burghgrave,¹⁰⁷ S. Burke,¹³⁰ I. Burmeister,⁴³ E. Busato,³⁴ V. Büscher,⁸² P. Bussey,⁵³ C. P. Buszello,¹⁶⁷ B. Butler,⁵⁷ J. M. Butler,²² A. I. Butt,³ C. M. Buttar,⁵³ J. M. Butterworth,⁷⁷ W. Buttinger,²⁸ A. Buzatu,⁵³ M. Byszewski,¹⁰ S. Cabrera Urbán,¹⁶⁸ D. Caforio,^{20a,20b} O. Cakir,^{4a} P. Calafiura,¹⁵ G. Calderini,⁷⁹ P. Calfayan,⁹⁹ R. Calkins,¹⁰⁷ L. P. Caloba,^{24a} R. Caloi,^{133a,133b} D. Calvet,³⁴ S. Calvet,³⁴ R. Camacho Toro,⁴⁹ P. Camarri,^{134a,134b} D. Cameron,¹¹⁸ L. M. Caminada,¹⁵ R. Caminal Armadans,¹² S. Campana,³⁰ M. Campanelli,⁷⁷ V. Canale,^{103a,103b} F. Canelli,³¹ A. Canepa,^{160a} J. Cantero,⁸¹ R. Cantrill,⁷⁶ T. Cao,⁴⁰ M. D. M. Capeans Garrido,³⁰ I. Caprini,^{26a} M. Caprini,^{26a} M. Capua,^{37a,37b} R. Caputo,⁸² R. Cardarelli,^{134a} T. Carli,³⁰ G. Carlino,^{103a} L. Carminati,^{90a,90b} S. Caron,¹⁰⁵ E. Carquin,^{32a} G. D. Carrillo-Montoya,^{146c} A. A. Carter,⁷⁵ J. R. Carter,²⁸ J. Carvalho,^{125aj} D. Casadei,⁷⁷ M. P. Casado,¹² C. Caso,^{50a,50b,a} E. Castaneda-Miranda,^{146b} A. Castelli,¹⁰⁶ V. Castillo Gimenez,¹⁶⁸ N. F. Castro,^{125a} P. Catastini,⁵⁷ A. Catinaccio,³⁰ J. R. Catmore,⁷¹ A. Cattai,³⁰ G. Cattani,^{134a,134b} S. Caughron,⁸⁹ V. Cavaliere,¹⁶⁶ D. Cavalli,¹⁵⁰ M. Cavalli-Sforza,¹² V. Cavasinni,^{123a,123b} F. Ceradini,^{135a,135b} B. Cerio,⁴⁵ K. Cerny,¹²⁸ A. S. Cerqueira,^{24b} A. Cerri,¹⁵⁰ L. Cerrito,⁷⁵ F. Cerutti,¹⁵ A. Cervelli,¹⁷ S. A. Cetin,^{19b} A. Chafaq,^{136a} D. Chakraborty,¹⁰⁷ I. Chalupkova,¹²⁸ K. Chan,³ P. Chang,¹⁶⁶ B. Chapleau,⁸⁶ J. D. Chapman,²⁸ D. Charfeddine,¹¹⁶ D. G. Charlton,¹⁸ V. Chavda,⁸³ C. A. Chavez Barajas,²⁵ S. Cheatham,⁸⁶ S. Chekanov,⁶ S. V. Chekulaev,^{160a} G. A. Chelkov,⁶⁴ M. A. Chelstowska,⁸⁸ C. Chen,⁶³ H. Chen,²⁵ K. Chen,¹⁴⁹ L. Chen,^{33d} S. Chen,^{33c} X. Chen,¹⁷⁴ Y. Chen,³⁵ Y. Cheng,³¹ A. Cheplakov,⁶⁴ R. Cherkaoui El Moursli,^{136e} V. Chernyatin,^{25a} E. Cheu,⁷ L. Chevalier,¹³⁷ V. Chiarella,⁴⁷ G. Chiefari,^{103a,103b} J. T. Childers,³⁰ A. Chilingarov,⁷¹ G. Chiodini,^{72a} A. S. Chisholm,¹⁸ R. T. Chislett,⁷⁷ A. Chitan,^{26a} M. V. Chizhov,⁶⁴ S. Chouridou,⁹ B. K. B. Chow,⁹⁹ I. A. Christidi,⁷⁷ D. Chromek-Burckhart,³⁰ M. L. Chu,¹⁵² J. Chudoba,¹²⁶ G. Ciapetti,^{133a,133b} A. K. Ciftci,^{4a} R. Ciftci,^{4a} D. Cinca,⁶² V. Cindro,⁷⁴ A. Ciocio,¹⁵ M. Cirilli,⁸⁸ P. Cirkovic,^{13b} Z. H. Citron,¹⁷³ M. Citterio,^{90a} M. Ciubancan,^{26a} A. Clark,⁴⁹ P. J. Clark,⁴⁶ R. N. Clarke,¹⁵ J. C. Clemens,⁸⁴ B. Clement,⁵⁵ C. Clement,^{147a,147b} Y. Coadou,⁸⁴ M. Cokal,^{165a,165c}

A. Coccaro,¹³⁹ J. Cochran,⁶³ S. Coelli,^{90a} L. Coffey,²³ J. G. Cogan,¹⁴⁴ J. Coggeshall,¹⁶⁶ J. Colas,⁵ B. Cole,³⁵ S. Cole,¹⁰⁷
A. P. Colijn,¹⁰⁶ C. Collins-Tooth,⁵³ J. Collot,⁵⁵ T. Colombo,^{58c} G. Colon,⁸⁵ G. Compostella,¹⁰⁰ P. Conde Muño,^{125a}
E. Coniavitis,¹⁶⁷ M. C. Conidi,¹² I. A. Connelly,⁷⁶ S. M. Consonni,^{90a,90b} V. Consorti,⁴⁸ S. Constantinescu,^{26a}
C. Conta,^{120a,120b} G. Conti,⁵⁷ F. Conventi,^{103a,k} M. Cooke,¹⁵ B. D. Cooper,⁷⁷ A. M. Cooper-Sarkar,¹¹⁹ N. J. Cooper-Smith,⁷⁶
K. Copic,¹⁵ T. Cornelissen,¹⁷⁶ M. Corradi,^{20a} F. Corriveau,^{86,1} A. Corso-Radu,¹⁶⁴ A. Cortes-Gonzalez,¹² G. Cortiana,¹⁰⁰
G. Costa,^{90a} M. J. Costa,¹⁶⁸ R. Costa Batalha Pedro,^{125a} D. Costanzo,¹⁴⁰ D. Côté,⁸ G. Cottin,^{32a} L. Courneyea,¹⁷⁰
G. Cowan,⁷⁶ B. E. Cox,⁸³ K. Cranmer,¹⁰⁹ G. Cree,²⁹ S. Crépe-Renaudin,⁵⁵ F. Crescioli,⁷⁹ M. Crispin Ortuzar,¹¹⁹
M. Cristinziani,²¹ G. Crosetti,^{37a,37b} C.-M. Cuciuc,^{26a} C. Cuenca Almenar,¹⁷⁷ T. Cuhadar Donszelmann,¹⁴⁰ J. Cummings,¹⁷⁷
M. Curatolo,⁴⁷ C. Cuthbert,¹⁵¹ H. Czirr,¹⁴² P. Czodrowski,⁴⁴ Z. Czyczula,¹⁷⁷ S. D'Auria,⁵³ M. D'Onofrio,⁷³
A. D'Orazio,^{133a,133b} M. J. Da Cunha Sargedas De Sousa,^{125a} C. Da Via,⁸³ W. Dabrowski,^{38a} A. Dafinca,¹¹⁹ T. Dai,⁸⁸
F. Dallaire,⁹⁴ C. Dallapiccola,⁸⁵ M. Dam,³⁶ A. C. Daniells,¹⁸ M. Dano Hoffmann,³⁶ V. Dao,¹⁰⁵ G. Darbo,^{50a} G. L. Darlea,^{26c}
S. Darmora,⁸ J. A. Dassoulas,⁴² W. Davey,²¹ C. David,¹⁷⁰ T. Davidek,¹²⁸ E. Davies,^{119,f} M. Davies,⁹⁴ O. Davignon,⁷⁹
A. R. Davison,⁷⁷ Y. Davygora,^{58a} E. Dawe,¹⁴³ I. Dawson,¹⁴⁰ R. K. Daya-Ishmukhametova,²³ K. De,⁸ R. de Asmundis,^{103a}
S. De Castro,^{20a,20b} S. De Cecco,⁷⁹ J. de Graat,⁹⁹ N. De Groot,¹⁰⁵ P. de Jong,¹⁰⁶ C. De La Taille,¹¹⁶ H. De la Torre,⁸¹
F. De Lorenzi,⁶³ L. De Nooij,¹⁰⁶ D. De Pedis,^{133a} A. De Salvo,^{133a} U. De Sanctis,^{165a,165c} A. De Santo,¹⁵⁰
J. B. De Vivie De Regie,¹¹⁶ G. De Zorzi,^{133a,133b} W. J. Dearnaley,⁷¹ R. Debbe,²⁵ C. Debenedetti,⁴⁶ B. Dechenaux,⁵⁵
D. V. Dedovich,⁶⁴ J. Degenhardt,¹²¹ J. Del Peso,⁸¹ T. Del Prete,^{123a,123b} T. Delemontex,⁵⁵ F. Deliot,¹³⁷ M. Deliyergiyev,⁷⁴
A. Dell'Acqua,³⁰ L. Dell'Asta,²² M. Della Pietra,^{103a,k} D. della Volpe,^{103a,103b} M. Delmastro,⁵ P. A. Delsart,⁵⁵ C. Deluca,¹⁰⁶
S. Demers,¹⁷⁷ M. Demichev,⁶⁴ A. Demilly,⁷⁹ B. Demirköz,^{12,m} S. P. Denisov,¹²⁹ D. Derendarz,³⁹ J. E. Derkaoui,^{136d}
F. Derue,⁷⁹ P. Dervan,⁷³ K. Desch,²¹ P. O. Deviveiros,¹⁰⁶ A. Dewhurst,¹³⁰ B. DeWilde,¹⁴⁹ S. Dhaliwal,¹⁰⁶ R. Dhullipudi,^{78,n}
A. Di Ciaccio,^{134a,134b} L. Di Ciaccio,⁵ C. Di Donato,^{103a,103b} A. Di Girolamo,³⁰ B. Di Girolamo,³⁰ A. Di Mattia,¹⁵³
B. Di Micco,^{135a,135b} R. Di Nardo,⁴⁷ A. Di Simone,⁴⁸ R. Di Sipio,^{20a,20b} D. Di Valentino,²⁹ M. A. Diaz,^{32a} E. B. Diehl,⁸⁸
J. Dietrich,⁴² T. A. Dietzsch,^{58a} S. Diglio,⁸⁷ K. Dindar Yagci,⁴⁰ J. Dingfelder,²¹ C. Dionisi,^{133a,133b} P. Dita,^{26a} S. Dita,^{26a}
F. Dittus,³⁰ F. Djama,⁸⁴ T. Djobava,^{51b} M. A. B. do Vale,^{24c} A. Do Valle Wemans,^{125a,o} T. K. O. Doan,⁵ D. Dobos,³⁰
E. Dobson,⁷⁷ J. Dodd,³⁵ C. Doglioni,⁴⁹ T. Doherty,⁵³ T. Dohmae,¹⁵⁶ J. Dolejsi,¹²⁸ Z. Dolezal,¹²⁸ B. A. Dolgoshein,^{97,a}
M. Donadelli,^{24d} S. Donati,^{123a,123b} P. Dondero,^{120a,120b} J. Donini,³⁴ J. Dopke,³⁰ A. Doria,^{103a} A. Dos Anjos,¹⁷⁴
A. Dotti,^{123a,123b} M. T. Dova,⁷⁰ A. T. Doyle,⁵³ M. Dris,¹⁰ J. Dubbert,⁸⁸ S. Dube,¹⁵ E. Dubreuil,³⁴ E. Duchovni,¹⁷³
G. Duckeck,⁹⁹ O. A. Ducu,^{26a} D. Duda,¹⁷⁶ A. Dudarev,³⁰ F. Dudziak,⁶³ L. Dufлот,¹¹⁶ L. Duguid,⁷⁶ M. Dührssen,³⁰
M. Dunford,^{58a} H. Duran Yildiz,^{4a} M. Düren,⁵² M. Dwuznik,^{38a} J. Ebke,⁹⁹ W. Edson,² C. A. Edwards,⁷⁶ N. C. Edwards,⁴⁶
W. Ehrenfeld,²¹ T. Eifert,¹⁴⁴ G. Eigen,¹⁴ K. Einsweiler,¹⁵ E. Eisenhandler,⁷⁵ T. Ekelof,¹⁶⁷ M. El Kacimi,^{136c} M. Ellert,¹⁶⁷
S. Elles,⁵ F. Ellinghaus,⁸² K. Ellis,⁷⁵ N. Ellis,³⁰ J. Elmsheuser,⁹⁹ M. Elsing,³⁰ D. Emelianov,¹³⁰ Y. Enari,¹⁵⁶ O. C. Endner,⁸²
M. Endo,¹¹⁷ R. Engelmann,¹⁴⁹ J. Erdmann,¹⁷⁷ A. Ereditato,¹⁷ D. Eriksson,^{147a} G. Ernis,¹⁷⁶ J. Ernst,² M. Ernst,²⁵
J. Ernwein,¹³⁷ D. Errede,¹⁶⁶ S. Errede,¹⁶⁶ E. Ertel,⁸² M. Escalier,¹¹⁶ H. Esch,⁴³ C. Escobar,¹²⁴ X. Espinal Curull,¹²
B. Esposito,⁴⁷ F. Etienne,⁸⁴ A. I. Etiennevire,¹³⁷ E. Etzion,¹⁵⁴ D. Evangelakou,⁵⁴ H. Evans,⁶⁰ L. Fabbri,^{20a,20b} G. Facini,³⁰
R. M. Fakhrutdinov,¹²⁹ S. Falciano,^{133a} Y. Fang,^{33a} M. Fanti,^{90a,90b} A. Farbin,⁸ A. Farilla,^{135a} T. Farooque,¹⁵⁹ S. Farrell,¹⁶⁴
S. M. Farrington,¹⁷¹ P. Farthouat,³⁰ F. Fassi,¹⁶⁸ P. Fassnacht,³⁰ D. Fassouliotis,⁹ B. Fatholahzadeh,¹⁵⁹ A. Favareto,^{50a,50b}
L. Fayard,¹¹⁶ P. Federic,^{145a} O. L. Fedin,¹²² W. Fedorko,¹⁶⁹ M. Fehling-Kaschek,⁴⁸ L. Feligioni,⁸⁴ C. Feng,^{33d} E. J. Feng,⁶
H. Feng,⁸⁸ A. B. Fenyuk,¹²⁹ W. Fernando,⁶ S. Ferrag,⁵³ J. Ferrando,⁵³ V. Ferrara,⁴² A. Ferrari,¹⁶⁷ P. Ferrari,¹⁰⁶ R. Ferrari,^{120a}
D. E. Ferreira de Lima,⁵³ A. Ferrer,¹⁶⁸ D. Ferrere,⁴⁹ C. Ferretti,⁸⁸ A. Ferretto Parodi,^{50a,50b} M. Fiascaris,³¹ F. Fiedler,⁸²
A. Filipčič,⁷⁴ M. Filipuzzi,⁴² F. Filthaut,¹⁰⁵ M. Fincke-Keeler,¹⁷⁰ K. D. Finelli,⁴⁵ M. C. N. Fiolhais,^{125a,j} L. Fiorini,¹⁶⁸
A. Firan,⁴⁰ J. Fischer,¹⁷⁶ M. J. Fisher,¹¹⁰ E. A. Fitzgerald,²³ M. Flechl,⁴⁸ I. Fleck,¹⁴² P. Fleischmann,¹⁷⁵ S. Fleischmann,¹⁷⁶
G. T. Fletcher,¹⁴⁰ G. Fletcher,⁷⁵ T. Flick,¹⁷⁶ A. Floderus,⁸⁰ L. R. Flores Castillo,¹⁷⁴ A. C. Florez Bustos,^{160b}
M. J. Flowerdew,¹⁰⁰ T. Fonseca Martin,¹⁷ A. Formica,¹³⁷ A. Forti,⁸³ D. Fortin,^{160a} D. Fournier,¹¹⁶ H. Fox,⁷¹ P. Francavilla,¹²
M. Franchini,^{20a,20b} S. Franchino,³⁰ D. Francis,³⁰ M. Franklin,⁵⁷ S. Franz,⁶¹ M. Fraternali,^{120a,120b} S. Fratina,¹²¹
S. T. French,²⁸ C. Friedrich,⁴² F. Friedrich,⁴⁴ D. Froidevaux,³⁰ J. A. Frost,²⁸ C. Fukunaga,¹⁵⁷ E. Fullana Torregrosa,¹²⁸
B. G. Fulsom,¹⁴⁴ J. Fuster,¹⁶⁸ C. Gabaldon,⁵⁵ O. Gabizon,¹⁷³ A. Gabrielli,^{20a,20b} A. Gabrielli,^{133a,133b} S. Gadatsch,¹⁰⁶
T. Gadfort,²⁵ S. Gadomski,⁴⁹ G. Gagliardi,^{50a,50b} P. Gagnon,⁶⁰ C. Galea,⁹⁹ B. Galhardo,^{125a} E. J. Gallas,¹¹⁹ V. Gallo,¹⁷
B. J. Gallop,¹³⁰ P. Gallus,¹²⁷ G. Galster,³⁶ K. K. Gan,¹¹⁰ R. P. Gandrajula,⁶² J. Gao,^{33b,p} Y. S. Gao,^{144,h} F. M. Garay Walls,⁴⁶
F. Garberon,¹⁷⁷ C. García,¹⁶⁸ J. E. García Navarro,¹⁶⁸ M. Garcia-Sciveres,¹⁵ R. W. Gardner,³¹ N. Garelli,¹⁴⁴ V. Garonne,³⁰
C. Gatti,⁴⁷ G. Gaudio,^{120a} B. Gaur,¹⁴² L. Gauthier,⁹⁴ P. Gauzzi,^{133a,133b} I. L. Gavrilenko,⁹⁵ C. Gay,¹⁶⁹ G. Gaycken,²¹
E. N. Gazis,¹⁰ P. Ge,^{33d,q} Z. Geese,¹⁶⁹ C. N. P. Gee,¹³⁰ D. A. A. Geerts,¹⁰⁶ C. Geich-Gimbel,²¹ K. Gellerstedt,^{147a,147b}
C. Gemme,^{50a} A. Gemmell,⁵³ M. H. Genest,⁵⁵ S. Gentile,^{133a,133b} M. George,⁵⁴ S. George,⁷⁶ D. Gerbaudo,¹⁶⁴ A. Gershon,¹⁵⁴
H. Ghazlane,^{136b} N. Ghodbane,³⁴ B. Giacobbe,^{20a} S. Giagu,^{133a,133b} V. Giangiobbe,¹² P. Giannetti,^{123a,123b} F. Gianotti,³⁰
B. Gibbard,²⁵ S. M. Gibson,⁷⁶ M. Gilchriese,¹⁵ T. P. S. Gillam,²⁸ D. Gillberg,³⁰ A. R. Gillman,¹³⁰ D. M. Gingrich,^{3,g}
N. Giokaris,⁹ M. P. Giordani,^{165a,165c} R. Giordano,^{103a,103b} F. M. Giorgi,¹⁶ P. Giovannini,¹⁰⁰ P. F. Giraud,¹³⁷ D. Giugni,^{90a}

C. Giuliani,⁴⁸ M. Giunta,⁹⁴ B. K. Gjelsten,¹¹⁸ I. Gkialas,^{155,r} L. K. Gladilin,⁹⁸ C. Glasman,⁸¹ J. Glatzer,²¹ A. Glazov,⁴² G. L. Glonti,⁶⁴ M. Goblirsch-Kolb,¹⁰⁰ J. R. Goddard,⁷⁵ J. Godfrey,¹⁴³ J. Godlewski,³⁰ C. Goeringer,⁸² S. Goldfarb,⁸⁸ T. Golling,¹⁷⁷ D. Golubkov,¹²⁹ A. Gomes,^{125a,e} L. S. Gomez Fajardo,⁴² R. Gonçalo,⁷⁶ J. Goncalves Pinto Firmino Da Costa,⁴² L. Gonella,²¹ S. González de la Hoz,¹⁶⁸ G. Gonzalez Parra,¹² M. L. Gonzalez Silva,²⁷ S. Gonzalez-Sevilla,⁴⁹ J. J. Goodson,¹⁴⁹ L. Goossens,³⁰ P. A. Gorbounov,⁹⁶ H. A. Gordon,²⁵ I. Gorelov,¹⁰⁴ G. Gorfine,¹⁷⁶ B. Gorini,³⁰ E. Gorini,^{72a,72b} A. Gorišek,⁷⁴ E. Gornicki,³⁹ A. T. Goshaw,⁶ C. Gössling,⁴³ M. I. Gostkin,⁶⁴ M. Gouighri,^{136a} D. Goujdami,^{136c} M. P. Goulette,⁴⁹ A. G. Goussiou,¹³⁹ C. Goy,⁵ S. Gozpinar,²³ H. M. X. Grabas,¹³⁷ L. Graber,⁵⁴ I. Grabowska-Bold,^{38a} P. Grafström,^{20a,20b} K.-J. Grahn,⁴² J. Gramling,⁴⁹ E. Gramstad,¹¹⁸ F. Grancagnolo,^{72a} S. Grancagnolo,¹⁶ V. Grassi,¹⁴⁹ V. Gratchev,¹²² H. M. Gray,³⁰ J. A. Gray,¹⁴⁹ E. Graziani,^{135a} O. G. Grebenyuk,¹²² Z. D. Greenwood,^{78,n} K. Gregersen,³⁶ I. M. Gregor,⁴² P. Grenier,¹⁴⁴ J. Griffiths,⁸ N. Grigalashvili,⁶⁴ A. A. Grillo,¹³⁸ K. Grimm,⁷¹ S. Grinstein,^{12,s} P. Gris,³⁴ Y. V. Grishkevich,⁹⁸ J.-F. Grivaz,¹¹⁶ J. P. Grohs,⁴⁴ A. Grohsjean,⁴² E. Gross,¹⁷³ J. Grosse-Knetter,⁵⁴ G. C. Grossi,^{134a,134b} J. Groth-Jensen,¹⁷³ Z. J. Grout,¹⁵⁰ K. Grybel,¹⁴² F. Guescini,⁴⁹ D. Guest,¹⁷⁷ O. Gueta,¹⁵⁴ C. Guicheney,³⁴ E. Guido,^{50a,50b} T. Guillemin,¹¹⁶ S. Guindon,² U. Gul,⁵³ C. Gumpert,⁴⁴ J. Gunther,¹²⁷ J. Guo,³⁵ S. Gupta,¹¹⁹ P. Gutierrez,¹¹² N. G. Gutierrez Ortiz,⁵³ C. Gutsche,⁷⁷ N. Guttman,¹⁵⁴ C. Guyot,¹³⁷ C. Gwenlan,¹¹⁹ C. B. Gwilliam,⁷³ A. Haas,¹⁰⁹ C. Haber,¹⁵ H. K. Hadavand,⁸ P. Haefner,²¹ S. Hageboeck,²¹ Z. Hajduk,³⁹ H. Hakobyan,¹⁷⁸ D. Hall,¹¹⁹ G. Halladjian,⁸⁹ K. Hamacher,¹⁷⁶ P. Hamal,¹¹⁴ K. Hamano,⁸⁷ M. Hamer,⁵⁴ A. Hamilton,^{146a,t} S. Hamilton,¹⁶² L. Han,^{33b} K. Hanagaki,¹¹⁷ K. Hanawa,¹⁵⁶ M. Hance,¹⁵ P. Hanke,^{58a} J. R. Hansen,³⁶ J. B. Hansen,³⁶ J. D. Hansen,³⁶ P. H. Hansen,³⁶ P. Hansson,¹⁴⁴ K. Hara,¹⁶¹ A. S. Hard,¹⁷⁴ T. Harenberg,¹⁷⁶ S. Harkusha,⁹¹ D. Harper,⁸⁸ R. D. Harrington,⁴⁶ O. M. Harris,¹³⁹ P. F. Harrison,¹⁷¹ F. Hartjes,¹⁰⁶ A. Harvey,⁵⁶ S. Hasegawa,¹⁰² Y. Hasegawa,¹⁴¹ S. Hassani,¹³⁷ S. Haug,¹⁷ M. Hauschild,³⁰ R. Hauser,⁸⁹ M. Havranek,²¹ C. M. Hawkes,¹⁸ R. J. Hawkings,³⁰ A. D. Hawkins,⁸⁰ T. Hayashi,¹⁶¹ D. Hayden,⁸⁹ C. P. Hays,¹¹⁹ H. S. Hayward,⁷³ S. J. Haywood,¹³⁰ S. J. Head,¹⁸ T. Heck,⁸² V. Hedberg,⁸⁰ L. Heelan,⁸ S. Heim,¹²¹ B. Heinemann,¹⁵ S. Heisterkamp,³⁶ J. Hejbal,¹²⁶ L. Helary,²² C. Heller,⁹⁹ M. Heller,³⁰ S. Hellman,^{147a,147b} D. Hellmich,²¹ C. Helsens,³⁰ J. Henderson,¹¹⁹ R. C. W. Henderson,⁷¹ A. Henrichs,¹⁷⁷ A. M. Henriques Correia,³⁰ S. Henrot-Versille,¹¹⁶ C. Hensel,⁵⁴ G. H. Herbert,¹⁶ C. M. Hernandez,⁸ Y. Hernández Jiménez,¹⁶⁸ R. Herrberg-Schubert,¹⁶ G. Herten,⁴⁸ R. Hertenberger,⁹⁹ L. Hervas,³⁰ G. G. Hesketh,⁷⁷ N. P. Hessey,¹⁰⁶ R. Hickling,⁷⁵ E. Higón-Rodríguez,¹⁶⁸ J. C. Hill,²⁸ K. H. Hiller,⁴² S. Hillert,²¹ S. J. Hillier,¹⁸ I. Hinchliffe,¹⁵ E. Hines,¹²¹ M. Hirose,¹¹⁷ D. Hirschebuehl,¹⁷⁶ J. Hobbs,¹⁴⁹ N. Hod,¹⁰⁶ M. C. Hodgkinson,¹⁴⁰ P. Hodgson,¹⁴⁰ A. Hoecker,³⁰ M. R. Hoferkamp,¹⁰⁴ J. Hoffman,⁴⁰ D. Hoffmann,⁸⁴ J. I. Hofmann,^{58a} M. Hohlfeld,⁸² T. R. Holmes,¹⁵ T. M. Hong,¹²¹ L. Hooft van Huysduynen,¹⁰⁹ J.-Y. Hostachy,⁵⁵ S. Hou,¹⁵² A. Hoummada,^{136a} J. Howard,¹¹⁹ J. Howarth,⁸³ M. Hrabovsky,¹¹⁴ I. Hristova,¹⁶ J. Hrivnac,¹¹⁶ T. Hryn'ova,⁵ P. J. Hsu,⁸² S.-C. Hsu,¹³⁹ D. Hu,³⁵ X. Hu,²⁵ Y. Huang,^{146c} Z. Hubacek,³⁰ F. Hubaut,⁸⁴ F. Huegging,²¹ A. Huettmann,⁴² T. B. Huffman,¹¹⁹ E. W. Hughes,³⁵ G. Hughes,⁷¹ M. Huhtinen,³⁰ T. A. Hülsing,⁸² M. Hurwitz,¹⁵ N. Huseynov,^{64,d} J. Huston,⁸⁹ J. Huth,⁵⁷ G. Iacobucci,⁴⁹ G. Iakovidis,¹⁰ I. Ibragimov,¹⁴² L. Iconomidou-Fayard,¹¹⁶ J. Idarraga,¹¹⁶ E. Ideal,¹⁷⁷ P. Iengo,^{103a} O. Igonkina,¹⁰⁶ T. Iizawa,¹⁷² Y. Ikegami,⁶⁵ K. Ikematsu,¹⁴² M. Ikeno,⁶⁵ D. Iliadis,¹⁵⁵ N. Ilic,¹⁵⁹ Y. Inamaru,⁶⁶ T. Ince,¹⁰⁰ P. Ioannou,⁹ M. Iodice,^{135a} K. Iordanidou,⁹ V. Ippolito,^{133a,133b} A. Irles Quiles,¹⁶⁸ C. Isaksson,¹⁶⁷ M. Ishino,⁶⁷ M. Ishitsuka,¹⁵⁸ R. Ishmukhametov,¹¹⁰ C. Issever,¹¹⁹ S. Istin,^{19a} A. V. Ivashin,¹²⁹ W. Iwanski,³⁹ H. Iwasaki,⁶⁵ J. M. Izen,⁴¹ V. Izzo,^{103a} B. Jackson,¹²¹ J. N. Jackson,⁷³ M. Jackson,⁷³ P. Jackson,¹ M. R. Jaekel,³⁰ V. Jain,² K. Jakobs,⁴⁸ S. Jakobsen,³⁶ T. Jakoubek,¹²⁶ J. Jakubek,¹²⁷ D. O. Jamin,¹⁵² D. K. Jana,¹¹² E. Jansen,⁷⁷ H. Jansen,³⁰ J. Janssen,²¹ M. Janus,¹⁷¹ R. C. Jared,¹⁷⁴ G. Jarlskog,⁸⁰ L. Jeanty,⁵⁷ G.-Y. Jeng,¹⁵¹ I. Jen-La Plante,³¹ D. Jennens,⁸⁷ P. Jenni,^{48,u} J. Jentzsch,⁴³ C. Jeske,¹⁷¹ S. Jézéquel,⁵ M. K. Jha,^{20a} H. Ji,¹⁷⁴ W. Ji,⁸² J. Jia,¹⁴⁹ Y. Jiang,^{33b} M. Jimenez Belenguer,⁴² S. Jin,^{33a} A. Jinaru,^{26a} O. Jinnouchi,¹⁵⁸ M. D. Joergensen,³⁶ D. Joffe,⁴⁰ K. E. Johansson,^{147a} P. Johansson,¹⁴⁰ K. A. Johns,⁷ K. Jon-And,^{147a,147b} G. Jones,¹⁷¹ R. W. L. Jones,⁷¹ T. J. Jones,⁷³ P. M. Jorge,^{125a} K. D. Joshi,⁸³ J. Jovicevic,¹⁴⁸ X. Ju,¹⁷⁴ C. A. Jung,⁴³ R. M. Jungst,³⁰ P. Jussel,⁶¹ A. Juste Rozas,^{12,s} M. Kaci,¹⁶⁸ A. Kaczmarska,³⁹ P. Kadlecik,³⁶ M. Kado,¹¹⁶ H. Kagan,¹¹⁰ M. Kagan,¹⁴⁴ E. Kajomovitz,⁴⁵ S. Kalinin,¹⁷⁶ S. Kama,⁴⁰ N. Kanaya,¹⁵⁶ M. Kaneda,³⁰ S. Kaneti,²⁸ T. Kanno,¹⁵⁸ V. A. Kantserov,⁹⁷ J. Kanzaki,⁶⁵ B. Kaplan,¹⁰⁹ A. Kapliy,³¹ D. Kar,⁵³ K. Karakostas,¹⁰ N. Karastathis,¹⁰ M. Karnevskiy,⁸² S. N. Karpov,⁶⁴ K. Karthik,¹⁰⁹ V. Kartvelishvili,⁷¹ A. N. Karyukhin,¹²⁹ L. Kashif,¹⁷⁴ G. Kasieczka,^{58b} R. D. Kass,¹¹⁰ A. Kastanas,¹⁴ Y. Kataoka,¹⁵⁶ A. Katre,⁴⁹ J. Katzy,⁴² V. Kaushik,⁷ K. Kawagoe,⁶⁹ T. Kawamoto,¹⁵⁶ G. Kawamura,⁵⁴ S. Kazama,¹⁵⁶ V. F. Kazanin,¹⁰⁸ M. Y. Kazarinov,⁶⁴ R. Keeler,¹⁷⁰ P. T. Keener,¹²¹ R. Kehoe,⁴⁰ M. Keil,⁵⁴ J. S. Keller,¹³⁹ H. Keoshkerian,⁵ O. Kepka,¹²⁶ B. P. Kerševan,⁷⁴ S. Kersten,¹⁷⁶ K. Kessoku,¹⁵⁶ J. Keung,¹⁵⁹ F. Khalil-zada,¹¹ H. Khandanyan,^{147a,147b} A. Khanov,¹¹³ D. Kharchenko,⁶⁴ A. Khodinov,⁹⁷ A. Khomich,^{58a} T. J. Khoo,²⁸ G. Khoriauli,²¹ A. Khoroshilov,¹⁷⁶ V. Khovanskiy,⁹⁶ E. Khramov,⁶⁴ J. Khubua,^{51b} H. Kim,^{147a,147b} S. H. Kim,¹⁶¹ N. Kimura,¹⁷² O. Kind,¹⁶ B. T. King,⁷³ M. King,⁶⁶ R. S. B. King,¹¹⁹ S. B. King,¹⁶⁹ J. Kirk,^{145b} A. E. Kiryunin,¹⁰⁰ T. Kishimoto,⁶⁶ D. Kisiielewska,^{38a} T. Kitamura,⁶⁶ T. Kittelmann,¹²⁴ K. Kiuchi,¹⁶¹ E. Kladiva,^{145b} M. Klein,⁷³ U. Klein,⁷³ K. Kleinknecht,⁸² P. Klimek,^{147a,147b} A. Klimentov,²⁵ R. Klingenberg,⁴³ J. A. Klinger,⁸³ E. B. Klinkby,³⁶ T. Klioutchnikova,³⁰ P. F. Klok,¹⁰⁵ E.-E. Kluge,^{58a} P. Kluit,¹⁰⁶ S. Kluth,¹⁰⁰ E. Kneringer,⁶¹ E. G. Knoops,⁸⁴ A. Knue,⁵⁴ T. Kobayashi,¹⁵⁶ M. Kobel,⁴⁴ M. Kocian,¹⁴⁴ P. Kodys,¹²⁸ S. Koenig,⁸² P. Koevesarki,²¹ T. Koffas,²⁹

E. Koffeman,¹⁰⁶ L. A. Kogan,¹¹⁹ S. Kohlmann,¹⁷⁶ Z. Kohout,¹²⁷ T. Kohriki,⁶⁵ T. Koi,¹⁴⁴ H. Kolanoski,¹⁶ I. Koletsou,⁵ J. Koll,⁸⁹ A. A. Komar,^{95,a} Y. Komori,¹⁵⁶ T. Kondo,⁶⁵ K. Köneke,⁴⁸ A. C. König,¹⁰⁵ T. Kono,^{65,v} R. Konoplich,^{109,w} N. Konstantinidis,⁷⁷ R. Kopeliansky,¹⁵³ S. Koperny,^{38a} L. Köpke,⁸² A. K. Kopp,⁴⁸ K. Korcyl,³⁹ K. Kordas,¹⁵⁵ A. Korn,⁴⁶ A. A. Korol,¹⁰⁸ I. Korolkov,¹² E. V. Korolkova,¹⁴⁰ V. A. Korotkov,¹²⁹ O. Kortner,¹⁰⁰ S. Kortner,¹⁰⁰ V. V. Kostyukhin,²¹ S. Kotov,¹⁰⁰ V. M. Kotov,⁶⁴ A. Kotwal,⁴⁵ C. Kourkoumelis,⁹ V. Kouskoura,¹⁵⁵ A. Koutsman,^{160a} R. Kowalewski,¹⁷⁰ T. Z. Kowalski,^{38a} W. Kozanecki,¹³⁷ A. S. Kozhin,¹²⁹ V. Kral,¹²⁷ V. A. Kramarenko,⁹⁸ G. Kramberger,⁷⁴ M. W. Krasny,⁷⁹ A. Krasznahorkay,¹⁰⁹ J. K. Kraus,²¹ A. Kravchenko,²⁵ S. Kreiss,¹⁰⁹ J. Kretzschmar,⁷³ K. Kreutzfeldt,⁵² N. Krieger,⁵⁴ P. Krieger,¹⁵⁹ K. Kroeninger,⁵⁴ H. Kroha,¹⁰⁰ J. Kroll,¹²¹ J. Kroseberg,²¹ J. Krstic,^{13a} U. Kruchonak,⁶⁴ H. Krüger,²¹ T. Kruker,¹⁷ N. Krumnack,⁶³ Z. V. Krumshteyn,⁶⁴ A. Kruse,¹⁷⁴ M. C. Kruse,⁴⁵ M. Kruskal,²² T. Kubota,⁸⁷ S. Kuday,^{4a} S. Kuehn,⁴⁸ A. Kugel,^{58c} T. Kuhl,⁴² V. Kukhtin,⁶⁴ Y. Kulchitsky,⁹¹ S. Kuleshov,^{32b} M. Kuna,^{133a,133b} J. Kunkle,¹²¹ A. Kupco,¹²⁶ H. Kurashige,⁶⁶ M. Kurata,¹⁶¹ Y. A. Kurochkin,⁹¹ R. Kurumida,⁶⁶ V. Kus,¹²⁶ E. S. Kuwertz,¹⁴⁸ M. Kuze,¹⁵⁸ J. Kvita,¹⁴³ R. Kwee,¹⁶ A. La Rosa,⁴⁹ L. La Rotonda,^{37a,37b} L. Labarga,⁸¹ S. Lablak,^{136a} C. Lacasta,¹⁶⁸ F. Lacava,^{133a,133b} J. Lacey,²⁹ H. Lacker,¹⁶ D. Lacour,⁷⁹ V. R. Lacuesta,¹⁶⁸ E. Ladygin,⁶⁴ R. Lafaye,⁵ B. Laforge,⁷⁹ T. Lagouri,¹⁷⁷ S. Lai,⁴⁸ H. Laier,^{58a} E. Laisne,⁵⁵ L. Lambourne,⁷⁷ C. L. Lampen,⁷ W. Lampl,⁷ E. Lançon,¹³⁷ U. Landgraf,⁴⁸ M. P. J. Landon,⁷⁵ V. S. Lang,^{58a} C. Lange,⁴² A. J. Lankford,¹⁶⁴ F. Lanni,²⁵ K. Lantzsch,³⁰ A. Lanza,^{120a} S. Laplace,⁷⁹ C. Lapoire,²¹ J. F. Laporte,¹³⁷ T. Lari,^{90a} A. Lerner,¹¹⁹ M. Lassnig,³⁰ P. Laurelli,⁴⁷ V. Lavorini,^{37a,37b} W. Lavrijsen,¹⁵ P. Laycock,⁷³ B. T. Le,⁵⁵ O. Le Dortz,⁷⁹ E. Le Guirriec,⁸⁴ E. Le Menedeu,¹² T. LeCompte,⁶ F. Ledroit-Guillon,⁵⁵ C. A. Lee,¹⁵² H. Lee,¹⁰⁶ J. S. H. Lee,¹¹⁷ S. C. Lee,¹⁵² L. Lee,¹⁷⁷ G. Lefebvre,⁷⁹ M. Lefebvre,¹⁷⁰ F. Legger,⁹⁹ C. Leggett,¹⁵ A. Lehan,⁷³ M. Lehmann,²¹ G. Lehmann Miotto,³⁰ X. Lei,⁷ A. G. Leister,¹⁷⁷ M. A. L. Leite,^{24d} R. Leitner,¹²⁸ D. Lellouch,¹⁷³ B. Lemmer,⁵⁴ V. Lendermann,^{58a} K. J. C. Leney,^{146c} T. Lenz,¹⁰⁶ G. Lenzen,¹⁷⁶ B. Lenzi,³⁰ R. Leone,⁷ K. Leonhardt,⁴⁴ S. Leontsinis,¹⁰ C. Leroy,⁹⁴ J.-R. Lessard,¹⁷⁰ C. G. Lester,²⁸ C. M. Lester,¹²¹ J. Levêque,⁵ D. Levin,⁸⁸ L. J. Levinson,¹⁷³ A. Lewis,¹¹⁹ G. H. Lewis,¹⁰⁹ A. M. Leyko,²¹ M. Leyton,¹⁶ B. Li,^{33b,x} B. Li,⁸⁴ H. Li,¹⁴⁹ H. L. Li,³¹ S. Li,⁴⁵ X. Li,⁸⁸ Z. Liang,^{119,y} H. Liao,³⁴ B. Liberti,^{134a} P. Lichard,³⁰ K. Lie,¹⁶⁶ J. Liebal,²¹ W. Liebig,¹⁴ C. Limbach,²¹ A. Limosani,⁸⁷ M. Limper,⁶² S. C. Lin,^{152,z} F. Linde,¹⁰⁶ B. E. Lindquist,¹⁴⁹ J. T. Linnemann,⁸⁹ E. Lipeles,¹²¹ A. Lipniacka,¹⁴ M. Lisovsky,⁴² T. M. Liss,¹⁶⁶ D. Lissauer,²⁵ A. Lister,¹⁶⁹ A. M. Litke,¹³⁸ B. Liu,¹⁵² D. Liu,¹⁵² J. B. Liu,^{33b} K. Liu,^{33b,aa} L. Liu,⁸⁸ M. Liu,⁴⁵ M. Liu,^{33b} Y. Liu,^{33b} M. Livan,^{120a,120b} S. S. A. Livermore,¹¹⁹ A. Lleres,⁵⁵ J. Lorente Merino,⁸¹ S. L. Lloyd,⁷⁵ F. Lo Sterzo,¹⁵² E. Lobodzinska,⁴² P. Loch,⁷ W. S. Lockman,¹³⁸ T. Loddenkoetter,²¹ F. K. Loebinger,⁸³ A. E. Loevschall-Jensen,³⁶ A. Loginov,¹⁷⁷ C. W. Loh,¹⁶⁹ T. Lohse,¹⁶ K. Lohwasser,⁴⁸ M. Lokajicek,¹²⁶ V. P. Lombardo,⁵ J. D. Long,⁸⁸ R. E. Long,⁷¹ L. Lopes,^{125a} D. Lopez Mateos,⁵⁷ B. Lopez Paredes,¹⁴⁰ J. Lorenz,⁹⁹ N. Lorenzo Martinez,¹¹⁶ M. Losada,¹⁶³ P. Loscutoff,¹⁵ M. J. Losty,^{160a,a} X. Lou,⁴¹ A. Lounis,¹¹⁶ J. Love,⁶ P. A. Love,⁷¹ A. J. Lowe,^{144,h} F. Lu,^{33a} H. J. Lubatti,¹³⁹ C. Luci,^{133a,133b} A. Lucotte,⁵⁵ D. Ludwig,⁴² I. Ludwig,⁴⁸ F. Luehring,⁶⁰ W. Lukas,⁶¹ L. Luminari,^{133a} E. Lund,¹¹⁸ J. Lundberg,^{147a,147b} O. Lundberg,^{147a,147b} B. Lund-Jensen,¹⁴⁸ M. Lungwitz,⁸² D. Lynn,²⁵ R. Lysak,¹²⁶ E. Lytken,⁸⁰ H. Ma,²⁵ L. L. Ma,^{33d} G. Maccarrone,⁴⁷ A. Macchiolo,¹⁰⁰ B. Maček,⁷⁴ J. Machado Miguens,^{125a} D. Macina,³⁰ R. Mackeprang,³⁶ R. Madar,⁴⁸ R. J. Madaras,¹⁵ H. J. Maddocks,⁷¹ W. F. Mader,⁴⁴ A. Madsen,¹⁶⁷ M. Maeno,⁸ T. Maeno,²⁵ L. Magnoni,¹⁶⁴ E. Magradze,⁵⁴ K. Mahboubi,⁴⁸ J. Mahlstedt,¹⁰⁶ S. Mahmoud,⁷³ G. Mahout,¹⁸ C. Maiani,¹³⁷ C. Maidantchik,^{24a} A. Maio,^{125a,e} S. Majewski,¹¹⁵ Y. Makida,⁶⁵ N. Makovec,¹¹⁶ P. Mal,^{137,bb} B. Malaescu,⁷⁹ P. Malecki,³⁹ V. P. Maleev,¹²² F. Malek,⁵⁵ U. Mallik,⁶² D. Malon,⁶ C. Malone,¹⁴⁴ S. Maltezos,¹⁰ V. M. Malyshev,¹⁰⁸ S. Malyukov,³⁰ J. Mamuzic,^{13b} L. Mandelli,^{90a} I. Mandić,⁷⁴ R. Mandrysch,⁶² J. Maneira,^{125a} A. Manfredini,¹⁰⁰ L. Manhaes de Andrade Filho,^{24b} J. A. Manjarres Ramos,¹³⁷ A. Mann,⁹⁹ P. M. Manning,¹³⁸ A. Manousakis-Katsikakis,⁹ B. Mansoulie,¹³⁷ R. Mantifel,⁸⁶ L. Mapelli,³⁰ L. March,¹⁶⁸ J. F. Marchand,²⁹ F. Marchese,^{134a,134b} G. Marchiori,⁷⁹ M. Marcisovsky,¹²⁶ C. P. Marino,¹⁷⁰ C. N. Marques,^{125a} F. Marroquim,^{24a} Z. Marshall,¹⁵ L. F. Marti,¹⁷ S. Marti-Garcia,¹⁶⁸ B. Martin,³⁰ B. Martin,⁸⁹ J. P. Martin,⁹⁴ T. A. Martin,¹⁷¹ V. J. Martin,⁴⁶ B. Martin dit Latour,⁴⁹ H. Martinez,¹³⁷ M. Martinez,^{12,s} S. Martin-Haugh,¹³⁰ A. C. Martyniuk,¹⁷⁰ M. Marx,¹³⁹ F. Marzano,^{133a} A. Marzin,¹¹² L. Masetti,⁸² T. Mashimo,¹⁵⁶ R. Mashinistov,⁹⁵ J. Masik,⁸³ A. L. Maslennikov,¹⁰⁸ I. Massa,^{20a,20b} N. Massol,⁵ P. Mastrandrea,¹⁴⁹ A. Mastroberardino,^{37a,37b} T. Masubuchi,¹⁵⁶ H. Matsunaga,¹⁵⁶ T. Matsushita,⁶⁶ P. Mättig,¹⁷⁶ S. Mättig,⁴² J. Mattmann,⁸² C. Mattraversi,^{119,f} J. Maurer,⁸⁴ S. J. Maxfield,⁷³ D. A. Maximov,^{108,i} R. Mazini,¹⁵² L. Mazzaferro,^{134a,134b} M. Mazzanti,^{90a} G. Mc Goldrick,¹⁵⁹ S. P. Mc Kee,⁸⁸ A. McCarn,⁸⁸ R. L. McCarthy,¹⁴⁹ T. G. McCarthy,²⁹ N. A. McCubbin,¹³⁰ K. W. McFarlane,^{56,a} J. A. McFayden,¹⁴⁰ G. Mchedlidze,^{51b} T. McLaughlan,¹⁸ S. J. McMahon,¹³⁰ R. A. McPherson,^{170,1} A. Meade,⁸⁵ J. Mechnich,¹⁰⁶ M. Mechtel,¹⁷⁶ M. Medinnis,⁴² S. Meehan,³¹ R. Meera-Lebbai,¹¹² S. Mehlhase,³⁶ A. Mehta,⁷³ K. Meier,^{58a} C. Meineck,⁹⁹ B. Meirose,⁸⁰ C. Melachrinou,³¹ B. R. Mellado Garcia,^{146c} F. Meloni,^{90a,90b} L. Mendoza Navas,¹⁶³ A. Mengarelli,^{20a,20b} S. Menke,¹⁰⁰ E. Meoni,¹⁶² K. M. Mercurio,⁵⁷ S. Mergelmeyer,²¹ N. Meric,¹³⁷ P. Mermod,⁴⁹ L. Merola,^{103a,103b} C. Meroni,^{90a} F. S. Merritt,³¹ H. Merritt,¹¹⁰ A. Messina,^{30,cc} J. Metcalfe,²⁵ A. S. Mete,¹⁶⁴ C. Meyer,⁸² C. Meyer,³¹ J.-P. Meyer,¹³⁷ J. Meyer,³⁰ J. Meyer,⁵⁴ S. Michal,³⁰ R. P. Middleton,¹³⁰ S. Migas,⁷³ L. Mijović,¹³⁷ G. Mikenberg,¹⁷³ M. Mikestikova,¹²⁶ M. Mikuž,⁷⁴ D. W. Miller,³¹ C. Mills,⁵⁷ A. Milov,¹⁷³ D. A. Milstead,^{147a,147b} D. Milstein,¹⁷³ A. A. Minaenko,¹²⁹ M. Miñano Moya,¹⁶⁸ I. A. Minashvili,⁶⁴ A. I. Mincer,¹⁰⁹ B. Mindur,^{38a} M. Mineev,⁶⁴

Y. Ming,¹⁷⁴ L. M. Mir,¹² G. Mirabelli,^{133a} T. Mitani,¹⁷² J. Mitrevski,¹³⁸ V. A. Mitsou,¹⁶⁸ S. Mitsui,⁶⁵ P. S. Miyagawa,¹⁴⁰ J. U. Mjörnmark,⁸⁰ T. Moa,^{147a,147b} V. Moeller,²⁸ S. Mohapatra,¹⁴⁹ W. Mohr,⁴⁸ S. Molander,^{147a,147b} R. Moles-Valls,¹⁶⁸ A. Molfetas,³⁰ K. Mönig,⁴² C. Monini,⁵⁵ J. Monk,³⁶ E. Monnier,⁸⁴ J. Montejo Berlingen,¹² F. Monticelli,⁷⁰ S. Monzani,^{20a,20b} R. W. Moore,³ C. Mora Herrera,⁴⁹ A. Moraes,⁵³ N. Morange,⁶² J. Morel,⁵⁴ D. Moreno,⁸² M. Moreno Llácer,¹⁶⁸ P. Morettini,^{50a} M. Morgenstern,⁴⁴ M. Morii,⁵⁷ S. Moritz,⁸² A. K. Morley,¹⁴⁸ G. Mornacchi,³⁰ J. D. Morris,⁷⁵ L. Morvaj,¹⁰² H. G. Moser,¹⁰⁰ M. Mosidze,^{51b} J. Moss,¹¹⁰ R. Mount,¹⁴⁴ E. Mountricha,^{10,dd} S. V. Mouraviev,^{95,a} E. J. W. Moyses,⁸⁵ R. D. Mudd,¹⁸ F. Mueller,^{58a} J. Mueller,¹²⁴ K. Mueller,²¹ T. Mueller,²⁸ T. Mueller,⁸² D. Muenstermann,⁴⁹ Y. Munwes,¹⁵⁴ J. A. Murillo Quijada,¹⁸ W. J. Murray,¹³⁰ I. Mussche,¹⁰⁶ E. Musto,¹⁵³ A. G. Myagkov,^{129,ee} M. Myska,¹²⁶ O. Nackenhorst,⁵⁴ J. Nadal,⁵⁴ K. Nagai,⁶¹ R. Nagai,¹⁵⁸ Y. Nagai,⁸⁴ K. Nagano,⁶⁵ A. Nagarkar,¹¹⁰ Y. Nagasaka,⁵⁹ M. Nagel,¹⁰⁰ A. M. Nairz,³⁰ Y. Nakahama,³⁰ K. Nakamura,⁶⁵ T. Nakamura,¹⁵⁶ I. Nakano,¹¹¹ H. Namasivayam,⁴¹ G. Nanava,²¹ A. Napier,¹⁶² R. Narayan,^{58b} M. Nash,^{77,f} T. Nattermann,²¹ T. Naumann,⁴² G. Navarro,¹⁶³ H. A. Neal,⁸⁸ P. Y. Nechaeva,⁹⁵ T. J. Neep,⁸³ A. Negri,^{120a,120b} G. Negri,³⁰ M. Negrini,^{20a} S. Nektarijevic,⁴⁹ A. Nelson,¹⁶⁴ T. K. Nelson,¹⁴⁴ S. Nemecek,¹²⁶ P. Nemethy,¹⁰⁹ A. A. Nepomuceno,^{24a} M. Nessi,^{30,ff} M. S. Neubauer,¹⁶⁶ M. Neumann,¹⁷⁶ A. Neusiedl,⁸² R. M. Neves,¹⁰⁹ P. Nevski,²⁵ F. M. Newcomer,¹²¹ P. R. Newman,¹⁸ D. H. Nguyen,⁶ V. Nguyen Thi Hong,¹³⁷ R. B. Nickerson,¹¹⁹ R. Nicolaidou,¹³⁷ B. Nicquevert,³⁰ J. Nielsen,¹³⁸ N. Nikiforou,³⁵ A. Nikiforov,¹⁶ V. Nikolaenko,^{129,ee} I. Nikolic-Audit,⁷⁹ K. Nikolics,⁴⁹ K. Nikolopoulos,¹⁸ P. Nilsson,⁸ Y. Ninomiya,¹⁵⁶ A. Nisati,^{133a} R. Nisius,¹⁰⁰ T. Nobe,¹⁵⁸ L. Nodulman,⁶ M. Nomachi,¹¹⁷ I. Nomidis,¹⁵⁵ S. Norberg,¹¹² M. Nordberg,³⁰ J. Novakova,¹²⁸ M. Nozaki,⁶⁵ L. Nozka,¹¹⁴ K. Ntekas,¹⁰ A.-E. Nuncio-Quiroz,²¹ G. Nunes Hanninger,⁸⁷ T. Nunnemann,⁹⁹ E. Nurse,⁷⁷ B. J. O'Brien,⁴⁶ F. O'Grady,⁷ D. C. O'Neil,¹⁴³ V. O'Shea,⁵³ L. B. Oakes,⁹⁹ F. G. Oakham,^{29,g} H. Oberlack,¹⁰⁰ J. Ocariz,⁷⁹ A. Ochi,⁶⁶ M. I. Ochoa,⁷⁷ S. Oda,⁶⁹ S. Odaka,⁶⁵ H. Ogren,⁶⁰ A. Oh,⁸³ S. H. Oh,⁴⁵ C. C. Ohm,³⁰ T. Ohshima,¹⁰² W. Okamura,¹¹⁷ H. Okawa,²⁵ Y. Okumura,³¹ T. Okuyama,¹⁵⁶ A. Olariu,^{26a} A. G. Olchevski,⁶⁴ S. A. Olivares Pino,⁴⁶ M. Oliveira,^{125a,j} D. Oliveira Damazio,²⁵ E. Oliver Garcia,¹⁶⁸ D. Olivito,¹²¹ A. Olszewski,³⁹ J. Olszowska,³⁹ A. Onofre,^{125a,gg} P. U. E. Onyisi,^{31,hh} C. J. Oram,^{160a} M. J. Oreglia,³¹ Y. Oren,¹⁵⁴ D. Orestano,^{135a,135b} N. Orlando,^{72a,72b} C. Oropeza Barrera,⁵³ R. S. Orr,¹⁵⁹ B. Osculati,^{50a,50b} R. Ospanov,¹²¹ G. Otero y Garzon,²⁷ H. Otono,⁶⁹ M. Ouchrif,^{136d} E. A. Ouellette,¹⁷⁰ F. Ould-Saada,¹¹⁸ A. Ouraou,¹³⁷ K. P. Oussoren,¹⁰⁶ Q. Ouyang,^{33a} A. Ovcharova,¹⁵ M. Owen,⁸³ S. Owen,¹⁴⁰ V. E. Ozcan,^{19a} N. Ozturk,⁸ K. Pachal,¹¹⁹ A. Pacheco Pages,¹² C. Padilla Aranda,¹² S. Pagan Griso,¹⁵ E. Paganis,¹⁴⁰ C. Pahl,¹⁰⁰ F. Paige,²⁵ P. Pais,⁸⁵ K. Pajchel,¹¹⁸ G. Palacino,^{160b} S. Palestini,³⁰ D. Pallin,³⁴ A. Palma,^{125a} J. D. Palmer,¹⁸ Y. B. Pan,¹⁷⁴ E. Panagiotopoulou,¹⁰ J. G. Panduro Vazquez,⁷⁶ P. Pani,¹⁰⁶ N. Panikashvili,⁸⁸ S. Panitkin,²⁵ D. Pantea,^{26a} T. D. Papadopoulos,¹⁰ K. Papageorgiou,^{155,r} A. Paramonov,⁶ D. Paredes Hernandez,³⁴ M. A. Parker,²⁸ F. Parodi,^{50a,50b} J. A. Parsons,³⁵ U. Parzefall,⁴⁸ S. Pashapour,⁵⁴ E. Pasqualucci,^{133a} S. Passaggio,^{50a} A. Passeri,^{135a} F. Pastore,^{135a,135b,a} F. Pastore,⁷⁶ G. Pásztor,^{49,ii} S. Pataraiia,¹⁷⁶ N. D. Patel,¹⁵¹ J. R. Pater,⁸³ S. Patricelli,^{103a,103b} T. Pauly,³⁰ J. Pearce,¹⁷⁰ M. Pedersen,¹¹⁸ S. Pedraza Lopez,¹⁶⁸ S. V. Peleganchuk,¹⁰⁸ D. Pelikan,¹⁶⁷ H. Peng,^{33b} B. Penning,³¹ J. Penwell,⁶⁰ D. V. Perepelitsa,³⁵ T. Perez Cavalcanti,⁴² E. Perez Codina,^{160a} M. T. Pérez García-Estañ,¹⁶⁸ V. Perez Reale,³⁵ L. Perini,^{90a,90b} H. Pernegger,³⁰ R. Perrino,^{72a} R. Peschke,⁴² V. D. Peshekhonov,⁶⁴ K. Peters,³⁰ R. F. Y. Peters,^{54,jj} B. A. Petersen,³⁰ J. Petersen,³⁰ T. C. Petersen,³⁶ E. Petit,⁵ A. Petridis,^{147a,147b} C. Petridou,¹⁵⁵ E. Petrolu,^{133a} F. Petrucci,^{135a,135b} M. Petteni,¹⁴³ R. Pezoa,^{32b} P. W. Phillips,¹³⁰ G. Piacquadio,¹⁴⁴ E. Pianori,¹⁷¹ A. Picazio,⁴⁹ E. Piccaro,⁷⁵ M. Piccinini,^{20a,20b} S. M. Piec,⁴² R. Piegaiia,²⁷ D. T. Pignotti,¹¹⁰ J. E. Pilcher,³¹ A. D. Pilkington,⁷⁷ J. Pina,^{125a,e} M. Pinamonti,^{165a,165c,kk} A. Pinder,¹¹⁹ J. L. Pinfeld,³ A. Pingel,³⁶ B. Pinto,^{125a} C. Pizio,^{90a,90b} M.-A. Pleier,²⁵ V. Pleskot,¹²⁸ E. Plotnikova,⁶⁴ P. Plucinski,^{147a,147b} S. Poddar,^{58a} F. Podlyski,³⁴ R. Poettgen,⁸² L. Poggioli,¹¹⁶ D. Pohl,²¹ M. Pohl,⁴⁹ G. Polesello,^{120a} A. Policicchio,^{37a,37b} R. Polifka,¹⁵⁹ A. Polini,^{20a} C. S. Pollard,⁴⁵ V. Polychronakos,²⁵ D. Pomeroy,²³ K. Pommès,³⁰ L. Pontecorvo,^{133a} B. G. Pope,⁸⁹ G. A. Popeneciu,^{26b} D. S. Popovic,^{13a} A. Popleton,³⁰ X. Portell Bueso,¹² G. E. Pospelov,¹⁰⁰ S. Pospisil,¹²⁷ K. Potamianos,¹⁵ I. N. Potrap,⁶⁴ C. J. Potter,¹⁵⁰ C. T. Potter,¹¹⁵ G. Poulard,³⁰ J. Poveda,⁶⁰ V. Pozdnyakov,⁶⁴ R. Prabhu,⁷⁷ P. Pralavorio,⁸⁴ A. Pranko,¹⁵ S. Prasad,³⁰ R. Pravahan,⁸ S. Prell,⁶³ D. Price,⁸³ J. Price,⁷³ L. E. Price,⁶ D. Prieur,¹²⁴ M. Primavera,^{72a} M. Proissl,⁴⁶ K. Prokofiev,¹⁰⁹ F. Prokoshin,^{32b} E. Protopapadaki,¹³⁷ S. Protopopescu,²⁵ J. Proudfoot,⁶ X. Prudent,⁴⁴ M. Przybycien,^{38a} H. Przysiezniak,⁵ S. Psoroulas,²¹ E. Ptacek,¹¹⁵ E. Pueschel,⁸⁵ D. Puldon,¹⁴⁹ M. Purohit,^{25,ll} P. Puzo,¹¹⁶ Y. Pylypchenko,⁶² J. Qian,⁸⁸ A. Quadt,⁵⁴ D. R. Quarrie,¹⁵ W. B. Quayle,^{146c} D. Quilty,⁵³ V. Radeka,²⁵ V. Radescu,⁴² S. K. Radhakrishnan,¹⁴⁹ P. Radloff,¹¹⁵ F. Ragusa,^{90a,90b} G. Rahal,¹⁷⁹ S. Rajagopalan,²⁵ M. Rammensee,⁴⁸ M. Rammes,¹⁴² A. S. Randle-Conde,⁴⁰ C. Rangel-Smith,⁷⁹ K. Rao,¹⁶⁴ F. Rauscher,⁹⁹ T. C. Rave,⁴⁸ T. Ravenscroft,⁵³ M. Raymond,³⁰ A. L. Read,¹¹⁸ D. M. Rebuzzi,^{120a,120b} A. Redelbach,¹⁷⁵ G. Redlinger,²⁵ R. Reece,¹³⁸ K. Reeves,⁴¹ A. Reinsch,¹¹⁵ H. Reisin,²⁷ I. Reisinger,⁴³ M. Relich,¹⁶⁴ C. Rembser,³⁰ Z. L. Ren,¹⁵² A. Renaud,¹¹⁶ M. Rescigno,^{133a} S. Resconi,^{90a} B. Resende,¹³⁷ P. Reznicek,⁹⁹ R. Rezvani,⁹⁴ R. Richter,¹⁰⁰ E. Richter-Was,^{38b} M. Ridel,⁷⁹ P. Rieck,¹⁶ M. Rijssenbeek,¹⁴⁹ A. Rimoldi,^{120a,120b} L. Rinaldi,^{20a} E. Ritsch,⁶¹ I. Riu,¹² G. Rivoltella,^{90a,90b} F. Rizatdinova,¹¹³ E. Rizvi,⁷⁵ S. H. Robertson,^{86,l} A. Robichaud-Veronneau,¹¹⁹ D. Robinson,²⁸ J. E. M. Robinson,⁸³ A. Robson,⁵³ J. G. Rocha de Lima,¹⁰⁷ C. Roda,^{123a,123b} D. Roda Dos Santos,¹²⁶ L. Rodrigues,³⁰ S. Roe,³⁰ O. Røhne,¹¹⁸ S. Rolli,¹⁶² A. Romaniouk,⁹⁷ M. Romano,^{20a,20b} G. Romeo,²⁷ E. Romero Adam,¹⁶⁸ N. Rompotis,¹³⁹ L. Roos,⁷⁹ E. Ros,¹⁶⁸ S. Rosati,^{133a} K. Rosbach,⁴⁹ A. Rose,¹⁵⁰ M. Rose,⁷⁶ P. L. Rosendahl,¹⁴

O. Rosenthal,¹⁴² V. Rossetti,^{147a,147b} E. Rossi,^{103a,103b} L. P. Rossi,^{50a} R. Rosten,¹³⁹ M. Rotaru,^{26a} I. Roth,¹⁷³ J. Rothberg,¹³⁹ D. Rousseau,¹¹⁶ C. R. Royon,¹³⁷ A. Rozanov,⁸⁴ Y. Rozen,¹⁵³ X. Ruan,^{146c} F. Rubbo,¹² I. Rubinskiy,⁴² V. I. Rud,⁹⁸ C. Rudolph,⁴⁴ M. S. Rudolph,¹⁵⁹ F. Rühr,⁷ A. Ruiz-Martinez,⁶³ L. Rummyantsev,⁶⁴ Z. Rurikova,⁴⁸ N. A. Rusakovich,⁶⁴ A. Ruschke,⁹⁹ J. P. Rutherford,⁷ N. Ruthmann,⁴⁸ P. Ruzicka,¹²⁶ Y. F. Ryabov,¹²² M. Rybar,¹²⁸ G. Rybkin,¹¹⁶ N. C. Ryder,¹¹⁹ A. F. Saavedra,¹⁵¹ S. Sacerdoti,²⁷ A. Saddique,³ I. Sadeh,¹⁵⁴ H-W.Sadrozinski,¹³⁸ R. Sadykov,⁶⁴ F. Safai Tehrani,^{133a} H. Sakamoto,¹⁵⁶ Y. Sakurai,¹⁷² G. Salamanna,⁷⁵ A. Salamon,^{134a} M. Saleem,¹¹² D. Salek,¹⁰⁶ P. H. Sales De Bruin,¹³⁹ D. Salihagic,¹⁰⁰ A. Salnikov,¹⁴⁴ J. Salt,¹⁶⁸ B. M. Salvachua Ferrando,⁶ D. Salvatore,^{37a,37b} F. Salvatore,¹⁵⁰ A. Salvucci,¹⁰⁵ A. Salzburger,³⁰ D. Sampsonidis,¹⁵⁵ A. Sanchez,^{103a,103b} J. Sánchez,¹⁶⁸ V. Sanchez Martinez,¹⁶⁸ H. Sandaker,¹⁴ H. G. Sander,⁸² M. P. Sanders,⁹⁹ M. Sandhoff,¹⁷⁶ T. Sandoval,²⁸ C. Sandoval,¹⁶³ R. Sandstroem,¹⁰⁰ D. P. C. Sankey,¹³⁰ A. Sansoni,⁴⁷ C. Santoni,³⁴ R. Santonico,^{134a,134b} H. Santos,^{125a} I. Santoyo Castillo,¹⁵⁰ K. Sapp,¹²⁴ A. Saponov,⁶⁴ J. G. Saraiva,^{125a} E. Sarkisyan-Grinbaum,⁸ B. Sarrazin,²¹ G. Sartisohn,¹⁷⁶ O. Sasaki,⁶⁵ Y. Sasaki,¹⁵⁶ N. Sasao,⁶⁷ I. Satsounkevitch,⁹¹ G. Sauvage,^{5a} E. Sauvan,⁵ J. B. Sauvan,¹¹⁶ P. Savard,^{159g} V. Savinov,¹²⁴ D. O. Savu,³⁰ C. Sawyer,¹¹⁹ L. Sawyer,⁷⁸ⁿ D. H. Saxon,⁵³ J. Saxon,¹²¹ C. Sbarra,^{20a} A. Sbrizzi,³ T. Scanlon,³⁰ D. A. Scannicchio,¹⁶⁴ M. Scarcella,¹⁵¹ J. Schaarschmidt,¹⁷³ P. Schacht,¹⁰⁰ D. Schaefer,¹²¹ A. Schaelicke,⁴⁶ S. Schaepe,²¹ S. Schaezel,^{58b} U. Schäfer,⁸² A. C. Schaffer,¹¹⁶ D. Schaile,⁹⁹ R. D. Schamberger,¹⁴⁹ V. Scharf,^{58a} V. A. Schegelsky,¹²² D. Scheirich,⁸⁸ M. Schernau,¹⁶⁴ M. I. Scherzer,³⁵ C. Schiavi,^{50a,50b} J. Schieck,⁹⁹ C. Schillo,⁴⁸ M. Schioppa,^{37a,37b} S. Schlenker,³⁰ E. Schmidt,⁴⁸ K. Schmieden,³⁰ C. Schmitt,⁸² C. Schmitt,⁹⁹ S. Schmitt,^{58b} B. Schneider,¹⁷ Y. J. Schnellbach,⁷³ U. Schnoor,⁴⁴ L. Schoeffel,¹³⁷ A. Schoening,^{58b} B. D. Schoenrock,⁸⁹ A. L. S. Schorlemmer,⁵⁴ M. Schott,⁸² D. Schouten,^{160a} J. Schovancova,²⁵ M. Schram,⁸⁶ S. Schramm,¹⁵⁹ M. Schreyer,¹⁷⁵ C. Schroeder,⁸² N. Schroer,^{58c} N. Schuh,⁸² M. J. Schultens,²¹ H.-C. Schultz-Coulon,^{58a} H. Schulz,¹⁶ M. Schumacher,⁴⁸ B. A. Schumm,¹³⁸ P. Schune,¹³⁷ A. Schwartzman,¹⁴⁴ P. Schwegler,¹⁰⁰ P. Schwemling,¹³⁷ R. Schwienhorst,⁸⁹ J. Schwindling,¹³⁷ T. Schwindt,²¹ M. Schwoerer,⁵ F. G. Sciacca,¹⁷ E. Scifo,¹¹⁶ G. Sciolla,²³ W. G. Scott,¹³⁰ F. Scutti,²¹ J. Searcy,⁸⁸ G. Sedov,⁴² E. Sedykh,¹²² S. C. Seidel,¹⁰⁴ A. Seiden,¹³⁸ F. Seifert,¹²⁷ J. M. Seixas,^{24a} G. Sekhniaidze,^{103a} S. J. Sekula,⁴⁰ K. E. Selbach,⁴⁶ D. M. Seliverstov,¹²² G. Sellers,⁷³ M. Seman,^{145b} N. Semprini-Cesari,^{20a,20b} C. Serfon,³⁰ L. Serin,¹¹⁶ L. Serkin,⁵⁴ T. Serre,⁸⁴ R. Seuster,^{160a} H. Severini,¹¹² F. Sforza,¹⁰⁰ A. Sfyrta,³⁰ E. Shabalina,⁵⁴ M. Shamim,¹¹⁵ L. Y. Shan,^{33a} J. T. Shank,²² Q. T. Shao,⁸⁷ M. Shapiro,¹⁵ P. B. Shatalov,⁹⁶ K. Shaw,^{165a,165c} P. Sherwood,⁷⁷ S. Shimizu,⁶⁶ M. Shimojima,¹⁰¹ T. Shin,⁵⁶ M. Shiyakova,⁶⁴ A. Shmeleva,⁹⁵ M. J. Shochet,³¹ D. Short,¹¹⁹ S. Shrestha,⁶³ E. Shulga,⁹⁷ M. A. Shupe,⁷ S. Shushkevich,⁴² P. Sicho,¹²⁶ D. Sidorov,¹¹³ A. Sidoti,^{133a} F. Siegert,⁴⁸ D. Sijacki,^{13a} O. Silbert,¹⁷³ J. Silva,^{125a} Y. Silver,¹⁵⁴ D. Silverstein,¹⁴⁴ S. B. Silverstein,^{147a} V. Simak,¹²⁷ O. Simard,⁵ L. Simic,^{13a} S. Simion,¹¹⁶ E. Simioni,⁷⁷ B. Simmons,⁷⁷ R. Simoniello,^{90a,90b} M. Simonyan,³⁶ P. Sinervo,¹⁵⁹ N. B. Sinev,¹¹⁵ V. Sipica,¹⁴² G. Siragusa,¹⁷⁵ A. Sircar,⁷⁸ A. N. Sisakyan,^{64a} S. Y. Sivoklov,⁹⁸ J. Sjölin,^{147a,147b} T. B. Sjusen,¹⁴ L. A. Skinnari,¹⁵ H. P. Skottowe,⁵⁷ K. Y. Skovpen,¹⁰⁸ P. Skubic,¹¹² M. Slater,¹⁸ T. Slavicek,¹²⁷ K. Sliwa,¹⁶² V. Smakhtin,¹⁷³ B. H. Smart,⁴⁶ L. Smestad,¹¹⁸ S. Y. Smirnov,⁹⁷ Y. Smirnov,⁹⁷ L. N. Smirnova,^{98mm} O. Smirnova,⁸⁰ K. M. Smith,⁵³ M. Smizanska,⁷¹ K. Smolek,¹²⁷ A. A. Snesarev,⁹⁵ G. Snidero,⁷⁵ J. Snow,¹¹² S. Snyder,²⁵ R. Sobie,^{170l} F. Socher,⁴⁴ J. Sodomka,¹²⁷ A. Soffer,¹⁵⁴ D. A. Soh,^{152y} C. A. Solans,³⁰ M. Solar,¹²⁷ J. Solc,¹²⁷ E. Y. Soldatov,⁹⁷ U. Soldevila,¹⁶⁸ E. Solfaroli Camillocci,^{133a,133b} A. A. Solodkov,¹²⁹ O. V. Solovyanov,¹²⁹ V. Solovyev,¹²² N. Soni,¹ A. Sood,¹⁵ V. Sopko,¹²⁷ B. Sopko,¹²⁷ M. Sosebee,⁸ R. Soualah,^{165a,165c} P. Soueid,⁹⁴ A. M. Soukharev,¹⁰⁸ D. South,⁴² S. Spagnolo,^{72a,72b} F. Spanò,⁷⁶ W. R. Spearman,⁵⁷ R. Spighi,^{20a} G. Spigo,³⁰ M. Spousta,¹²⁸ⁿⁿ T. Spreitzer,¹⁵⁹ B. Spurlock,⁸ R. D. St. Denis,⁵³ J. Stahlman,¹²¹ R. Stamen,^{58a} E. Stanecka,³⁹ R. W. Staneck,⁶ C. Stanescu,^{135a} M. Stanescu-Bellu,⁴² M. M. Stanitzki,⁴² S. Stapnes,¹¹⁸ E. A. Starchenko,¹²⁹ J. Stark,⁵⁵ P. Staroba,¹²⁶ P. Starovoitov,⁴² R. Staszewski,³⁹ P. Stavina,^{145a} G. Steele,⁵³ P. Steinbach,⁴⁴ P. Steinberg,²⁵ I. Stekl,¹²⁷ B. Stelzer,¹⁴³ H. J. Stelzer,⁸⁹ O. Stelzer-Chilton,^{160a} H. Stenzel,⁵² S. Stern,¹⁰⁰ G. A. Stewart,³⁰ J. A. Stillings,²¹ M. C. Stockton,⁸⁶ M. Stoebe,⁸⁶ K. Stoerig,⁴⁸ G. Stoicea,^{26a} S. Stonjek,¹⁰⁰ A. R. Stradling,⁸ A. Straessner,⁴⁴ J. Strandberg,¹⁴⁸ S. Strandberg,^{147a,147b} A. Strandlie,¹¹⁸ E. Strauss,¹⁴⁴ M. Strauss,¹¹² P. Strizenec,^{145b} R. Ströhmer,¹⁷⁵ D. M. Strom,¹¹⁵ R. Stroynowski,⁴⁰ S. A. Stucci,¹⁷ B. Stugu,¹⁴ I. Stumer,^{25a} J. Stupak,¹⁴⁹ P. Sturm,¹⁷⁶ N. A. Styles,⁴² D. Su,¹⁴⁴ J. Su,¹²⁴ H. S. Subramania,³ R. Subramaniam,⁷⁸ A. Succurro,¹² Y. Sugaya,¹¹⁷ C. Suhr,¹⁰⁷ M. Suk,¹²⁷ V. V. Sulin,⁹⁵ S. Sultansoy,^{4c} T. Sumida,⁶⁷ X. Sun,⁵⁵ J. E. Sundermann,⁴⁸ K. Suruliz,¹⁴⁰ G. Susinno,^{37a,37b} M. R. Sutton,¹⁵⁰ Y. Suzuki,⁶⁵ M. Svatos,¹²⁶ S. Swedish,¹⁶⁹ M. Swiatlowski,¹⁴⁴ I. Sykora,^{145a} T. Sykora,¹²⁸ D. Ta,⁸⁹ K. Tackmann,⁴² J. Taenzer,¹⁵⁹ A. Taffard,¹⁶⁴ R. Tafirout,^{160a} N. Taiblum,¹⁵⁴ Y. Takahashi,¹⁰² H. Takai,²⁵ R. Takashima,⁶⁸ H. Takeda,⁶⁶ T. Takeshita,¹⁴¹ Y. Takubo,⁶⁵ M. Talby,⁸⁴ A. A. Talyshv,¹⁰⁸ⁱ J. Y. C. Tam,¹⁷⁵ M. C. Tamsett,^{78oo} K. G. Tan,⁸⁷ J. Tanaka,¹⁵⁶ R. Tanaka,¹¹⁶ S. Tanaka,¹³² S. Tanaka,⁶⁵ A. J. Tanasijczuk,¹⁴³ K. Tani,⁶⁶ N. Tannoury,⁸⁴ S. Tapprogge,⁸² S. Tarem,¹⁵³ F. Tarrade,²⁹ G. F. Tartarelli,^{90a} P. Tas,¹²⁸ M. Tasevsky,¹²⁶ T. Tashiro,⁶⁷ E. Tassi,^{37a,37b} A. Tavares Delgado,^{125a} Y. Tayalati,^{136d} C. Taylor,⁷⁷ F. E. Taylor,⁹³ G. N. Taylor,⁸⁷ W. Taylor,^{160b} F. A. Teischinger,³⁰ M. Teixeira Dias Castanheira,⁷⁵ P. Teixeira-Dias,⁷⁶ K. K. Temming,⁴⁸ H. Ten Kate,³⁰ P. K. Teng,¹⁵² S. Terada,⁶⁵ K. Terashi,¹⁵⁶ J. Terron,⁸¹ S. Terzo,¹⁰⁰ M. Testa,⁴⁷ R. J. Teuscher,^{159l} J. Therhaag,²¹ T. Theveneaux-Pelzer,³⁴ S. Thoma,⁴⁸ J. P. Thomas,¹⁸ E. N. Thompson,³⁵ P. D. Thompson,¹⁸ P. D. Thompson,¹⁵⁹ A. S. Thompson,⁵³ L. A. Thomsen,³⁶ E. Thomson,¹²¹ M. Thomson,²⁸ W. M. Thong,⁸⁷ R. P. Thun,^{88a} F. Tian,³⁵

M. J. Tibbetts,¹⁵ T. Tic,¹²⁶ V. O. Tikhomirov,^{95,pp} Y. A. Tikhonov,^{108,i} S. Timoshenko,⁹⁷ E. Tiouchichine,⁸⁴ P. Tipton,¹⁷⁷ S. Tisserant,⁸⁴ T. Todorov,⁵ S. Todorova-Nova,¹²⁸ B. Toggerson,¹⁶⁴ J. Tojo,⁶⁹ S. Tokár,^{145a} K. Tokushuku,⁶⁵ K. Tollefson,⁸⁹ L. Tomlinson,⁸³ M. Tomoto,¹⁰² L. Tompkins,³¹ K. Toms,¹⁰⁴ N. D. Topilin,⁶⁴ E. Torrence,¹¹⁵ H. Torres,¹⁴³ E. Torró Pastor,¹⁶⁸ J. Toth,^{84,ii} F. Touchard,⁸⁴ D. R. Tovey,¹⁴⁰ H. L. Tran,¹¹⁶ T. Trefzger,¹⁷⁵ L. Tremblet,³⁰ A. Tricoli,³⁰ I. M. Trigger,^{160a} S. Trincaz-Duvoid,⁷⁹ M. F. Tripania,⁷⁰ N. Triplett,²⁵ W. Trischuk,¹⁵⁹ B. Trocmé,⁵⁵ C. Troncon,^{90a} M. Trotter-McDonald,¹⁴³ M. Trovatelli,^{135a,135b} P. True,⁸⁹ M. Trzebinski,³⁹ A. Trzupek,³⁹ C. Tsarouchas,³⁰ J.-L. Tseng,¹¹⁹ P. V. Tsiareshka,⁹¹ D. Tsionou,¹³⁷ G. Tsipolitis,¹⁰ N. Tsirintanis,⁹ S. Tsiskaridze,¹² V. Tsiskaridze,⁴⁸ E. G. Tskhadadze,^{51a} I. I. Tsukerman,⁹⁶ V. Tsulaia,¹⁵ J.-W. Tsung,²¹ S. Tsuno,⁶⁵ D. Tsybychev,¹⁴⁹ A. Tua,¹⁴⁰ A. Tudorache,^{26a} V. Tudorache,^{26a} J. M. Tuggle,³¹ A. N. Tuna,¹²¹ S. A. Tuppiti,^{20a,20b} S. Turchikhin,^{98,mm} D. Turecek,¹²⁷ I. Turk Cakir,^{4d} R. Turra,^{90a,90b} P. M. Tuts,³⁵ A. Tykhonov,⁷⁴ M. Tylmad,^{147a,147b} M. Tyndel,¹³⁰ K. Uchida,²¹ I. Ueda,¹⁵⁶ R. Ueno,²⁹ M. Ughetto,⁸⁴ M. Uglanđ,¹⁴ M. Uhlenbrock,²¹ F. Ukegawa,¹⁶¹ G. Unal,³⁰ A. Undrus,²⁵ G. Unel,¹⁶⁴ F. C. Ungaro,⁴⁸ Y. Unno,⁶⁵ D. Urbaniec,³⁵ P. Urquijo,²¹ G. Usai,⁸ A. Usanova,⁶¹ L. Vacavant,⁸⁴ V. Vacek,¹²⁷ B. Vachon,⁸⁶ N. Valencic,¹⁰⁶ S. Valentineti,^{20a,20b} A. Valero,¹⁶⁸ L. Valery,³⁴ S. Valkar,¹²⁸ E. Valladolid Gallego,¹⁶⁸ S. Vallecorsa,⁴⁹ J. A. Valls Ferrer,¹⁶⁸ R. Van Berg,¹²¹ P. C. Van Der Deijl,¹⁰⁶ R. van der Geer,¹⁰⁶ H. van der Graaf,¹⁰⁶ R. Van Der Leeuw,¹⁰⁶ D. van der Ster,³⁰ N. van Eldik,³⁰ P. van Gemmeren,⁶ J. Van Nieuwkoop,¹⁴³ I. van Vulpen,¹⁰⁶ M. C. van Woerden,³⁰ M. Vanadia,¹⁰⁰ W. Vandelli,³⁰ A. Vaniachine,⁶ P. Vankov,⁴² F. Vannucci,⁷⁹ G. Vardanyan,¹⁷⁸ R. Vari,^{133a} E. W. Varnes,⁷ T. Varol,⁸⁵ D. Varouchas,¹⁵ A. Vartapetian,⁸ K. E. Varvell,¹⁵¹ V. I. Vassilakopoulos,⁵⁶ F. Vazeille,³⁴ T. Vazquez Schroeder,⁵⁴ J. Veatch,⁷ F. Veloso,^{125a} S. Veneziano,^{133a} A. Ventura,^{72a,72b} D. Ventura,⁸⁵ M. Venturi,⁴⁸ N. Venturi,¹⁵⁹ A. Venturini,²³ V. Vercesi,^{120a} M. Verducci,¹³⁹ W. Verkerke,¹⁰⁶ J. C. Vermeulen,¹⁰⁶ A. Vest,⁴⁴ M. C. Vetterli,^{143,g} O. Viazlo,⁸⁰ I. Vichou,¹⁶⁶ T. Vickey,^{146c,qq} O. E. Vickey Boeriu,^{146c} G. H. A. Viehhauser,¹¹⁹ S. Viel,¹⁶⁹ R. Vigne,³⁰ M. Villa,^{20a,20b} M. Villaplana Perez,¹⁶⁸ E. Vilucchi,⁴⁷ M. G. Vincter,²⁹ V. B. Vinogradov,⁶⁴ J. Virzi,¹⁵ O. Vitells,¹⁷³ M. Viti,⁴² I. Vivarelli,¹⁵⁰ F. Vives Vaque,³ S. Vlachos,¹⁰ D. Vladoiu,⁹⁹ M. Vlasak,¹²⁷ A. Vogel,²¹ P. Vokac,¹²⁷ G. Volpi,⁴⁷ M. Volpi,⁸⁷ G. Volpini,^{90a} H. von der Schmitt,¹⁰⁰ H. von Radziewski,⁴⁸ E. von Toerne,²¹ V. Vorobel,¹²⁸ M. Vos,¹⁶⁸ R. Voss,³⁰ J. H. Vossebeld,⁷³ N. Vranjes,¹³⁷ M. Vranjes Milosavljevic,¹⁰⁶ V. Vrba,¹²⁶ M. Vreeswijk,¹⁰⁶ T. Vu Anh,⁴⁸ R. Vuillemet,³⁰ I. Vukotic,³¹ Z. Vykydal,¹²⁷ W. Wagner,¹⁷⁶ P. Wagner,²¹ S. Wahrmund,⁴⁴ J. Wakabayashi,¹⁰² S. Walch,⁸⁸ J. Walder,⁷¹ R. Walker,⁹⁹ W. Walkowiak,¹⁴² R. Wall,¹⁷⁷ P. Waller,⁷³ B. Walsh,¹⁷⁷ C. Wang,⁴⁵ H. Wang,¹⁵ H. Wang,⁴⁰ J. Wang,¹⁵² J. Wang,^{33a} K. Wang,⁸⁶ R. Wang,¹⁰⁴ S. M. Wang,¹⁵² T. Wang,²¹ X. Wang,¹⁷⁷ A. Warburton,⁸⁶ C. P. Ward,²⁸ D. R. Wardrope,⁷⁷ M. Warsinsky,⁴⁸ A. Washbrook,⁴⁶ C. Wasicki,⁴² I. Watanabe,⁶⁶ P. M. Watkins,¹⁸ A. T. Watson,¹⁸ I. J. Watson,¹⁵¹ M. F. Watson,¹⁸ G. Watts,¹³⁹ S. Watts,⁸³ A. T. Waugh,¹⁵¹ B. M. Waugh,⁷⁷ S. Webb,⁸³ M. S. Weber,¹⁷ S. W. Weber,¹⁷⁵ J. S. Webster,³¹ A. R. Weidberg,¹¹⁹ P. Weigell,¹⁰⁰ J. Weingarten,⁵⁴ C. Weiser,⁴⁸ H. Weits,¹⁰⁶ P. S. Wells,³⁰ T. Wenaus,²⁵ D. Wendland,¹⁶ Z. Weng,^{152,y} T. Wengler,³⁰ S. Wenig,⁵⁰ N. Wermes,²¹ M. Werner,⁴⁸ P. Werner,³⁰ M. Wessels,^{58a} J. Wetter,¹⁶² K. Whalen,²⁹ A. White,⁸ M. J. White,¹ R. White,^{32b} S. White,^{123a,123b} D. Whiteson,¹⁶⁴ D. Whittington,⁶⁰ D. Wicke,¹⁷⁶ F. J. Wickens,¹³⁰ W. Wiedenmann,¹⁷⁴ M. Wielers,^{80,f} P. Wienemann,²¹ C. Wiglesworth,³⁶ L. A. M. Wiik-Fuchs,²¹ P. A. Wijeratne,⁷⁷ A. Wildauer,¹⁰⁰ M. A. Wildt,^{42,rr} I. Wilhelm,¹²⁸ H. G. Wilkens,³⁰ J. Z. Will,⁹⁹ H. H. Williams,¹²¹ S. Williams,²⁸ W. Willis,^{35,a} S. Willocq,⁸⁵ J. A. Wilson,¹⁸ A. Wilson,⁸⁸ I. Wingerter-Seez,⁵ S. Winkelmann,⁴⁸ F. Winklmeier,¹¹⁵ M. Wittgen,¹⁴⁴ T. Wittig,⁴³ J. Wittkowski,⁹⁹ S. J. Wollstadt,⁸² M. W. Wolter,³⁹ H. Wolters,^{125aj} W. C. Wong,⁴¹ B. K. Wosiek,³⁹ J. Wotschack,³⁰ M. J. Woudstra,⁸³ K. W. Wozniak,³⁹ K. Wraight,⁵³ M. Wright,⁵³ S. L. Wu,¹⁷⁴ X. Wu,⁴⁹ Y. Wu,⁸⁸ E. Wulf,³⁵ T. R. Wyatt,⁸³ B. M. Wynne,⁴⁶ S. Xella,³⁶ M. Xiao,¹³⁷ C. Xu,^{33b,dd} D. Xu,^{33a} L. Xu,^{33b,ss} B. Yabsley,¹⁵¹ S. Yacoob,^{146b,tt} M. Yamada,⁶⁵ H. Yamaguchi,¹⁵⁶ Y. Yamaguchi,¹⁵⁶ A. Yamamoto,⁶⁵ K. Yamamoto,⁶³ S. Yamamoto,¹⁵⁶ T. Yamamura,¹⁵⁶ T. Yamanaka,¹⁵⁶ K. Yamauchi,¹⁰² Y. Yamazaki,⁶⁶ Z. Yan,²² H. Yang,^{33e} H. Yang,¹⁷⁴ U. K. Yang,⁸³ Y. Yang,¹¹⁰ S. Yanush,⁹² L. Yao,^{33a} Y. Yasu,⁶⁵ E. Yatsenko,⁴² K. H. Yau Wong,²¹ J. Ye,⁴⁰ S. Ye,²⁵ A. L. Yen,⁵⁷ E. Yildirim,⁴² M. Yilmaz,^{4b} R. Yoosofmiya,¹²⁴ K. Yorita,¹⁷² R. Yoshida,⁶ K. Yoshihara,¹⁵⁶ C. Young,¹⁴⁴ C. J. S. Young,¹¹⁹ S. Youssef,²² D. R. Yu,¹⁵ J. Yu,⁸ J. Yu,¹¹³ L. Yuan,⁶⁶ A. Yurkewicz,¹⁰⁷ B. Zabinski,³⁹ R. Zaidan,⁶² A. M. Zaitsev,^{129,ee} A. Zaman,¹⁴⁹ S. Zambito,²³ L. Zanello,^{133a,133b} D. Zanzi,¹⁰⁰ A. Zaytsev,²⁵ C. Zeitnitz,¹⁷⁶ M. Zeman,¹²⁷ A. Zemla,³⁹ K. Zengel,²³ O. Zenin,¹²⁹ T. Ženiš,^{145a} D. Zerwas,¹¹⁶ G. Zevi della Porta,⁵⁷ D. Zhang,⁸⁸ H. Zhang,⁸⁹ J. Zhang,⁶ L. Zhang,¹⁵² X. Zhang,^{33d} Z. Zhang,¹¹⁶ Z. Zhao,^{33b} A. Zhemchugov,⁶⁴ J. Zhong,¹¹⁹ B. Zhou,⁸⁸ L. Zhou,³⁵ N. Zhou,¹⁶⁴ C. G. Zhu,^{33d} H. Zhu,^{33a} J. Zhu,⁸⁸ Y. Zhu,^{33b} X. Zhuang,^{33a} A. Zibell,⁹⁹ D. Zieminska,⁶⁰ N. I. Zimin,⁶⁴ C. Zimmermann,⁸² R. Zimmermann,²¹ S. Zimmermann,²¹ S. Zimmermann,⁴⁸ Z. Zinonos,⁵⁴ M. Ziolkowski,¹⁴² R. Zitoun,⁵ L. Živković,³⁵ G. Zobernig,¹⁷⁴ A. Zoccoli,^{20a,20b} M. zur Nedden,¹⁶ G. Zurzolo,^{103a,103b} V. Zutshi,¹⁰⁷ and L. Zwalinski³⁰

(ATLAS Collaboration)

¹*School of Chemistry and Physics, University of Adelaide, Adelaide, Australia*²*Physics Department, SUNY Albany, Albany, New York, USA*

- ³*Department of Physics, University of Alberta, Edmonton, Alberta, Canada*
- ^{4a}*Department of Physics, Ankara University, Ankara, Turkey*
- ^{4b}*Department of Physics, Gazi University, Ankara, Turkey*
- ^{4c}*Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey*
- ^{4d}*Turkish Atomic Energy Authority, Ankara, Turkey*
- ⁵*LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France*
- ⁶*High Energy Physics Division, Argonne National Laboratory, Argonne, Illinois, USA*
- ⁷*Department of Physics, University of Arizona, Tucson, Arizona, USA*
- ⁸*Department of Physics, The University of Texas at Arlington, Arlington, Texas, USA*
- ⁹*Physics Department, University of Athens, Athens, Greece*
- ¹⁰*Physics Department, National Technical University of Athens, Zografou, Greece*
- ¹¹*Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan*
- ¹²*Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain*
- ^{13a}*Institute of Physics, University of Belgrade, Belgrade, Serbia*
- ^{13b}*Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia*
- ¹⁴*Department for Physics and Technology, University of Bergen, Bergen, Norway*
- ¹⁵*Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, California, USA*
- ¹⁶*Department of Physics, Humboldt University, Berlin, Germany*
- ¹⁷*Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland*
- ¹⁸*School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom*
- ^{19a}*Department of Physics, Bogazici University, Istanbul, Turkey*
- ^{19b}*Department of Physics, Dogus University, Istanbul, Turkey*
- ^{19c}*Department of Physics Engineering, Gaziantep University, Gaziantep, Turkey*
- ^{20a}*INFN Sezione di Bologna, Italy*
- ^{20b}*Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy*
- ²¹*Physikalisches Institut, University of Bonn, Bonn, Germany*
- ²²*Department of Physics, Boston University, Boston Massachusetts, USA*
- ²³*Department of Physics, Brandeis University, Waltham, Massachusetts, USA*
- ^{24a}*Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro, Brazil*
- ^{24b}*Federal University of Juiz de Fora (UFJF), Juiz de Fora, Brazil*
- ^{24c}*Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei, Brazil*
- ^{24d}*Instituto de Física, Universidade de Sao Paulo, Sao Paulo, Brazil*
- ²⁵*Physics Department, Brookhaven National Laboratory, Upton, New York, USA*
- ^{26a}*National Institute of Physics and Nuclear Engineering, Bucharest, Romania*
- ^{26b}*National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca, Romania*
- ^{26c}*University Politehnica Bucharest, Bucharest, Romania*
- ^{26d}*West University in Timisoara, Timisoara, Romania*
- ²⁷*Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina*
- ²⁸*Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom*
- ²⁹*Department of Physics, Carleton University, Ottawa, Ontario, Canada*
- ³⁰*CERN, Geneva, Switzerland*
- ³¹*Enrico Fermi Institute, University of Chicago, Chicago, Illinois, USA*
- ^{32a}*Departamento de Física, Pontificia Universidad Católica de Chile, Santiago, Chile*
- ^{32b}*Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile*
- ^{33a}*Institute of High Energy Physics, Chinese Academy of Sciences, Beijing, China*
- ^{33b}*Department of Modern Physics, University of Science and Technology of China, Anhui, China*
- ^{33c}*Department of Physics, Nanjing University, Jiangsu, China*
- ^{33d}*School of Physics, Shandong University, Shandong, China*
- ^{33e}*Physics Department, Shanghai Jiao Tong University, Shanghai, China*
- ³⁴*Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France*
- ³⁵*Nevis Laboratory, Columbia University, Irvington, New York, USA*
- ³⁶*Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark*
- ^{37a}*INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati, Italy*
- ^{37b}*Dipartimento di Fisica, Università della Calabria, Rende, Italy*

- ^{38a}AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow, Poland
- ^{38b}Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
- ³⁹The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland
- ⁴⁰Physics Department, Southern Methodist University, Dallas, Texas, USA
- ⁴¹Physics Department, University of Texas at Dallas, Richardson, Texas, USA
- ⁴²DESY, Hamburg and Zeuthen, Germany
- ⁴³Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
- ⁴⁴Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany
- ⁴⁵Department of Physics, Duke University, Durham, North Carolina, USA
- ⁴⁶SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
- ⁴⁷INFN Laboratori Nazionali di Frascati, Frascati, Italy
- ⁴⁸Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
- ⁴⁹Section de Physique, Université de Genève, Geneva, Switzerland
- ^{50a}INFN Sezione di Genova, Italy
- ^{50b}Dipartimento di Fisica, Università di Genova, Genova, Italy
- ^{51a}E. Andronikashvili Institute of Physics, Iv. Javakishvili Tbilisi State University, Tbilisi, Georgia
- ^{51b}High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
- ⁵²II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
- ⁵³SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
- ⁵⁴II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
- ⁵⁵Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France
- ⁵⁶Department of Physics, Hampton University, Hampton, Virginia, USA
- ⁵⁷Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, Massachusetts, USA
- ^{58a}Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
- ^{58b}Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
- ^{58c}ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
- ⁵⁹Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- ⁶⁰Department of Physics, Indiana University, Bloomington, Indiana, USA
- ⁶¹Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- ⁶²University of Iowa, Iowa City, Iowa, USA
- ⁶³Department of Physics and Astronomy, Iowa State University, Ames, Iowa, USA
- ⁶⁴Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- ⁶⁵KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- ⁶⁶Graduate School of Science, Kobe University, Kobe, Japan
- ⁶⁷Faculty of Science, Kyoto University, Kyoto, Japan
- ⁶⁸Kyoto University of Education, Kyoto, Japan
- ⁶⁹Department of Physics, Kyushu University, Fukuoka, Japan
- ⁷⁰Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- ⁷¹Physics Department, Lancaster University, Lancaster, United Kingdom
- ^{72a}INFN Sezione di Lecce, Italy
- ^{72b}Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- ⁷³Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- ⁷⁴Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
- ⁷⁵School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- ⁷⁶Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- ⁷⁷Department of Physics and Astronomy, University College London, London, United Kingdom
- ⁷⁸Louisiana Tech University, Ruston, Louisiana, USA
- ⁷⁹Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- ⁸⁰Fysiska institutionen, Lunds universitet, Lund, Sweden
- ⁸¹Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
- ⁸²Institut für Physik, Universität Mainz, Mainz, Germany
- ⁸³School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- ⁸⁴CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- ⁸⁵Department of Physics, University of Massachusetts, Amherst, Massachusetts, USA
- ⁸⁶Department of Physics, McGill University, Montreal, Quebec, Canada
- ⁸⁷School of Physics, University of Melbourne, Victoria, Australia
- ⁸⁸Department of Physics, The University of Michigan, Ann Arbor, Mississippi, USA

- ⁸⁹*Department of Physics and Astronomy, Michigan State University, East Lansing, Mississippi, USA*
^{90a}*INFN Sezione di Milano, Italy*
^{90b}*Dipartimento di Fisica, Università di Milano, Milano, Italy*
- ⁹¹*B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Republic of Belarus*
⁹²*National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Republic of Belarus*
- ⁹³*Department of Physics, Massachusetts Institute of Technology, Cambridge, Massachusetts, USA*
⁹⁴*Group of Particle Physics, University of Montreal, Montreal, Quebec, Canada*
⁹⁵*P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia*
⁹⁶*Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia*
⁹⁷*Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia*
- ⁹⁸*D.V. Skobel'syn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia*
⁹⁹*Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany*
¹⁰⁰*Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany*
¹⁰¹*Nagasaki Institute of Applied Science, Nagasaki, Japan*
- ¹⁰²*Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan*
^{103a}*INFN Sezione di Napoli, Italy*
^{103b}*Dipartimento di Scienze Fisiche, Università di Napoli, Napoli, Italy*
- ¹⁰⁴*Department of Physics and Astronomy, University of New Mexico, Albuquerque, New Mexico, USA*
¹⁰⁵*Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands*
- ¹⁰⁶*Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands*
¹⁰⁷*Department of Physics, Northern Illinois University, DeKalb, Illinois, USA*
¹⁰⁸*Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia*
¹⁰⁹*Department of Physics, New York University, New York, New York, USA*
¹¹⁰*Ohio State University, Columbus, Ohio, USA*
¹¹¹*Faculty of Science, Okayama University, Okayama, Japan*
- ¹¹²*Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, Oklahoma, USA*
- ¹¹³*Department of Physics, Oklahoma State University, Stillwater, Oklahoma, USA*
¹¹⁴*Palacký University, RCPTM, Olomouc, Czech Republic*
- ¹¹⁵*Center for High Energy Physics, University of Oregon, Eugene, Oregon, USA*
¹¹⁶*LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France*
- ¹¹⁷*Graduate School of Science, Osaka University, Osaka, Japan*
¹¹⁸*Department of Physics, University of Oslo, Oslo, Norway*
- ¹¹⁹*Department of Physics, Oxford University, Oxford, United Kingdom*
^{120a}*INFN Sezione di Pavia, Italy*
^{120b}*Dipartimento di Fisica, Università di Pavia, Pavia, Italy*
- ¹²¹*Department of Physics, University of Pennsylvania, Philadelphia, Pennsylvania, USA*
¹²²*Petersburg Nuclear Physics Institute, Gatchina, Russia*
^{123a}*INFN Sezione di Pisa, Italy*
^{123b}*Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy*
- ¹²⁴*Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, Pennsylvania, USA*
^{125a}*Laboratorio de Instrumentacao e Fisica Experimental de Particulas - LIP, Lisboa, Portugal*
- ^{125b}*Departamento de Fisica Teorica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain*
¹²⁶*Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic*
¹²⁷*Czech Technical University in Prague, Praha, Czech Republic*
- ¹²⁸*Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic*
¹²⁹*State Research Center Institute for High Energy Physics, Protvino, Russia*
- ¹³⁰*Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom*
¹³¹*Physics Department, University of Regina, Regina, Saskatchewan, Canada*
¹³²*Ritsumeikan University, Kusatsu, Shiga, Japan*
^{133a}*INFN Sezione di Roma I, Italy*
^{133b}*Dipartimento di Fisica, Università La Sapienza, Roma, Italy*
^{134a}*INFN Sezione di Roma Tor Vergata, Italy*
- ^{134b}*Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy*
^{135a}*INFN Sezione di Roma Tre, Italy*
^{135b}*Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy*
- ^{136a}*Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca, Morocco*

- ^{136b}*Centre National de l'Energie des Sciences Techniques Nucleaires, Rabat, Morocco*
^{136c}*Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech, Morocco*
^{136d}*Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda, Morocco*
^{136e}*Faculté des sciences, Université Mohammed V-Agdal, Rabat, Morocco*
¹³⁷*DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France*
¹³⁸*Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, California, USA*
¹³⁹*Department of Physics, University of Washington, Seattle, Washington, USA*
¹⁴⁰*Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom*
¹⁴¹*Department of Physics, Shinshu University, Nagano, Japan*
¹⁴²*Fachbereich Physik, Universität Siegen, Siegen, Germany*
¹⁴³*Department of Physics, Simon Fraser University, Burnaby, British Columbia, Canada*
¹⁴⁴*SLAC National Accelerator Laboratory, Stanford, California, USA*
^{145a}*Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava, Slovak Republic*
^{145b}*Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic*
^{146a}*Department of Physics, University of Cape Town, Cape Town, South Africa*
^{146b}*Department of Physics, University of Johannesburg, Johannesburg, South Africa*
^{146c}*School of Physics, University of the Witwatersrand, Johannesburg, South Africa*
^{147a}*Department of Physics, Stockholm University, Sweden*
^{147b}*The Oskar Klein Centre, Stockholm, Sweden*
¹⁴⁸*Physics Department, Royal Institute of Technology, Stockholm, Sweden*
¹⁴⁹*Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, New York, USA*
¹⁵⁰*Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom*
¹⁵¹*School of Physics, University of Sydney, Sydney, Australia*
¹⁵²*Institute of Physics, Academia Sinica, Taipei, Taiwan*
¹⁵³*Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel*
¹⁵⁴*Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel*
¹⁵⁵*Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece*
¹⁵⁶*International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan*
¹⁵⁷*Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan*
¹⁵⁸*Department of Physics, Tokyo Institute of Technology, Tokyo, Japan*
¹⁵⁹*Department of Physics, University of Toronto, Toronto, Ontario, Canada*
^{160a}*TRIUMF, Vancouver, British Columbia, Canada*
^{160b}*Department of Physics and Astronomy, York University, Toronto, Ontario, Canada*
¹⁶¹*Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan*
¹⁶²*Department of Physics and Astronomy, Tufts University, Medford, Massachusetts, USA*
¹⁶³*Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia*
¹⁶⁴*Department of Physics and Astronomy, University of California Irvine, Irvine, California, USA*
^{165a}*INFN Gruppo Collegato di Udine, Italy*
^{165b}*ICTP, Trieste, Italy*
^{165c}*Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy*
¹⁶⁶*Department of Physics, University of Illinois, Urbana, Illinois, USA*
¹⁶⁷*Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden*
¹⁶⁸*Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain*
¹⁶⁹*Department of Physics, University of British Columbia, Vancouver, British Columbia, Canada*
¹⁷⁰*Department of Physics and Astronomy, University of Victoria, Victoria, British Columbia, Canada*
¹⁷¹*Department of Physics, University of Warwick, Coventry, United Kingdom*
¹⁷²*Waseda University, Tokyo, Japan*
¹⁷³*Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel*
¹⁷⁴*Department of Physics, University of Wisconsin, Madison, Wisconsin, USA*
¹⁷⁵*Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany*
¹⁷⁶*Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany*
¹⁷⁷*Department of Physics, Yale University, New Haven, Connecticut, USA*
¹⁷⁸*Yerevan Physics Institute, Yerevan, Armenia*

¹⁷⁹*Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3),
Villeurbanne, France*

^aDeceased.

^bAlso at Department of Physics, King's College London, London, United Kingdom.

^cAlso at Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa, Portugal.

^dAlso at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

^eAlso at Faculdade de Ciências and CFNUL, Universidade de Lisboa, Lisboa, Portugal.

^fAlso at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.

^gAlso at TRIUMF, Vancouver BC, Canada.

^hAlso at Department of Physics, California State University, Fresno CA, United States of America.

ⁱAlso at Novosibirsk State University, Novosibirsk, Russia.

^jAlso at Department of Physics, University of Coimbra, Coimbra, Portugal.

^kAlso at Università di Napoli Parthenope, Napoli, Italy.

^lAlso at Institute of Particle Physics (IPP), Canada.

^mAlso at Department of Physics, Middle East Technical University, Ankara, Turkey.

ⁿAlso at Louisiana Tech University, Ruston LA, United States of America.

^oAlso at Dep Física and CEFITEC of Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal.

^pAlso at CPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.

^qAlso at Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America.

^rAlso at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.

^sAlso at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.

^tAlso at Department of Physics, University of Cape Town, Cape Town, South Africa.

^uAlso at CERN, Geneva, Switzerland.

^vAlso at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan.

^wAlso at Manhattan College, New York NY, United States of America.

^xAlso at Institute of Physics, Academia Sinica, Taipei, Taiwan.

^yAlso at School of Physics and Engineering, Sun Yat-sen University, Guanzhou, China.

^zAlso at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.

^{aa}Also at Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France.

^{bb}Also at School of Physical Sciences, National Institute of Science Education and Research, Bhubaneswar, India.

^{cc}Also at Dipartimento di Fisica, Università La Sapienza, Roma, Italy.

^{dd}Also at DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France.

^{ee}Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.

^{ff}Also at Section de Physique, Université de Genève, Geneva, Switzerland.

^{gg}Also at Departamento de Física, Universidade de Minho, Braga, Portugal.

^{hh}Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America.

ⁱⁱAlso at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.

^{jj}Also at DESY, Hamburg and Zeuthen, Germany.

^{kk}Also at International School for Advanced Studies (SISSA), Trieste, Italy.

^{ll}Also at Department of Physics and Astronomy, University of South Carolina, Columbia SC, United States of America.

^{mm}Also at Faculty of Physics, M.V.Lomonosov Moscow State University, Moscow, Russia.

ⁿⁿAlso at Nevis Laboratory, Columbia University, Irvington NY, United States of America.

^{oo}Also at Physics Department, Brookhaven National Laboratory, Upton NY, United States of America.

^{pp}Also at Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia.

^{qq}Also at Department of Physics, Oxford University, Oxford, United Kingdom.

^{rr}Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.

^{ss}Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America.

^{tt}Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa.