



## UvA-DARE (Digital Academic Repository)

### Swift/XRT imaging finds no new transient near MAXI reported burst position

Heinke, C.O.; Bahramian, A.; Kennea, J.; Wijnands, R.; Degenaar, N.

**Publication date**

2015

**Document Version**

Final published version

**Published in**

The astronomer's telegram

[Link to publication](#)

**Citation for published version (APA):**

Heinke, C. O., Bahramian, A., Kennea, J., Wijnands, R., & Degenaar, N. (2015). Swift/XRT imaging finds no new transient near MAXI reported burst position. *The astronomer's telegram*, 8189. <http://www.astronomerstelegam.org/?read=8189>

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

11 Dec 2015; 15:02 UT

## Outside

GCN  
IAUCs

## Other

ATel on [Twitter](#) and [Facebook](#)  
ATELstream  
ATel Community Site  
MacOS: [Dashboard Widget](#)

## Your Conference Here

This space for free for  
conference advertising.[ [Previous](#) | [Next](#) | [ADS](#) ]

## Swift/XRT imaging finds no new transient near MAXI reported burst position

ATel #8189; *C. O. Heinke, A. Bahramian (U. Alberta), J. Kennea (Penn State), R. Wijnands (Amsterdam) & N. Degenaar (Cambridge)*  
on 19 Oct 2015; 16:48 UT  
Credential Certification: *Craig Heinke (cheinke@virginia.edu)*

Subjects: X-ray, Binary, Neutron Star, Transient

Tweet

On Oct. 15, at 1:22 UTC, the MAXI all-sky monitor detected an X-ray burst (likely part of a Type 1 X-ray burst) from near the Galactic Center at 5 sigma significance, with an observed flux of 83+-15 mCrab in the 3-10 keV band (MAXI Nova ID=7310899999). The reported position was RA=266.9, Dec=-29.6. Typical MAXI detections of new transients have positional uncertainties of roughly 0.3 degrees (e.g. Atel #6991), but since X-ray bursts may show variability during the scan the positional uncertainty can be significantly larger (Atel #5041).

Swift/XRT observed the region on Oct. 15, starting at 15:44 UTC, with seven overlapping tiles, with exposures of 350 to 520 seconds each. The observations were centered at (J2000) 17:47:31.4, -29:35:51 with complete coverage out to a radius of 25 arcminutes, and some coverage out to 33 arcminutes. Three active sources were identified in this region, the known persistent low-mass X-ray binaries 1A 1742-294 (count rate cts/s, heavily piled-up), SLX 1744-299 (count rate 1.0 cts/s, slightly piled-up), and SLX 1744-300 (count rate 0.43 cts/s). No new transient was identified, down to a limiting X-ray luminosity (0.5-10 keV) of  $4 \times 10^{34}$  erg/s, for an 8 kpc distance, photon index of 1.7, and  $N_H$  of  $1e22$  (estimated from Dickey & Lockman 1990, ARAA, 28, 215). For these same assumptions, we estimate the 0.5-10 keV luminosities for SLX 1744-299 and SLX 1744-300 as  $9 \times 10^{35}$  and  $4 \times 10^{35}$  respectively. Extracting an annular spectrum for 1A 1742-294 to compensate for pileup, and fitting an absorbed power-law, we find  $N_H = 1.0 \pm 0.2e23$ , photon index  $1.6 \pm 0.4 - 0.3$ , and unabsorbed flux of  $1.9e-9$  ergs/cm<sup>2</sup>/s, which translates to an intrinsic luminosity of  $1.4 \times 10^{37}$  erg/s for the same assumptions.

1A 1742-294, SLX 1744-300, and SLX 1744-299 are known X-ray bursters (e.g. Galloway et al. 2008, ApJS, 179, 360) well within a plausible error circle, so the MAXI burst may originate from any of them. Beyond 30 arcminutes, several X-ray binaries are possible origins of this burst, including the transient burster SAX J1750.8-2900. New activity from within 3 arcminutes of SAX J1750.8-2900 triggered the Swift/BAT on Oct. 15 (GCN #18421), indicating that it is active (it was also seen active by Integral in mid-September, Atel #8058, and is clearly active in Swift/BAT daily lightcurves).

We thank the Swift planning team for rapidly scheduling our observations, and the MAXI team for providing rapid, public notices of interesting activity.

## Related

- 8189 [Swift/XRT imaging finds no new transient near MAXI reported burst position](#)
- 8058 [INTEGRAL finds renewed X-ray activity of the Neutron star X-ray transient SAX J1750.8-2900](#)
- 7159 [INTEGRAL detection of 4U 1630-472 in outburst](#)
- 6991 [MAXI/GSC detection of a new outburst from 4U 1630-472](#)
- 6602 [INTEGRAL/JEM-X sees enhanced activity in the Galactic center region: SAX J1747.0-2853 and IGR J17454-2919](#)
- 5332 [Report on \(non-\)activity in the Galactic bulge region as seen by INTEGRAL](#)
- 5041 [MAXI/GSC detection of an X-ray outburst probably from SAX J1747.0-2853 and Swift followup observation of the Galactic center region](#)
- 4848 [INTEGRAL/JEM-X detects a new outburst of the Rapid Burster \(MXB 1730-335\)](#)
- 4840 [Transient X-ray burster KS 1741-293 active again](#)
- 3930 [INTEGRAL Bulge monitoring program detects several active transients with JEM-X](#)
- 3842 [MAXI/GSC detects a quasi-regular outburst and a possible soft state transition in H 1743-322](#)
- 3646 [INTEGRAL Galactic Bulge monitoring: transient activity from KS 1741-293, MXB 1730-335, and IGR J17498-2921](#)
- 3632 [Swift detects an X-ray burst and renewed activity from KS 1741-293](#)
- 3263 [IGR J17464-3213 \(= H1743-322\) is active again](#)
- 3217 [SAX J1747.0-2853: 'normal' thermonuclear bursts resumed](#)
- 3183 [First superburst observed by INTEGRAL, from SAX J1747.0-2853](#)
- 3181 [Swift/XRT confirms the INTEGRAL detection of a faint outburst from SAX J1750.8-2900](#)
- 3172 [INTEGRAL sees continuing activity from SAX J1747.0-2853, but not from SAX J1750.8-2900](#)
- 3170 [INTEGRAL/IBIS observations of the Galactic center region at the epoch of the short Fermi/LAT flare](#)

- 3163** Swift/XRT detects SAX J1747.0-2853 (=MAXI J1745-288) in outburst
- 3162** Fermi LAT detection of an outburst from the Galactic center region
- 3123** MAXI/GSC detects an X-ray outburst from the Galactic center region, GRO J1744-28/MAXI J1745-288
- 2465** INTEGRAL reports renewed activity from KS 1741-293
- 1531** Chandra detects activity from the Galactic X-ray transients KS 1741-293, Swift J174535.5-290135.6 and CXOGC J174535.5-290124

---

[ **Telegram Index** ]

R. E. Rutledge, Editor-in-Chief

Derek Fox, Editor

Mansi M. Kasliwal, Co-Editor

`rrutledge@astronomerstelegam.org`

`dfox@astronomerstelegam.org`

`mansi@astronomerstelegam.org`