



UvA-DARE (Digital Academic Repository)

INTEGRAL detection of a hard X-ray transient in NGC 6440

Kuulkers, E.; Bozzo, E.; Bazzano, A.; Beckmann, V.; Bird, T.; Bodaghee, A.; Chenevez, J.; Del Santo, M.; Domingo, A.; Jonker, P.; Kretschmar, P.; Paizis, A.; Pottschmidt, K.; Markwardt, C.; Sanchez-Fernandez, C.; Wijnands, R.

Publication date

2015

Document Version

Final published version

Published in

The astronomer's telegram

[Link to publication](#)

Citation for published version (APA):

Kuulkers, E., Bozzo, E., Bazzano, A., Beckmann, V., Bird, T., Bodaghee, A., Chenevez, J., Del Santo, M., Domingo, A., Jonker, P., Kretschmar, P., Paizis, A., Pottschmidt, K., Markwardt, C., Sanchez-Fernandez, C., & Wijnands, R. (2015). INTEGRAL detection of a hard X-ray transient in NGC 6440. *The astronomer's telegram*, 7098. <http://www.astronomerstelegam.org/?read=7098>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (<https://dare.uva.nl>)

The Astronomer's Telegram

Post | Search | Policies
Credential | Feeds | Email

24 Dec 2015; 10:34 UT

Outside

GCN
IAUCs

Other

ATel on [Twitter](#) and [Facebook](#)
ATELstream
ATel Community Site
MacOS: [Dashboard Widget](#)

Your Conference Here

This space for free for
conference advertising.

[[Previous](#) | [Next](#) | [ADS](#)]

INTEGRAL detection of a hard X-ray transient in NGC 6440

ATel #7098; *E. Kuulkers (ESAC/ESA, Spain), E. Bozzo (ISDC, Switzerland), A. Bazzano (INAF/IAPS, Italy), V. Beckmann (APC, France), T. Bird (Southampton U., UK), A. Bodaghee (GCSU, USA), J. Chenevez (DTU Space, Denmark), M. Del Santo (INAF/IAPS, Italy), A. Domingo (CAB/INTA-CSIC, Spain), P. Jonker (SRON, The Netherlands), P. Kretschmar (ESA/ESAC, Spain), A. Paizis (INAF-IASF, Italy), K. Pottschmidt (UMBC/NASA GSFC, USA), C. Markwardt (GSFC, USA), C. Sanchez-Fernandez (ESA/ESAC, Spain), R. Wijnands (UvA, The Netherlands)*

on 18 Feb 2015; 11:19 UT

Distributed as an Instant Email Notice Transients

Credential Certification: Erik Kuulkers (Erik.Kuulkers@sciops.esa.int)

Subjects: Binary, Globular Cluster, Neutron Star, Transient, Variables, Pulsar

Referred to by ATel #: [7106](#), [7136](#), [7183](#)

Tweet

Recommend

1

During INTEGRAL Galactic bulge monitoring (e.g., ATel #[438](#)) observations performed on UT 2015 February 17 at 12.53-16:45, IBIS/ISGRI detected renewed activity at hard X-rays from a transient within the Globular Cluster NGC 6440. The best determined position is: RA, Dec (J2000) = 267.208, -20.314 degrees, with an error radius of 2.4 arcmin (90% c.l.). Formally, there is no known X-ray source within the error circle, so we label the source as IGR J17488-2018.

The hard X-ray transient is detected at a significance of 11 (6.5) sigma on the IBIS/ISGRI mosaic in the 20-40 keV (40-80 keV) energy band. The IBIS/ISGRI spectrum (total exposure time of 12 ks) provides a photon index of 2.4 +/- 0.5 and a 20-100 keV flux of 4.8E-10 ergs/cm²/s.

NGC 6440 was outside the JEM-X field-of-view for the entire observation.

The Globular Cluster NGC 6440 is known to host millisecond X-ray pulsars (see, e.g., ATel #[2672](#)), so it is possible that INTEGRAL detected an outburst from one of these sources. We can not rule out that one of the known X-ray sources just outside the error circle (such as MXB 1746-20 aka H1745-203) is experiencing an outburst. Note that Swift/BAT also detects enhanced activity from H1745-203 over the last days.

Further INTEGRAL observations in the direction of NGC 6440 are planned for the coming weeks. Swift ToO follow-up observations have been requested. Observations at other wavelengths are encouraged.

Related

- [7183](#) **Chandra identification of the current X-ray transient in NGC 6440**
- [7136](#) **INTEGRAL/JEM-X detection of type-I X-ray bursts from IGR J17488-2018**
- [7106](#) **Swift/XRT observations of the X-ray transient in NGC6440**
- [7098](#) **INTEGRAL detection of a hard X-ray transient in NGC 6440**
- [2672](#) **New outburst of the accreting millisecond X-ray pulsar NGC 6440 X-2 and discovery of a strong 1 Hz modulation in the light-curve**

[[Telegram Index](#)]

R. E. Rutledge, Editor-in-Chief

rrutledge@astronomerstelegram.org

Derek Fox, Editor

Mansi M. Kasliwal, Co-Editor

dfox@astronomerstelegam.org

mansi@astronomerstelegam.org