



UvA-DARE (Digital Academic Repository)

INTEGRAL detects a new outburst from the millisecond X-ray pulsar IGR J17511-3057

Bozzo, E.; Kuulkers, E.; Bazzano, A.; Beckmann, V.; Bird, T.; Bodaghee, A.; Chenevez, J.; Del Santo, M.; Domingo, A.; Jonker, P.; Kretschmar, P.; Markwardt, C.; Paizis, A.; Pottschmidt, K.; Sanchez-Fernandez, C.; Wijnands, R.; Ferrigno, C.; Tuerler, M.

Published in:

The astronomer's telegram

[Link to publication](#)

Citation for published version (APA):

Bozzo, E., Kuulkers, E., Bazzano, A., Beckmann, V., Bird, T., Bodaghee, A., ... Tuerler, M. (2015). INTEGRAL detects a new outburst from the millisecond X-ray pulsar IGR J17511-3057. *The astronomer's telegram*, 7275.

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

14 Dec 2015; 14:21 UT

Outside

GCN
IAUCs

Other

ATel on [Twitter](#) and [Facebook](#)
ATELstream
ATel Community Site
MacOS: [Dashboard Widget](#)

Your Conference Here

This space for free for
conference advertising.[\[Previous | Next | ADS \]](#)

INTEGRAL detects a new outburst from the millisecond X-ray pulsar IGR J17511-3057

ATel #7275; *E. Bozzo (ISDC, Switzerland), E. Kuulkers (ESA/ESAC, Spain), A. Bazzano (INAF/IAPS, Italy), V. Beckmann (APC, France), T. Bird (Southampton, UK), A. Bodaghee (GCSU, USA), J. Chenevez (DTU Space, Denmark), M. Del Santo (INAF/IASF-Palermo, Italy), A. Domingo (CAB/INTA-CSIC, Spain), P. Jonker (SRON, The Netherlands), P. Kretschmar (ESA/ESAC, Spain), C. Markwardt (GSFC, USA), A. Paizis (INAF/IASF-Milano, Italy), K. Pottschmidt (UMBC/NASA GSFC, USA), C. Sanchez-Fernandez (ESA/ESAC, Spain), R. Wijnands (UvA, The Netherlands), C. Ferrigno, M. Tuerler (ISDC, Switzerland)*

*on 23 Mar 2015; 12:13 UT**Distributed as an Instant Email Notice Transients**Credential Certification: E. Bozzo (enrico.bozzo@unige.ch)*

Subjects: X-ray, Binary, Neutron Star, Transient, Pulsar

Referred to by ATel #: [7288](#)[Tweet](#)

During the observations performed in the direction of the Galactic Bulge on 2015 March 23 from 02:49 to 07:26 (UTC), the instruments on-board INTEGRAL detected a new outburst from the millisecond X-ray pulsar IGR J17511-3057 (ATel #[2196](#), #[2197](#); Papitto et al., 2010, MNRAS, 407, 2575).

The source was included in both the IBIS and JEM-X field of views. IGR J17511-3057 is detected by IBIS/ISGRI at a flux of $18^{+/-2}$ mCrab in the 20-40 keV energy band and $24^{+/-2}$ mCrab in the 40-80 keV energy band. The fluxes estimated from the JEM-X data were $18^{+/-3}$ mCrab in the 3-10 keV energy band and $24^{+/-5}$ mCrab in the 10-20 keV energy band. All uncertainties on the fluxes are quoted at 1 sigma c.l. The IBIS/ISGRI spectrum (effective exposure time 9.1 ks) could be reasonably well described by using a power-law model with photon index $2.3^{+/-0.4}$. The 20-100 keV X-ray flux estimated from the spectral fit is $4.5E-10$ ergs/cm²/s.

Further INTEGRAL observations in the direction of the source are already planned for the next days. The INTEGRAL monitoring of the Galactic bulge will also continue in the coming weeks, and the observational results from near real time data will be made available [HERE](#).

Related

- 7288 IGR J17511-3057: Swift follow-up and INTEGRAL JEM-X detection of a type-I X-ray burst
- 7275 INTEGRAL detects a new outburst from the millisecond X-ray pulsar IGR J17511-3057
- 5790 MAXI/GSC and Swift/BAT detection of enhanced hard X-ray emission from the Galactic center region, renewed activity of GRO J1744-28 ?
- 2529 V407 Cyg: Allen Telescope Array Observations
- 2506 Radio detection of V407 Cyg - the possible counterpart of the new Fermi LAT Gamma-ray Transient J2102+4542 with the Effelsberg 100-m, OVRO 40-m and IRAM 30-m telescopes
- 2237 RXTE and Swift: IGR J17511-3057 fading, XTE J1751-305 detected
- 2236 Swift/XRT detection of GRS 1741.9-2853 in outburst
- 2235 INTEGRAL sees transient activity in the Galactic Bulge: XTE J1751-305 and GRS 1741.9-2853 in outburst
- 2233 Confirmation of the NIR counterpart to IGR J17511-3057
- 2232 Radio upper limits for the accreting millisecond X-ray pulsar IGR J17511-3057
- 2221 Precise orbital ephemeris for the Accreting Millisecond Pulsar IGR J17511-3057
- 2220 XMM-Newton gives spectral modeling and updated ephemeris of the Accreting Millisecond Pulsar IGR J17511-3057
- 2216 A candidate near-infrared counterpart to IGRJ 17511-3057
- 2215 Chandra Observations of IGR J17511-3057: A Revised Source Position
- 2199 Discovery of 245 Hz burst oscillations from the accreting millisecond pulsar IGR J17511-3057
- 2198 Swift follow-up of the newly discovered burster millisecond pulsar IGR J17511-3057
- 2197 RXTE Detects 245 Hz X-ray Pulsations from IGR J17511-305
- 2196 INTEGRAL discovered a new hard X-ray source:

IGRJ17511-3057

1944 INTEGRAL detects an X-ray burst from SAX J1747.0-2853 with no detectable persistent emission

1051 RXTE and Swift observations of XTE J1751-305 Show a Return to Quiescence

355 IGR J00291+5934 - radio observation

[**Telegram Index**]

R. E. Rutledge, Editor-in-Chief

Derek Fox, Editor

Mansi M. Kasliwal, Co-Editor

`rrutledge@astronomerstelegam.org`

`dfox@astronomerstelegam.org`

`mansi@astronomerstelegam.org`