UNIVERSITY OF AMSTERDAM

UvA-DARE (Digital Academic Repository)

Search for pair production of boosted Higgs bosons via vector-boson fusion in the $b\bar{b}b\bar{b}$ final state using pp collisions at $\sqrt{s}$ = 13 TeV with the ATLAS detector

ATLAS Collaboration

DOI
10.1016/j.physletb.2024.139007

Publication date
2024

Document Version
Final published version

Published in
Physics Letters B

License
CC BY

Link to publication

Citation for published version (APA):
ATLAS Collaboration (2024). Search for pair production of boosted Higgs bosons via vector-boson fusion in the $b\bar{b}b\bar{b}$ final state using *pp* collisions at $\sqrt{s}$ = 13 TeV with the ATLAS detector. *Physics Letters B*, *858* , Article 139007. https://doi.org/10.1016/j.physletb.2024.139007

General rights
It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations
If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: https://uba.uva.nl/en/contact, or a letter to: Library of the University of Amsterdam, Secretariat, P.O. Box 19185, 1000 GD Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (https://dare.uva.nl)

Download date:07 Sep 2026

Phys. Lett. B 858 (2024) 139007

Contents lists available at ScienceDirect

Physics Letters B

journal homepage: www.elsevier.com/locate/physletb

Letter

Search for pair production of boosted Higgs bosons via vector-boson fusion in the $b\bar{b}b\bar{b}$ final state using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector

The ATLAS Collaboration *

ARTICLE INFO

Editor: M. Doser

ABSTRACT

A search for Higgs boson pair production via vector-boson fusion is performed in the Lorentz-boosted regime, where a Higgs boson candidate is reconstructed as a single large-radius jet, using 140 fb^{-1} of proton–proton collision data at $\sqrt{s} = 13$ TeV recorded by the ATLAS detector at the Large Hadron Collider. Only Higgs boson decays into bottom quark pairs are considered. The search is particularly sensitive to the quartic coupling between two vector bosons and two Higgs bosons relative to its Standard Model prediction, κ_{2V}. This study constrains κ_{2V} to $0.55 < \kappa_{2V} < 1.49$ at the 95% confidence level. The value $\kappa_{2V} = 0$ is excluded with a significance of 3.8 standard deviations with other Higgs boson couplings fixed to their Standard Model values. A search for new heavy spin-0 resonances that would mediate Higgs boson pair production via vector-boson fusion is carried out in the mass range of 1–5 TeV for the first time under several model and decay-width assumptions. No significant deviation from the Standard Model hypothesis is observed and exclusion limits at the 95% confidence level are derived.

1. Introduction

The discovery of a 125 GeV Higgs boson (H) [1,2] by the ATLAS [3] and CMS [4] Collaborations at the Large Hadron Collider (LHC) [5] has led to an extensive research programme aimed at measuring its properties, including spin and parity [6–12], natural width [7,13–15], and couplings with other elementary particles [16–18]. All measurements to date are consistent with the predictions from the Standard Model (SM) [19–24]. However, certain properties, such as quartic couplings (g_{HHVV}) with vector bosons ($V = W, Z$) and the trilinear self-coupling of the Higgs boson (λ_{HHH}), remain unmeasured. In the SM, the former are related to the HVV couplings through the relation $g^{\mathrm{SM}}_{HHVV} = g^{\mathrm{SM}}_{HVV}/v$, and the latter is predicted to be $\lambda^{\mathrm{SM}}_{HHH} = m_H^2/2v^2$, where m_H is the Higgs boson mass and v is the vacuum expectation value of the Higgs field. Measuring if these relations are consistent with observed data will fundamentally deepen our understanding of the Higgs mechanism.

At the LHC, the coupling modifiers $\kappa_{2V} = g_{HHVV}/g^{\mathrm{SM}}_{HHVV}$ and $\kappa_\lambda = \lambda_{HHH}/\lambda^{\mathrm{SM}}_{HHH}$ are studied via the production of Higgs boson pairs (HH production). In the SM, the main nonresonant HH production modes are via the gluon–gluon fusion process (ggF), with a cross-section of $\sigma^{\mathrm{SM}}_{\mathrm{ggF}} = 31.1^{+2.1}_{-7.2}$ fb at next-to-next-to-leading order in QCD and including an approximation of finite top-quark-mass effects [25–35], and via the vector-boson fusion process (VBF), with a cross-section of $\sigma^{\mathrm{SM}}_{\mathrm{VBF}} = 1.73 \pm 0.04$ fb at next-to-next-to-next-to-leading order in QCD [36–38]. The VBF production cross-section depends critically on the value of κ_{2V} due to destructive interference between Figs. 1(d) and 1(e). For example, a value of $\kappa_{2V} = 0$ leads to a cross-section that is over 15 times the SM prediction. The Higgs bosons produced in non-SM κ_{2V} scenarios are expected to be more energetic and more central in the detector on average relative to the SM $\kappa_{2V} = 1$ scenario [39], resulting in higher acceptances and selection efficiencies in this study. The leading-order Feynman diagrams of the ggF and VBF HH processes are shown in Figs. 1(a) to 1(e). In the SM, the processes depicted in Figs. 1(a) and 1(b) interfere destructively. Other coupling modifiers involved in these processes are of less interest in this analysis. The ggF HH production mode is sensitive to κ_λ while the VBF HH production mode is sensitive to both κ_λ and κ_{2V}. Heavy resonances (X) beyond the SM may contribute to resonant HH production [40,41], as exemplified via the VBF process in Fig. 1(f). The boosted VBF process provides a distinct signature for investigating these resonances, allowing exploration of uncharted phase space. These HH processes were studied with various decay final states by ATLAS and CMS, including $b\bar{b}b\bar{b}$ [42–47], $b\bar{b}\gamma\gamma$ [48–50], $b\bar{b}\tau^+\tau^-$ [51–54], $b\bar{b}WW^*$ [55], $\gamma\gamma WW^*$ [56], WW^*WW^* [57], $b\bar{b}\ell\ell\ell\ell$ [58], $b\bar{b}\ell\ell + E_{\mathrm{T}}^{\mathrm{miss}}$ [59], and their statistical combinations [18,60,61]. No significant excess over the SM background has been observed to date. The most stringent observed (expected) 95%

* *E-mail address:* atlas.publications@cern.ch.

https://doi.org/10.1016/j.physletb.2024.139007
Received 29 April 2024; Received in revised form 24 August 2024; Accepted 4 September 2024
Available online 11 September 2024
0370-2693/© 2024 CERN for the benefit of the ATLAS Collaboration. Published by Elsevier B.V. Funded by SCOAP³. This is an open access article under the CC BY license (http://creativecommons.org/licenses/by/4.0/).



Fig. 1. Examples of leading-order Feynman diagrams for Higgs boson pair production. For nonresonant ggF production, diagram (a) involves solely the top-quark Yukawa coupling, while diagram (b) involves the Higgs boson self-coupling. For nonresonant VBF production, diagram (c) involves the self-coupling, diagram (d) involves solely the coupling to vector bosons, and diagram (e) involves the coupling between two Higgs bosons and two vector bosons. Diagram (f) illustrates the resonant production mode.

confidence level (CL) interval for the κ_{2V} coupling modifier was found to be $0.62 < \kappa_{2V} < 1.41$ ($0.66 < \kappa_{2V} < 1.37$) by searching for nonresonant pair production of highly energetic Higgs bosons decaying into bottom quarks by the CMS Collaboration [47]. In Ref. [43], resonant VBF HH production in the mass range of 260–1000 GeV and non-resonant VBF HH production in the non-boosted regime are searched for and no deviations from the background-only hypothesis are observed.

This paper reports a search for nonresonant and resonant VBF $HH \to b\bar{b}b\bar{b}$ production using the full Run 2 ATLAS proton–proton (pp) collision data sample with an integrated luminosity of 140 fb^{-1}. The search focuses on a Lorentz-boosted topology, where two high-energy Higgs bosons each form a large-radius jet, referred to as a large-R jet. This topology is particularly sensitive to non-SM values of κ_{2V}, and as such one of the goals of this analysis is to constrain κ_{2V}. Assuming the SM branching ratio of 58.2% for $H \to b\bar{b}$ [30,62], approximately one third of HH events lead to a $b\bar{b}b\bar{b}$ final state, making it the most abundant HH final state. A machine learning-based double b-tagging technique [63,64] uses the information from the large-R jets and their constituents to identify $H \to b\bar{b}$ decays. The VBF signature is characterised by the presence of VBF jets that are defined as two small-R jets with large invariant mass and rapidity separation. This signature provides an effective handle for background suppression. To maximise the sensitivity to the κ_{2V} parameter, the nonresonant analysis is combined with the resolved analysis [45] where the four b-quarks are reconstructed as small-R jets. The Higgs bosons considered in the resolved analysis have lower transverse momentum (p_{T}) compared to those in this boosted search. To avoid double counting events in the boosted nonresonant analysis presented in this paper, events that satisfy the resolved and boosted analysis selection are removed from the boosted analysis. For the first time, a search for a new heavy spin-0 resonance that would mediate VBF Higgs boson pair production is carried out in the mass range of 1–5 TeV.

The paper is structured as follows. Section 2 briefly introduces the ATLAS detector. Section 3 details the data and simulation samples used. Section 4 describes the analysis selection. Section 5 explains the background estimate derived from data, and Section 6 covers the multivariate discriminants used. Systematic uncertainties considered are detailed in Section 7. Results are provided in Section 8, and conclusions are given in Section 9.

2. The ATLAS experiment

The ATLAS experiment [3] at the LHC is a multipurpose particle detector with a forward–backward symmetric cylindrical geometry and a near 4π coverage in solid angle.[1] It consists of an inner tracking detector surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic and hadronic calorimeters, and a muon spectrometer. The inner tracking detector covers the pseudorapidity range $|\eta| < 2.5$. It consists of silicon pixel, silicon microstrip, and transition radiation tracking detectors. Lead/liquid-argon (LAr) sampling calorimeters provide electromagnetic (EM) en-

[1] ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z-axis along the beam pipe. The x-axis points from the IP to the centre of the LHC ring, and the y-axis points upwards. Polar coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z-axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln\tan(\theta/2)$ and is equal to the rapidity $y = \frac{1}{2}\ln\left(\frac{E+p_z c}{E-p_z c}\right)$ in the relativistic limit. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta y)^2 + (\Delta\phi)^2}$.

ergy measurements with high granularity within the region $|\eta| < 3.2$. A steel/scintillator-tile hadronic calorimeter covers the central pseudorapidity range ($|\eta| < 1.7$). The endcap and forward regions are instrumented with LAr calorimeters for EM and hadronic energy measurements up to $|\eta| = 4.9$. The muon spectrometer surrounds the calorimeters and is based on three large superconducting air-core toroidal magnets with eight coils each. The field integral of the toroids ranges between 2.0 and 6.0 T m across most of the detector. The muon spectrometer includes a system of precision tracking chambers up to $|\eta| = 2.7$ and fast detectors for triggering up to $|\eta| = 2.4$. The luminosity is measured mainly by the LUCID–2 [65] detector, which is located close to the beampipe. A two-level trigger system is used to select events [66]. The first-level trigger is implemented in hardware and uses a subset of the detector information to accept events at a rate below 100 kHz. This is followed by a software-based trigger that reduces the accepted event rate to 1 kHz on average depending on the data-taking conditions. A software suite [67] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3. Data and simulation

The analysis is performed using Run 2 ATLAS pp collision data collected between 2015 and 2018. The average number of interactions per proton bunch crossing (pile-up) is between 13 and 38 interactions, depending on the year [68]. After applying ATLAS data quality requirements [69], the data corresponds to an integrated luminosity of 140 fb^{-1}.

Monte Carlo (MC) simulation is used for the modelling of HH processes, top-quark pair production ($t\bar{t}$) and multijet background processes. The $t\bar{t}$ and multijet samples are used solely for event selection optimisation and are identical to those used in Ref. [45]. The final background estimate is obtained through data-driven techniques and described in Section 5. For all HH samples, the Higgs boson mass is fixed to 125 GeV. All samples are processed using the ATLAS simulation framework [70] where the detector response is simulated with GEANT4 [71]. The VBF HH samples are simulated using MADGRAPH 2.7.3 [72] at leading-order (LO) in quantum chromodynamics (QCD) with the NNPDF3.0NLO parton distribution function (PDF) set [73]. Samples with coupling modifier values $(\kappa_\lambda, \kappa_{2V}, \kappa_V) = (1,1,1)$, $(1,1.5,1)$, $(2,1,1)$, $(10,1,1)$, $(1,1,0.5)$, $(-5,1,0.5)$, $(0,1,1)$, $(1,0,1)$, and $(1,3,1)$ are explicitly generated and a linear combination [45] of the first six of the listed samples is used to determine the expected yields and distributions for any value of $(\kappa_\lambda, \kappa_{2V}, \kappa_V)$. The method is validated using the remaining simulated samples and good agreement is observed. The SM ggF HH samples are simulated using the POWHEG BOX v2 generator [74–76] at next-to-leading-order (NLO) in QCD, including finite top-quark-mass effects, using the PDF4LHC15 [77] PDF set. A reweighting technique based on the particle-level invariant mass m_{HH} of the Higgs boson pair is applied to the $\kappa_\lambda = 1$ sample to determine the ggF HH yield and kinematic distributions for any value of κ_λ [78]. The ggF HH samples are considered as background processes when constraining κ_{2V} and as signal processes when deriving the results related to κ_λ.

The hypothetical heavy spin-0 resonance X that would mediate VBF HH, $pp \to X + jj \to HH + jj$, is simulated using the MADGRAPH5_AMC@NLO 2.6.1 [72] generator at LO in QCD with the NNPDF2.3LO [79] PDF set. The branching ratio of $X \to HH$ is set to 100%. Two resonance-width hypotheses are considered, where the resonance width is denoted by Γ_X: a generic narrow-width signal (Γ_X smaller than the detector resolution of 5–6% of the resonance mass) and a broad-width signal ($\Gamma_X = 20\%$ of the resonance mass) based on the Composite Higgs model [80]. These samples cover a range of resonance masses, denoted by m_X, from 1 TeV to 5 TeV, with increased spacing between the higher mass points and a different number of points between the narrow- and broad-width assumptions. For all resonant and non-resonant HH samples, parton showers and hadronisation are simulated using PYTHIA 8.244 [81] with the A14 set of tuned parameters [82] and the NNPDF2.3LO PDF set. EVTGEN 1.7.0 [83] is used to model the properties of heavy-flavour decays. The effects of pile-up are modelled by superimposing each simulated hard-scattering event with inelastic pp events simulated using PYTHIA 8.186 [84] with the NNPDF2.3LO PDF set and the A3 set of tuned parameters [85], and is weighted to match the observed pile-up in data.

4. Event selection

Events must satisfy trigger decisions that require minimum transverse energies of the triggered large-R jet. The threshold varies between 360–420 GeV, depending on the year of data taking [66,86,87]. Events are required to contain two Higgs boson candidates and two VBF jets. A Higgs boson candidate is reconstructed as a large-R jet, denoted by J, using the anti-k_t algorithm [88,89] with the radius parameter $R = 1.0$. The large-R jets are reconstructed from topological energy depositions [90] in the calorimeter and are trimmed [91,92] to improve the jet mass resolution and to mitigate the effects of pile-up and soft radiation. A method similar to the one used in Ref. [45] is used to correct the four-momentum of large-R jets by accounting for energy lost to soft out-of-cone radiation and to muons and neutrinos in semileptonic b-hadron decays. This correction improves the jet mass resolution. The mass of a large-R jet (m_J) is calculated using a combination of calorimeter and tracking information [93] to improve the resolution over the whole range of jet p_{T}. The large-R jets must satisfy 250 GeV $< p_{\mathrm{T}} <$ 3000 GeV, $|\eta| < 2.0$ and 50 GeV $< m_J <$ 600 GeV, corresponding to the region where the jet calibration is valid. The two leading p_{T} large-R jets are considered as the Higgs boson candidates, and the leading jet p_{T} criterion is raised to $p_{\mathrm{T}} > 450$ GeV to ensure that the online trigger is fully efficient. The leading (H_1) and sub-leading (H_2) Higgs boson candidates are ordered by their p_{T}. A double b-tagging algorithm based on a deep neural network [63,64] is applied to the large-R jets to identify $H \to b\bar{b}$ decays. The algorithm is trained on large-R jets with masses above 50 GeV and calibrated using a $Z \to b\bar{b}$ control sample in four p_{T}^J regions. When neglecting systematic uncertainties, compared to using variable-radius track-jet b-tagging [94,95], the algorithm provides a sensitivity improvement of up to 50% in expected discovery significance for the $H \to b\bar{b}$ analysis [96]. Events with two Higgs boson candidates satisfying the 60% efficiency working point are referred to as 2PASS events. This working point reduces multijet (top-quark) events by a factor of 92 (31). Events with only one Higgs boson candidate satisfying the 60% efficiency working point are referred to as 1PASS and are used for background estimation. The small-R jets, denoted by j, are reconstructed from particle-flow objects [97] using the anti-k_t algorithm with $R = 0.4$. The jet energy (E) is corrected by applying *in situ* corrections that reduce the contribution from pile-up jets [98]. The small-R jets must have $p_{\mathrm{T}} > 20$ GeV and $|\eta| < 4.5$, and those with $p_{\mathrm{T}} < 60$ GeV and $|\eta| < 2.4$ must satisfy a requirement based on the output of the multivariate jet vertex tagger algorithm [99] to reduce the effect from pile-up. To remove overlap with the Higgs boson candidates, the distance between a small-R jet and the selected Higgs boson candidates must satisfy $\Delta R(J, j) > 1.4$. The two leading p_{T} small-R jets are assigned as VBF jets and required to satisfy the criteria $|\Delta\eta(j, j)| > 3$ and $m_{jj} > 1$ TeV.

After the preselections described above, 1PASS and 2PASS events are separately classified into signal regions (SRs), validation regions (VRs), and control regions (CRs) according to the following criteria defined in the m_{H_1}–m_{H_2} plane. The SR, VR, and CR are disjoint by construction such that there is no overlap between them. Events in the SR reside in the region defined by

$$\sqrt{\left(\frac{m_{H_1} - 124\ \mathrm{GeV}}{1500\ \mathrm{GeV}/m_{H_1}}\right)^2 + \left(\frac{m_{H_2} - 117\ \mathrm{GeV}}{1900\ \mathrm{GeV}/m_{H_2}}\right)^2} < 1.6\ \mathrm{GeV}. \quad (1)$$



Fig. 2. The mass planes of the reconstructed Higgs boson candidates for the (a) 1Pass and (b) 2Pass selections of the analysis, shown for the data events. The mass planes for the 2Pass selection of the analysis are shown for the (c) VBF SM $\kappa_{2V} = 1$ *HH*, (d) VBF $\kappa_{2V} = 0$ *HH*, and (e) $m_X = 1$ TeV spin-0 narrow-width resonance *HH* samples. The continuous red line describes the Signal Region (SR). The Validation Region (VR) lies between the dashed yellow line and the continuous red line. The Control Region (CR) lies between the dotted green line and the dashed yellow line. The bin sizes are 1.33 GeV by 1.33 GeV.

Events in the VR reside in the region bounded by the SR boundary and

$$\sqrt{\left(\frac{m_{H_1} - 124\text{ GeV}}{0.1\ln(m_{H_1})}\right)^2 + \left(\frac{m_{H_2} - 117\text{ GeV}}{0.1\ln(m_{H_2})}\right)^2} < 100\text{ GeV}, \quad (2)$$

and events in the CR reside in the region bounded by the VR outer boundary and

$$\sqrt{\left(\frac{m_{H_1} - 124\text{ GeV}}{0.1\ln(m_{H_1})}\right)^2 + \left(\frac{m_{H_2} - 117\text{ GeV}}{0.1\ln(m_{H_2})}\right)^2} < 170\text{ GeV}. \quad (3)$$

The variables m_{H_1} and m_{H_2} in these equations are in units of GeV. The values of 124 GeV and 117 GeV in Eqs. (1)–(3) are chosen such that they correspond to the centres of the m_{H_1} and m_{H_2} distributions of the VBF *HH* events from simulation. These centres deviate from the measured Higgs boson mass of 125 GeV due to detector effects, and energy lost to neutrinos from the *b*-hadron decays and to out-of-cone radiation. The SR definition is optimised to maximise the overall $S/\sqrt{B}$. The signal S is the yield of $\kappa_{2V} = 0$ VBF *HH* events in simulation which is chosen to maximise the sensitivity to the κ_{2V} coupling as it is a representative proxy for non-SM κ_{2V} samples. The background B is the expected number of background events estimated by using the $t\bar{t}$ and multijet simulated samples. As multijet background processes preferentially populate the m_{H_1}–m_{H_2} plane in the lower Higgs boson candidate mass region compared to *HH* processes, Eqs. (2) and (3) help reduce contributions from multijet events. The boundaries of the SR, VR, and CR in the reconstructed m_{H_1}–m_{H_2} plane are shown in Fig. 2 for the 1Pass and 2Pass selections of the analysis. The m_{H_1}–m_{H_2} plane is smoothly falling across the Higgs boson candidate masses. Most *HH* events are captured by the signal region boundary; the fraction of 2Pass events in the SR is 76% (78%–55%) for nonresonant (resonant 1 TeV–5 TeV) events. The overall signal acceptance times efficiency in the 2Pass SR ranges from 1% for a representative nonresonant non-SM signal sample to 0.02% for the SM nonresonant signal sample due to different kinematics. For the resonant signal samples, the overall acceptance times efficiency ranges from 5% to 10%, depending on the mass and width of the resonance.



Fig. 3. The BDT score (see Section 6) for data events in the VR for the 2Pass and 1Pass selections. The blue histogram is the distribution in VR 1Pass. The red histogram is the distribution in VR 2Pass. The lower panel shows the ratio of the 2Pass and 1Pass selections. The error bars on the data points represent the statistical uncertainty.

5. Background modelling

Background processes in the SR predominantly originate from non-resonant multijet production of multiple heavy (b/t) quarks and from jets initiated by non-heavy quarks misidentified as originating from heavy quarks. The background contribution coming from single-Higgs boson and diboson events were found to be negligible. The multijet background, which is composed of approximately 10% $t\bar{t}$ events, is estimated by using a data-driven method and 1Pass events. The signal contamination in the 1Pass selection is verified to be at most 1% overall, for any signal considered. In the most signal-like bin of the final discriminant (described in Section 6), it increases to up to 8%, which is below the statistical uncertainty of this bin. As the difference between the shape of the final discriminant in 1Pass and 2Pass events is within statistical uncertainty, as shown in Fig. 3, an inclusive normalisation factor is derived from the CR and applied to the SR. The normalisation factor w is derived by calculating the ratio of the number of events in the CR 2Pass and CR 1Pass: $w = 0.0081 \pm 0.0010$.

The uncertainty is obtained by re-deriving this ratio in the VR and computing the difference between the value of w derived in the CR and the VR, and is used as an overall uncertainty in the multijet yield in the fit described in Section 8. The background estimate in the SR 2Pass is thus obtained by multiplying the relevant distribution in the SR 1Pass by w. Alternative definitions for the CR and VR boundaries, which split the nominal definitions of CR and VR into quadrants, are found to yield values of w that are consistent with the nominal estimate. To cover any potential residual shape differences, a shape uncertainty in the final discriminant is estimated by taking the relative difference between the 1Pass and 2Pass discriminant distributions in the VR and symmetrising around the background estimate.

6. Multivariate discriminants

Boosted decision trees (BDTs) implemented in the XGBoost [100] library are used to separate signal events from background events in the SR. In both the nonresonant and resonant analyses, orthogonality between training, testing, and validation samples is ensured by splitting the available data by event number. Hyperparameters are optimised using the validation samples to enhance the classifier's performance, and

Table 1
Kinematic variables used in the BDT training in both the nonresonant and resonant analyses. Additionally, the truth mass of the resonance is used as an input variable in the resonant analysis.

Physics objects	BDT input variables
Higgs boson candidate (H_i, $i = 1,2$)	$p_{\mathrm{T}}^{H_i}$, η_{H_i}
Di-Higgs boson system (HH)	p_{T}^{HH}, η_{HH}, m_{HH}
VBF jets (j_i, $i = 1,2$)	$p_{\mathrm{T}}^{j_i}$, η_{j_i}, E_{j_i}



Fig. 4. The distribution of the BDT score used in the nonresonant analysis after a background-only fit to the data in the signal region. The distributions corresponding to the SM ggF HH, SM VBF HH, and $\kappa_{2V} = 0$ VBF HH samples are also shown, in some cases scaled by a factor for visibility. The lower panel shows the ratio of data to the total background prediction, with its uncertainty represented by the shaded band. The error bars on the data points represent the statistical uncertainty.

the kinematic variables used as input are listed in Table 1. In the nonresonant analysis, a BDT is trained to separate $\kappa_{2V} = 0$ signal events from background events consisting of the nonresonant multijet background estimate and SM ggF and VBF HH production events. The $\kappa_{2V} = 0$ signal is chosen as a representative proxy for non-SM values of κ_{2V}, allowing to maximise the sensitivity to the κ_{2V} coupling.

The resonant analysis uses a mass-parameterised BDT (pBDT) to accommodate multiple resonant signals with different mass hypotheses, inspired by parameterised neural networks [101]. In addition to the variables listed in Table 1, the pBDT includes the truth mass of the heavy resonances as an additional input parameter. Signals are composed of thirteen narrow-width MC samples with distinct hypotheses for the truth mass of the heavy resonance. The broad-width samples are not used during training. The background is taken from the data-driven estimate described in Section 5. A random value from the available signal true resonance masses m_X is assigned to each background event in the training. To ensure an adequate number of training events, the requirements on the VBF jets are removed and the double b-tagging working point requirements are relaxed to the 70% efficiency working point during training for the resonant analysis. The nominal selection is reinstated after training.



Fig. 5. Observed (a) and expected (b) values of $-2\ln\Lambda$ as a function of κ_{2V} for the resolved (dotted green) and boosted (dashed blue) analyses, and their combination (solid black), with all other coupling modifiers fixed to their SM predictions.



Fig. 6. Observed (a) and expected (b) likelihood contours at the 68% (solid line) and 95% (dashed line) CL in the κ_λ–κ_{2V} plane. The red, blue, and black colours represent the resolved-only, boosted-only, and boosted+resolved combination results, respectively. All other coupling modifiers are fixed to their SM predictions. The SM prediction is indicated by the star, while the best-fit value is denoted by the cross. The shift in the observed value from the SM prediction is driven by the resolved analysis. The observed constraint on κ_λ values from the combination is less stringent than the constraint from the resolved-only fit due to the different best-fit values of the κ_{2V} modifier. The result for κ_λ values above 15 is not plotted for clarity.

7. Systematic uncertainties

Systematic uncertainties in the background and signals are evaluated for a variety of sources. Both a normalisation and shape uncertainty are assigned to the data-driven background estimate, as described in Section 5. Uncertainties resulting from detector effects only affect signal simulation. The impact of the main sources of uncertainty in the signal yield is evaluated for various hypothesised signals. The dominant systematic uncertainty stems from the double b-tagging algorithm (20–30%). It is derived in four p_{T}^{J} bins using a $Z \to b\bar{b}$ control sample [64]. As this $Z \to b\bar{b}$ control sample is statistically limited, the systematic uncertainty coming from the double b-tagging algorithm is uncorrelated across the four p_{T}^{J} bins. The uncertainty in the integrated luminosity is 0.83% [68]. The uncertainty in the pile-up modelling is $< 0.1\%$. Uncertainties affecting the final state reconstruction and identification include the energy and mass scales of the large-R jets (1–10%), the large-R jet energy resolution and mass resolution ($< 1\%$) [102,103], and the small-R jet energy scale and resolution (1–10%) [98,104]. The efficiency and acceptance of nonresonant and resonant signals are also affected by theoretical modelling uncertainties, such as the parton showering (5–10%) and renormalisation and factorisation scale choices (1–5%). Theoretical uncertainties in the $H \to b\bar{b}$ branching ratio (3.5%) [30] are included. Theoretical uncertainties in the nonresonant ggF and VBF HH cross-sections arising from uncertainties in the PDF and α_s, and the choice of renormalisation scheme and the scale of the top-quark mass, are taken from Refs. [30,31,35]. No theoretical uncertainties in the resonant HH cross-sections are considered. The analysis is ultimately limited by statistical uncertainties.

8. Results

A binned maximum-likelihood fit to the BDT distributions in the 2PASS SR is carried out with the systematic uncertainties parameterised as nuisance parameters. The BDT output binning transformation is the same as the one detailed in Ref. [105]. The observed BDT distribution of data, and the background-only fit to the distribution, is presented in



Fig. 7. The distributions of the mass-parameterised BDT score after a background-only fit to the data in the signal region. The truth mass used as input to the mass-parameterised BDT corresponds to (a) $m_X = 1.0$ TeV, (b) $m_X = 1.5$ TeV, (c) $m_X = 1.6$ TeV, and (d) $m_X = 5.0$ TeV. The narrow-width signal of the corresponding mass hypothesis, normalised to a cross-section of 1 fb, is shown. No events are observed in the rightmost bin for $m_X \geq 1.6$ TeV. The binning procedure results in a very narrow first bin for (c). The lower panel shows the ratio of data to the total prediction, with its uncertainty represented by the shaded band. The error bars on the data points represent the statistical uncertainty.

Fig. 4. Good agreement is found between the data and the background-only hypothesis. No data are observed in the most signal-like bin while the expectation from background contributions before the fit is 1.1 ± 0.2 events (1.0 ± 0.2 events after the fit).

In the nonresonant search, a combination with the ggF and VBF categories of the resolved analysis [45] is additionally performed to improve the sensitivity to κ_{2V}. Uncertainties stemming from common sources in both the analyses are correlated. The values of twice the negative-logarithm of the profile likelihood ratio ($-2\ln\Lambda$) as a function of κ_{2V} are shown in Fig. 5 for the resolved and boosted analyses, and their combination. The best-fit κ_{2V} value obtained from the fit to the data is $1.01^{+0.24}_{-0.23}$ for the boosted result and $1.01^{+0.23}_{-0.22}$ for the combined result. The boosted result provides an observed (expected) constraint of $0.52 < \kappa_{2V} < 1.52$ ($0.32 < \kappa_{2V} < 1.71$) at the 95% CL. The observed constraints on κ_{2V} are stronger than expected due to the deficit of data events in the most signal-like bin. The combined observed (expected) constraints obtained are $0.55 < \kappa_{2V} < 1.49$ ($0.37 < \kappa_{2V} < 1.67$) at the 95% CL. The allowed range of κ_{2V} values is reduced by a factor of two compared with previous ATLAS publications [45]. The Higgs boson coupling $\kappa_{2V} = 0$ is excluded with an observed (expected) significance of 3.4 (2.9) standard deviations. When combining the boosted and resolved results, the Higgs boson coupling $\kappa_{2V} = 0$ is excluded with an observed (expected) significance of 3.8 (3.3) standard deviations. These results are obtained assuming κ_λ and all other coupling values are as predicted by the SM. The expected improvement in constraining κ_λ when including the boosted result is found to be marginal compared to the resolved-only result. The exclusion constraints in the two-dimensional κ_λ–κ_{2V} coupling modifier space are presented in Fig. 6. The resolved and boosted analyses are sensitive to complementary coupling parameters; the κ_λ sensitivity is driven by the resolved analysis, while the κ_{2V} sensitivity is dominated by the boosted analysis.

Upper limits at the 95% CL on the cross-section for the narrow- and broad-width resonance assumptions are set in each available signal hypothesis using the asymptotic formula [106] based on the CL_s method [107]. The observed pBDT distributions of data, together with a signal + background fit, are shown in Fig. 7 for certain narrow-width resonances. The results are shown in Fig. 8 for narrow- and broad-width resonances, which have masses in the range of 1 TeV $\leq m_X \leq 5$ TeV and 1.2 TeV $\leq m_X \leq 2$ TeV, respectively. The loss in sensitivity at high mass values is attributed to the smaller efficiency of the double b-tagging al-



(a)



(b)

Fig. 8. Expected (dashed black lines) and observed (solid black lines) 95% CL upper limits on the cross-section of spin-0 heavy resonances with (a) narrow-width and (b) broad-width assumptions. The SM $H \to b\bar{b}$ branching ratio is assumed in both cases. The $\pm 1\sigma$ and $\pm 2\sigma$ uncertainty ranges for the expected limits are shown as coloured bands. The theoretical prediction for the Composite Higgs model calculated at leading-order [80] under the $\Gamma_X/m_X = 20\%$ assumption is shown as the solid red line.

gorithm in the highly boosted regime. The observed limits at 1.6 TeV (1.8 TeV) and above drop for the narrow-width (broad-width) resonance assumption since no data are observed in the most signal-like bin of these high-mass pBDT distributions, as shown in Fig. 7. In the narrow-width assumption, the observed (expected) 95% CL upper limit range spans from 4.6 fb (3.1 fb) for $m_X = 1$ TeV to 1.9 fb (3.0 fb) for $m_X = 5$ TeV and extends to 0.7 fb (1.2 fb) for $m_X = 1.8$ TeV. In the broad-width assumption, the observed (expected) 95% CL upper limit range decreases from 2.5 fb (2.1 fb) for $m_X = 1.2$ TeV to 0.8 fb (1.3 fb) for $m_X = 2$ TeV.

9. Conclusion

A search for the production of Higgs boson pairs via VBF production in the four b-quark final state is presented. The analysis is based on 140 fb^{-1} of pp collision data recorded with the ATLAS detector at the LHC, and focuses on the Lorentz-boosted regime where each Higgs boson is reconstructed as a large-R jet. This regime yields particular sensitivity to anomalous κ_{2V} values that give rise to energetic Higgs bosons. A machine learning-based double b-tagging technique is employed to enhance the analysis sensitivity, and boosted decision trees are used to discriminate signal from background. The data are found to agree with the background-only hypothesis. The observed (expected) constraints obtained are $0.55 < \kappa_{2V} < 1.49$ ($0.37 < \kappa_{2V} < 1.67$) at the 95% CL. The allowed range of κ_{2V} values is reduced by a factor of two compared with previous ATLAS publications. A value of $\kappa_{2V} = 0$ is excluded with an observed (expected) significance of 3.8 (3.3) standard deviations. A search is also performed for the first time for a new heavy spin-0 resonance that would mediate VBF HH production in a mass range between 1 TeV and 5 TeV. No significant excess of events is observed and exclusion limits at the 95% CL are set on the production cross-section.

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgements

We thank CERN for the very successful operation of the LHC and its injectors, as well as the support staff at CERN and at our institutions worldwide without whom ATLAS could not be operated efficiently.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF/SFU (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [108].

We gratefully acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARIS and MVZI, Slovenia; DSI/NRF, South Africa; MICIU/AEI, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; NSTC, Taipei; TENMAK, Türkiye; STFC/UKRI, United Kingdom; DOE and NSF, United States of America.

Individual groups and members have received support from BCKDF, Canarie, CRC and DRAC, Canada; CERN-CZ, PRIMUS 21/SCI/017, FORTE and PRIMUS, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU and Marie Skłodowska-Curie Actions, European Union; Investissements d'Avenir Labex, Investissements d'Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

In addition, individual members wish to acknowledge support from CERN: European Organization for Nuclear Research (CERN PJAS); Chile: Agencia Nacional de Investigación y Desarrollo (FONDECYT 1190886, FONDECYT 1210400, FONDECYT 1230812, FONDECYT 1230987); China: Chinese Ministry of Science and Technology (MOST-2023YFA1605700), National Natural Science Foundation of China (NSFC - 12175119, NSFC 12275265, NSFC-12075060); Czech Republic: Czech Science Foundation (GACR - 24-11373S), Ministry of Education

Youth and Sports (FORTE CZ.02.01.01/00/22_008/0004632), PRIMUS Research Programme (PRIMUS/21/SCI/017); EU: H2020 European Research Council (ERC - 101002463); European Union: European Research Council (ERC - 948254, ERC 101089007), Horizon 2020 Framework Programme (MUCCA - CHIST-ERA-19-XAI-00), European Union, Future Artificial Intelligence Research (FAIR-NextGenerationEU PE00000013), Italian Center for High Performance Computing, Big Data and Quantum Computing (ICSC, NextGenerationEU); France: Agence Nationale de la Recherche (ANR-20-CE31-0013, ANR-21-CE31-0013, ANR-21-CE31-0022, ANR-22-EDIR-0002), Investissements d'Avenir Labex (ANR-11-LABX-0012); Germany: Baden-Württemberg Stiftung (BW Stiftung-Postdoc Eliteprogramme), Deutsche Forschungsgemeinschaft (DFG - 469666862, DFG - CR 312/5-2); Italy: Istituto Nazionale di Fisica Nucleare (ICSC, NextGenerationEU), Ministero dell'Università e della Ricerca (PRIN - 20223N7F8K - PNRR M4.C2.1.1); Japan: Japan Society for the Promotion of Science (JSPS KAKENHI JP21H05085, JSPS KAKENHI JP22H01227, JSPS KAKENHI JP22H04944, JSPS KAKENHI JP22KK0227); Netherlands: Netherlands Organisation for Scientific Research (NWO Veni 2020 - VI.Veni.202.179); Norway: Research Council of Norway (RCN-314472); Poland: Ministry of Science and Higher Education (IDUB AGH, POB8, D4 no 9722), Polish National Agency for Academic Exchange (PPN/PPO/2020/1/00002/U/00001), Polish National Science Centre (NCN 2021/42/E/ST2/00350, NCN OPUS nr 2022/47/B/ST2/03059, NCN UMO-2019/34/E/ST2/00393, UMO-2020/37/B/ST2/01043, UMO-2021/40/C/ST2/00187, UMO-2022/47/O/ST2/00148, UMO-2023/49/B/ST2/04085); Slovenia: Slovenian Research Agency (ARIS grant J1-3010); Spain: Generalitat Valenciana (Artemisa, FEDER, IDIFEDER/2018/048), Ministry of Science and Innovation (MCIN & NextGenEU PCI2022-135018-2, MICIN & FEDER PID2021-125273NB, RYC2019-028510-I, RYC2020-030254-I, RYC2021-031273-I, RYC2022-038164-I), PROMETEO and GenT Programmes Generalitat Valenciana (CIDEGENT/2019/023, CIDEGENT/2019/027); Sweden: Swedish Research Council (Swedish Research Council 2023-04654, VR 2018-00482, VR 2022-03845, VR 2022-04683, VR 2023-03403, VR grant 2021-03651), Knut and Alice Wallenberg Foundation (KAW 2018.0157, KAW 2018.0458, KAW 2019.0447, KAW 2022.0358); Switzerland: Swiss National Science Foundation (SNSF - PCEFP2_194658); United Kingdom: Leverhulme Trust (Leverhulme Trust RPG-2020-004), Royal Society (NIF-R1-231091); United States of America: U.S. Department of Energy (ECA DE-AC02-76SF00515), Neubauer Family Foundation.

References

[1] ATLAS Collaboration, Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC, Phys. Lett. B 716 (2012) 1, arXiv:1207.7214 [hep-ex].
[2] CMS Collaboration, Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, Phys. Lett. B 716 (2012) 30, arXiv:1207.7235 [hep-ex].
[3] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron Collider, J. Instrum. 3 (2008) S08003.
[4] CMS Collaboration, The CMS experiment at the CERN LHC, J. Instrum. 3 (2008) S08004.
[5] L. Evans, P. Bryant, LHC machine, J. Instrum. 3 (2008) S08001.
[6] ATLAS Collaboration, Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector, Eur. Phys. J. C 75 (2015) 476, arXiv:1506.05669 [hep-ex], Erratum: Eur. Phys. J. C 76 (2016) 152.
[7] CMS Collaboration, Constraints on the spin-parity and anomalous HVV couplings of the Higgs boson in proton collisions at 7 and 8 TeV, Phys. Rev. D 92 (2015) 012004, arXiv:1411.3441 [hep-ex].
[8] ATLAS Collaboration, CP properties of Higgs boson interactions with top quarks in the $t\bar{t}H$ and tH processes using $H \to \gamma\gamma$ with the ATLAS detector, Phys. Rev. Lett. 125 (2020) 061802, arXiv:2004.04545 [hep-ex].
[9] CMS Collaboration, Study of the mass and spin-parity of the Higgs boson candidate via its decays to Z boson pairs, Phys. Rev. Lett. 110 (2013) 081803, arXiv:1212.6639 [hep-ex].
[10] ATLAS Collaboration, Test of CP-invariance of the Higgs boson in vector-boson fusion production and its decay into four leptons, arXiv:2304.09612 [hep-ex], 2023.
[11] ATLAS Collaboration, Evidence of off-shell Higgs boson production from ZZ leptonic decay channels and constraints on its total width with the ATLAS detector, Phys. Lett. B 846 (2023) 138223, arXiv:2304.01532 [hep-ex].
[12] ATLAS Collaboration, Measurement of the CP properties of Higgs boson interactions with τ-leptons with the ATLAS detector, Eur. Phys. J. C 83 (2023) 563, arXiv:2212.05833 [hep-ex].
[13] ATLAS Collaboration, Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector, Eur. Phys. J. C 75 (2015) 335, arXiv:1503.01060 [hep-ex].
[14] CMS Collaboration, Search for Higgs boson off-shell production in proton–proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width, J. High Energy Phys. 09 (2016) 051, arXiv:1605.02329 [hep-ex].
[15] CMS Collaboration, Limits on the Higgs boson lifetime and width from its decay to four charged leptons, Phys. Rev. D 92 (2015) 072010, arXiv:1507.06656 [hep-ex].
[16] ATLAS and CMS Collaborations, Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $\sqrt{s} = 7$ and 8 TeV, J. High Energy Phys. 08 (2016) 045, arXiv:1606.02266 [hep-ex].
[17] ATLAS Collaboration, A detailed map of Higgs boson interactions by the ATLAS experiment ten years after the discovery, Nature 607 (2022) 52, arXiv:2207.00092 [hep-ex], Erratum: Nature 612 (2022) E24.
[18] CMS Collaboration, A portrait of the Higgs boson by the CMS experiment ten years after the discovery, Nature 607 (2022) 60, arXiv:2207.00043 [hep-ex], Erratum: Nature 623 (2023) E4.
[19] F. Englert, R. Brout, Broken symmetry and the mass of gauge vector mesons, Phys. Rev. Lett. 13 (1964) 321.
[20] P.W. Higgs, Broken symmetries, massless particles and gauge fields, Phys. Lett. 12 (1964) 132.
[21] P.W. Higgs, Broken symmetries and the masses of gauge bosons, Phys. Rev. Lett. 13 (1964) 508.
[22] P.W. Higgs, Spontaneous symmetry breakdown without massless bosons, Phys. Rev. 145 (1966) 1156.
[23] G.S. Guralnik, C.R. Hagen, T.W.B. Kibble, Global conservation laws and massless particles, Phys. Rev. Lett. 13 (1964) 585.
[24] T.W.B. Kibble, Symmetry breaking in non-Abelian gauge theories, Phys. Rev. 155 (1967) 1554.
[25] S. Dawson, S. Dittmaier, M. Spira, Neutral Higgs-boson pair production at hadron colliders: QCD corrections, Phys. Rev. D 58 (1998) 115012, arXiv:hep-ph/9805244 [hep-ph].
[26] D.Y. Shao, C.S. Li, H.T. Li, J. Wang, Threshold resummation effects in Higgs boson pair production at the LHC, J. High Energy Phys. 07 (2013) 169, arXiv:1301.1245 [hep-ph].
[27] D. de Florian, J. Mazzitelli, Higgs boson pair production at next-to-next-to-leading order in QCD, Phys. Rev. Lett. 111 (2013) 201801, arXiv:1309.6594 [hep-ph].
[28] D. de Florian, J. Mazzitelli, Higgs pair production at next-to-next-to-leading logarithmic accuracy at the LHC, J. High Energy Phys. 09 (2015) 053, arXiv:1505.07122 [hep-ph].
[29] S. Borowka, et al., Higgs boson pair production in gluon fusion at next-to-leading order with full top-quark mass dependence, Phys. Rev. Lett. 117 (2016) 012001, arXiv:1604.06447 [hep-ph], Erratum: Phys. Rev. Lett. 117 (2016) 079901.
[30] D. de Florian, et al., Handbook of LHC Higgs cross sections: 4. Deciphering the nature of the Higgs sector, arXiv:1610.07922 [hep-ph], 2017.
[31] M. Grazzini, et al., Higgs boson pair production at NNLO with top quark mass effects, J. High Energy Phys. 05 (2018) 059, arXiv:1803.02463 [hep-ph].
[32] R. Bonciani, G. Degrassi, P.P. Giardino, R. Gröber, Analytical method for next-to-leading-order QCD corrections to double-Higgs production, Phys. Rev. Lett. 121 (2018) 162003, arXiv:1806.11564 [hep-ph].
[33] J. Baglio, et al., Gluon fusion into Higgs pairs at NLO QCD and the top mass scheme, Eur. Phys. J. C 79 (2019) 459, arXiv:1811.05692 [hep-ph].
[34] G. Heinrich, S.P. Jones, M. Kerner, G. Luisoni, L. Scyboz, Probing the trilinear Higgs boson coupling in di-Higgs production at NLO QCD including parton shower effects, J. High Energy Phys. 06 (2019) 066, arXiv:1903.08137 [hep-ph].
[35] J. Baglio, et al., $gg \to HH$: combined uncertainties, Phys. Rev. D 103 (2021) 056002, arXiv:2008.11626.
[36] J. Baglio, et al., The measurement of the Higgs self-coupling at the LHC: theoretical status, J. High Energy Phys. 04 (2013) 151, arXiv:1212.5581.
[37] L.-S. Ling, et al., NNLO QCD corrections to Higgs pair production via vector boson fusion at hadron colliders, Phys. Rev. D 89 (2014) 073001, arXiv:1401.7754.
[38] F.A. Dreyer, A. Karlberg, Vector-boson fusion Higgs pair production at N^3LO, Phys. Rev. D 98 (11) (2018) 114016, arXiv:1811.07906.
[39] F. Bishara, R. Contino, J. Rojo, Higgs pair production in vector-boson fusion at the LHC and beyond, Eur. Phys. J. C 77 (2017) 481, arXiv:1611.03860 [hep-ph].
[40] G. Branco, et al., Theory and phenomenology of two-Higgs-doublet models, Phys. Rep. 516 (2012) 1, arXiv:1106.0034 [hep-ph].
[41] R.K. Barman, C. Englert, D. Gonçalves, M. Spannowsky, Di-Higgs resonance searches in weak boson fusion, Phys. Rev. D 102 (2020) 055014, arXiv:2007.07295 [hep-ph].
[42] ATLAS Collaboration, Search for pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state using proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, J. High Energy Phys. 01 (2019) 030, arXiv:1804.06174 [hep-ex].
[43] ATLAS Collaboration, Search for the $HH \to b\bar{b}b\bar{b}$ process via vector-boson fusion production using proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, J. High Energy Phys. 07 (2020) 108, arXiv:2001.05178 [hep-ex], Erratum: J. High Energy Phys. 01 (2021) 145.

[44] ATLAS Collaboration, Search for resonant pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Rev. D 105 (2022) 092002, arXiv:2202.07288 [hep-ex].

[45] ATLAS Collaboration, Search for nonresonant pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Rev. D 108 (2023) 052003, arXiv:2301.03212 [hep-ex].

[46] CMS Collaboration, Search for Higgs boson pair production in the four b quark final state in proton–proton collisions at $\sqrt{s} = 13$ TeV, Phys. Rev. Lett. 129 (2022) 081802, arXiv:2202.09617 [hep-ex].

[47] CMS Collaboration, Search for nonresonant pair production of highly energetic Higgs bosons decaying to bottom quarks, Phys. Rev. Lett. 131 (2023) 041803, arXiv:2205.06667 [hep-ex].

[48] ATLAS Collaboration, Search for Higgs boson pair production in the $\gamma\gamma b\bar{b}$ final state with 13 TeV pp collision data collected by the ATLAS experiment, J. High Energy Phys. 11 (2018) 040, arXiv:1807.04873 [hep-ex].

[49] ATLAS Collaboration, Search for Higgs boson pair production in the two bottom quarks plus two photons final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Rev. D 106 (2022) 052001, arXiv:2112.11876 [hep-ex].

[50] CMS Collaboration, Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton–proton collisions at $\sqrt{s} =$ 13 TeV, J. High Energy Phys. 03 (2021) 257, arXiv:2011.12373 [hep-ex].

[51] ATLAS Collaboration, Search for resonant and nonresonant Higgs boson pair production in the $b\bar{b}\tau^+\tau^-$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Rev. Lett. 121 (2018) 191801, arXiv:1808.00336 [hep-ex], Erratum: Phys. Rev. Lett. 122 (2019) 089901.

[52] ATLAS Collaboration, Search for resonant and non-resonant Higgs boson pair production in the $b\bar{b}\tau^+\tau^-$ decay channel using 13 TeV pp collision data from the ATLAS detector, J. High Energy Phys. 07 (2023) 040, arXiv:2209.10910 [hep-ex].

[53] ATLAS Collaboration, Search for the non-resonant production of Higgs boson pairs via gluon fusion and vector-boson fusion in the $b\bar{b}\tau^+\tau^-$ final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Rev. D 110 (2024) 032012, arXiv:2404.12660 [hep-ex].

[54] CMS Collaboration, Search for nonresonant Higgs boson pair production in final state with two bottom quarks and two tau leptons in proton–proton collisions at $\sqrt{s} = 13$ TeV, Phys. Lett. B 842 (2023) 137531, arXiv:2206.09401 [hep-ex].

[55] ATLAS Collaboration, Search for Higgs boson pair production in the $b\bar{b}WW^*$ decay mode at $\sqrt{s} = 13$ TeV with the ATLAS detector, J. High Energy Phys. 04 (2019) 092, arXiv:1811.04671 [hep-ex].

[56] ATLAS Collaboration, Search for Higgs boson pair production in the $\gamma\gamma WW^*$ channel using pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector, Eur. Phys. J. C 78 (2018) 1007, arXiv:1807.08567 [hep-ex].

[57] ATLAS Collaboration, Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV, J. High Energy Phys. 05 (2019) 124, arXiv:1811.11028 [hep-ex].

[58] CMS Collaboration, Search for nonresonant Higgs boson pair production in the four leptons plus two b jets final state in proton–proton collisions at $\sqrt{s} = 13$ TeV, J. High Energy Phys. 06 (2023) 130, arXiv:2206.10657 [hep-ex].

[59] ATLAS Collaboration, Search for non-resonant Higgs boson pair production in the $2b + 2\ell + E_T^{miss}$ final state in pp collisions at $\sqrt{s} = 13TeV$ with the ATLAS detector, J. High Energy Phys. 02 (2024) 037, arXiv:2310.11286 [hep-ex].

[60] ATLAS Collaboration, Combination of searches for Higgs boson pairs in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Lett. B 800 (2020) 135103, arXiv:1906.02025 [hep-ex].

[61] ATLAS Collaboration, Constraints on the Higgs boson self-coupling from single- and double-Higgs production with the ATLAS detector using pp collisions at $\sqrt{s} =$ 13 TeV, Phys. Lett. B 843 (2023) 137745, arXiv:2211.01216 [hep-ex].

[62] A. Djouadi, J. Kalinowski, M. Spira, HDECAY: a program for Higgs boson decays in the Standard Model and its supersymmetric extension, Comput. Phys. Commun. 108 (1998) 56, arXiv:hep-ph/9704448.

[63] ATLAS Collaboration, Identification of boosted Higgs bosons decaying into $b\bar{b}$ with neural networks and variable radius subjets in ATLAS, ATL-PHYS-PUB-2020-019, https://cds.cern.ch/record/2724739, 2020.

[64] ATLAS Collaboration, Efficiency corrections for a tagger for boosted $H \to b\bar{b}$ decays in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, ATL-PHYS-PUB-2021-035, https://cds.cern.ch/record/2777811, 2021.

[65] G. Avoni, et al., The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS, J. Instrum. 13 (2018) P07017.

[66] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, Eur. Phys. J. C 77 (2017) 317, arXiv:1611.09661 [hep-ex].

[67] ATLAS Collaboration, The ATLAS collaboration software and firmware, ATL-SOFT-PUB-2021-001, https://cds.cern.ch/record/2767187, 2021.

[68] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC, Eur. Phys. J. C 83 (2023) 982, arXiv:2212.09379 [hep-ex].

[69] ATLAS Collaboration, ATLAS data quality operations and performance for 2015–2018 data-taking, J. Instrum. 15 (2020) P04003, arXiv:1911.04632 [physics.ins-det].

[70] ATLAS Collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C 70 (2010) 823, arXiv:1005.4568 [physics.ins-det].

[71] S. Agostinelli, et al., Geant4 – a simulation toolkit, Nucl. Instrum. Methods A 506 (2003) 250.

[72] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, J. High Energy Phys. 07 (2014) 079, arXiv:1405.0301 [hep-ph].

[73] NNPDF Collaboration, R.D. Ball, et al., Parton distributions for the LHC run II, J. High Energy Phys. 04 (2015) 040, arXiv:1410.8849 [hep-ph].

[74] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, J. High Energy Phys. 11 (2004) 040, arXiv:hep-ph/0409146.

[75] S. Frixione, P. Nason, C. Oleari, Matching NLO QCD computations with parton shower simulations: the POWHEG method, J. High Energy Phys. 11 (2007) 070, arXiv:0709.2092 [hep-ph].

[76] S. Alioli, P. Nason, C. Oleari, E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, J. High Energy Phys. 06 (2010) 043, arXiv:1002.2581 [hep-ph].

[77] J. Butterworth, et al., PDF4LHC recommendations for LHC run II, J. Phys. G 43 (2016) 023001, arXiv:1510.03865 [hep-ph].

[78] ATLAS Collaboration, Validation of signal Monte Carlo event generation in searches for Higgs boson pairs with the ATLAS detector, ATL-PHYS-PUB-2019-007, https://cds.cern.ch/record/2665057, 2019.

[79] NNPDF Collaboration, R.D. Ball, et al., Parton distributions with LHC data, Nucl. Phys. B 867 (2013) 244, arXiv:1207.1303 [hep-ph].

[80] R. Contino, D. Pappadopulo, D. Marzocca, R. Rattazzi, On the effect of resonances in composite Higgs phenomenology, J. High Energy Phys. 10 (2011) 081, arXiv:1109.1570 [hep-ph].

[81] T. Sjöstrand, et al., An introduction to PYTHIA 8.2, Comput. Phys. Commun. 191 (2015) 159, arXiv:1410.3012 [hep-ph].

[82] ATLAS Collaboration, ATLAS Pythia 8 tunes to 7 TeV data, ATL-PHYS-PUB-2014-021, https://cds.cern.ch/record/1966419, 2014.

[83] D.J. Lange, The EvtGen particle decay simulation package, Nucl. Instrum. Methods 462 (2001) 152.

[84] T. Sjöstrand, S. Mrenna, P. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178 (2008) 852, arXiv:0710.3820 [hep-ph].

[85] ATLAS Collaboration, The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie–Landshoff diffractive model, ATL-PHYS-PUB-2016-017, https://cds.cern.ch/record/2206965, 2016.

[86] ATLAS Collaboration, Trigger menu in 2018, ATL-DAQ-PUB-2019-001, https://cds.cern.ch/record/2693402, 2019.

[87] ATLAS Collaboration, Performance of the ATLAS Level-1 topological trigger in Run 2, Eur. Phys. J. C 82 (2022) 7, arXiv:2105.01416 [hep-ex].

[88] M. Cacciari, G.P. Salam, G. Soyez, The anti-k_t jet clustering algorithm, J. High Energy Phys. 04 (2008) 063, arXiv:0802.1189 [hep-ph].

[89] M. Cacciari, G.P. Salam, G. Soyez, FastJet user manual, Eur. Phys. J. C 72 (2012) 1896, arXiv:1111.6097 [hep-ph].

[90] ATLAS Collaboration, Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1, Eur. Phys. J. C 77 (2017) 490, arXiv:1603.02934 [hep-ex].

[91] D. Krohn, J. Thaler, L.-T. Wang, Jet trimming, J. High Energy Phys. 02 (2010) 084, arXiv:0912.1342 [hep-ph].

[92] ATLAS Collaboration, Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton–proton collisions, Eur. Phys. J. C 81 (2021) 334, arXiv:2009.04986 [hep-ex].

[93] ATLAS Collaboration, Jet mass reconstruction with the ATLAS Detector in early Run 2 data, ATLAS-CONF-2016-035, https://cds.cern.ch/record/2200211, 2016.

[94] ATLAS Collaboration, Variable radius, exclusive-k_T, and center-of-mass subjet reconstruction for Higgs($\to b\bar{b}$) tagging in ATLAS, ATL-PHYS-PUB-2017-010, https://cds.cern.ch/record/2268678, 2017.

[95] ATLAS Collaboration, Optimisation and performance studies of the ATLAS b-tagging algorithms for the 2017-18 LHC run, ATL-PHYS-PUB-2017-013, https://cds.cern.ch/record/2273281, 2017.

[96] ATLAS Collaboration, Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector, J. High Energy Phys. 11 (2021) 209, arXiv:2108.13391 [hep-ex].

[97] ATLAS Collaboration, Jet reconstruction and performance using particle flow with the ATLAS Detector, Eur. Phys. J. C 77 (2017) 466, arXiv:1703.10485 [hep-ex].

[98] ATLAS Collaboration, Jet energy scale and resolution measured in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Eur. Phys. J. C 81 (2021) 689, arXiv:2007.02645 [hep-ex].

[99] ATLAS Collaboration, Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, Eur. Phys. J. C 76 (2016) 581, arXiv:1510.03823 [hep-ex].

[100] T. Chen, C. Guestrin, XGBoost: a scalable tree boosting system, in: Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, KDD '16, San Francisco, California, USA, ACM, ISBN 978-1-4503-4232-2, 2016, p. 785, http://doi.acm.org/10.1145/2939672.2939785.

[101] P. Baldi, K. Cranmer, T. Faucett, P. Sadowski, D. Whiteson, Parameterized neural networks for high-energy physics, Eur. Phys. J. C 76 (2016), arXiv:1601.07913 [hep-ex].

[102] ATLAS Collaboration, In situ calibration of large-radius jet energy and mass in 13 TeV proton–proton collisions with the ATLAS detector, Eur. Phys. J. C 79 (2019) 135, arXiv:1807.09477 [hep-ex].

[103] ATLAS Collaboration, Measurement of the ATLAS detector jet mass response using forward folding with 80 fb^{-1} of $\sqrt{s} = 13$ TeV pp data, ATLAS-CONF-2020-022, https://cds.cern.ch/record/2724442, 2020.
[104] ATLAS Collaboration, Jet energy scale measurements and their systematic uncertainties in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Rev. D 96 (2017) 072002, arXiv:1703.09665 [hep-ex].
[105] ATLAS Collaboration, Measurements of WH and ZH production in the $H \to b\bar{b}$ decay channel in pp collisions at 13 TeV with the ATLAS detector, Eur. Phys. J. C 81 (2021) 178, arXiv:2007.02873 [hep-ex].
[106] G. Cowan, K. Cranmer, E. Gross, O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C 71 (2011) 1554, arXiv:1007.1727, Erratum: Eur. Phys. J. C 73 (2013) 2501.
[107] A.L. Read, Presentation of search results: the CL_S technique, J. Phys. G 28 (2002) 2693.
[108] ATLAS Collaboration, ATLAS computing acknowledgements, ATL-SOFT-PUB-2023-001, https://cds.cern.ch/record/2869272, 2023.

The ATLAS Collaboration

G. Aad [104], E. Aakvaag [17], B. Abbott [123], S. Abdelhameed [119a], K. Abeling [56], N.J. Abicht [50], S.H. Abidi [30], M. Aboelela [45], A. Aboulhorma [36e], H. Abramowicz [154], H. Abreu [153], Y. Abulaiti [120], B.S. Acharya [70a,70b,k], A. Ackermann [64a], C. Adam Bourdarios [4], L. Adamczyk [87a], S.V. Addepalli [27], M.J. Addison [103], J. Adelman [118], A. Adiguzel [22c], T. Adye [137], A.A. Affolder [139], Y. Afik [40], M.N. Agaras [13], J. Agarwala [74a,74b], A. Aggarwal [102], C. Agheorghiesei [28c], A. Ahmad [37], F. Ahmadov [39,y], W.S. Ahmed [106], S. Ahuja [97], X. Ai [63e], G. Aielli [77a,77b], A. Aikot [166], M. Ait Tamlihat [36e], B. Aitbenchikh [36a], M. Akbiyik [102], T.P.A. Åkesson [100], A.V. Akimov [38], D. Akiyama [171], N.N. Akolkar [25], S. Aktas [22a], K. Al Khoury [42], G.L. Alberghi [24b], J. Albert [168], P. Albicocco [54], G.L. Albouy [61], S. Alderweireldt [53], Z.L. Alegria [124], M. Aleksa [37], I.N. Aleksandrov [39], C. Alexa [28b], T. Alexopoulos [10], F. Alfonsi [24b], M. Algren [57], M. Alhroob [170], B. Ali [135], H.M.J. Ali [93], S. Ali [32], S.W. Alibocus [94], M. Aliev [34c], G. Alimonti [72a], W. Alkakhi [56], C. Allaire [67], B.M.M. Allbrooke [149], J.F. Allen [53], C.A. Allendes Flores [140f], P.P. Allport [21], A. Aloisio [73a,73b], F. Alonso [92], C. Alpigiani [141], Z.M.K. Alsolami [93], M. Alvarez Estevez [101], A. Alvarez Fernandez [102], M. Alves Cardoso [57], M.G. Alviggi [73a,73b], M. Aly [103], Y. Amaral Coutinho [84b], A. Ambler [106], C. Amelung [37], M. Amerl [103], C.G. Ames [111], D. Amidei [108], K.J. Amirie [158], S.P. Amor Dos Santos [133a], K.R. Amos [166], S. An [85], V. Ananiev [128], C. Anastopoulos [142], T. Andeen [11], J.K. Anders [37], A.C. Anderson [60], S.Y. Andrean [48a,48b], A. Andreazza [72a,72b], S. Angelidakis [9], A. Angerami [42,aa], A.V. Anisenkov [38], A. Annovi [75a], C. Antel [57], E. Antipov [148], M. Antonelli [54], F. Anulli [76a], M. Aoki [85], T. Aoki [156], M.A. Aparo [149], L. Aperio Bella [49], C. Appelt [19], A. Apyan [27], S.J. Arbiol Val [88], C. Arcangeletti [54], A.T.H. Arce [52], E. Arena [94], J-F. Arguin [110], S. Argyropoulos [55], J.-H. Arling [49], O. Arnaez [4], H. Arnold [148], G. Artoni [76a,76b], H. Asada [113], K. Asai [121], S. Asai [156], N.A. Asbah [37], R.A. Ashby Pickering [170], K. Assamagan [30], R. Astalos [29a], K.S.V. Astrand [100], S. Atashi [162], R.J. Atkin [34a], M. Atkinson [165], H. Atmani [36f], P.A. Atmasiddha [131], K. Augsten [135], S. Auricchio [73a,73b], A.D. Auriol [21], V.A. Austrup [103], G. Avolio [37], K. Axiotis [57], G. Azuelos [110,ae], D. Babal [29b], H. Bachacou [138], K. Bachas [155,o], A. Bachiu [35], F. Backman [48a,48b], A. Badea [40], T.M. Baer [108], P. Bagnaia [76a,76b], M. Bahmani [19], D. Bahner [55], K. Bai [126], J.T. Baines [137], L. Baines [96], O.K. Baker [175], E. Bakos [16], D. Bakshi Gupta [8], L.E. Balabram Filho [84b], V. Balakrishnan [123], R. Balasubramanian [117], E.M. Baldin [38], P. Balek [87a], E. Ballabene [24b,24a], F. Balli [138], L.M. Baltes [64a], W.K. Balunas [33], J. Balz [102], I. Bamwidhi [119b], E. Banas [88], M. Bandieramonte [132], A. Bandyopadhyay [25], S. Bansal [25], L. Barak [154], M. Barakat [49], E.L. Barberio [107], D. Barberis [58b,58a], M. Barbero [104], M.Z. Barel [117], K.N. Barends [34a], T. Barillari [112], M-S. Barisits [37], T. Barklow [146], P. Baron [125], D.A. Baron Moreno [103], A. Baroncelli [63a], G. Barone [30], A.J. Barr [129], J.D. Barr [98], F. Barreiro [101], J. Barreiro Guimarães da Costa [14], U. Barron [154], M.G. Barros Teixeira [133a], S. Barsov [38], F. Bartels [64a], R. Bartoldus [146], A.E. Barton [93], P. Bartos [29a], A. Basan [102], M. Baselga [50], A. Bassalat [67,b],

M.J. Basso [159a], S. Bataju [45], R. Bate [167], R.L. Bates [60], S. Batlamous [101], B. Batool [144], M. Battaglia [139], D. Battulga [19], M. Bauce [76a,76b], M. Bauer [80], P. Bauer [25], L.T. Bazzano Hurrell [31], J.B. Beacham [52], T. Beau [130], J.Y. Beaucamp [92], P.H. Beauchemin [161], P. Bechtle [25], H.P. Beck [20,n], K. Becker [170], A.J. Beddall [83], V.A. Bednyakov [39], C.P. Bee [148], L.J. Beemster [16], T.A. Beermann [37], M. Begalli [84d], M. Begel [30], A. Behera [148], J.K. Behr [49], J.F. Beirer [37], F. Beisiegel [25], M. Belfkir [119b], G. Bella [154], L. Bellagamba [24b], A. Bellerive [35], P. Bellos [21], K. Beloborodov [38], D. Benchekroun [36a], F. Bendebba [36a], Y. Benhammou [154], K.C. Benkendorfer [62], L. Beresford [49], M. Beretta [54], E. Bergeaas Kuutmann [164], N. Berger [4], B. Bergmann [135], J. Beringer [18a], G. Bernardi [5], C. Bernius [146], F.U. Bernlochner [25], F. Bernon [37,104], A. Berrocal Guardia [13], T. Berry [97], P. Berta [136], A. Berthold [51], S. Bethke [112], A. Betti [76a,76b], A.J. Bevan [96], N.K. Bhalla [55], S. Bhatta [148], D.S. Bhattacharya [169], P. Bhattarai [146], K.D. Bhide [55], V.S. Bhopatkar [124], R.M. Bianchi [132], G. Bianco [24b,24a], O. Biebel [111], R. Bielski [126], M. Biglietti [78a], C.S. Billingsley [45], M. Bindi [56], A. Bingul [22b], C. Bini [76a,76b], A. Biondini [94], G.A. Bird [33], M. Birman [172], M. Biros [136], S. Biryukov [149], T. Bisanz [50], E. Bisceglie [44b,44a], J.P. Biswal [137], D. Biswas [144], I. Bloch [49], A. Blue [60], U. Blumenschein [96], J. Blumenthal [102], V.S. Bobrovnikov [38], M. Boehler [55], B. Boehm [169], D. Bogavac [37], A.G. Bogdanchikov [38], C. Bohm [48a], V. Boisvert [97], P. Bokan [37], T. Bold [87a], M. Bomben [5], M. Bona [96], M. Boonekamp [138], C.D. Booth [97], A.G. Borbély [60], I.S. Bordulev [38], H.M. Borecka-Bielska [110], G. Borissov [93], D. Bortoletto [129], D. Boscherini [24b], M. Bosman [13], J.D. Bossio Sola [37], K. Bouaouda [36a], N. Bouchhar [166], L. Boudet [4], J. Boudreau [132], E.V. Bouhova-Thacker [93], D. Boumediene [41], R. Bouquet [58b,58a], A. Boveia [122], J. Boyd [37], D. Boye [30], I.R. Boyko [39], L. Bozianu [57], J. Bracinik [21], N. Brahimi [4], G. Brandt [174], O. Brandt [33], F. Braren [49], B. Brau [105], J.E. Brau [126], R. Brener [172], L. Brenner [117], R. Brenner [164], S. Bressler [172], G. Brianti [79a,79b], D. Britton [60], D. Britzger [112], I. Brock [25], R. Brock [109], G. Brooijmans [42], E.M. Brooks [159b], E. Brost [30], L.M. Brown [168], L.E. Bruce [62], T.L. Bruckler [129], P.A. Bruckman de Renstrom [88], B. Brüers [49], A. Bruni [24b], G. Bruni [24b], M. Bruschi [24b], N. Bruscino [76a,76b], T. Buanes [17], Q. Buat [141], D. Buchin [112], A.G. Buckley [60], O. Bulekov [38], B.A. Bullard [146], S. Burdin [94], C.D. Burgard [50], A.M. Burger [37], B. Burghgrave [8], O. Burlayenko [55], J.T.P. Burr [33], J.C. Burzynski [145], E.L. Busch [42], V. Büscher [102], P.J. Bussey [60], J.M. Butler [26], C.M. Buttar [60], J.M. Butterworth [98], W. Buttinger [137], C.J. Buxo Vazquez [109], A.R. Buzykaev [38], S. Cabrera Urbán [166], L. Cadamuro [67], D. Caforio [59], H. Cai [132], Y. Cai [14,114c], Y. Cai [114a], V.M.M. Cairo [37], O. Cakir [3a], N. Calace [37], P. Calafiura [18a], G. Calderini [130], P. Calfayan [69], G. Callea [60], L.P. Caloba [84b], D. Calvet [41], S. Calvet [41], M. Calvetti [75a,75b], R. Camacho Toro [130], S. Camarda [37], D. Camarero Munoz [27], P. Camarri [77a,77b], M.T. Camerlingo [73a,73b], D. Cameron [37], C. Camincher [168], M. Campanelli [98], A. Camplani [43], V. Canale [73a,73b], A.C. Canbay [3a], E. Canonero [97], J. Cantero [166], Y. Cao [165], F. Capocasa [27], M. Capua [44b,44a], A. Carbone [72a,72b], R. Cardarelli [77a], J.C.J. Cardenas [8], G. Carducci [44b,44a], T. Carli [37], G. Carlino [73a], J.I. Carlotto [13], B.T. Carlson [132,p], E.M. Carlson [168,159a], J. Carmignani [94], L. Carminati [72a,72b], A. Carnelli [138], M. Carnesale [76a,76b], S. Caron [116], E. Carquin [140f], S. Carrá [72a], G. Carratta [24b,24a], A.M. Carroll [126], T.M. Carter [53], M.P. Casado [13,h], M. Caspar [49], F.L. Castillo [4], L. Castillo Garcia [13], V. Castillo Gimenez [166], N.F. Castro [133a,133e], A. Catinaccio [37], J.R. Catmore [128], T. Cavaliere [4], V. Cavaliere [30], N. Cavalli [24b,24a], L.J. Caviedes Betancourt [23b], Y.C. Cekmecelioglu [49], E. Celebi [83], S. Cella [37], F. Celli [129], M.S. Centonze [71a,71b], V. Cepaitis [57], K. Cerny [125], A.S. Cerqueira [84a],

A. Cerri [149], L. Cerrito [77a,77b], F. Cerutti [18a], B. Cervato [144], A. Cervelli [24b], G. Cesarini [54], S.A. Cetin [83], D. Chakraborty [118], J. Chan [18a], W.Y. Chan [156], J.D. Chapman [33], E. Chapon [138], B. Chargeishvili [152b], D.G. Charlton [21], M. Chatterjee [20], C. Chauhan [136], Y. Che [114a], S. Chekanov [6], S.V. Chekulaev [159a], G.A. Chelkov [39,a], A. Chen [108], B. Chen [154], B. Chen [168], H. Chen [114a], H. Chen [30], J. Chen [63c], J. Chen [145], M. Chen [129], S. Chen [156], S.J. Chen [114a], X. Chen [63c,138], X. Chen [15,ad], Y. Chen [63a], C.L. Cheng [173], H.C. Cheng [65a], S. Cheong [146], A. Cheplakov [39], E. Cheremushkina [49], E. Cherepanova [117], R. Cherkaoui El Moursli [36e], E. Cheu [7], K. Cheung [66], L. Chevalier [138], V. Chiarella [54], G. Chiarelli [75a], N. Chiedde [104], G. Chiodini [71a], A.S. Chisholm [21], A. Chitan [28b], M. Chitishvili [166], M.V. Chizhov [39,q], K. Choi [11], Y. Chou [141], E.Y.S. Chow [116], K.L. Chu [172], M.C. Chu [65a], X. Chu [14,114c], Z. Chubinidze [54], J. Chudoba [134], J.J. Chwastowski [88], D. Cieri [112], K.M. Ciesla [87a], V. Cindro [95], A. Ciocio [18a], F. Cirotto [73a,73b], Z.H. Citron [172], M. Citterio [72a], D.A. Ciubotaru [28b], A. Clark [57], P.J. Clark [53], N. Clarke Hall [98], C. Clarry [158], J.M. Clavijo Columbie [49], S.E. Clawson [49], C. Clement [48a,48b], J. Clercx [49], Y. Coadou [104], M. Cobal [70a,70c], A. Coccaro [58b], R.F. Coelho Barrue [133a], R. Coelho Lopes De Sa [105], S. Coelli [72a], B. Cole [42], J. Collot [61], P. Conde Muiño [133a,133g], M.P. Connell [34c], S.H. Connell [34c], E.I. Conroy [129], F. Conventi [73a,af], H.G. Cooke [21], A.M. Cooper-Sarkar [129], F.A. Corchia [24b,24a], A. Cordeiro Oudot Choi [130], L.D. Corpe [41], M. Corradi [76a,76b], F. Corriveau [106,w], A. Cortes-Gonzalez [19], M.J. Costa [166], F. Costanza [4], D. Costanzo [142], B.M. Cote [122], J. Couthures [4], G. Cowan [97], K. Cranmer [173], D. Cremonini [24b,24a], S. Crépé-Renaudin [61], F. Crescioli [130], M. Cristinziani [144], M. Cristoforetti [79a,79b], V. Croft [117], J.E. Crosby [124], G. Crosetti [44b,44a], A. Cueto [101], H. Cui [98], Z. Cui [7], W.R. Cunningham [60], F. Curcio [166], J.R. Curran [53], P. Czodrowski [37], M.M. Czurylo [37], M.J. Da Cunha Sargedas De Sousa [58b,58a], J.V. Da Fonseca Pinto [84b], C. Da Via [103], W. Dabrowski [87a], T. Dado [50], S. Dahbi [151], T. Dai [108], D. Dal Santo [20], C. Dallapiccola [105], M. Dam [43], G. D'amen [30], V. D'Amico [111], J. Damp [102], J.R. Dandoy [35], D. Dannheim [37], M. Danninger [145], V. Dao [148], G. Darbo [58b], S.J. Das [30,ag], F. Dattola [49], S. D'Auria [72a,72b], A. D'avanzo [73a,73b], C. David [34a], T. Davidek [136], I. Dawson [96], H.A. Day-hall [135], K. De [8], R. De Asmundis [73a], N. De Biase [49], S. De Castro [24b,24a], N. De Groot [116], P. de Jong [117], H. De la Torre [118], A. De Maria [114a], A. De Salvo [76a], U. De Sanctis [77a,77b], F. De Santis [71a,71b], A. De Santo [149], J.B. De Vivie De Regie [61], D.V. Dedovich [39], J. Degens [94], A.M. Deiana [45], F. Del Corso [24b,24a], J. Del Peso [101], F. Del Rio [64a], L. Delagrange [130], F. Deliot [138], C.M. Delitzsch [50], M. Della Pietra [73a,73b], D. Della Volpe [57], A. Dell'Acqua [37], L. Dell'Asta [72a,72b], M. Delmastro [4], P.A. Delsart [61], S. Demers [175], M. Demichev [39], S.P. Denisov [38], L. D'Eramo [41], D. Derendarz [88], F. Derue [130], P. Dervan [94], K. Desch [25], C. Deutsch [25], F.A. Di Bello [58b,58a], A. Di Ciaccio [77a,77b], L. Di Ciaccio [4], A. Di Domenico [76a,76b], C. Di Donato [73a,73b], A. Di Girolamo [37], G. Di Gregorio [37], A. Di Luca [79a,79b], B. Di Micco [78a,78b], R. Di Nardo [78a,78b], K.F. Di Petrillo [40], M. Diamantopoulou [35], F.A. Dias [117], T. Dias Do Vale [145], M.A. Diaz [140a,140b], F.G. Diaz Capriles [25], M. Didenko [166], E.B. Diehl [108], S. Díez Cornell [49], C. Diez Pardos [144], C. Dimitriadi [164], A. Dimitrievska [21], J. Dingfelder [25], I-M. Dinu [28b], S.J. Dittmeier [64b], F. Dittus [37], M. Divisek [136], F. Djama [104], T. Djobava [152b], C. Doglioni [103,100], A. Dohnalova [29a], J. Dolejsi [136], Z. Dolezal [136], K. Domijan [87a], K.M. Dona [40], M. Donadelli [84d], B. Dong [109], J. Donini [41], A. D'Onofrio [73a,73b], M. D'Onofrio [94], J. Dopke [137], A. Doria [73a], N. Dos Santos Fernandes [133a], P. Dougan [103], M.T. Dova [92], A.T. Doyle [60], M.A. Draguet [129], E. Dreyer [172], I. Drivas-koulouris [10], M. Drnevich [120], M. Drozdova [57], D. Du [63a], T.A. du Pree [117], F. Dubinin [38], M. Dubovsky [29a], E. Duchovni [172], G. Duckeck [111], O.A. Ducu [28b],

D. Duda [53], A. Dudarev [37], E.R. Duden [27], M. D'uffizi [103], L. Duflot [67], M. Dührssen [37], I. Duminica [28g], A.E. Dumitriu [28b], M. Dunford [64a], S. Dungs [50], K. Dunne [48a,48b], A. Duperrin [104], H. Duran Yildiz [3a], M. Düren [59], A. Durglishvili [152b], B.L. Dwyer [118], G.I. Dyckes [18a], M. Dyndal [87a], B.S. Dziedzic [37], Z.O. Earnshaw [149], G.H. Eberwein [129], B. Eckerova [29a], S. Eggebrecht [56], E. Egidio Purcino De Souza [130], L.F. Ehrke [57], G. Eigen [17], K. Einsweiler [18a], T. Ekelof [164], P.A. Ekman [100], S. El Farkh [36b], Y. El Ghazali [36b], H. El Jarrari [37], A. El Moussaouy [36a], V. Ellajosyula [164], M. Ellert [164], F. Ellinghaus [174], N. Ellis [37], J. Elmsheuser [30], M. Elsawy [119a], M. Elsing [37], D. Emeliyanov [137], Y. Enari [156], I. Ene [18a], S. Epari [13], P.A. Erland [88], D. Ernani Martins Neto [88], M. Errenst [174], M. Escalier [67], C. Escobar [166], E. Etzion [154], G. Evans [133a], H. Evans [69], L.S. Evans [97], A. Ezhilov [38], S. Ezzarqtouni [36a], F. Fabbri [24b,24a], L. Fabbri [24b,24a], G. Facini [98], V. Fadeyev [139], R.M. Fakhrutdinov [38], D. Fakoudis [102], S. Falciano [76a], L.F. Falda Ulhoa Coelho [37], F. Fallavollita [112], G. Falsetti [44b,44a], J. Faltova [136], C. Fan [165], Y. Fan [14], Y. Fang [14,114c], M. Fanti [72a,72b], M. Faraj [70a,70b], Z. Farazpay [99], A. Farbin [8], A. Farilla [78a], T. Farooque [109], S.M. Farrington [53], F. Fassi [36e], D. Fassouliotis [9], M. Faucci Giannelli [77a,77b], W.J. Fawcett [33], L. Fayard [67], P. Federic [136], P. Federicova [134], O.L. Fedin [38,a], M. Feickert [173], L. Feligioni [104], D.E. Fellers [126], C. Feng [63b], M. Feng [15], Z. Feng [117], M.J. Fenton [162], L. Ferencz [49], R.A.M. Ferguson [93], S.I. Fernandez Luengo [140f], P. Fernandez Martinez [13], M.J.V. Fernoux [104], J. Ferrando [93], A. Ferrari [164], P. Ferrari [117,116], R. Ferrari [74a], D. Ferrere [57], C. Ferretti [108], D. Fiacco [76a,76b], F. Fiedler [102], P. Fiedler [135], A. Filipčič [95], E.K. Filmer [1], F. Filthaut [116], M.C.N. Fiolhais [133a,133c,c], L. Fiorini [166], W.C. Fisher [109], T. Fitschen [103], P.M. Fitzhugh [138], I. Fleck [144], P. Fleischmann [108], T. Flick [174], M. Flores [34d,ab], L.R. Flores Castillo [65a], L. Flores Sanz De Acedo [37], F.M. Follega [79a,79b], N. Fomin [33], J.H. Foo [158], A. Formica [138], A.C. Forti [103], E. Fortin [37], A.W. Fortman [18a], M.G. Foti [18a], L. Fountas [9,i], D. Fournier [67], H. Fox [93], P. Francavilla [75a,75b], S. Francescato [62], S. Franchellucci [57], M. Franchini [24b,24a], S. Franchino [64a], D. Francis [37], L. Franco [116], V. Franco Lima [37], L. Franconi [49], M. Franklin [62], G. Frattari [27], Y.Y. Frid [154], J. Friend [60], N. Fritzsche [51], A. Froch [55], D. Froidevaux [37], J.A. Frost [129], Y. Fu [63a], S. Fuenzalida Garrido [140f], M. Fujimoto [104], K.Y. Fung [65a], E. Furtado De Simas Filho [84e], M. Furukawa [156], J. Fuster [166], A. Gaa [56], A. Gabrielli [24b,24a], A. Gabrielli [158], P. Gadow [37], G. Gagliardi [58b,58a], L.G. Gagnon [18a], S. Gaid [163], S. Galantzan [154], E.J. Gallas [129], B.J. Gallop [137], K.K. Gan [122], S. Ganguly [156], Y. Gao [53], F.M. Garay Walls [140a,140b], B. Garcia [30], C. García [166], A. Garcia Alonso [117], A.G. Garcia Caffaro [175], J.E. García Navarro [166], M. Garcia-Sciveres [18a], G.L. Gardner [131], R.W. Gardner [40], N. Garelli [161], D. Garg [81], R.B. Garg [146], J.M. Gargan [53], C.A. Garner [158], C.M. Garvey [34a], V.K. Gassmann [161], G. Gaudio [74a], V. Gautam [13], P. Gauzzi [76a,76b], J. Gavranovic [95], I.L. Gavrilenko [38], A. Gavrilyuk [38], C. Gay [167], G. Gaycken [126], E.N. Gazis [10], A.A. Geanta [28b], C.M. Gee [139], A. Gekow [122], C. Gemme [58b], M.H. Genest [61], A.D. Gentry [115], S. George [97], W.F. George [21], T. Geralis [47], P. Gessinger-Befurt [37], M.E. Geyik [174], M. Ghani [170], K. Ghorbanian [96], A. Ghosal [144], A. Ghosh [162], A. Ghosh [7], B. Giacobbe [24b], S. Giagu [76a,76b], T. Giani [117], P. Giannetti [75a], A. Giannini [63a], S.M. Gibson [97], M. Gignac [139], D.T. Gil [87b], A.K. Gilbert [87a], B.J. Gilbert [42], D. Gillberg [35], G. Gilles [117], L. Ginabat [130], D.M. Gingrich [2,ae], M.P. Giordani [70a,70c], P.F. Giraud [138], G. Giugliarelli [70a,70c], D. Giugni [72a], F. Giuli [37], I. Gkialas [9,i], L.K. Gladilin [38], C. Glasman [101], G.R. Gledhill [126], G. Glemža [49], M. Glisic [126], I. Gnesi [44b,e], Y. Go [30], M. Goblirsch-Kolb [37], B. Gocke [50], D. Godin [110], B. Gokturk [22a], S. Goldfarb [107], T. Golling [57],

M.G.D. Gololo [34g], D. Golubkov [38], J.P. Gombas [109], A. Gomes [133a,133b], G. Gomes Da Silva [144], A.J. Gomez Delegido [166], R. Gonçalo [133a], L. Gonella [21], A. Gongadze [152c], F. Gonnella [21], J.L. Gonski [146], R.Y. González Andana [53], S. González de la Hoz [166], R. Gonzalez Lopez [94], C. Gonzalez Renteria [18a], M.V. Gonzalez Rodrigues [49], R. Gonzalez Suarez [164], S. Gonzalez-Sevilla [57], L. Goossens [37], B. Gorini [37], E. Gorini [71a,71b], A. Gorišek [95], T.C. Gosart [131], A.T. Goshaw [52], M.I. Gostkin [39], S. Goswami [124], C.A. Gottardo [37], S.A. Gotz [111], M. Gouighri [36b], V. Goumarre [49], A.G. Goussiou [141], N. Govender [34c], I. Grabowska-Bold [87a], K. Graham [35], E. Gramstad [128], S. Grancagnolo [71a,71b], C.M. Grant [1,138], P.M. Gravila [28f], F.G. Gravili [71a,71b], H.M. Gray [18a], M. Greco [71a,71b], M.J. Green [1], C. Grefe [25], A.S. Grefsrud [17], I.M. Gregor [49], K.T. Greif [162], P. Grenier [146], S.G. Grewe [112], A.A. Grillo [139], K. Grimm [32], S. Grinstein [13,s], J.-F. Grivaz [67], E. Gross [172], J. Grosse-Knetter [56], J.C. Grundy [129], L. Guan [108], J.G.R. Guerrero Rojas [166], G. Guerrieri [70a,70c], R. Gugel [102], J.A.M. Guhit [108], A. Guida [19], E. Guilloton [170], S. Guindon [37], F. Guo [14,114c], J. Guo [63c], L. Guo [49], Y. Guo [108], R. Gupta [132], S. Gurbuz [25], S.S. Gurdasani [55], G. Gustavino [76a,76b], M. Guth [57], P. Gutierrez [123], L.F. Gutierrez Zagazeta [131], M. Gutsche [51], C. Gutschow [98], C. Gwenlan [129], C.B. Gwilliam [94], E.S. Haaland [128], A. Haas [120], M. Habedank [49], C. Haber [18a], H.K. Hadavand [8], A. Hadef [51], S. Hadzic [112], A.I. Hagan [93], J.J. Hahn [144], E.H. Haines [98], M. Haleem [169], J. Haley [124], J.J. Hall [142], G.D. Hallewell [104], L. Halser [20], K. Hamano [168], M. Hamer [25], G.N. Hamity [53], E.J. Hampshire [97], J. Han [63b], K. Han [63a], L. Han [114a], L. Han [63a], S. Han [18a], Y.F. Han [158], K. Hanagaki [85], M. Hance [139], D.A. Hangal [42], H. Hanif [145], M.D. Hank [131], J.B. Hansen [43], P.H. Hansen [43], K. Hara [160], D. Harada [57], T. Harenberg [174], S. Harkusha [38], M.L. Harris [105], Y.T. Harris [129], J. Harrison [13], N.M. Harrison [122], P.F. Harrison [170], N.M. Hartman [112], N.M. Hartmann [111], R.Z. Hasan [97,137], Y. Hasegawa [143], S. Hassan [17], R. Hauser [109], C.M. Hawkes [21], R.J. Hawkings [37], Y. Hayashi [156], S. Hayashida [113], D. Hayden [109], C. Hayes [108], R.L. Hayes [117], C.P. Hays [129], J.M. Hays [96], H.S. Hayward [94], F. He [63a], M. He [14,114c], Y. He [157], Y. He [49], Y. He [98], N.B. Heatley [96], V. Hedberg [100], A.L. Heggelund [128], N.D. Hehir [96,*], C. Heidegger [55], K.K. Heidegger [55], J. Heilman [35], S. Heim [49], T. Heim [18a], J.G. Heinlein [131], J.J. Heinrich [126], L. Heinrich [112,ac], J. Hejbal [134], A. Held [173], S. Hellesund [17], C.M. Helling [167], S. Hellman [48a,48b], R.C.W. Henderson [93], L. Henkelmann [33], A.M. Henriques Correia [37], H. Herde [100], Y. Hernández Jiménez [148], L.M. Herrmann [25], T. Herrmann [51], G. Herten [55], R. Hertenberger [111], L. Hervas [37], M.E. Hesping [102], N.P. Hessey [159a], M. Hidaoui [36b], N. Hidic [136], E. Hill [158], S.J. Hillier [21], J.R. Hinds [109], F. Hinterkeuser [25], M. Hirose [127], S. Hirose [160], D. Hirschbuehl [174], T.G. Hitchings [103], B. Hiti [95], J. Hobbs [148], R. Hobincu [28e], N. Hod [172], M.C. Hodgkinson [142], B.H. Hodkinson [129], A. Hoecker [37], D.D. Hofer [108], J. Hofer [49], T. Holm [25], M. Holzbock [112], L.B.A.H. Hommels [33], B.P. Honan [103], J.J. Hong [69], J. Hong [63c], T.M. Hong [132], B.H. Hooberman [165], W.H. Hopkins [6], M.C. Hoppesch [165], Y. Horii [113], S. Hou [151], A.S. Howard [95], J. Howarth [60], J. Hoya [6], M. Hrabovsky [125], A. Hrynevich [49], T. Hryn'ova [4], P.J. Hsu [66], S.-C. Hsu [141], T. Hsu [67], M. Hu [18a], Q. Hu [63a], S. Huang [65b], X. Huang [14,114c], Y. Huang [142], Y. Huang [102], Y. Huang [14], Z. Huang [103], Z. Hubacek [135], M. Huebner [25], F. Huegging [25], T.B. Huffman [129], C.A. Hugli [49], M. Huhtinen [37], S.K. Huiberts [17], R. Hulsken [106], N. Huseynov [12], J. Huston [109], J. Huth [62], R. Hyneman [146], G. Iacobucci [57], G. Iakovidis [30], L. Iconomidou-Fayard [67], J.P. Iddon [37], P. Iengo [73a,73b], R. Iguchi [156], Y. Iiyama [156], T. Iizawa [129], Y. Ikegami [85], N. Ilic [158], H. Imam [36a], M. Ince Lezki [57], T. Ingebretsen Carlson [48a,48b], J.M. Inglis [96],

G. Introzzi [74a,74b], M. Iodice [78a], V. Ippolito [76a,76b], R.K. Irwin [94], M. Ishino [156], W. Islam [173], C. Issever [19,49], S. Istin [22a,ai], H. Ito [171], R. Iuppa [79a,79b], A. Ivina [172], J.M. Izen [46], V. Izzo [73a], P. Jacka [134], P. Jackson [1], C.S. Jagfeld [111], G. Jain [159a], P. Jain [49], K. Jakobs [55], T. Jakoubek [172], J. Jamieson [60], W. Jang [156], M. Javurkova [105], L. Jeanty [126], J. Jejelava [152a,z], P. Jenni [55,f], C.E. Jessiman [35], C. Jia [63b], J. Jia [148], X. Jia [62], X. Jia [14,114c], Z. Jia [114a], C. Jiang [53], S. Jiggins [49], J. Jimenez Pena [13], S. Jin [114a], A. Jinaru [28b], O. Jinnouchi [157], P. Johansson [142], K.A. Johns [7], J.W. Johnson [139], D.M. Jones [149], E. Jones [49], P. Jones [33], R.W.L. Jones [93], T.J. Jones [94], H.L. Joos [56,37], R. Joshi [122], J. Jovicevic [16], X. Ju [18a], J.J. Junggeburth [105], T. Junkermann [64a], A. Juste Rozas [13,s], M.K. Juzek [88], S. Kabana [140e], A. Kaczmarska [88], M. Kado [112], H. Kagan [122], M. Kagan [146], A. Kahn [131], C. Kahra [102], T. Kaji [156], E. Kajomovitz [153], N. Kakati [172], I. Kalaitzidou [55], C.W. Kalderon [30], N.J. Kang [139], D. Kar [34g], K. Karava [129], M.J. Kareem [159b], E. Karentzos [55], O. Karkout [117], S.N. Karpov [39], Z.M. Karpova [39], V. Kartvelishvili [93], A.N. Karyukhin [38], E. Kasimi [155], J. Katzy [49], S. Kaur [35], K. Kawade [143], M.P. Kawale [123], C. Kawamoto [89], T. Kawamoto [63a], E.F. Kay [37], F.I. Kaya [161], S. Kazakos [109], V.F. Kazanin [38], Y. Ke [148], J.M. Keaveney [34a], R. Keeler [168], G.V. Kehris [62], J.S. Keller [35], A.S. Kelly [98], J.J. Kempster [149], P.D. Kennedy [102], O. Kepka [134], B.P. Kerridge [137], S. Kersten [174], B.P. Kerševan [95], L. Keszeghova [29a], S. Ketabchi Haghighat [158], R.A. Khan [132], A. Khanov [124], A.G. Kharlamov [38], T. Kharlamova [38], E.E. Khoda [141], M. Kholodenko [38], T.J. Khoo [19], G. Khoriauli [169], J. Khubua [152b,*], Y.A.R. Khwaira [130], B. Kibirige [34g], D.W. Kim [48a,48b], Y.K. Kim [40], N. Kimura [98], M.K. Kingston [56], A. Kirchhoff [56], C. Kirfel [25], F. Kirfel [25], J. Kirk [137], A.E. Kiryunin [112], C. Kitsaki [10], O. Kivernyk [25], M. Klassen [161], C. Klein [35], L. Klein [169], M.H. Klein [45], S.B. Klein [57], U. Klein [94], P. Klimek [37], A. Klimentov [30], T. Klioutchnikova [37], P. Kluit [117], S. Kluth [112], E. Kneringer [80], T.M. Knight [158], A. Knue [50], R. Kobayashi [89], D. Kobylianskii [172], S.F. Koch [129], M. Kocian [146], P. Kodyš [136], D.M. Koeck [126], P.T. Koenig [25], T. Koffas [35], O. Kolay [51], I. Koletsou [4], T. Komarek [88], K. Köneke [55], A.X.Y. Kong [1], T. Kono [121], N. Konstantinidis [98], P. Kontaxakis [57], B. Konya [100], R. Kopeliansky [42], S. Koperny [87a], K. Korcyl [88], K. Kordas [155,d], A. Korn [98], S. Korn [56], I. Korolkov [13], N. Korotkova [38], B. Kortman [117], O. Kortner [112], S. Kortner [112], W.H. Kostecka [118], V.V. Kostyukhin [144], A. Kotsokechagia [138], A. Kotwal [52], A. Koulouris [37], A. Kourkoumeli-Charalampidi [74a,74b], C. Kourkoumelis [9], E. Kourlitis [112,ac], O. Kovanda [126], R. Kowalewski [168], W. Kozanecki [138], A.S. Kozhin [38], V.A. Kramarenko [38], G. Kramberger [95], P. Kramer [102], M.W. Krasny [130], A. Krasznahorkay [37], A.C. Kraus [118], J.W. Kraus [174], J.A. Kremer [49], T. Kresse [51], L. Kretschmann [174], J. Kretzschmar [94], K. Kreul [19], P. Krieger [158], S. Krishnamurthy [105], M. Krivos [136], K. Krizka [21], K. Kroeninger [50], H. Kroha [112], J. Kroll [134], J. Kroll [131], K.S. Krowpman [109], U. Kruchonak [39], H. Krüger [25], N. Krumnack [82], M.C. Kruse [52], O. Kuchinskaia [38], S. Kuday [3a], S. Kuehn [37], R. Kuesters [55], T. Kuhl [49], V. Kukhtin [39], Y. Kulchitsky [38,a], S. Kuleshov [140d,140b], M. Kumar [34g], N. Kumari [49], P. Kumari [159b], A. Kupco [134], T. Kupfer [50], A. Kupich [38], O. Kuprash [55], H. Kurashige [86], L.L. Kurchaninov [159a], O. Kurdysh [67], Y.A. Kurochkin [38], A. Kurova [38], M. Kuze [157], A.K. Kvam [105], J. Kvita [125], T. Kwan [106], N.G. Kyriacou [108], L.A.O. Laatu [104], C. Lacasta [166], F. Lacava [76a,76b], H. Lacker [19], D. Lacour [130], N.N. Lad [98], E. Ladygin [39], A. Lafarge [41], B. Laforge [130], T. Lagouri [175], F.Z. Lahbabi [36a], S. Lai [56], J.E. Lambert [168], S. Lammers [69], W. Lampl [7], C. Lampoudis [155,d], G. Lamprinoudis [102], A.N. Lancaster [118], E. Lançon [30], U. Landgraf [55], M.P.J. Landon [96], V.S. Lang [55],

O.K.B. Langrekken [128], A.J. Lankford [162], F. Lanni [37], K. Lantzsch [25], A. Lanza [74a], J.F. Laporte [138], T. Lari [72a], F. Lasagni Manghi [24b], M. Lassnig [37], V. Latonova [134], A. Laudrain [102], A. Laurier [153], S.D. Lawlor [142], Z. Lawrence [103], R. Lazaridou [170], M. Lazzaroni [72a,72b], B. Le [103], E.M. Le Boulicaut [52], L.T. Le Pottier [18a], B. Leban [24b,24a], A. Lebedev [82], M. LeBlanc [103], F. Ledroit-Guillon [61], S.C. Lee [151], S. Lee [48a,48b], T.F. Lee [94], L.L. Leeuw [34c], H.P. Lefebvre [97], M. Lefebvre [168], C. Leggett [18a], G. Lehmann Miotto [37], M. Leigh [57], W.A. Leight [105], W. Leinonen [116], A. Leisos [155,r], M.A.L. Leite [84c], C.E. Leitgeb [19], R. Leitner [136], K.J.C. Leney [45], T. Lenz [25], S. Leone [75a], C. Leonidopoulos [53], A. Leopold [147], C. Leroy [110], R. Les [109], C.G. Lester [33], M. Levchenko [38], J. Levêque [4], L.J. Levinson [172], G. Levrini [24b,24a], M.P. Lewicki [88], C. Lewis [141], D.J. Lewis [4], A. Li [5], B. Li [63b], C. Li [63a], C-Q. Li [112], H. Li [63a], H. Li [63b], H. Li [114a], H. Li [15], H. Li [63b], J. Li [63c], K. Li [141], L. Li [63c], M. Li [14,114c], S. Li [14,114c], S. Li [63d,63c], T. Li [5], X. Li [106], Z. Li [129], Z. Li [156], Z. Li [14,114c], S. Liang [14,114c], Z. Liang [14], M. Liberatore [138], B. Liberti [77a], K. Lie [65c], J. Lieber Marin [84e], H. Lien [69], H. Lin [108], K. Lin [109], R.E. Lindley [7], J.H. Lindon [2], J. Ling [62], E. Lipeles [131], A. Lipniacka [17], A. Lister [167], J.D. Little [69], B. Liu [14], B.X. Liu [114b], D. Liu [63d,63c], E.H.L. Liu [21], J.B. Liu [63a], J.K.K. Liu [33], K. Liu [63d], K. Liu [63d,63c], M. Liu [63a], M.Y. Liu [63a], P. Liu [14], Q. Liu [63d,141,63c], X. Liu [63a], X. Liu [63b], Y. Liu [114b,114c], Y.L. Liu [63b], Y.W. Liu [63a], J. Llorente Merino [145], S.L. Lloyd [96], E.M. Lobodzinska [49], P. Loch [7], T. Lohse [19], K. Lohwasser [142], E. Loiacono [49], M. Lokajicek [134,*], J.D. Lomas [21], J.D. Long [165], I. Longarini [162], R. Longo [165], I. Lopez Paz [68], A. Lopez Solis [49], N. Lorenzo Martinez [4], A.M. Lory [111], M. Losada [119a], G. Löschcke Centeno [149], O. Loseva [38], X. Lou [48a,48b], X. Lou [14,114c], A. Lounis [67], P.A. Love [93], G. Lu [14,114c], M. Lu [67], S. Lu [131], Y.J. Lu [66], H.J. Lubatti [141], C. Luci [76a,76b], F.L. Lucio Alves [114a], F. Luehring [69], I. Luise [148], O. Lukianchuk [67], O. Lundberg [147], B. Lund-Jensen [147,*], N.A. Luongo [6], M.S. Lutz [37], A.B. Lux [26], D. Lynn [30], R. Lysak [134], E. Lytken [100], V. Lyubushkin [39], T. Lyubushkina [39], M.M. Lyukova [148], M. Firdaus M. Soberi [53], H. Ma [30], K. Ma [63a], L.L. Ma [63b], W. Ma [63a], Y. Ma [124], J.C. MacDonald [102], P.C. Machado De Abreu Farias [84e], R. Madar [41], T. Madula [98], J. Maeda [86], T. Maeno [30], H. Maguire [142], V. Maiboroda [138], A. Maio [133a,133b,133d], K. Maj [87a], O. Majersky [49], S. Majewski [126], N. Makovec [67], V. Maksimovic [16], B. Malaescu [130], Pa. Malecki [88], V.P. Maleev [38], F. Malek [61,m], M. Mali [95], D. Malito [97], U. Mallik [81,*], S. Maltezos [10], S. Malyukov [39], J. Mamuzic [13], G. Mancini [54], M.N. Mancini [27], G. Manco [74a,74b], J.P. Mandalia [96], S.S. Mandarry [149], I. Mandić [95], L. Manhaes de Andrade Filho [84a], I.M. Maniatis [172], J. Manjarres Ramos [91], D.C. Mankad [172], A. Mann [111], S. Manzoni [37], L. Mao [63c], X. Mapekula [34c], A. Marantis [155,r], G. Marchiori [5], M. Marcisovsky [134], C. Marcon [72a], M. Marinescu [21], S. Marium [49], M. Marjanovic [123], A. Markhoos [55], M. Markovitch [67], E.J. Marshall [93], Z. Marshall [18a], S. Marti-Garcia [166], J. Martin [98], T.A. Martin [137], V.J. Martin [53], B. Martin dit Latour [17], L. Martinelli [76a,76b], M. Martinez [13,s], P. Martinez Agullo [166], V.I. Martinez Outschoorn [105], P. Martinez Suarez [13], S. Martin-Haugh [137], G. Martinovicova [136], V.S. Martoiu [28b], A.C. Martyniuk [98], A. Marzin [37], D. Mascione [79a,79b], L. Masetti [102], T. Mashimo [156], J. Masik [103], A.L. Maslennikov [38], P. Massarotti [73a,73b], P. Mastrandrea [75a,75b], A. Mastroberardino [44b,44a], T. Masubuchi [156], T. Mathisen [164], J. Matousek [136], N. Matsuzawa [156], J. Maurer [28b], A.J. Maury [67], B. Maček [95], D.A. Maximov [38], A.E. May [103], R. Mazini [151], I. Maznas [118], M. Mazza [109], S.M. Mazza [139], E. Mazzeo [72a,72b], C. Mc Ginn [30], J.P. Mc Gowan [168], S.P. Mc Kee [108], C.C. McCracken [167], E.F. McDonald [107], A.E. McDougall [117], J.A. Mcfayden [149], R.P. McGovern [131], R.P. Mckenzie [34g], T.C. Mclachlan [49], D.J. Mclaughlin [98], S.J. McMahon [137], C.M. Mcpartland [94], R.A. McPherson [168,w],

S. Mehlhase [111], A. Mehta [94], D. Melini [166], B.R. Mellado Garcia [34g], A.H. Melo [56], F. Meloni [49], A.M. Mendes Jacques Da Costa [103], H.Y. Meng [158], L. Meng [93], S. Menke [112], M. Mentink [37], E. Meoni [44b,44a], G. Mercado [118], S. Merianos [155], C. Merlassino [70a,70c], L. Merola [73a,73b], C. Meroni [72a,72b], J. Metcalfe [6], A.S. Mete [6], E. Meuser [102], C. Meyer [69], J-P. Meyer [138], R.P. Middleton [137], L. Mijović [53], G. Mikenberg [172], M. Mikestikova [134], M. Mikuž [95], H. Mildner [102], A. Milic [37], D.W. Miller [40], E.H. Miller [146], L.S. Miller [35], A. Milov [172], D.A. Milstead [48a,48b], T. Min [114a], A.A. Minaenko [38], I.A. Minashvili [152b], L. Mince [60], A.I. Mincer [120], B. Mindur [87a], M. Mineev [39], Y. Mino [89], L.M. Mir [13], M. Miralles Lopez [60], M. Mironova [18a], A. Mishima [156], M.C. Missio [116], A. Mitra [170], V.A. Mitsou [166], Y. Mitsumori [113], O. Miu [158], P.S. Miyagawa [96], T. Mkrtchyan [64a], M. Mlinarevic [98], T. Mlinarevic [98], M. Mlynarikova [37], S. Mobius [20], P. Mogg [111], M.H. Mohamed Farook [115], A.F. Mohammed [14,114c], S. Mohapatra [42], G. Mokgatitswane [34g], L. Moleri [172], B. Mondal [144], S. Mondal [135], K. Mönig [49], E. Monnier [104], L. Monsonis Romero [166], J. Montejo Berlingen [13], M. Montella [122], F. Montereali [78a,78b], F. Monticelli [92], S. Monzani [70a,70c], N. Morange [67], A.L. Moreira De Carvalho [49], M. Moreno Llácer [166], C. Moreno Martinez [57], P. Morettini [58b], S. Morgenstern [37], M. Morii [62], M. Morinaga [156], F. Morodei [76a,76b], L. Morvaj [37], P. Moschovakos [37], B. Moser [37], M. Mosidze [152b], T. Moskalets [45], P. Moskvitina [116], J. Moss [32,j], P. Moszkowicz [87a], A. Moussa [36d], E.J.W. Moyse [105], O. Mtintsilana [34g], S. Muanza [104], J. Mueller [132], D. Muenstermann [93], R. Müller [37], G.A. Mullier [164], A.J. Mullin [33], J.J. Mullin [131], D.P. Mungo [158], D. Munoz Perez [166], F.J. Munoz Sanchez [103], M. Murin [103], W.J. Murray [170,137], M. Muškinja [95], C. Mwewa [30], A.G. Myagkov [38,a], A.J. Myers [8], G. Myers [108], M. Myska [135], B.P. Nachman [18a], O. Nackenhorst [50], K. Nagai [129], K. Nagano [85], J.L. Nagle [30,ag], E. Nagy [104], A.M. Nairz [37], Y. Nakahama [85], K. Nakamura [85], K. Nakkalil [5], H. Nanjo [127], E.A. Narayanan [115], I. Naryshkin [38], L. Nasella [72a,72b], M. Naseri [35], S. Nasri [119b], C. Nass [25], G. Navarro [23a], J. Navarro-Gonzalez [166], R. Nayak [154], A. Nayaz [19], P.Y. Nechaeva [38], S. Nechaeva [24b,24a], F. Nechansky [49], L. Nedic [129], T.J. Neep [21], A. Negri [74a,74b], M. Negrini [24b], C. Nellist [117], C. Nelson [106], K. Nelson [108], S. Nemecek [134], M. Nessi [37,g], M.S. Neubauer [165], F. Neuhaus [102], J. Neundorf [49], P.R. Newman [21], C.W. Ng [132], Y.W.Y. Ng [49], B. Ngair [119a], H.D.N. Nguyen [110], R.B. Nickerson [129], R. Nicolaidou [138], J. Nielsen [139], M. Niemeyer [56], J. Niermann [56], N. Nikiforou [37], V. Nikolaenko [38,a], I. Nikolic-Audit [130], K. Nikolopoulos [21], P. Nilsson [30], I. Ninca [49], G. Ninio [154], A. Nisati [76a], N. Nishu [2], R. Nisius [112], J-E. Nitschke [51], E.K. Nkadimeng [34g], T. Nobe [156], T. Nommensen [150], M.B. Norfolk [142], B.J. Norman [35], M. Noury [36a], J. Novak [95], T. Novak [95], L. Novotny [135], R. Novotny [115], L. Nozka [125], K. Ntekas [162], N.M.J. Nunes De Moura Junior [84b], J. Ocariz [130], A. Ochi [86], I. Ochoa [133a], S. Oerdek [49,t], J.T. Offermann [40], A. Ogrodnik [136], A. Oh [103], C.C. Ohm [147], H. Oide [85], R. Oishi [156], M.L. Ojeda [49], Y. Okumura [156], L.F. Oleiro Seabra [133a], I. Oleksiyuk [57], S.A. Olivares Pino [140d], G. Oliveira Correa [13], D. Oliveira Damazio [30], D. Oliveira Goncalves [84a], J.L. Oliver [162], Ö.O. Öncel [55], A.P. O'Neill [20], A. Onofre [133a,133e], P.U.E. Onyisi [11], M.J. Oreglia [40], G.E. Orellana [92], D. Orestano [78a,78b], N. Orlando [13], R.S. Orr [158], L.M. Osojnak [131], R. Ospanov [63a], G. Otero y Garzon [31], H. Otono [90], P.S. Ott [64a], G.J. Ottino [18a], M. Ouchrif [36d], F. Ould-Saada [128], T. Ovsiannikova [141], M. Owen [60], R.E. Owen [137], V.E. Ozcan [22a], F. Ozturk [88], N. Ozturk [8], S. Ozturk [83], H.A. Pacey [129], A. Pacheco Pages [13], C. Padilla Aranda [13], G. Padovano [76a,76b], S. Pagan Griso [18a], G. Palacino [69], A. Palazzo [71a,71b], J. Pampel [25], J. Pan [175], T. Pan [65a],

D.K. Panchal [11], C.E. Pandini [117], J.G. Panduro Vazquez [137], H.D. Pandya [1], H. Pang [15], P. Pani [49], G. Panizzo [70a,70c], L. Panwar [130], L. Paolozzi [57], S. Parajuli [165], A. Paramonov [6], C. Paraskevopoulos [54], D. Paredes Hernandez [65b], A. Pareti [74a,74b], K.R. Park [42], T.H. Park [158], M.A. Parker [33], F. Parodi [58b,58a], E.W. Parrish [118], V.A. Parrish [53], J.A. Parsons [42], U. Parzefall [55], B. Pascual Dias [110], L. Pascual Dominguez [101], E. Pasqualucci [76a], S. Passaggio [58b], F. Pastore [97], P. Patel [88], U.M. Patel [52], J.R. Pater [103], T. Pauly [37], C.I. Pazos [161], J. Pearkes [146], M. Pedersen [128], R. Pedro [133a], S.V. Peleganchuk [38], O. Penc [37], E.A. Pender [53], G.D. Penn [175], K.E. Penski [111], M. Penzin [38], B.S. Peralva [84d], A.P. Pereira Peixoto [141], L. Pereira Sanchez [146], D.V. Perepelitsa [30,ag], G. Perera [105], E. Perez Codina [159a], M. Perganti [10], H. Pernegger [37], S. Perrella [76a,76b], O. Perrin [41], K. Peters [49], R.F.Y. Peters [103], B.A. Petersen [37], T.C. Petersen [43], E. Petit [104], V. Petousis [135], C. Petridou [155,d], T. Petru [136], A. Petrukhin [144], M. Pettee [18a], A. Petukhov [38], K. Petukhova [37], R. Pezoa [140f], L. Pezzotti [37], G. Pezzullo [175], T.M. Pham [173], T. Pham [107], P.W. Phillips [137], G. Piacquadio [148], E. Pianori [18a], F. Piazza [126], R. Piegaia [31], D. Pietreanu [28b], A.D. Pilkington [103], M. Pinamonti [70a,70c], J.L. Pinfold [2], B.C. Pinheiro Pereira [133a], A.E. Pinto Pinoargote [138], L. Pintucci [70a,70c], K.M. Piper [149], A. Pirttikoski [57], D.A. Pizzi [35], L. Pizzimento [65b], A. Pizzini [117], M.-A. Pleier [30], V. Pleskot [136], E. Plotnikova [39], G. Poddar [96], R. Poettgen [100], L. Poggioli [130], I. Pokharel [56], S. Polacek [136], G. Polesello [74a], A. Poley [145,159a], A. Polini [24b], C.S. Pollard [170], Z.B. Pollock [122], E. Pompa Pacchi [76a,76b], N.I. Pond [98], D. Ponomarenko [116], L. Pontecorvo [37], S. Popa [28a], G.A. Popeneciu [28d], A. Poreba [37], D.M. Portillo Quintero [159a], S. Pospisil [135], M.A. Postill [142], P. Postolache [28c], K. Potamianos [170], P.A. Potepa [87a], I.N. Potrap [39], C.J. Potter [33], H. Potti [150], J. Poveda [166], M.E. Pozo Astigarraga [37], A. Prades Ibanez [166], J. Pretel [55], D. Price [103], M. Primavera [71a], M.A. Principe Martin [101], R. Privara [125], T. Procter [60], M.L. Proffitt [141], N. Proklova [131], K. Prokofiev [65c], G. Proto [112], J. Proudfoot [6], M. Przybycien [87a], W.W. Przygoda [87b], A. Psallidas [47], J.E. Puddefoot [142], D. Pudzha [55], D. Pyatiizbyantseva [38], J. Qian [108], D. Qichen [103], Y. Qin [13], T. Qiu [53], A. Quadt [56], M. Queitsch-Maitland [103], G. Quetant [57], R.P. Quinn [167], G. Rabanal Bolanos [62], D. Rafanoharana [55], F. Raffaeli [77a,77b], F. Ragusa [72a,72b], J.L. Rainbolt [40], J.A. Raine [57], S. Rajagopalan [30], E. Ramakoti [38], I.A. Ramirez-Berend [35], K. Ran [49,114c], N.P. Rapheeha [34g], H. Rasheed [28b], V. Raskina [130], D.F. Rassloff [64a], A. Rastogi [18a], S. Rave [102], S. Ravera [58b,58a], B. Ravina [56], I. Ravinovich [172], M. Raymond [37], A.L. Read [128], N.P. Readioff [142], D.M. Rebuzzi [74a,74b], G. Redlinger [30], A.S. Reed [112], K. Reeves [27], J.A. Reidelsturz [174], D. Reikher [154], A. Rej [50], C. Rembser [37], M. Renda [28b], M.B. Rendel [112], F. Renner [49], A.G. Rennie [162], A.L. Rescia [49], S. Resconi [72a], M. Ressegotti [58b,58a], S. Rettie [37], J.G. Reyes Rivera [109], E. Reynolds [18a], O.L. Rezanova [38], P. Reznicek [136], H. Riani [36d], N. Ribaric [93], E. Ricci [79a,79b], R. Richter [112], S. Richter [48a,48b], E. Richter-Was [87b], M. Ridel [130], S. Ridouani [36d], P. Rieck [120], P. Riedler [37], E.M. Riefel [48a,48b], J.O. Rieger [117], M. Rijssenbeek [148], M. Rimoldi [37], L. Rinaldi [24b,24a], P. Rincke [56,164], T.T. Rinn [30], M.P. Rinnagel [111], G. Ripellino [164], I. Riu [13], J.C. Rivera Vergara [168], F. Rizatdinova [124], E. Rizvi [96], B.R. Roberts [18a], S.H. Robertson [106,w], D. Robinson [33], C.M. Robles Gajardo [140f], M. Robles Manzano [102], A. Robson [60], A. Rocchi [77a,77b], C. Roda [75a,75b], S. Rodriguez Bosca [37], Y. Rodriguez Garcia [23a], A. Rodriguez Rodriguez [55], A.M. Rodríguez Vera [118], S. Roe [37], J.T. Roemer [37], A.R. Roepe-Gier [139], J. Roggel [174], O. Røhne [128], R.A. Rojas [105], C.P.A. Roland [130], J. Roloff [30], A. Romaniouk [38], E. Romano [74a,74b], M. Romano [24b], A.C. Romero Hernandez [165], N. Rompotis [94], L. Roos [130], S. Rosati [76a], B.J. Rosser [40], E. Rossi [129],

E. Rossi [73a,73b], L.P. Rossi [62], L. Rossini [55], R. Rosten [122], M. Rotaru [28b], B. Rottler [55], C. Rougier [91], D. Rousseau [67], D. Rousso [49], A. Roy [165], S. Roy-Garand [158], A. Rozanov [104], Z.M.A. Rozario [60], Y. Rozen [153], A. Rubio Jimenez [166], A.J. Ruby [94], V.H. Ruelas Rivera [19], T.A. Ruggeri [1], A. Ruggiero [129], A. Ruiz-Martinez [166], A. Rummler [37], Z. Rurikova [55], N.A. Rusakovich [39], H.L. Russell [168], G. Russo [76a,76b], J.P. Rutherfoord [7], S. Rutherford Colmenares [33], M. Rybar [136], E.B. Rye [128], A. Ryzhov [45], J.A. Sabater Iglesias [57], P. Sabatini [166], H.F-W. Sadrozinski [139], F. Safai Tehrani [76a], B. Safarzadeh Samani [137], S. Saha [1], M. Sahinsoy [112], A. Saibel [166], M. Saimpert [138], M. Saito [156], T. Saito [156], A. Sala [72a,72b], D. Salamani [37], A. Salnikov [146], J. Salt [166], A. Salvador Salas [154], D. Salvatore [44b,44a], F. Salvatore [149], A. Salzburger [37], D. Sammel [55], E. Sampson [93], D. Sampsonidis [155,d], D. Sampsonidou [126], J. Sánchez [166], V. Sanchez Sebastian [166], H. Sandaker [128], C.O. Sander [49], J.A. Sandesara [105], M. Sandhoff [174], C. Sandoval [23b], L. Sanfilippo [64a], D.P.C. Sankey [137], T. Sano [89], A. Sansoni [54], L. Santi [37,76b], C. Santoni [41], H. Santos [133a,133b], A. Santra [172], E. Sanzani [24b,24a], K.A. Saoucha [163], J.G. Saraiva [133a,133d], J. Sardain [7], O. Sasaki [85], K. Sato [160], C. Sauer [64b], E. Sauvan [4], P. Savard [158,ae], R. Sawada [156], C. Sawyer [137], L. Sawyer [99], C. Sbarra [24b], A. Sbrizzi [24b,24a], T. Scanlon [98], J. Schaarschmidt [141], U. Schäfer [102], A.C. Schaffer [67,45], D. Schaile [111], R.D. Schamberger [148], C. Scharf [19], M.M. Schefer [20], V.A. Schegelsky [38], D. Scheirich [136], M. Schernau [162], C. Scheulen [56], C. Schiavi [58b,58a], M. Schioppa [44b,44a], B. Schlag [146,l], K.E. Schleicher [55], S. Schlenker [37], J. Schmeing [174], M.A. Schmidt [174], K. Schmieden [102], C. Schmitt [102], N. Schmitt [102], S. Schmitt [49], L. Schoeffel [138], A. Schoening [64b], P.G. Scholer [35], E. Schopf [129], M. Schott [25], J. Schovancova [37], S. Schramm [57], T. Schroer [57], H-C. Schultz-Coulon [64a], M. Schumacher [55], B.A. Schumm [139], Ph. Schune [138], A.J. Schuy [141], H.R. Schwartz [139], A. Schwartzman [146], T.A. Schwarz [108], Ph. Schwemling [138], R. Schwienhorst [109], F.G. Sciacca [20], A. Sciandra [30], G. Sciolla [27], F. Scuri [75a], C.D. Sebastiani [94], K. Sedlaczek [118], S.C. Seidel [115], A. Seiden [139], B.D. Seidlitz [42], C. Seitz [49], J.M. Seixas [84b], G. Sekhniaidze [73a], L. Selem [61], N. Semprini-Cesari [24b,24a], D. Sengupta [57], V. Senthilkumar [166], L. Serin [67], M. Sessa [77a,77b], H. Severini [123], F. Sforza [58b,58a], A. Sfyrla [57], Q. Sha [14], E. Shabalina [56], A.H. Shah [33], R. Shaheen [147], J.D. Shahinian [131], D. Shaked Renous [172], L.Y. Shan [14], M. Shapiro [18a], A. Sharma [37], A.S. Sharma [167], P. Sharma [81], P.B. Shatalov [38], K. Shaw [149], S.M. Shaw [103], Q. Shen [63c,5], D.J. Sheppard [145], P. Sherwood [98], L. Shi [98], X. Shi [14], C.O. Shimmin [175], J.D. Shinner [97], I.P.J. Shipsey [129], S. Shirabe [90], M. Shiyakova [39,u], M.J. Shochet [40], J. Shojaii [107], D.R. Shope [128], B. Shrestha [123], S. Shrestha [122,ah], M.J. Shroff [168], P. Sicho [134], A.M. Sickles [165], E. Sideras Haddad [34g], A.C. Sidley [117], A. Sidoti [24b], F. Siegert [51], Dj. Sijacki [16], F. Sili [92], J.M. Silva [53], I. Silva Ferreira [84b], M.V. Silva Oliveira [30], S.B. Silverstein [48a], S. Simion [67], R. Simoniello [37], E.L. Simpson [103], H. Simpson [149], L.R. Simpson [108], N.D. Simpson [100], S. Simsek [83], S. Sindhu [56], P. Sinervo [158], S. Singh [158], S. Sinha [49], S. Sinha [103], M. Sioli [24b,24a], I. Siral [37], E. Sitnikova [49], J. Sjölin [48a,48b], A. Skaf [56], E. Skorda [21], P. Skubic [123], M. Slawinska [88], V. Smakhtin [172], B.H. Smart [137], S.Yu. Smirnov [38], Y. Smirnov [38], L.N. Smirnova [38,a], O. Smirnova [100], A.C. Smith [42], D.R. Smith [162], E.A. Smith [40], H.A. Smith [129], J.L. Smith [103], R. Smith [146], M. Smizanska [93], K. Smolek [135], A.A. Snesarev [38], S.R. Snider [158], H.L. Snoek [117], S. Snyder [30], R. Sobie [168,w], A. Soffer [154], C.A. Solans Sanchez [37], E.Yu. Soldatov [38], U. Soldevila [166], A.A. Solodkov [38], S. Solomon [27], A. Soloshenko [39], K. Solovieva [55], O.V. Solovyanov [41], P. Sommer [37], A. Sonay [13], W.Y. Song [159b], A. Sopczak [135], A.L. Sopio [98], F. Sopkova [29b],

J.D. Sorenson [115], I.R. Sotarriva Alvarez [157], V. Sothilingam [64a], O.J. Soto Sandoval [140c,140b], S. Sottocornola [69], R. Soualah [163], Z. Soumaimi [36e], D. South [49], N. Soybelman [172], S. Spagnolo [71a,71b], M. Spalla [112], D. Sperlich [55], G. Spigo [37], S. Spinali [93], B. Spisso [73a,73b], D.P. Spiteri [60], M. Spousta [136], E.J. Staats [35], R. Stamen [64a], A. Stampekis [21], M. Standke [25], E. Stanecka [88], W. Stanek-Maslouska [49], M.V. Stange [51], B. Stanislaus [18a], M.M. Stanitzki [49], B. Stapf [49], E.A. Starchenko [38], G.H. Stark [139], J. Stark [91], P. Staroba [134], P. Starovoitov [64a], S. Stärz [106], R. Staszewski [88], G. Stavropoulos [47], J. Steentoft [164], A. Stefl [37], P. Steinberg [30], B. Stelzer [145,159a], H.J. Stelzer [132], O. Stelzer-Chilton [159a], H. Stenzel [59], T.J. Stevenson [149], G.A. Stewart [37], J.R. Stewart [124], M.C. Stockton [37], G. Stoicea [28b], M. Stolarski [133a], S. Stonjek [112], A. Straessner [51], J. Strandberg [147], S. Strandberg [48a,48b], M. Stratmann [174], M. Strauss [123], T. Strebler [104], P. Strizenec [29b], R. Ströhmer [169], D.M. Strom [126], R. Stroynowski [45], A. Strubig [48a,48b], S.A. Stucci [30], B. Stugu [17], J. Stupak [123], N.A. Styles [49], D. Su [146], S. Su [63a], W. Su [63d], X. Su [63a], D. Suchy [29a], K. Sugizaki [156], V.V. Sulin [38], M.J. Sullivan [94], D.M.S. Sultan [129], L. Sultanaliyeva [38], S. Sultansoy [3b], T. Sumida [89], S. Sun [173], O. Sunneborn Gudnadottir [164], N. Sur [104], M.R. Sutton [149], H. Suzuki [160], M. Svatos [134], M. Swiatlowski [159a], T. Swirski [169], I. Sykora [29a], M. Sykora [136], T. Sykora [136], D. Ta [102], K. Tackmann [49,t], A. Taffard [162], R. Tafirout [159a], J.S. Tafoya Vargas [67], Y. Takubo [85], M. Talby [104], A.A. Talyshev [38], K.C. Tam [65b], N.M. Tamir [154], A. Tanaka [156], J. Tanaka [156], R. Tanaka [67], M. Tanasini [148], Z. Tao [167], S. Tapia Araya [140f], S. Tapprogge [102], A. Tarek Abouelfadl Mohamed [109], S. Tarem [153], K. Tariq [14], G. Tarna [28b], G.F. Tartarelli [72a], M.J. Tartarin [91], P. Tas [136], M. Tasevsky [134], E. Tassi [44b,44a], A.C. Tate [165], G. Tateno [156], Y. Tayalati [36e,v], G.N. Taylor [107], W. Taylor [159b], R. Teixeira De Lima [146], P. Teixeira-Dias [97], J.J. Teoh [158], K. Terashi [156], J. Terron [101], S. Terzo [13], M. Testa [54], R.J. Teuscher [158,w], A. Thaler [80], O. Theiner [57], N. Themistokleous [53], T. Theveneaux-Pelzer [104], O. Thielmann [174], D.W. Thomas [97], J.P. Thomas [21], E.A. Thompson [18a], P.D. Thompson [21], E. Thomson [131], R.E. Thornberry [45], C. Tian [63a], Y. Tian [56], V. Tikhomirov [38,a], Yu.A. Tikhonov [38], S. Timoshenko [38], D. Timoshyn [136], E.X.L. Ting [1], P. Tipton [175], A. Tishelman-Charny [30], S.H. Tlou [34g], K. Todome [157], S. Todorova-Nova [136], S. Todt [51], L. Toffolin [70a,70c], M. Togawa [85], J. Tojo [90], S. Tokár [29a], K. Tokushuku [85], O. Toldaiev [69], R. Tombs [33], M. Tomoto [85,113], L. Tompkins [146,l], K.W. Topolnicki [87b], E. Torrence [126], H. Torres [91], E. Torró Pastor [166], M. Toscani [31], C. Tosciri [40], M. Tost [11], D.R. Tovey [142], I.S. Trandafir [28b], T. Trefzger [169], A. Tricoli [30], I.M. Trigger [159a], S. Trincaz-Duvoid [130], D.A. Trischuk [27], B. Trocmé [61], A. Tropina [39], L. Truong [34c], M. Trzebinski [88], A. Trzupek [88], F. Tsai [148], M. Tsai [108], A. Tsiamis [155,d], P.V. Tsiareshka [38], S. Tsigaridas [159a], A. Tsirigotis [155,r], V. Tsiskaridze [158], E.G. Tskhadadze [152a], M. Tsopoulou [155], Y. Tsujikawa [89], I.I. Tsukerman [38], V. Tsulaia [18a], S. Tsuno [85], K. Tsuri [121], D. Tsybychev [148], Y. Tu [65b], A. Tudorache [28b], V. Tudorache [28b], A.N. Tuna [62], S. Turchikhin [58b,58a], I. Turk Cakir [3a], R. Turra [72a], T. Turtuvshin [39,x], P.M. Tuts [42], S. Tzamarias [155,d], E. Tzovara [102], F. Ukegawa [160], P.A. Ulloa Poblete [140c,140b], E.N. Umaka [30], G. Unal [37], A. Undrus [30], G. Unel [162], J. Urban [29b], P. Urrejola [140a], G. Usai [8], R. Ushioda [157], M. Usman [110], Z. Uysal [83], V. Vacek [135], B. Vachon [106], T. Vafeiadis [37], A. Vaitkus [98], C. Valderanis [111], E. Valdes Santurio [48a,48b], M. Valente [159a], S. Valentinetti [24b,24a], A. Valero [166], E. Valiente Moreno [166], A. Vallier [91], J.A. Valls Ferrer [166], D.R. Van Arneman [117], T.R. Van Daalen [141], A. Van Der Graaf [50], P. Van Gemmeren [6], M. Van Rijnbach [37], S. Van Stroud [98], I. Van Vulpen [117], P. Vana [136],

M. Vanadia [77a,77b], W. Vandelli [37], E.R. Vandewall [124], D. Vannicola [154], L. Vannoli [54], R. Vari [76a], E.W. Varnes [7], C. Varni [18b], T. Varol [151], D. Varouchas [67], L. Varriale [166], K.E. Varvell [150], M.E. Vasile [28b], L. Vaslin [85], G.A. Vasquez [168], A. Vasyukov [39], L.M. Vaughan [124], R. Vavricka [102], T. Vazquez Schroeder [37], J. Veatch [32], V. Vecchio [103], M.J. Veen [105], I. Veliscek [30], L.M. Veloce [158], F. Veloso [133a,133c], S. Veneziano [76a], A. Ventura [71a,71b], S. Ventura Gonzalez [138], A. Verbytskyi [112], M. Verducci [75a,75b], C. Vergis [96], M. Verissimo De Araujo [84b], W. Verkerke [117], J.C. Vermeulen [117], C. Vernieri [146], M. Vessella [105], M.C. Vetterli [145,ae], A. Vgenopoulos [102], N. Viaux Maira [140f], T. Vickey [142], O.E. Vickey Boeriu [142], G.H.A. Viehhauser [129], L. Vigani [64b], M. Villa [24b,24a], M. Villaplana Perez [166], E.M. Villhauer [53], E. Vilucchi [54], M.G. Vincter [35], A. Visibile [117], C. Vittori [37], I. Vivarelli [24b,24a], E. Voevodina [112], F. Vogel [111], J.C. Voigt [51], P. Vokac [135], Yu. Volkotrub [87b], J. Von Ahnen [49], E. Von Toerne [25], B. Vormwald [37], V. Vorobel [136], K. Vorobev [38], M. Vos [166], K. Voss [144], M. Vozak [117], L. Vozdecky [123], N. Vranjes [16], M. Vranjes Milosavljevic [16], M. Vreeswijk [117], N.K. Vu [63d,63c], R. Vuillermet [37], O. Vujinovic [102], I. Vukotic [40], S. Wada [160], C. Wagner [105], J.M. Wagner [18a], W. Wagner [174], S. Wahdan [174], H. Wahlberg [92], M. Wakida [113], J. Walder [137], R. Walker [111], W. Walkowiak [144], A. Wall [131], E.J. Wallin [100], T. Wamorkar [6], A.Z. Wang [139], C. Wang [102], C. Wang [11], H. Wang [18a], J. Wang [65c], P. Wang [98], R. Wang [62], R. Wang [6], S.M. Wang [151], S. Wang [63b], S. Wang [14], T. Wang [63a], W.T. Wang [81], W. Wang [14], X. Wang [114a], X. Wang [165], X. Wang [63c], Y. Wang [63d], Y. Wang [114a], Z. Wang [108], Z. Wang [63d,52,63c], Z. Wang [108], A. Warburton [106], R.J. Ward [21], N. Warrack [60], S. Waterhouse [97], A.T. Watson [21], H. Watson [60], M.F. Watson [21], E. Watton [60,137], G. Watts [141], B.M. Waugh [98], J.M. Webb [55], C. Weber [30], H.A. Weber [19], M.S. Weber [20], S.M. Weber [64a], C. Wei [63a], Y. Wei [55], A.R. Weidberg [129], E.J. Weik [120], J. Weingarten [50], C. Weiser [55], C.J. Wells [49], T. Wenaus [30], B. Wendland [50], T. Wengler [37], N.S. Wenke [112], N. Wermes [25], M. Wessels [64a], A.M. Wharton [93], A.S. White [62], A. White [8], M.J. White [1], D. Whiteson [162], L. Wickremasinghe [127], W. Wiedenmann [173], M. Wielers [137], C. Wiglesworth [43], D.J. Wilbern [123], H.G. Wilkens [37], J.J.H. Wilkinson [33], D.M. Williams [42], H.H. Williams [131], S. Williams [33], S. Willocq [105], B.J. Wilson [103], P.J. Windischhofer [40], F.I. Winkel [31], F. Winklmeier [126], B.T. Winter [55], J.K. Winter [103], M. Wittgen [146], M. Wobisch [99], T. Wojtkowski [61], Z. Wolffs [117], J. Wollrath [162], M.W. Wolter [88], H. Wolters [133a,133c], M.C. Wong [139], E.L. Woodward [42], S.D. Worm [49], B.K. Wosiek [88], K.W. Woźniak [88], S. Wozniewski [56], K. Wraight [60], C. Wu [21], M. Wu [114b], M. Wu [116], S.L. Wu [173], X. Wu [57], Y. Wu [63a], Z. Wu [4], J. Wuerzinger [112,ac], T.R. Wyatt [103], B.M. Wynne [53], S. Xella [43], L. Xia [114a], M. Xia [15], J. Xiang [65c], M. Xie [63a], S. Xin [14,114c], A. Xiong [126], J. Xiong [18a], D. Xu [14], H. Xu [63a], L. Xu [63a], R. Xu [131], T. Xu [108], Y. Xu [15], Z. Xu [53], Z. Xu [114a], B. Yabsley [150], S. Yacoob [34a], Y. Yamaguchi [157], E. Yamashita [156], H. Yamauchi [160], T. Yamazaki [18a], Y. Yamazaki [86], J. Yan [63c], S. Yan [60], Z. Yan [105], H.J. Yang [63c,63d], H.T. Yang [63a], S. Yang [63a], T. Yang [65c], X. Yang [37], X. Yang [14], Y. Yang [45], Y. Yang [63a], Z. Yang [63a], W-M. Yao [18a], H. Ye [114a], H. Ye [56], J. Ye [14], S. Ye [30], X. Ye [63a], Y. Yeh [98], I. Yeletskikh [39], B. Yeo [18b], M.R. Yexley [98], T.P. Yildirim [129], P. Yin [42], K. Yorita [171], S. Younas [28b], C.J.S. Young [37], C. Young [146], C. Yu [14,114c], Y. Yu [63a], J. Yuan [14,114c], M. Yuan [108], R. Yuan [63d,63c], L. Yue [98], M. Zaazoua [63a], B. Zabinski [88], E. Zaid [53], Z.K. Zak [88], T. Zakareishvili [166], N. Zakharchuk [35], S. Zambito [57], J.A. Zamora Saa [140d,140b], J. Zang [156], D. Zanzi [55], O. Zaplatilek [135], C. Zeitnitz [174], H. Zeng [14], J.C. Zeng [165], D.T. Zenger Jr [27], O. Zenin [38], T. Ženiš [29a], S. Zenz [96], S. Zerradi [36a], D. Zerwas [67],

M. Zhai [14,114c], D.F. Zhang [142], J. Zhang [63b], J. Zhang [6], K. Zhang [14,114c], L. Zhang [63a], L. Zhang [114a], P. Zhang [14,114c], R. Zhang [173], S. Zhang [108], S. Zhang [91], T. Zhang [156], X. Zhang [63c], X. Zhang [63b], Y. Zhang [63c], Y. Zhang [98], Y. Zhang [114a], Z. Zhang [18a], Z. Zhang [63b], Z. Zhang [67], H. Zhao [141], T. Zhao [63b], Y. Zhao [139], Z. Zhao [63a], Z. Zhao [63a], A. Zhemchugov [39], J. Zheng [114a], K. Zheng [165], X. Zheng [63a], Z. Zheng [146], D. Zhong [165], B. Zhou [108], H. Zhou [7], N. Zhou [63c], Y. Zhou [15], Y. Zhou [114a], Y. Zhou [7], C.G. Zhu [63b], J. Zhu [108], X. Zhu [63d], Y. Zhu [63c], Y. Zhu [63a], X. Zhuang [14], K. Zhukov [38], N.I. Zimine [39], J. Zinsser [64b], M. Ziolkowski [144], L. Živković [16], A. Zoccoli [24b,24a], K. Zoch [62], T.G. Zorbas [142], O. Zormpa [47], W. Zou [42], L. Zwalinski [37]

[1] *Department of Physics, University of Adelaide, Adelaide; Australia*
[2] *Department of Physics, University of Alberta, Edmonton AB; Canada*
[3] *(a) Department of Physics, Ankara University, Ankara; (b) Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye*
[4] *LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France*
[5] *APC, Université Paris Cité, CNRS/IN2P3, Paris; France*
[6] *High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America*
[7] *Department of Physics, University of Arizona, Tucson AZ; United States of America*
[8] *Department of Physics, University of Texas at Arlington, Arlington TX; United States of America*
[9] *Physics Department, National and Kapodistrian University of Athens, Athens; Greece*
[10] *Physics Department, National Technical University of Athens, Zografou; Greece*
[11] *Department of Physics, University of Texas at Austin, Austin TX; United States of America*
[12] *Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan*
[13] *Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain*
[14] *Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; China*
[15] *Physics Department, Tsinghua University, Beijing; China*
[16] *Institute of Physics, University of Belgrade, Belgrade; Serbia*
[17] *Department for Physics and Technology, University of Bergen, Bergen; Norway*
[18] *(a) Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; (b) University of California, Berkeley CA; United States of America*
[19] *Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany*
[20] *Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland*
[21] *School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom*
[22] *(a) Department of Physics, Bogazici University, Istanbul; (b) Department of Physics Engineering, Gaziantep University, Gaziantep; (c) Department of Physics, Istanbul University, Istanbul; Türkiye*
[23] *(a) Facultad de Ciencias y Centro de Investigaciónes, Universidad Antonio Nariño, Bogotá; (b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia*
[24] *(a) Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; (b) INFN Sezione di Bologna; Italy*
[25] *Physikalisches Institut, Universität Bonn, Bonn; Germany*
[26] *Department of Physics, Boston University, Boston MA; United States of America*
[27] *Department of Physics, Brandeis University, Waltham MA; United States of America*
[28] *(a) Transilvania University of Brasov, Brasov; (b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; (c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; (d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; (e) National University of Science and Technology Politechnica, Bucharest; (f) West University in Timisoara, Timisoara; (g) Faculty of Physics, University of Bucharest, Bucharest; Romania*
[29] *(a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; (b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic*
[30] *Physics Department, Brookhaven National Laboratory, Upton NY; United States of America*
[31] *Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina*
[32] *California State University, CA; United States of America*
[33] *Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom*
[34] *(a) Department of Physics, University of Cape Town, Cape Town; (b) iThemba Labs, Western Cape; (c) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; (d) National Institute of Physics, University of the Philippines Diliman (Philippines); (e) University of South Africa, Department of Physics, Pretoria; (f) University of Zululand, KwaDlangezwa; (g) School of Physics, University of the Witwatersrand, Johannesburg; South Africa*
[35] *Department of Physics, Carleton University, Ottawa ON; Canada*
[36] *(a) Faculté des Sciences Ain Chock, Université Hassan II de Casablanca; (b) Faculté des Sciences, Université Ibn-Tofail, Kénitra; (c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (d) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; (e) Faculté des sciences, Université Mohammed V, Rabat; (f) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco*
[37] *CERN, Geneva; Switzerland*
[38] *Affiliated with an institute covered by a cooperation agreement with CERN*
[39] *Affiliated with an international laboratory covered by a cooperation agreement with CERN*
[40] *Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America*
[41] *LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France*
[42] *Nevis Laboratory, Columbia University, Irvington NY; United States of America*
[43] *Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark*
[44] *(a) Dipartimento di Fisica, Università della Calabria, Rende; (b) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy*
[45] *Physics Department, Southern Methodist University, Dallas TX; United States of America*
[46] *Physics Department, University of Texas at Dallas, Richardson TX; United States of America*
[47] *National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece*
[48] *(a) Department of Physics, Stockholm University; (b) Oskar Klein Centre, Stockholm; Sweden*
[49] *Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany*
[50] *Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany*
[51] *Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany*
[52] *Department of Physics, Duke University, Durham NC; United States of America*
[53] *SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom*
[54] *INFN e Laboratori Nazionali di Frascati, Frascati; Italy*
[55] *Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany*
[56] *II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany*
[57] *Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland*

[58] [(a)] Dipartimento di Fisica, Università di Genova, Genova; [(b)] INFN Sezione di Genova; Italy
[59] II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany
[60] SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom
[61] LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France
[62] Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America
[63] [(a)] Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; [(b)] Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; [(c)] School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; [(d)] Tsung-Dao Lee Institute, Shanghai; [(e)] School of Physics and Microelectronics, Zhengzhou University; China
[64] [(a)] Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; [(b)] Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany
[65] [(a)] Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; [(b)] Department of Physics, University of Hong Kong, Hong Kong; [(c)] Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China
[66] Department of Physics, National Tsing Hua University, Hsinchu; Taiwan
[67] IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France
[68] Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain
[69] Department of Physics, Indiana University, Bloomington IN; United States of America
[70] [(a)] INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; [(b)] ICTP, Trieste; [(c)] Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy
[71] [(a)] INFN Sezione di Lecce; [(b)] Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy
[72] [(a)] INFN Sezione di Milano; [(b)] Dipartimento di Fisica, Università di Milano, Milano; Italy
[73] [(a)] INFN Sezione di Napoli; [(b)] Dipartimento di Fisica, Università di Napoli, Napoli; Italy
[74] [(a)] INFN Sezione di Pavia; [(b)] Dipartimento di Fisica, Università di Pavia, Pavia; Italy
[75] [(a)] INFN Sezione di Pisa; [(b)] Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy
[76] [(a)] INFN Sezione di Roma; [(b)] Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy
[77] [(a)] INFN Sezione di Roma Tor Vergata; [(b)] Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy
[78] [(a)] INFN Sezione di Roma Tre; [(b)] Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy
[79] [(a)] INFN-TIFPA; [(b)] Università degli Studi di Trento, Trento; Italy
[80] Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria
[81] University of Iowa, Iowa City IA; United States of America
[82] Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America
[83] Istinye University, Sariyer, Istanbul; Türkiye
[84] [(a)] Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; [(b)] Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; [(c)] Instituto de Física, Universidade de São Paulo, São Paulo; [(d)] Rio de Janeiro State University, Rio de Janeiro; [(e)] Federal University of Bahia, Bahia; Brazil
[85] KEK, High Energy Accelerator Research Organization, Tsukuba; Japan
[86] Graduate School of Science, Kobe University, Kobe; Japan
[87] [(a)] AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow; [(b)] Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland
[88] Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland
[89] Faculty of Science, Kyoto University, Kyoto; Japan
[90] Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka; Japan
[91] L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France
[92] Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina
[93] Physics Department, Lancaster University, Lancaster; United Kingdom
[94] Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom
[95] Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia
[96] School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom
[97] Department of Physics, Royal Holloway University of London, Egham; United Kingdom
[98] Department of Physics and Astronomy, University College London, London; United Kingdom
[99] Louisiana Tech University, Ruston LA; United States of America
[100] Fysiska institutionen, Lunds universitet, Lund; Sweden
[101] Departamento de Física Teorica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain
[102] Institut für Physik, Universität Mainz, Mainz; Germany
[103] School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom
[104] CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France
[105] Department of Physics, University of Massachusetts, Amherst MA; United States of America
[106] Department of Physics, McGill University, Montreal QC; Canada
[107] School of Physics, University of Melbourne, Victoria; Australia
[108] Department of Physics, University of Michigan, Ann Arbor MI; United States of America
[109] Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America
[110] Group of Particle Physics, University of Montreal, Montreal QC; Canada
[111] Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany
[112] Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany
[113] Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan
[114] [(a)] Department of Physics, Nanjing University, Nanjing; [(b)] School of Science, Shenzhen Campus of Sun Yat-sen University; [(c)] University of Chinese Academy of Science (UCAS), Beijing; China
[115] Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America
[116] Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands
[117] Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands
[118] Department of Physics, Northern Illinois University, DeKalb IL; United States of America
[119] [(a)] New York University Abu Dhabi, Abu Dhabi; [(b)] United Arab Emirates University, Al Ain; United Arab Emirates
[120] Department of Physics, New York University, New York NY; United States of America
[121] Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan
[122] Ohio State University, Columbus OH; United States of America
[123] Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America
[124] Department of Physics, Oklahoma State University, Stillwater OK; United States of America
[125] Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic
[126] Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America
[127] Graduate School of Science, Osaka University, Osaka; Japan
[128] Department of Physics, University of Oslo, Oslo; Norway
[129] Department of Physics, Oxford University, Oxford; United Kingdom
[130] LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France
[131] Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America
[132] Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America

[133] [(a)] Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa; [(b)] Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; [(c)] Departamento de Física, Universidade de Coimbra, Coimbra; [(d)] Centro de Física Nuclear da Universidade de Lisboa, Lisboa; [(e)] Departamento de Física, Universidade do Minho, Braga; [(f)] Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); [(g)] Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal
[134] Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic
[135] Czech Technical University in Prague, Prague; Czech Republic
[136] Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic
[137] Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom
[138] IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France
[139] Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America
[140] [(a)] Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; [(b)] Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; [(c)] Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; [(d)] Universidad Andres Bello, Department of Physics, Santiago; [(e)] Instituto de Alta Investigación, Universidad de Tarapacá, Arica; [(f)] Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile
[141] Department of Physics, University of Washington, Seattle WA; United States of America
[142] Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom
[143] Department of Physics, Shinshu University, Nagano; Japan
[144] Department Physik, Universität Siegen, Siegen; Germany
[145] Department of Physics, Simon Fraser University, Burnaby BC; Canada
[146] SLAC National Accelerator Laboratory, Stanford CA; United States of America
[147] Department of Physics, Royal Institute of Technology, Stockholm; Sweden
[148] Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America
[149] Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom
[150] School of Physics, University of Sydney, Sydney; Australia
[151] Institute of Physics, Academia Sinica, Taipei; Taiwan
[152] [(a)] E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; [(b)] High Energy Physics Institute, Tbilisi State University, Tbilisi; [(c)] University of Georgia, Tbilisi; Georgia
[153] Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel
[154] Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel
[155] Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece
[156] International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan
[157] Department of Physics, Tokyo Institute of Technology, Tokyo; Japan
[158] Department of Physics, University of Toronto, Toronto ON; Canada
[159] [(a)] TRIUMF, Vancouver BC; [(b)] Department of Physics and Astronomy, York University, Toronto ON; Canada
[160] Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan
[161] Department of Physics and Astronomy, Tufts University, Medford MA; United States of America
[162] Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America
[163] University of Sharjah, Sharjah; United Arab Emirates
[164] Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden
[165] Department of Physics, University of Illinois, Urbana IL; United States of America
[166] Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain
[167] Department of Physics, University of British Columbia, Vancouver BC; Canada
[168] Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada
[169] Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany
[170] Department of Physics, University of Warwick, Coventry; United Kingdom
[171] Waseda University, Tokyo; Japan
[172] Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel
[173] Department of Physics, University of Wisconsin, Madison WI; United States of America
[174] Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany
[175] Department of Physics, Yale University, New Haven CT; United States of America

[a] Also Affiliated with an institute covered by a cooperation agreement with CERN.
[b] Also at An-Najah National University, Nablus; Palestine.
[c] Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.
[d] Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki; Greece.
[e] Also at Centro Studi e Ricerche Enrico Fermi; Italy.
[f] Also at CERN, Geneva; Switzerland.
[g] Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
[h] Also at Departament de Fisica de la Universitat Autonoma de Barcelona, Barcelona; Spain.
[i] Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.
[j] Also at Department of Physics, California State University, Sacramento; United States of America.
[k] Also at Department of Physics, King's College London, London; United Kingdom.
[l] Also at Department of Physics, Stanford University, Stanford CA; United States of America.
[m] Also at Department of Physics, Stellenbosch University; South Africa.
[n] Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
[o] Also at Department of Physics, University of Thessaly; Greece.
[p] Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
[q] Also at Faculty of Physics, Sofia University, 'St. Kliment Ohridski', Sofia; Bulgaria.
[r] Also at Hellenic Open University, Patras; Greece.
[s] Also at Institucio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
[t] Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
[u] Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
[v] Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
[w] Also at Institute of Particle Physics (IPP); Canada.
[x] Also at Institute of Physics and Technology, Mongolian Academy of Sciences, Ulaanbaatar; Mongolia.
[y] Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
[z] Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.
[aa] Also at Lawrence Livermore National Laboratory, Livermore; United States of America.
[ab] Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.
[ac] Also at Technical University of Munich, Munich; Germany.
[ad] Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
[ae] Also at TRIUMF, Vancouver BC; Canada.

[af] Also at Università di Napoli Parthenope, Napoli; Italy.
[ag] Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
[ah] Also at Washington College, Chestertown, MD; United States of America.
[ai] Also at Yeditepe University, Physics Department, Istanbul; Türkiye.
[*] Deceased.