



## UvA-DARE (Digital Academic Repository)

### Effects of rising CO<sub>2</sub> on the harmful cyanobacterium *Microcystis*

Sandrini, G.

**Publication date**

2016

**Document Version**

Final published version

[Link to publication](#)

**Citation for published version (APA):**

Sandrini, G. (2016). *Effects of rising CO<sub>2</sub> on the harmful cyanobacterium Microcystis*. [Thesis, fully internal, Universiteit van Amsterdam].

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**


If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, P.O. Box 19185, 1000 GD Amsterdam, The Netherlands. You will be contacted as soon as possible.

The waters of our planet are full with cyanobacteria that use CO<sub>2</sub>, water and light for photosynthesis. Cyanobacteria form the base of the food web and have a strong impact on all life on Earth.

Yet, not all cyanobacteria are beneficial. Harmful cyanobacteria (also known as 'blue-green algae') can form dense blooms in lakes and produce toxins, which leads to all sorts of problems. These blooms can threaten drinking water supplies, recreational activities, livestock, birds and human health.

Since the industrial revolution, atmospheric CO<sub>2</sub> concentrations are rising strongly. Cyanobacteria are generally assumed to be favored at low CO<sub>2</sub> conditions, because of the presence of an effective CO<sub>2</sub>-concentrating mechanism (CCM) to fix CO<sub>2</sub>. Yet, how will harmful cyanobacteria, such as the ubiquitous harmful cyanobacterium *Microcystis aeruginosa*, respond to rising CO<sub>2</sub>? Are they well-adapted to deal with climate change? Will cyanobacterial blooms intensify? Will the genetic composition and toxicity of blooms change? And what can we do to combat these blooms?

These questions and more are discussed in this PhD thesis.



 UNIVERSITEIT VAN AMSTERDAM


  
Nederlandse Organisatie voor Wetenschappelijk Onderzoek

Effects of Rising CO<sub>2</sub> on the Harmful Cyanobacterium *Microcystis*

Giovanni Sandrini


2016

# Effects of Rising CO<sub>2</sub> on the Harmful Cyanobacterium *Microcystis*



Giovanni Sandrini

**Effects of Rising CO<sub>2</sub> on the Harmful  
Cyanobacterium *Microcystis***



2016

Effects of Rising CO<sub>2</sub> on the Harmful Cyanobacterium *Microcystis*

PhD thesis, Universiteit van Amsterdam

ISBN: 978-94-91407-31-4

Cover and layout: Giovanni Sandrini

Printed: Gildeprint - Enschede, the Netherlands

Publisher: Universiteit van Amsterdam

The research of this thesis was carried out at the Department of Aquatic Microbiology (AMB), of the Institute for Biodiversity and Ecosystem Dynamics (IBED), of the University of Amsterdam. The research was supported by the Netherlands Organization for Scientific Research (NWO).

# Effects of Rising CO<sub>2</sub> on the Harmful Cyanobacterium *Microcystis*

ACADEMISCH PROEFSCHRIFT

ter verkrijging van de graad van doctor

aan de Universiteit van Amsterdam

op gezag van de Rector Magnificus

prof. dr. D. C. van den Boom

ten overstaan van een door het College voor Promoties ingestelde commissie,

in het openbaar te verdedigen in de Agnietenkapel

op woensdag 6 april 2016, te 12:00 uur

door

**Giovanni Sandrini**

geboren te Terneuzen

## Promotiecommissie

Promotor:	Prof. dr. J. Huisman	(Universiteit van Amsterdam)
Copromotor:	Dr. J. C. P. Matthijs	(Universiteit van Amsterdam)
Overige leden:	Prof. dr. R. L. Burnap	(Oklahoma State University)
	Prof. dr. J. T. M. Elzenga	(Rijksuniversiteit Groningen)
	Prof. dr. K. J. Hellingwerf	(Universiteit van Amsterdam)
	Prof. dr. B. W. Ibelings	(Université de Genève)
	Prof. dr. G. Muyzer	(Universiteit van Amsterdam)
	Prof. dr. L. J. Stal	(Universiteit van Amsterdam)
	Dr. P. M. Visser	(Universiteit van Amsterdam)

Faculteit der Natuurwetenschappen, Wiskunde en Informatica

## Table of contents

<b>Chapter 1</b>	General introduction	7
<b>Chapter 2</b>	Genetic diversity of inorganic carbon uptake systems causes variation in CO <sub>2</sub> response of the cyanobacterium <i>Microcystis</i>	27
<b>Chapter 3</b>	Changes in gene expression, cell physiology and toxicity of the harmful cyanobacterium <i>Microcystis aeruginosa</i> at elevated CO <sub>2</sub>	57
<b>Chapter 4</b>	Strains of the harmful cyanobacterium <i>Microcystis aeruginosa</i> differ in gene expression and activity of inorganic carbon uptake systems at elevated CO <sub>2</sub> levels	95
<b>Chapter 5</b>	Rapid microevolutionary adaptation of harmful cyanobacteria to changes in CO <sub>2</sub> availability	123
<b>Chapter 6</b>	Diel variation in gene expression of the CO <sub>2</sub> -concentrating mechanism during a harmful cyanobacterial bloom	149
<b>Chapter 7</b>	How rising CO <sub>2</sub> may stimulate harmful cyanobacterial blooms	175
<b>Chapter 8</b>	Potassium sensitivity differs among strains of the harmful cyanobacterium <i>Microcystis</i> and correlates with the presence of salt tolerance genes	195
<b>Chapter 9</b>	Afterthoughts	209
<b>References</b>		231
<b>List of frequently used abbreviations, symbols and genes</b>		253
<b>Summary</b>		257
<b>Samenvatting</b>		263
<b>Acknowledgements</b>		269
<b>Curriculum Vitae</b>		273