



UvA-DARE (Digital Academic Repository)

High dispersion microfiche atlas of OB stars for the first 10 years of IEU

Bohlin, R.C.; Henrichs, H.F.; Nichols-Bohlin, J.S.

Published in:
Astronomy & Astrophysics

[Link to publication](#)

Citation for published version (APA):

Bohlin, R. C., Henrichs, H. F., & Nichols-Bohlin, J. S. (1994). High dispersion microfiche atlas of OB stars for the first 10 years of IEU. *Astronomy & Astrophysics*, 105, 305-309.

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <http://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

High-dispersion microfiche atlas of OB stars for the first 10 years of IUE^{*,**}

R.C. Bohlin¹, H.F. Henrichs² and J.S. Nichols³

¹ Space Telescope Science Institute, 3700 San Martin Drive, Baltimore MD 21218, U.S.A.

² Astronomical Institute "Anton Pannekoek", University of Amsterdam, Kruislaan 403, 1098 SJ Amsterdam, The Netherlands

³ Science Programs, Computer Sciences Corporation, 10000-A Aerospace Rd., Lanham-Seabrook MD 20706, U.S.A.

Received August 9, 1993; accepted January 3, 1994

Abstract. — An atlas on microfiche is described containing nearly 7000 high-dispersion spectra of OB stars obtained during the first 10 years with the IUE satellite. The data set is nearly complete for the selected time interval. The plotted wavelength range is from 1160 to 1890 Å at the original IUE sampling intervals. The atlas is available by request.

Key words: atlases — catalogs — stars: early-type — ultraviolet: stars

1. Introduction

Quick-look tools for evaluating the low-dispersion spectra obtained with the *International Ultraviolet Explorer* (IUE) are easily accessible. The ULDA/USSP (Wamsteker et al. 1989), the Rutherford Microfiche Atlas (Giaretta 1984, 1985), and the printed atlases by Wu et al. (1983), Heck et al. (1984) and Feibelman et al. (1988) are examples of quick-look facilities to assist the researcher before a spectrum is requested from the IUE archives. An equivalent tool for high-dispersion IUE spectra, each containing more than 100 times more datapoints than a low-dispersion spectrum, does not exist, one of the main reasons being the large size of such a database. The atlas of O stars by Walborn et al. (1985), with about 100 selected spectra of O and B stars, contains less than 1% of the available high-dispersion spectra.

In the course of our ongoing research on spectral variability among early-type stars it became desirable to have available a rather complete overview of the many high-dispersion IUE spectra of hot stars. The formulation of scientific criteria for the study of specific astrophysical phenomena is much facilitated by the availability of such an overview. Additionally, the information available in the

IUE Merged Log is often inadequate to judge whether a detailed analysis of a given spectrum is worthwhile. There are many objects with dozens of images, which makes a screening tool quite important. An electronic search through large amounts of data is within the reach of many astronomers, but for a quick view of a large number of spectra extending over more than 700 Å with a resolution of the order of 0.1 Å the needed capacity of the equipment is considerable, not to mention the amount of time and effort to collect the images.

The use of microfiche as transport media has other justification. With the advance of present-day information exchange technology, a large database like the IUE archives is readily accessible in many efficient ways. This is true, however, only for researchers who have access to sophisticated reading devices, which therefore excludes, at least at present, some fraction of the astronomical community. The present form of the atlas is intended to avoid the need for high-tech computers for consulting the data by the potential user.

The atlas has been produced in 200 copies and distributed to astronomical libraries around the world.

2. Contents of the atlas

The high-dispersion SWP spectra of all OB stars obtained in the first 10 years of IUE operations are presented as microfiche plots. The first entry in the atlas is SWP1164, which was obtained on 1978 March 15, whereas the most recent entry is SWP33123, obtained on 1988 March 20.

*Based on observations by the International Ultraviolet Explorer, collected at NASA Goddard Space Flight Center and Villafranca Satellite Tracking Station of the European Space Agency

**Table 4 is available in electronic form: see the Editorial in A&AS 1994, Vol. 103, No. 1

Table 1. IUE object classes, number of spectra and limiting magnitudes in the atlas

| Class | Objects | Number | V_{\min} | V_{\max} |
|-------|----------------------|--------|------------|------------|
| 12 | Main Sequence O | 573 | 2.2 | 13.0 |
| 13 | Supergiant O | 509 | 1.7 | 13.3 |
| 14 | Oe | 216 | 2.2 | 11.5 |
| 15 | Of | 186 | 2.2 | 12.5 |
| 16 | Sd O | 211 | 8.3 | 14.9 |
| 20 | B0 – B2, V – IV | 1102 | 1.0 | 12.4 |
| 21 | B3 – B5, V – IV | 552 | 0.5 | 11.0 |
| 22 | B6 – B9.5, V – IV | 433 | 0.2 | 9.9 |
| 23 | B0 – B2, III – I | 826 | 0.1 | 13.2 |
| 24 | B3 – B5, III – I | 195 | 1.6 | 13.7 |
| 25 | B6 – B9.5, III – I | 201 | 0.1 | 11.8 |
| 26 | Be | 1007 | 0.6 | 10.3 |
| 27 | Bp | 419 | 1.8 | 13.0 |
| 28 | Sd B | 23 | 8.5 | 13.6 |
| 39 | Composite | 106 | 1.9 | 7.2 |
| 52 | Irregular Variables | 3 | 11.5 | 12.1 |
| 53 | Regular Variables | 42 | 2.8 | 8.5 |
| 59 | X-ray | 108 | 2.0 | 13.2 |
| 60 | Shell Star | 67 | 3.0 | 11.9 |
| 66 | Interacting Binaries | 159 | 2.1 | 9.4 |

Since many spectra of a given O or B star can be found in several object classes (as listed in the IUE Merged Observing Log), the included spectra are mainly classes 12–16 (O stars), 20–28 (B stars), 39 (composite), 53 (regular variables), 59 (X-ray sources), 60 (shell stars), and 66 (interacting binaries). For example the star γ Cas is found with class designations 14, 20, 21, 26 and 59. Many stars in object class 39 are listed as spectral type K or M, but in all cases the companion star is an O or a B star. A summary of properties of included stars in these categories is listed in Table 1.

The complete atlas contains 6940 spectra from a total of 1466 different objects and is organized as 26 spectra on each of 267 microfiche, arranged by right ascension. This order is accurate to a high degree, but due to the inhomogeneous coordinates listed in the current Merged Observing Log, objects may appear out of order in a few places, especially in crowded regions. Each fiche is labeled at the top by the right ascension range of the 26 spectra included and by a sequential index number into Table 4 (accessible in electronic form), as described below. Multiple spectra of the same object are sorted by SWP number.

Each fiche has 13 rows and 16 columns of plots, where the left-hand 8 columns contain the first 13 spectra and the right-hand 8 columns contain the spectra for the next 13 stars. Thus, a complete spectrum comprises 8 separate plots that are in adjacent columns across the fiche in wavelength order with a 10 Å overlap between separate plots. Specifically, the eight wavelength regions are 1160–1260, 1250–1350, 1340–1440, 1430–1530, 1520–1620, 1610–1710, 1700–1800 and 1790–1890 Å.

3. Data processing of the spectra

The spectra reproduced in this atlas were acquired from the IUE archives maintained by the NASA/GSFC Laboratory for Astronomy and Space Physics in an on-line archive (Sullivan et al. 1987). The processed version of each spectrum as it existed in the archives in March, 1988 is the version reproduced in the atlas. None of the spectra were reprocessed for the atlas. The image processing system used to reduce raw IUE data (IUESIPS) has undergone a number of changes and modifications since 1978, and the archives are thus not homogeneous. The IUESIPS modification most apparent to the user of this atlas is the implementation of the “new” software in November 1981 at GSFC and March 1982 at VILSPA. At that time, the spacing between sampling points used in the extraction of the spectral data was changed from $\sqrt{2}$ to $\sqrt{2}/2$ pixels, effectively doubling the sampling frequency. Also at that time, the explicit geometric correction of the raw science image was abandoned in favor of implicit geometric correction, eliminating some of the two-dimensional smoothing. The combination of these two changes results in a significantly noisier spectrum compared to a spectrum processed with the previous version of IUESIPS. Users of this atlas should be aware that this discernible difference in signal-to-noise characteristics between spectra acquired before and after the dates these changes were implemented do not represent a difference in the signal-to-noise ratio or quality of the raw data, but only a difference in processing technique.

Likewise the wavelength calibration for high dispersion was updated five times between July 1980 and June 1984, but not again until April 1988. Spectra acquired more than a year or two after each of these wavelength calibration updates show increasing systematic errors in the wavelength assignments. As noted above, this atlas is intended for quick-look analysis only. In-depth analysis of a specific group of spectra may require reprocessing of the group with the currently available IUESIPS system. Requests for reprocessing of spectra will be considered by Dr. D. West, IUE Observatory, NASA/GSFC, Code 684, Greenbelt, MD 20771.

The spectra included in this atlas were further processed from the archived version specifically for this project. The IUE echelle order overlap has been corrected according to Bianchi & Bohlin (1984) and a modified Barker (1984) ripple correction was used. A quadratic polynomial was fit to the raw Barker corrections and the grating constant as a function of the echelle order number from 78 to 117. If the RMS scatter of the fit was less than 200, the fit was used to correct the grating constant from order 60 to 120; the indication “USE” appears on the plot. Otherwise, “OMIT” indicates that no change is made to the ripple correction of the archival version of the spectrum. Fluxes have not been absolutely calibrated and are plotted as Flux Numbers (FNs). Plot symbols are

Table 2. Repeat observations as a function of number of stars in the atlas. For the most frequently observed stars the names are given

| # Stars | # Spectra | # Stars | # Spectra | Name | HD | # Spectra | Name | HD | # Spectra |
|---------|-----------|---------|-----------|----------------|--------|-----------|--------------|--------|-----------|
| 725 | 1 | 3 | 18 | λ Lep | 34816 | 37 | θ CrB | 138749 | 58 |
| 279 | 2 | 4 | 19 | V1030 Ori | 37479 | 37 | τ Sco | 149438 | 59 |
| 140 | 3 | 4 | 20 | GP Vel | 77581 | 37 | β Cep | 205021 | 60 |
| 67 | 4 | 4 | 21 | | 149730 | 37 | | 153919 | 61 |
| 33 | 5 | 4 | 22 | P Cyg | 193237 | 37 | ζ Oph | 149757 | 65 |
| 29 | 6 | 5 | 23 | λ Cep | 210839 | 37 | 19 Cep | 209975 | 65 |
| 19 | 7 | 2 | 24 | κ Ori | 38771 | 40 | 68 Cyg | 203064 | 66 |
| 11 | 8 | 5 | 25 | CX Dra | 174237 | 40 | ζ Cas | 3360 | 67 |
| 9 | 9 | 3 | 26 | κ Cas | 2905 | 41 | α Cam | 30614 | 79 |
| 17 | 10 | 2 | 27 | λ Eri | 33328 | 41 | 66 Oph | 164284 | 88 |
| 14 | 11 | 2 | 28 | β Per | 19356 | 44 | ω Ori | 37490 | 99 |
| 9 | 12 | 3 | 29 | FY CMa | 58978 | 45 | | 128220 | 102 |
| 9 | 13 | 1 | 30 | σ Sco | 147165 | 46 | η Ura | 120315 | 142 |
| 4 | 14 | 2 | 32 | HR 2142 | 41335 | 53 | ξ Per | 24912 | 149 |
| 5 | 15 | 3 | 33 | δ Ori | 36486 | 55 | γ Cas | 5394 | 162 |
| 10 | 16 | 1 | 34 | ϵ Ori | 37128 | 55 | 59 Cyg | 200120 | 170 |
| 5 | 17 | | | V761 Cen | 125823 | 57 | | | |

used to flag special cases of saturation (+), reseau (\times), and extrapolation in the ITF (Δ).

We are aware that new processing algorithms have been developed which will be used to reprocess the entire IUE archive for the creation of the Final Archive. These new processing techniques are expected to improve the signal-to-noise of the high dispersion extracted spectral data by 50-100% (Nichols-Bohlin 1992). In addition, corrections for the interorder overlap and a global background correction will be implemented for high dispersion. Because the complete dataset presented in this atlas will not be processed for the Final Archive for several years, and because parts of our research, and hopefully also that of others, would benefit from the availability of such a facility, we have compiled all high-dispersion spectra of OB stars on microfiche. We limited the dataset to spectra obtained within the first 10 years of the spacecraft, amounting to almost 7000 spectra. However, the number of available spectra is still increasing at this writing. Between the most recent spectrum in the atlas and November 1992 the number of high-resolution spectra of O and B stars has increased with about 2100 of 420 different objects, with only a minor fraction of objects not contained in the atlas.

4. Properties of the dataset

Out of the 6940 spectra, 5249 were acquired at NASA GSFC and 1691 at VILSPA. Since the atlas contains in a statistically sense a very complete sample, it is of interest to investigate the distribution of objects and number of spectra. Table 2 gives the number of stars against repeat observations. For example, there are 725 stars for which only one spectrum can be found in the atlas, and there are five stars (59 Cyg, γ Cas, ξ Per, η Uma and

HD 128220) of which there are more than 100 spectra plotted. The faintest star in the atlas has visual magnitude 14.9 (the subdwarf VZ1128, SWP21683 on fiche 149), and the longest exposure time is 898 minutes (SK 160, SWP16045 on fiche 17).

5. Limitations and peculiarities

The original master list contained 7150 entries, all of which were requested from the mass-storage facility at GSFC, but 210 spectra were not available at the time of the production.

Although great care has been taken to optimize the contents of the atlas, some unintentional peculiarities were found afterwards, mainly because the extraction procedure was highly automated. Nearly all these oddities can be classified in one of the following categories: (1) The spectrum should not have been included in the atlas. For example, a few spectra of stars of spectral type A, F, K and S and a TFLOOD lamp exposure are included. (2) The spectrum is slightly misplaced on the microfiche and does not appear together with the other spectra of the same star. (3) The spectrum is totally misplaced and appears on the wrong fiche. (4) Parts of the spectrum are missing.

A non-exhaustive list of corrections according to these four categories includes the following: (1) Inappropriately included spectra appear in Table 3, along with their location. (2) Slightly displaced spectra are on fiche numbers 50 (SWP15986 of HD269006) and 94 (SWP4819 of HD47129). (3) SWP32677 (HD58978) appears on fiche 14 instead of 109, and SWP26337 (HD200120) should be on fiche 241, rather than on 22. (4) The last fiche contains only the first wavelength frame for the last 11 spectra.

Table 3. Spectra of stars unintentionally included in the atlas

| Fiche | Name (HD) | Spectrum | SWP | Class |
|-------|-----------|----------|-------|-------|
| 19 | MIRA B | WD | 20420 | 66 |
| 32 | BD+16516 | K2 V | 32659 | 66 |
| 57 | 35155 | S3 | 22638 | 66 |
| 82 | 38090 | A3 III | 18820 | 60 |
| 84 | 39060 | A5 | 11216 | 60 |
| 88 | 41511 | A2 | 11215 | 60 |
| 88 | 42111 | A1 IV | 18821 | 60 |
| 112 | 62623 | A3 II | 25525 | 66 |
| 128 | 88195 | A1 V | 18819 | 60 |
| 139 | 97528 | A2 IV | 30367 | 66 |
| 139 | 98058 | A7 IV | 15504 | 60 |
| 140 | 102647 | A3 V | 31108 | 30 |
| 143 | 108283 | F0 | 15506 | 60 |
| 146 | 112028 | A1 IV | 18822 | 60 |
| 202 | 163296 | A2 | 8003 | 60 |
| 228 | 192518 | A5 IV | 15511 | 60 |
| 233 | 195325 | A0 V | 5950 | 26 |
| 233 | 195325 | A0 V | 18140 | 60 |
| 233 | 195325 | A0 V | 18141 | 60 |
| 243 | TFLOOD | | 28493 | 99 |

Reports of additional oversights are welcomed by the authors.

6. The catalog of observations

The list of spectra included in the atlas appears in a format similar to the hardcopy of the IUE Merged Observing Log that is provided by the IUE Project. A sample page is included in Table 4 (the complete table is accessible in electronic form). The quantities in Table 4 are from the 1988 version of the Merged Observing Log that originally defined the set of spectra for the atlas. Column (1) identifies the index number of the fiche containing the spectrum. When there is no entry in Col. (1), that spectrum was not available from the IUE archives on the date of our microfiche production run. Column (2) is the object name, and the unique IUE program identification is in Col. (3). The right ascension and declination appear in Cols. (4) and (5). The V magnitude, $B - V$ color or color excess when preceded by E , and the spectral type are in Cols. (6), (7), and (8), respectively. The object class defined by the IUE Project is in Col. (9), while Col. (10) is the SWP camera image sequence number. The first character of Col. (11) indicates whether the object was in the large (L) or small (S) IUE aperture, and the second character reports the status of the large aperture cover open (O) or closed (C). The commanded exposure time in minutes

and seconds is in Col. (12). Items (13) and (15) are the date of the observation and the date when the data were processed by the production IUE spectral extraction software, respectively. The ground station that recorded the spectrum is VILSPA (V) or GSFC (G) in Col. (14). The final Col. (16) contains the standard IUE comments about the exposure level of the image.

The full table is enclosed with the atlas and is also available in electronic form via an anonymous ftp copy from the Centre de Données de Strasbourg; see the editorial in A&AS, 1992, Vol. 96 (3).

Acknowledgements. The authors thank D. Appleman and C. Eby for their capable assistance with the production runs and the compilation of the atlas. E. Sullivan provided the software for direct access to the IUE archive that used to reside on a mass store device on an IBM system at the Goddard Space Flight Center. K. Levay and C. Wade helped resolve many questions of missing archival spectra. HFH thanks his coauthors for their friendly hospitality and the Netherlands Organization for the Advancement of Pure Research (NWO) for a Christiaan and Constantijn Huygens fellowship. This work was supported in part by NASA grant NAS 5-28729.

References

- Barker P.K. 1984, AJ 39, 899
 Bianchi L., Bohlin R.C. 1984, A&A 134, 31
 Feibelman W.A., Oliverson N.A., Nichols-Bohlin J.S. et al. 1988, IUE Spectral Atlas of Planetary Nebulae, Central Stars and Related Objects (NASA Ref. Pub. 1203)
 Giaretta D. 1984, IUE Low Dispersion Microfiche Plots, IUE ESA Newsl. 20, 11
 Giaretta D. 1985, IUE NASA Newsl. 26, 130
 Heck A., Egret D., Jäschek M. et al. 1984, IUE Low-dispersion Spectra Reference Atlas - Part 1. Normal Stars, ESA SP-1052
 Nichols-Bohlin J.S. 1992, IUE Users' Committee Meeting Minutes, Oct. 1992
 Sullivan E., Bohlin R.C., Heap S. et al. 1987, IUE NASA Newsl. 33, 57
 Walborn N.R., Nichols-Bohlin J.S., Panek R.J. 1985, IUE Atlas of O-type Spectra from 1200 to 1900 Å, NASA Ref. Pub. 1155
 Wamsteker W., Driessen C., Munoz J.R. et al. 1989, A&AS 79, 1
 Wu Ch.-C., Ake T.B., Boggess A. et al. 1983, The IUE Ultraviolet Spectral Atlas, NASA, IUE Newsletter, No. 22

Table 4. Catalog of spectra included in the High-dispersion microfiche atlas of OB stars (first page only)

| Fiche ID | Object ID | Program ID | RA hr mn sec | Decl deg ' " | Vis Mag | B-V E(B-V) | Spec Type | Ob Cl | SWP Number | AL | Expose Time min sc | Observation Date yrday hr mn | S | Proc Date yrday | Observer's Comments | |
|----------|-----------|------------|-----------------|-----------------|------------|---------------|--------------|----------|---------------|-------|--------------------------|------------------------------------|-------------|-----------------------|------------------------|-------------|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (15) | |
| 1 | HD225094 | NSCAD | 00 00 49.9 | +63 21 45 | 6.20 | E0.05 | B3 IB | 24 | 8353 | LO | 065 00 | 80085 00 37 | G | 80085 | C=1.3X,B=62 | |
| 1 | HD225094 | UK350 | 00 00 51.0 | +63 22 00 | 06.20 | | | 24 | 9415 | LO | 075 00 | 80184 00 32 | V | 80184 | 502 SAT AT 1900 A | |
| 1 | HD225094 | NSEJR | 00 00 50.0 | +63 21 46 | 6.2 | | B3 IB | 24 | 18688 | LO | 060 00 | 82333 10 22 | G | 82335 | C=215,B=42 | |
| 1 | HD225253 | HWDK | 00 02 09. | -71 43 05 | 5.6 | E-.13 | B9 III | 25 | 4413 | SC | 013 20 | 79058 15 24 | G | 80082 | MAXDN=225 | |
| 1 | HD108 | OSPSC | 00 03 26. | 63 24 | 7.48 | E0.48 | | 13 | 1589 | SC | 033 00 | 78140 16 50 | G | 80016 | | |
| 1 | HD108 | MLJBH | 00 03 26. | 63 24 | 7.4 | E0.5 | | 15 | 2126 | SC | 028 00 | 78208 17 57 | G | 80066 | | |
| 1 | HD108 | LSDKW | 00 03 26. | 63 24 | 7.4 | | | 15 | 2292 | SC | 030 00 | 78226 13 21 | G | 80038 | | |
| 1 | HD108 | LSDKW | 00 03 26. | 63 24 | 7.4 | E0.46 | | 15 | 2386 | SC | 040 00 | 78236 11 21 | G | 80048 | | |
| 1 | HD108 | LSDKW | 00 03 26. | 63 24 | 7.4 | E0.46 | | 15 | 2501 | SC | 040 00 | 78249 01 36 | G | 80065 | | |
| 1 | HD108 | LSDKW | 00 03 26. | 63 24 | 7.4 | E0.46 | | 15 | 3137 | SC | 030 00 | 78298 10 27 | G | 80224 | | |
| 1 | HD108 | LSDKW | 00 03 26. | 63 24 | 7.4 | E0.46 | | 15 | 3273 | SC | 040 00 | 78312 23 24 | G | 80101 | | |
| 1 | HD108 | LSDKW | 00 03 26. | 63 24 | 7.4 | E0.46 | | 15 | 3376 | SC | 027 00 | 78322 08 46 | G | 79297 | | |
| 1 | HD108 | IGBDY | 00 03 26.9 | +63 24 06 | | E0.51 | 06 | 12 | 6134 | SC | 100 00 | 79222 04 19 | G | 79272 | E=2X,B=62 | |
| 1 | HD108 | NSCAD | 00 03 25.9 | +63 24 05 | 7.50 | E0.05 | 07 IB | 13 | 8352 | LO | 055 00 | 80084 23 06 | G | 80085 | E=236,C=1.5X,B=60 | |
| 1 | HD108 | HSCPC | 00 03 26.9 | +63 24 06 | 7.5 | E0.48 | 07 | 15 | 13910 | LO | 025 00 | 81126 18 31 | G | 81127 | E=177,C=190,B=60 | |
| 1 | HD144 | MLDGP | 00 03 49.7 | +63 55 05 | 5.5 | | E0.03 | B8 III | 26 | 15936 | LO | 020 00 | 82003 06 12 | G | 82004 | C=1.1X,B=72 |
| 1 | HD144 | BEFPB | 00 03 49.7 | +63 55 05 | 5.6 | | B8 IV | 26 | 20433 | LO | 014 00 | 83191 15 03 | G | 83192 | C=200,B=42 | |
| 1 | HD144 | BEITS | 00 03 49.7 | +63 55 05 | 5.6 | | B8 IV | 26 | 29402 | LO | 020 00 | 86281 08 13 | G | 86281 | C=239,B=54 | |
| 1 | HD358 | BPDJJ | 00 05 47.8 | +28 48 52 | 2.0 | | B7 III | 27 | 14953 | SO | 000 50 | 81254 10 19 | G | 87154 | C=2X,B=43 | |
| 1 | HD358 | BPDJJ | 00 05 47.8 | +28 48 52 | 2.0 | | B7 III | 27 | 14954 | SO | 000 40 | 81254 10 50 | G | 87154 | C=2X,B=40 | |
| 1 | SB58 | GA093 | 00 07 30.0 | -26 30 00 | 13.01 | | | 16 | 23345 | LO | 363 00 | 84177 22 44 | V | 84178 | 403 | |
| 1 | HD593 | GA153 | 00 07 56.3 | +59 23 43 | 06.91 | | | 20 | 25175 | LO | 013 54 | 85036 06 06 | V | 85036 | 501 | |
| 1 | HD698 | HSHRP | 00 08 58.5 | +57 56 01 | 7.1 | | B5 III | 26 | 26308 | LO | 060 00 | 85180 13 35 | G | 85182 | C=230,B=135 | |
| 1 | HD698 | OD98K | 00 08 58.5 | +57 56 01 | 7.1 | | B9 III | 66 | 30287 | LO | 120 00 | 87040 22 53 | G | 87043 | C=1.1X,B=72 | |
| 1 | HD886 | UK022 | 00 10 42.0 | +14 54 00 | 02.80 | | | 20 | 2469 | SC | 000 25 | 78246 22 55 | V | 80007 | 70 GOOD FOR SW | |
| 1 | HD886 | SS2JJ | 00 10 39. | 14 54 21 | 2.8 | -.23 | | 20 | 3110 | SC | 000 19 | 78296 07 46 | G | 80090 | | |
| 2 | HD886 | SS2JJ | 00 10 39. | 14 54 21 | 2.8 | -.23 | | 20 | 3945 | SC | 040 00 | 79019 00 25 | G | 80126 | MAXDN=255 | |
| 2 | HD886 | SS2JJ | 00 10 39. | 14 54 21 | 2.8 | -.23 | | 20 | 3946 | SC | 000 20 | 79019 01 34 | G | 80126 | MAXDN=250 | |
| 2 | HD886 | BCBJL | 00 10 39.4 | 14 54 21 | 2.84 | E0.01 | B2 IV | 20 | 5249 | SC | 000 18 | 79136 16 27 | G | 80174 | C=170,B=25 | |
| 2 | HD886 | BCBJL | 00 10 39.4 | 14 54 21 | 2.84 | E0.01 | B2 IV | 20 | 5250 | SC | 000 22 | 79136 17 03 | G | 80174 | | |
| 2 | HD886 | BCBJL | 00 10 39.4 | 14 54 21 | 2.84 | E0.01 | B2 IV | 20 | 5251 | SC | 000 20 | 79136 17 38 | G | 80174 | C=1.5X,B=40 | |
| 2 | HD886 | BCBJL | 00 10 39.4 | 14 54 21 | 2.84 | E0.01 | B2 IV | 20 | 5252 | SC | 000 18 | 79136 18 07 | G | 80174 | C=250,B=40 | |
| 2 | HD886 | BCBJL | 00 10 39.4 | 14 54 21 | 2.84 | E0.01 | B2 IV | 20 | 5253 | SC | 000 16 | 79136 18 37 | G | 80174 | C=235,B=33 | |
| 2 | HD886 | BCBJL | 00 10 39.4 | 14 54 21 | 2.84 | E0.01 | B2 IV | 20 | 5254 | SC | 000 14 | 79136 19 06 | G | 80174 | C=205,B=30 | |
| 2 | HD886 | BCBJL | 00 10 39.4 | 14 54 21 | 2.84 | E0.01 | B2 IV | 20 | 5255 | SC | 000 14 | 79136 19 35 | G | 80174 | C=205,B=33 | |
| 2 | HD886 | BCBJL | 00 10 39.4 | 14 54 21 | 2.84 | E0.01 | B2 IV | 20 | 5256 | SC | 000 14 | 79136 20 04 | G | 80166 | C=205,B=30 | |
| 2 | HD886 | BCBJL | 00 10 39.4 | 14 54 21 | 2.84 | E0.01 | B2 IV | 20 | 5257 | SC | 000 14 | 79136 20 38 | G | 80207 | C=190,B=30 | |
| 2 | HD886 | BCBJL | 00 10 39.4 | 14 54 21 | 2.84 | E0.01 | B2 IV | 20 | 5258 | SC | 000 14 | 79136 21 06 | G | 85112 | C=195,B=30 | |
| 2 | HD886 | BCBJL | 00 10 39.4 | 14 54 21 | 2.84 | E0.01 | B2 IV | 20 | 5259 | SC | 000 14 | 79136 21 34 | G | 80207 | C=195,B=30 | |
| 2 | HD886 | BCBJL | 00 10 39.4 | 14 54 21 | 2.84 | E0.01 | B2 IV | 20 | 5260 | SC | 000 14 | 79136 22 08 | G | 80213 | C=185,B=30 | |
| 2 | GAMPEG | DGDSL | 00 10 38.9 | +14 53 59 | 2.80 | | B2 IV | 20 | 5721 | SC | 000 12 | 79186 15 45 | G | 79191 | C=165,B=27 | |
| 2 | HD1279 | CM2GH | 00 14 29.9 | +47 39 59 | 5.79 | -.09 | B7 III | 25 | 6756 | SC | 014 59 | 79278 02 21 | G | 79280 | C=190,B=35 | |
| 2 | AOCAS | MF2YK | 00 15 03. | 51 09 19 | 6.05 | E0.19 | | 13 | 1692 | SC | 006 30 | 78153 09 58 | G | 80034 | | |
| 2 | AOCAS | MF2YK | 00 15 03. | 51 09 19 | 6.05 | E0.19 | | 13 | 1712 | SC | 007 00 | 78155 08 05 | G | 80054 | | |
| 2 | AOCAS | CM2GH | 00 15 02. | 51 09 | 6.05 | E0.34 | | 13 | 2363 | SC | 012 00 | 78234 10 33 | G | 80206 | | |
| 2 | AOCAS | CM2GH | 00 15 02. | 51 09 | 6.05 | E0.34 | | 13 | 2384 | SC | 012 00 | 78236 09 34 | G | 80206 | | |
| 2 | AOCAS | MF2YK | 00 15 03. | 51 09 19 | 6.05 | E0.19 | | 13 | 2489 | SC | 009 00 | 78248 00 39 | G | 80055 | | |
| 2 | AOCAS | CM2GH | 00 15 03. | 51 09 | 6.05 | E0.03 | | 13 | 3231 | SC | 015 00 | 78310 02 10 | G | 80111 | | |
| 2 | HD1337 | ES2AS | 00 15 03. | 51 09 | 5.80 | E0.24 | | 53 | 3422 | SC | 008 00 | 78327 07 57 | G | 80166 | | |
| 2 | HD1337 | CBBGM | 00 15 03.3 | 51 09 19 | 6.05 | E0.19 | 09 III | 13 | 4455 | SC | 008 00 | 79061 23 12 | G | 80190 | MAXDN=185 | |
| 2 | HD1337 | CBBGM | 00 15 03.3 | 51 09 19 | 6.05 | E0.19 | 09 III | 13 | 4456 | SC | 008 00 | 79061 23 50 | G | 80190 | MAXDN=190 | |
| 2 | HD1337 | CBBGM | 00 15 03. | 51 09 20 | 6.05 | E0.19 | 09 III | 13 | 4745 | SC | 009 00 | 79083 20 31 | G | 80153 | MAXDN=180 | |
| 3 | HD1337 | CBBGM | 00 15 03.3 | 51 09 20 | 6.05 | E0.19 | 09 III | 13 | 5185 | SC | 008 00 | 79129 20 53 | G | 80153 | C=190,B=40 | |
| 3 | HD1337 | CBBGM | 00 15 03.3 | +51 09 20 | 6.0 | 0.19 | 09 III | 13 | 5477 | SC | 008 59 | 79161 14 11 | G | 80153 | C=215,B=35 | |
| 3 | HD1337 | CBBGM | 00 15 03.3 | +51 09 20 | 6.0 | 0.19 | 09 III | 13 | 5482 | SC | 007 00 | 79161 22 51 | G | 80153 | E=228,C=220,B=35 | |
| 3 | HD1337 | CBBGM | 00 15 03.3 | +51 09 19 | 6.05 | E0.19 | 09 | 39 | 7662 | LO | 004 29 | 80016 00 35 | G | 80017 | C=216,B=35 | |
| 3 | HD1337 | CBBGM | 00 15 03.3 | +51 09 19 | 6.05 | E0.19 | 09 | 39 | 7666 | LO | 004 29 | 80016 04 41 | G | 80017 | C=230,B=36 | |
| 3 | HD1337 | CBCRK | 00 15 03.0 | +51 09 24 | 6.1 | E0.19 | 09 III | 12 | 10146 | SO | 008 00 | 80260 02 16 | G | 80260 | C=215,B=35 | |
| 3 | HD1383 | NSCAD | 00 15 33.9 | +61 26 57 | 7.6 | E0.49 | B1 II | 23 | 8332 | LO | 100 00 | 80082 23 17 | G | 80084 | E=246,C=230,B=62 | |
| 3 | FB5084 | GMO81 | 00 16 27.7 | +31 11 34 | 11.15 | | | 20 | 25191 | LO | 401 00 | 85038 06 06 | V | 85038 | 403 | |
| 3 | HD1909 | IGGCB | 00 20 43.0 | -31 18 47 | 6.5 | | B9 V | 22 | 23106 | LO | 025 00 | 84146 16 16 | G | 84149 | C=230,B=75 | |
| 3 | HD1976 | R0016 | 00 21 33.0 | +51 45 00 | 05.60 | | | 21 | 4905 | LO | 005 40 | 79099 10 14 | V | 80115 | 50 | |

