



## UvA-DARE (Digital Academic Repository)

### ATCA radio detection of MAXI J1535-571 indicates it is a strong black hole X-ray binary candidate

Russell, T.D.; Miller-Jones, J.C.A.; Sivakoff, G.R.; Tetarenko, A.J.; JACPOT XRB collaboration

**Publication date**

2017

**Document Version**

Final published version

**Published in**

The astronomer's telegram

**License**

Unspecified

[Link to publication](#)

**Citation for published version (APA):**

Russell, T. D., Miller-Jones, J. C. A., Sivakoff, G. R., Tetarenko, A. J., & JACPOT XRB collaboration (2017). ATCA radio detection of MAXI J1535-571 indicates it is a strong black hole X-ray binary candidate. *The astronomer's telegram*, 10711. <http://www.astronomerstelegam.org/?read=10711>

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

*UvA-DARE is a service provided by the library of the University of Amsterdam (<https://dare.uva.nl>)*

## Outside

GCN  
IAUCs

## Other

ATel on [Twitter](#) and [Facebook](#)  
[ATELstream](#)  
[ATel Community Site](#)[\[ Previous](#) | [Next](#) | [ADS](#) ]

## ATCA radio detection of MAXI J1535-571 indicates it is a strong black hole X-ray binary candidate

ATel #10711; *T. D. Russell (UvA), J. C. A. Miller-Jones (ICRAR-Curtin), G. R. Sivakoff, A. J. Tetarenko (UAlberta) and the JACPOT XRB collaboration*  
on 6 Sep 2017; 04:06 UT

Credential Certification: [Alexandra Tetarenko \(tetarenk@ualberta.ca\)](mailto:tetarenk@ualberta.ca)

Subjects: Radio, X-ray, Black Hole, Transient

Referred to by ATel #: [10714](#), [10716](#), [10745](#), [10761](#), [10768](#), [10816](#), [11020](#), [11611](#)

[Tweet](#)

MAXI J1535-571 is a newly discovered Galactic hard X-ray transient (GCN #[21788](#), ATels #[10699](#), [10700](#)). Following its identification as a potential hard-state low-mass X-ray binary (ATel #[10702](#)) and a potential black hole system (ATel #[10708](#)), we conducted target of opportunity observations of this source with the Australia Telescope Compact Array (ATCA).

We observed MAXI J1535-571 with ATCA on 2017 September 05 (scans on source between 10:28-12:24 UT; MJD 58001.48 +/- 0.04). The observations were taken simultaneously at 5.5 and 9.0 GHz, with a bandwidth of 2 GHz at each frequency. The array was in its 1.5 km (1.5A) configuration, providing angular resolutions of 3.3 x 3.9 arcseconds at 5.5 GHz and 2.0 x 2.4 arcseconds at 9 GHz. We used 1934-638 for primary flux calibration and 1511-55 (3.03 degrees away) for phase calibration. The data were reduced using standard routines in Miriad (Sault et al. 1995), before being imaged in CASA (McMullin et al. 2007) using a natural weighting scheme to maximize sensitivity.

We significantly detected a radio source at a position consistent with the X-ray and optical localisations (ATels #[10699](#), [10700](#), [10704](#)). We measured flux densities of the radio source to be 7.39 +/- 0.03 mJy and 7.74 +/- 0.05 mJy at 5.5 and 9.0 GHz, respectively (statistical errors only). The radio spectral index of  $\alpha = 0.09 \pm 0.03$  (where  $S_{\nu} \propto \nu^{\alpha}$ ) is consistent with emission from a compact radio jet.

Our best radio position (measured at 9.0 GHz) is:

RA (J2000) = 15:35:19.7141 +/- 0.007 Dec (J2000) = -57:13:47.5826 +/- 0.024,

where the error bars are statistical. A similar position was measured at 5.5 GHz.

We assume the source is as close to the Galactic centre as possible along its  $l = 323.724$  deg line-of-sight. Thus we estimate its distance is about 6.5 kpc. At this lower distance (compared to 8

## Related

- 11884** INTEGRAL detects re-brightening of the black hole candidate MAXI J1535-571
- 11682** MAXI/GSC detection of an undergoing soft-to-hard state transition of MAXI J1535-571
- 11652** Re-brightening of the black hole candidate MAXI J1535-571 as it transitioned back to the soft state
- 11611** X-ray spectral hardening and radio non-detection of MAXI J1535-571
- 11568** Rapidly fading the black hole X-ray nova MAXI J1535-571 from MAXI/GSC observations
- 11020** MAXI J1535-571 currently shows softest spectrum
- 10899** Radio re-brightening of MAXI J1535-571 as it transitions back towards the hard state
- 10816** Brackett-Gamma emission in MAXI J1535-571
- 10768** Initial NICER observations of a broadened iron line and QPOs in MAXI J1535-571
- 10761** MAXI/GSC observations indicate further softening of MAXI J1535-571 toward the high/soft state
- 10745** Extremely Bright Radio and (Sub-)Millimetre Detections of MAXI J1535-571
- 10734** Detection of the low-frequency QPOs in MAXI J1535-571
- 10733** Swift/BAT sees MAXI J1535-571 declining in 15-50 keV
- 10731** Swift/XRT sees MAXI J1535-571 brightening and softening
- 10729** MAXI/GSC detects an X-ray spectral softening of the X-ray transient MAXI J1535-571
- 10716** The near-infrared counterpart of X-ray transient MAXI J1535-571
- 10714** MAXI J1535-571 (Candidate Black Hole X-ray Binary): Coordination
- 10711** ATCA radio detection of MAXI J1535-571 indicates it is a strong black hole X-ray binary candidate

kpc) our radio detection provides a 5 GHz radio luminosity of  $(2.053 \pm 0.008) \times 10^{30} \times (d/6.5 \text{ kpc})^2 \text{ erg/s}$ . X-ray spectral analyses (ATel #10708) of the source just a few hours before our ATCA radio observations measured the source at an X-ray luminosity of  $5.7 \times 10^{37} \text{ erg/s}$  ( $d/6.5 \text{ kpc})^2 \text{ erg/s}$  (2-10 keV). The observed radio emission at this X-ray luminosity places MAXI J1535-571 firmly above the expected radio luminosities of all known neutron star X-ray binaries (see e.g., Tetarenko et al. 2016, for a recent review), and within the expected range for black hole X-ray binaries, lying near the radio-faint track, at similar X-ray luminosities (see e.g., Gallo et al. 2003, Corbel et al. 2011, for further details). This indicates that this source is a strong black hole X-ray binary candidate.

The JACPOB XRB collaboration are planning to continue monitoring this outburst.

Further multi-wavelength observations of this source are highly encouraged.

We thank ATNF staff for rapidly scheduling these observations.

- |              |  |
|--------------|--|
| <b>10708</b> | Further brightening of the X-ray transient MAXI J1535-571, suggesting the presence of a black hole |
| <b>10704</b> | Erratum to ATel #10702: MAXI J1535-571 optical counterpart coordinates                             |
| <b>10702</b> | Discovery of the optical counterpart of MAXI J1535-571   |
| <b>10700</b> | MAXI J1535-571: Swift detection and localization   |
| <b>10699</b> | MAXI/GSC discovery of a new hard X-ray transient MAXI J1535-571                                    |

---

[ **Telegram Index** ]

R. E. Rutledge, Editor-in-Chief

Derek Fox, Editor

Mansi M. Kasliwal, Co-Editor

`rrutledge@astronomerstelegam.org`

`dfox@astronomerstelegam.org`

`mansi@astronomerstelegam.org`