



## UvA-DARE (Digital Academic Repository)

### Extremely Bright Radio and (Sub-)Millimetre Detections of MAXI J1535-571

Tetarenko, A.J.; Russell, T.D.; Miller-Jones, J.C.A.; Sivakoff, G.R.; JACPOT XRB collaboration

**Publication date**

2017

**Document Version**

Final published version

**Published in**

The astronomer's telegram

**License**

Unspecified

[Link to publication](#)

**Citation for published version (APA):**

Tetarenko, A. J., Russell, T. D., Miller-Jones, J. C. A., Sivakoff, G. R., & JACPOT XRB collaboration (2017). Extremely Bright Radio and (Sub-)Millimetre Detections of MAXI J1535-571. *The astronomer's telegram*, 10745. <http://www.astronomerstelegram.org/?read=10745>

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

**Outside**  
 GCN  
 IAUCs

**Other**  
 ATel on [Twitter](#) and [Facebook](#)  
[ATELstream](#)  
[ATel Community Site](#)

[ [Previous](#) | [Next](#) | [ADS](#) ]

## Extremely Bright Radio and (Sub-)Millimetre Detections of MAXI J1535-571

ATel #10745; *A. J. Tetarenko (UAlberta), T. D. Russell (UvA), J. C. A. Miller-Jones (ICRAR-Curtin), G. R. Sivakoff (UAlberta), and the JACPOT XRB collaboration*  
 on 14 Sep 2017; 14:35 UT  
 Credential Certification: *Alexandra Tetarenko (tetarenk@ualberta.ca)*

Subjects: Radio, Millimeter, Sub-Millimeter, X-ray, Black Hole, Transient

Referred to by ATel #: [10761](#), [10768](#), [10816](#), [11020](#)

Tweet

We performed target of opportunity observations on the newly discovered candidate black hole X-ray binary, MAXI J1535-571 (GCN #[21788](#), ATels #[10699](#), #[10700](#), #[10702](#), #[10708](#)), with the Atacama Large Millimetre/Sub-Millimetre Array (ALMA) and the Australia Telescope Compact Array (ATCA), as part of the JACPOT XRB project.

Our ALMA observations occurred on 2017 September 11, with scans on source from 21:34:16-23:54:05 UTC (MJD=58007.8988-58007.9959), while the array was in the C40-8 configuration. We observed sequentially in Bands 3, 4, and 6, at 97, 140, and 230 GHz, respectively. MAXI J1535-571 was significantly detected as a point source (as expected) in all bands, with preliminary flux measurements of 220.4 +/- 1.8 mJy at 97 GHz, 226.8 +/- 1.3 mJy at 140 GHz, and 57.7 +/- 1.3 mJy at 230 GHz (statistical errors only). We note that there were sub-optimal weather conditions during the Band 6 observation, and thus more uncertainty is associated with this flux measurement. This marks MAXI J1535-571 as one of the brightest sub-mm X-ray binary detections, behind only GRS 1915+105 (Fender & Pooley, 2000, MNRAS, 318, L1) and V404 Cyg (Tetarenko et al. 2017, MNRAS, 469, 3141).

Our ATCA observations occurred on 2017 September 12, with scans on source from 13:30:20 - 13:41:20 UTC (MJD= 58008.5627 - 58008.5704), while the array was in its H168 configuration. We observed simultaneously at 17 and 19 GHz. MAXI J1535-571 was significantly detected in both bands, with preliminary flux measurements of 133.5 +/- 0.6 mJy at 17 GHz, and 141.6 +/- 0.8 mJy at 19 GHz. We note that these are statistical errors only, and estimate a flux calibration uncertainty of 10%. The radio flux has risen dramatically since our previous ATCA observations on 2017 September 05 (ATel #[10711](#)), which showed ~7 mJy at 5 GHz.

Radio and sub-mm detections of black hole X-ray binaries typically arise from a compact synchrotron jet, characterized by a flat to slightly inverted, optically thick spectrum ( $S_{\nu}$  proportional to  $\nu^{\alpha}$ , spectral index  $\alpha > 0$ ), originating from overlapping self-absorbed synchrotron contributions from different regions along the jet. At higher frequencies, the emission

### Related

- 11884 INTEGRAL detects re-brightening of the black hole candidate MAXI J1535-571
- 11682 MAXI/GSC detection of an undergoing soft-to-hard state transition of MAXI J1535-571
- 11652 Re-brightening of the black hole candidate MAXI J1535-571 as it transitioned back to the soft state
- 11611 X-ray spectral hardening and radio non-detection of MAXI J1535-571
- 11568 Rapidly fading the black hole X-ray nova MAXI J1535-571 from MAXI/GSC observations
- 11020 MAXI J1535-571 currently shows softest spectrum
- 10899 Radio re-brightening of MAXI J1535-571 as it transitions back towards the hard state
- 10816 Brackett-Gamma emission in MAXI J1535-571
- 10768 Initial NICER observations of a broadened iron line and QPOs in MAXI J1535-571
- 10761 MAXI/GSC observations indicate further softening of MAXI J1535-571 toward the high/soft state
- 10745 **Extremely Bright Radio and (Sub-)Millimetre Detections of MAXI J1535-571**
- 10734 Detection of the low-frequency QPOs in MAXI J1535-571
- 10733 Swift/BAT sees MAXI J1535-571 declining in 15-50 keV
- 10731 Swift/XRT sees MAXI J1535-571 brightening and softening
- 10729 MAXI/GSC detects an X-ray spectral softening of the X-ray transient MAXI J1535-571
- 10716 The near-infrared counterpart of X-ray transient MAXI J1535-571
- 10714 MAXI J1535-571 (Candidate Black Hole X-ray Binary): Coordination
- 10711 ATCA radio detection of MAXI J1535-571 indicates it is a strong black hole X-ray binary candidate

breaks to an optically thin ( $\alpha \sim -0.7$ ) spectrum. Given our radio and sub-mm fluxes, the MAXI J1535-571 jet spectrum is consistent with a single power-law (spectral index of  $0.25 \pm 0.003$ ) extending from the radio band up to  $\sim 140$  GHz, with the spectral break occurring between the 140-230 GHz range. Please note that as a caveat we have not searched for intra-observation variability in our data; such variability, if present, could affect our interpretation of the spectrum.

We will continue to monitor the source at radio and sub-mm frequencies.

We thank ALMA and ATCA for rapidly scheduling our observations.

- |              |  |
|--------------|--|
| <b>10708</b> | Further brightening of the X-ray transient MAXI J1535-571, suggesting the presence of a black hole |
| <b>10704</b> | Erratum to ATel #10702: MAXI J1535-571 optical counterpart coordinates                             |
| <b>10702</b> | Discovery of the optical counterpart of MAXI J1535-571   |
| <b>10700</b> | MAXI J1535-571: Swift detection and localization   |
| <b>10699</b> | MAXI/GSC discovery of a new hard X-ray transient MAXI J1535-571                                    |

---

[ **Telegram Index** ]

R. E. Rutledge, Editor-in-Chief

Derek Fox, Editor

Mansi M. Kasliwal, Co-Editor

`rrutledge@astronomerstelegam.org`

`dfox@astronomerstelegam.org`

`mansi@astronomerstelegam.org`