

Appendix B

Factor Loadings, Thresholds, Item-Rest Correlations, and Mean Scores of the DBT-WCCL

Items

Table B1

Standardized Factor Loadings Based on the One-Factor Model of DSS Items and Two-Factor Model of DCS Items

Item	DSS	DCS1	DCS2
1	.48		
2	.59		
3		.70	
4	.66		
5		.46	
6	.37		
7			.71
8		.58	
9	.60		
10	.49		
11	.47		
12		.56	
13	.31		
14		.61	
15			.65
16	.66		
17		.83	
18	.61		
19	.71		
20		.84	

21	.51		
22	.53		
23	.66		
24			.70
25		.81	
26	.48		
27	.58		
28			.80
29	.29		
30			.79
31	.38		
32		.49	
33	.47		
34	.48		
35	.34		
36	.56		
37		.64	
38	.59		
39	.74		
40	.54		
41		.70	
42	.43		
43	.48		
44	.53		
45		.78	
46		.70	
47	.54		

48		.56
49	.52	
50	.65	
51	.66	
52		.83
53	.64	
54	.65	
55		.58
56	.65	
57	.41	
58	.75	
59	.48	

Note. DSS = DBT Skills Subscale; DCS1 = Dysfunctional Coping Subscale 1 - general dysfunctional coping; DCS2 = Dysfunctional Coping Subscale 2 - blaming others.

Table B2

Standardized Estimates of the Thresholds of the Non-Invariant DSS Items

Item	Threshold	BPD individuals			Non-clinical controls		
		Estimate	SE	<i>p</i>	Estimate	SE	<i>p</i>
6	1	-1.416	0.129	<.001	-0.710	0.141	<.001
	2	-0.391	0.090	<.001	-0.006	0.115	.960
	3	0.458	0.091	<.001	1.208	0.145	<.001
19	1	-1.265	0.119	<.001	-1.648	0.223	<.001
	2	-0.198	0.088	.025	-0.998	0.137	<.001
	3	1.115	0.111	<.001	0.306	0.123	.013
29	1	0.049	0.088	.575	0.641	0.131	<.001
	2	0.599	0.094	<.001	1.218	0.153	<.001

	3	1.212	0.116	<.001	2.013	0.251	<.001
42	1	-0.086	0.088	.327	-0.688	0.136	<.001
	2	0.675	0.095	<.001	0.152	0.121	.209
	3	1.565	0.140	<.001	1.154	0.145	<.001

Note. DSS = DBT Skills Subscale.

Table B3

Standardized Estimates of the Thresholds of the Non-Invariant DCS Items

Item	Threshold	BPD individuals			Non-clinical controls		
		Estimate	SE	<i>p</i>	Estimate	SE	<i>p</i>
3	1	-1.968	0.188	<.001	-1.993	0.170	<.001
	2	-1.139	0.112	<.001	-0.810	0.133	<.001
	3	0.049	0.088	.575	0.608	0.171	<.001
7	1	0.098	0.088	.263	-0.442	0.142	.002
	2	0.754	0.097	<.001	0.594	0.194	.002
	3	1.565	0.140	<.001	1.416	0.312	<.001
12	1	-0.160	0.088	.069	-0.621	0.148	<.001
	2	0.417	0.091	<.001	0.388	0.178	.029
	3	1.450	0.131	<.001	1.533	0.400	<.001
17	1	-1.890	0.177	<.001	-1.492	0.149	<.001
	2	-1.352	0.124	<.001	-0.680	0.149	<.001
	3	-0.261	0.089	.003	0.444	0.184	.016
20	1	-2.062	0.204	<.001	-1.874	0.161	<.001
	2	-1.565	0.140	<.001	-0.804	0.138	<.001
	3	-0.499	0.092	<.001	0.305	0.160	.057
37	1	-1.322	0.122	<.001	-0.616	0.147	<.001
	2	-0.929	0.103	<.001	0.003	0.158	.984

	3	0.037	0.088	.674	1.290	0.267	<.001
41	1	-1.705	0.154	<.001	-1.779	0.162	<.001
	2	-1.007	0.106	<.001	-0.685	0.154	<.001
	3	0.351	0.090	<.001	0.921	0.242	<.001
48	1	-0.236	0.089	.008	-0.986	0.137	<.001
	2	0.444	0.091	<.001	0.061	0.145	.672
	3	1.450	0.131	<.001	1.520	0.283	<.001

Note. DCS = Dysfunctional Coping Subscale.

Table B4

Item-rest Correlations (r_{ir}) and Mean Scores of the DSS items

Item	Total group		BPD		Non-clinical	
	r_{ir}	M	r_{ir}	M	r_{ir}	M
1	.42	1.48	.41	1.45	.42	1.54
2	.52	1.34	.59	1.20	.35	1.61
4	.58	1.75	.52	1.64	.66	1.96
6	.32	1.77	.33	1.90	.45	1.51
9	.54	1.65	.51	1.57	.56	1.81
10	.41	1.93	.36	1.85	.46	2.10
11	.40	1.58	.34	1.46	.46	1.83
13	.29	1.94	.24	1.95	.41	1.93
16	.57	1.82	.50	1.77	.69	1.93
18	.53	1.49	.49	1.37	.58	1.71
19	.63	1.85	.61	1.61	.67	2.34
21	.46	1.52	.40	1.56	.61	1.43
22	.49	1.38	.51	1.47	.55	1.22
23	.59	1.63	.58	1.42	.59	2.03

26	.44	1.86	.37	1.88	.64	1.83
27	.49	1.65	.48	1.62	.51	1.72
29	.23	0.73	.31	0.87	.21	0.47
31	.33	2.16	.24	2.11	.49	2.25
33	.43	1.35	.35	1.29	.58	1.45
34	.46	1.65	.40	1.60	.57	1.76
35	.31	2.04	.26	2.10	.45	1.93
36	.48	1.45	.48	1.44	.52	1.46
38	.51	1.57	.52	1.53	.50	1.64
39	.67	1.63	.66	1.59	.69	1.71
40	.49	1.46	.46	1.39	.52	1.58
42	.38	1.05	.32	0.84	.41	1.45
43	.43	1.61	.38	1.50	.49	1.83
44	.48	1.52	.48	1.55	.52	1.47
47	.49	1.90	.45	1.83	.56	2.02
49	.46	1.49	.38	1.38	.58	1.71
50	.57	1.35	.54	1.20	.62	1.65
51	.58	1.55	.59	1.50	.58	1.65
53	.55	1.29	.56	1.13	.50	1.59
54	.57	1.63	.57	1.57	.56	1.74
56	.57	1.62	.57	1.56	.57	1.75
57	.40	1.27	.30	1.18	.55	1.46
58	.68	1.58	.64	1.48	.74	1.79
59	.42	1.79	.39	1.71	.48	1.94

Note. DSS = DBT Skills Subscale.

Table B5

Item-rest Correlations (r_{ir}) and Mean Scores of the DCSI items

Item	Total group		BPD		Non-clinical	
	r_{ir}	M	r_{ir}	M	r_{ir}	M
3	.59	2.05	.40	2.33	.52	1.50
5	.41	2.17	.36	2.31	.32	1.89
8	.49	1.52	.40	1.77	.41	1.04
12	.42	0.83	.38	0.98	.42	0.55
14	.49	1.97	.42	2.17	.42	1.57
17	.71	2.06	.48	2.49	.63	1.21
20	.71	2.20	.44	2.61	.67	1.38
25	.70	1.86	.56	2.15	.71	1.27
32	.44	1.79	.36	1.97	.42	1.44
37	.57	1.74	.27	2.22	.45	0.81
41	.61	1.87	.44	2.16	.52	1.30
45	.67	2.05	.54	2.41	.52	1.33
46	.64	1.79	.52	2.08	.60	1.22
52	.71	2.06	.59	2.37	.65	1.46
55	.54	1.69	.42	1.92	.50	1.23

Note. DCS1 = Dysfunctional Coping Subscale 1 - general dysfunctional coping.

Table B6

Item-rest Correlations (r_{ir}) and Mean Scores of the DCS2 items

Item	Total group		BPD		Non-clinical	
	r_{ir}	M	r_{ir}	M	r_{ir}	M
7	.51	0.68	.51	0.75	.45	0.54
15	.52	1.21	.53	1.37	.41	0.90
24	.63	1.46	.62	1.58	.59	1.20
28	.55	1.49	.52	1.72	.52	1.04

30	.68	0.98	.68	1.11	.60	0.73
48	.50	0.98	.51	1.00	.55	0.96

Note. DCS2 = Dysfunctional Coping Subscale 2 - blaming others.