

Supplement 2. Correlations.

Table S2.1.

Pearson correlations within person-centered predictors for independent variables (measurements points 1 to 5)

	BPDSI_ C_pred	GAF_C _pred	SOFAS_ C_pred	VC_C_ pred	IC_C_ pred	DSS_C _pred	SA_C_ pred	HA_C _pred
BPDSI_C_pred	1	-.600**	-.572**	.705**	.595**	.492**	.401**	-.528**
GAF_C_pred	-.600**	1	.865**	-.555**	-.433**	-.353**	-.319**	.433**
SOFAS_C_pred	-.572**	.865**	1	-.510**	-.421**	-.334**	-.304**	.396**
VC_C_pred	.705**	-.555**	-.510**	1	.640**	.551**	.455**	-.652**
IC_C_pred	.595**	-.433**	-.421**	.640**	1	.483**	.536**	-.496**
DSS_C_pred	.492**	-.353**	-.334**	.551**	.483**	1	.400**	-.360**
SA_C_pred	.401**	-.319**	-.304**	.455**	.536**	.400**	1	-.283**
HA_C_pred	-.528**	.433**	.396**	-.652**	-.496**	-.360**	-.283**	1

Note. ** Correlation is significant at the 0.01 level (2-tailed). BPDSI = Borderline Personality Disorder Severity Index, total score, GAF = Global Assessment of Functioning Scale, SOFAS = Social and Occupational Functioning Assessment Scale, VC = Vulnerable Child mode; IC = Impulsive Child mode; DSS = detached Self-Soother mode; SA = Self Aggrandizer mode; HA = Healthy Adult mode; C_pred = person-centered predictor

Table S2.2.

Pearson correlations within person-centered predictors for dependent variables (measurements points 2 to 6)

	BPDSI _C_dep	RES_G AF_de p	RES_S OFAS_ dep	VC_C_ dep	IC_C_d ep	DSS_C _dep	SA_C_ dep	HA_C_ dep
BPDSI_C_dep	1	.000	.000	.699**	.534**	.429**	.400**	-.515**
RES_GAF_dep	.000	1	.768**	-.178**	-.082**	-.079**	-.093**	.139**
RES_SOFAS_de p	.000	.768**	1	-.149**	-.095**	-.083**	-.094**	.112**
VC_C_dep	.699**	-.178**	-.149**	1	.571**	.512**	.447**	-.580**
IC_C_dep	.534**	-.082**	-.095**	.571**	1	.417**	.519**	-.375**
DSS_C_dep	.429**	-.079**	-.083**	.512**	.417**	1	.404**	-.303**
SA_C_dep	.400**	-.093**	-.094**	.447**	.519**	.404**	1	-.208**
HA_C_dep	-.515**	.139**	.112**	-.580**	-.375**	-.303**	-.208**	1

Note. ** Correlation is significant at the 0.01 level (2-tailed). BPDSI = Borderline Personality Disorder Severity Index, total score, GAF = Global Assessment of Functioning Scale, SOFAS = Social and Occupational Functioning Assessment Scale, VC = Vulnerable Child mode; IC = Impulsive Child mode; DSS = detached Self-Soother mode; SA = Self Aggrandizer mode; HA = Healthy Adult mode; C_dep = person-centered dependent variable.

Table S2.3.

Pearson correlations between person correlations between mean scores of six measurement points

	BPSDS I_mean	GAF_ mean	SOFAS _mean	VC_me an	IC_mea n	DSS_m ean	SA_me an	HA_me an
BPSDSI_mean	1	-.610**	-.585**	.701**	.596**	.367**	.317**	-.522**
GAF_mean	-.610**	1	.937**	-.568**	-.294**	-.179**	-.100*	.391**
SOFAS_mean	-.585**	.937**	1	-.531**	-.309**	-.117**	-.090*	.381**
VC_mean	.701**	-.568**	-.531**	1	.507**	.394**	.225**	-.620**
IC_mean	.596**	-.294**	-.309**	.507**	1	.407**	.471**	-.443**
DSS_mean	.367**	-.179**	-.117**	.394**	.407**	1	.329**	-.208**
SA_mean	.317**	-.100*	-.090*	.225**	.471**	.329**	1	-.108*
HA_mean	-.522**	.391**	.381**	-.620**	-.443**	-.208**	-.108*	1

Note. ** Correlation is significant at the 0.01 level (2-tailed).

BPDSI = Borderline Personality Disorder Severity Index, total score, GAF = Global Assessment of Functioning Scale, SOFAS = Social and Occupational Functioning Assessment Scale, VC = Vulnerable Child mode; IC = Impulsive Child mode; DSS = detached Self-Soother mode; SA = Self Aggrandizer mode; HA = Healthy Adult mode.