



## UvA-DARE (Digital Academic Repository)

### Physiological functions of hexose transport and hexose phosphorylation in *Saccharomyces cerevisiae*.

Diderich, J.A.

**Publication date**  
2001

[Link to publication](#)

#### **Citation for published version (APA):**

Diderich, J. A. (2001). *Physiological functions of hexose transport and hexose phosphorylation in Saccharomyces cerevisiae*. Ipskamp BV.

#### **General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

#### **Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

## Publications

Richard, P., Diderich, J.A., Bakker, B.M., Teusink, B., Van Dam, K., and Westerhoff, H.V. (1994) Yeast cells with a specific cellular make-up and an environment that removes acetaldehyde are prone to sustained glycolytic oscillations. *FEBS Lett* **341**, 223-226

Wijker, J.E., Jensen, P.R., Snoep, J.L., Vaz Gomes, A., Guiral, M., Jongasma, A.P., De Waal, A., Hoving, S., Van Dooren, S., Van der Weijden, C.C., Van Workum, M., Van Heeswijk, W.C., Molenaar, D., Wielinga, P., Richard, P., Diderich, J., Bakker, B.M., Teusink, B., Hemker, M., Rohwer, J.M., Van der Gugten, A.A., Kholodenko, B., N., and Westerhoff, H.V. (1995) Energy, control and DNA structure in the living cell. *Biophys Chem* **55**, 153-165

Teusink, B., Larsson, C., Diderich, J., Richard, P., Van Dam, K., Gustafsson, L., and Westerhoff, H.V. (1996) Synchronized heat flux oscillations in yeast cell populations. *J Biol Chem* **271**, 24442-24448

Teusink, B., Diderich, J.A., Westerhoff, H.V., Van Dam, K., and Walsh, M.C. (1998) Intracellular glucose concentration in derepressed yeast cells consuming glucose is high enough to reduce the glucose transport rate by 50%. *J Bacteriol* **180**, 556-562

Diderich, J.A., Schepper, M., Van Hoek, P., Luttk, M.A., Van Dijken, J.P., Pronk, J.T., Klaassen, P., Boelens, H.F., Teixeira de Mattos, M.J., Van Dam, K., and Kruckeberg, A.L. (1999) Glucose uptake kinetics and transcription of *HXT* genes in chemostat cultures of *Saccharomyces cerevisiae*. *J Biol Chem* **274**, 15350-15359

Diderich, J.A., Teusink, B., Valkier, J., Anjos, J., Spencer-Martins, I., Van Dam, K., and Walsh, M.C. (1999) Strategies to determine the extent of control exerted by glucose transport on glycolytic flux in the yeast *Saccharomyces bayanus*. *Microbiology* **145**, 3447-3454

Van Dam, K., Berden, J.A., Raamsdonk, L.M., Diderich, J.A., Kruckeberg, A.L.: (1999) Process for the production of yeast biomass. Patent number: WO-02988

Petit, T., Diderich, J.A., Kruckeberg, A.L., Gancedo, C., and Van Dam, K. (2000) Hexokinase regulates kinetics of glucose transport and expression of genes encoding hexose transporters in *Saccharomyces cerevisiae*. *J Bacteriol* **182**, 6815-6818

Reijenga, K.A., Snoep, J.L., Diderich, J.A., van Verseveld, H.W., Westerhoff, H.V., and Teusink, B. (2001) Control of glycolytic dynamics by hexose transport in *Saccharomyces cerevisiae*. (Appears in *Biophys J* **80**(2))

Raamsdonk, L.M., Diderich, J.A., Kuiper, A., Van Gaalen, M.C., Kruckeberg, A.L., Berden, J.A., Van Dam, K. (2001) Co-consumption of sugars or ethanol and glucose in a *Saccharomyces cerevisiae* strain deleted in the *HXK2* gene. (Accepted for publication in *Yeast*)

**Diderich, J.A., Raamsdonk, L.M., Kruckeberg, A.L., Berden, J.A., and Van Dam, K.** Physiological properties of *Saccharomyces cerevisiae* deleted in hexokinase II. (Submitted)

**Raamsdonk, L.M., Boorsma, A., Diderich, J.A., Berden, J.A., and Van Dam, K.** Deletion of the *HXK2* gene reveals the importance of biotin for oxidative growth of *Saccharomyces cerevisiae* on glucose. (Submitted)

**Diderich, J.A., Schuurmans, J.M., van Gaalen, M.C., Kruckeberg, A.L., and Van Dam, K.** Functional analysis of the hexose transporter homologue *HXT5* in *Saccharomyces cerevisiae*. (Submitted)