UNIVERSITY OF AMSTERDAM

UvA-DARE (Digital Academic Repository)

Evidence for Longitudinally Polarized W Bosons in the Electroweak Production of Same-Sign W Boson Pairs in Association with Two Jets in pp Collisions at √s = 13 TeV with the ATLAS Detector

Aad, G.; ATLAS Collaboration

DOI
10.1103/bpln-ccql

Publication date
2025

Document Version
Final published version

Published in
Physical Review Letters

License
CC BY

Link to publication

Citation for published version (APA):
Aad, G., & ATLAS Collaboration (2025). Evidence for Longitudinally Polarized *W* Bosons in the Electroweak Production of Same-Sign *W* Boson Pairs in Association with Two Jets in *pp* Collisions at √s = 13 TeV with the ATLAS Detector. *Physical Review Letters*, *135*, Article 111802. https://doi.org/10.1103/bpln-ccql

General rights
It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations
If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: https://uba.uva.nl/en/contact, or a letter to: Library of the University of Amsterdam, Secretariat, P.O. Box 19185, 1000 GD Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (https://dare.uva.nl)

Download date:14 Sep 2026

Editors' Suggestion | Featured in Physics

Evidence for Longitudinally Polarized W Bosons in the Electroweak Production of Same-Sign W Boson Pairs in Association with Two Jets in pp Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector

G. Aad *et al.*[*]
(ATLAS Collaboration)

(Received 17 March 2025; accepted 9 July 2025; published 10 September 2025)

This Letter reports the first evidence of electroweak production of same-sign W boson pairs where at least one of the W bosons is longitudinally polarized and the most stringent constraint to date for the production of two longitudinally polarized same-sign W bosons. The dataset used corresponds to an integrated luminosity of 140 fb^{-1} of proton-proton collisions at a center-of-mass energy of 13 TeV, collected with the ATLAS detector during run 2 of the Large Hadron Collider. The study is performed in final states including two same-sign leptons (electrons or muons), missing transverse momentum, and at least two jets with a large invariant mass and a large rapidity difference. Two independent fits are performed targeting the production of same-sign W bosons with at least one, or two longitudinally polarized W bosons. The observed (expected) significance of the production with at least one longitudinally polarized W boson is 3.3 (4.0) standard deviations. An observed (expected) 95% confidence level upper limit of 0.45 (0.70) fb is reported on the fiducial production cross section of two longitudinally polarized same-sign W bosons.

DOI: 10.1103/bpln-ccql

The longitudinal polarization states of the W and Z bosons are generated by the Goldstone bosons from spontaneous electroweak (EW) symmetry breaking via the Higgs mechanism [1–5] within the standard model (SM) of particle physics. The characterization of the Higgs boson discovered in 2012 [6–9] at the Large Hadron Collider [10] (LHC) is an important avenue of research for physics beyond the SM. Polarized production of W and Z boson pairs via vector-boson-scattering (VBS) processes provides a sensitive test of the EW symmetry breaking mechanism. In particular, couplings of longitudinally polarized W and Z bosons to the Higgs boson prevent the divergence of tree-level VBS amplitudes at high energies when the two outgoing bosons are longitudinally polarized, restoring the unitarity at the TeV scale [11–13]. This Letter reports studies of the EW production of polarized same-sign W boson pairs ($W^{\pm}W^{\pm}$). The first evidence of production with at least one of the W bosons longitudinally polarized is reported along with the most stringent constraint to date on the production of two longitudinally polarized same-sign W bosons. The $W^{\pm}W^{\pm}$ candidates are selected using the leptonic decay modes of the W bosons into electrons or muons, $W^{\pm}W^{\pm} \to \ell^{\pm}\nu\ell'^{\pm}\nu$, where the combination of ℓ and ℓ' can be $e^{\pm}e^{\pm}$, $e^{\pm}\mu^{\pm}$ or $\mu^{\pm}\mu^{\pm}$. The dataset corresponds to an integrated luminosity of 140.1 ± 1.2 fb^{-1} [14,15] of 13 TeV proton-proton (pp) collisions, collected with the ATLAS detector [16] during Run 2 of the LHC (2015–2018).

In pp collisions, the VBS processes at leading-order (LO) involve two initial quarks each of which radiates a gauge boson. The process is characterized by the subsequent interaction and decay of the two gauge bosons and by the presence of two jets (j), typically close to the beam direction. In the VBS production of same sign W boson pairs, the final state consists of two leptons with the same electric charge, two neutrinos, and two jets with a large rapidity separation. The EW production of $W^{\pm}W^{\pm}$ (EW $W^{\pm}W^{\pm}jj$) involves only EW interaction vertices, of which the VBS processes constitute an important component. The production of $W^{\pm}W^{\pm}jj$ involving strong interaction vertices at LO (QCD $W^{\pm}W^{\pm}jj$) is relatively small as quark-gluon and gluon-gluon initiated diagrams are not present at LO. Representative Feynman diagrams for EW $W^{\pm}W^{\pm}jj$ and QCD $W^{\pm}W^{\pm}jj$ processes are shown in Fig. 1. The ratio of the EW $W^{\pm}W^{\pm}jj$ to the QCD $W^{\pm}W^{\pm}jj$ production cross sections is of the order of five in the fiducial region of this analysis.

The first experimental observation of the unpolarized EW $W^{\pm}W^{\pm}jj$ production were reported by the CMS and ATLAS Collaborations at $\sqrt{s} = 13$ TeV using a partial LHC Run 2 data corresponding to an integrated luminosity of approximately 36 fb^{-1} [17,18]. Measurements of cross sections for the production of unpolarized EW $W^{\pm}W^{\pm}jj$

[*]Full author list given at the end of the Letter.

Published by the American Physical Society under the terms of the Creative Commons Attribution 4.0 International license. Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI. Funded by SCOAP[3].

 © 2025 CERN, for the ATLAS Collaboration



FIG. 1. Representative Feynman diagrams for a VBS EW $W^{\pm}W^{\pm}jj$ production that either include (a) triple-gauge-boson vertices, (b) a quartic gauge boson vertex, or (c) the exchange of a Higgs boson, and (d) for a QCD $W^{\pm}W^{\pm}jj$ production.

process were recently reported by the ATLAS and CMS Collaborations using the full Run 2 dataset, corresponding to an integrated luminosity of approximately 140 fb^{-1} [19,20]. The CMS Collaboration published first studies of the polarized EW $W^{\pm}W^{\pm}jj$ production, reporting an observed (expected) significance of 2.3 (3.1) standard deviations for the production with at least one longitudinally polarized W boson [21].

The polarized EW $W^{\pm}W^{\pm}jj$ production is classified into three contributions, $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$, $W_{\mathrm{L}}^{\pm}W_{\mathrm{T}}^{\pm}jj$, and $W_{\mathrm{T}}^{\pm}W_{\mathrm{T}}^{\pm}jj$, where $W_{\mathrm{L}}^{\pm}$ and $W_{\mathrm{T}}^{\pm}$ denote longitudinally and transversely polarized W bosons, respectively. The differences in the emission process from the initial-state quarks, scattering, and decay of the $W_{\mathrm{L}}^{\pm}$ and $W_{\mathrm{T}}^{\pm}$ bosons result in kinematic differences for the final state leptons and jets [22]. The limited data sample size does not allow for a precise simultaneous measurement of the three contributions. In addition, there are nontrivial correlations between event kinematic variables, and a single kinematic distribution is not sufficient to optimally separate the different polarization contributions. Consequently, dedicated deep neural networks (DNN) are trained independently using kinematic variables to separate the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$ contribution from the $W_{\mathrm{L}}^{\pm}W_{\mathrm{T}}^{\pm}jj$ and $W_{\mathrm{T}}^{\pm}W_{\mathrm{T}}^{\pm}jj$ contributions ($W_{\mathrm{T}}^{\pm}W^{\pm}jj$) and to separate the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$ and $W_{\mathrm{L}}^{\pm}W_{\mathrm{T}}^{\pm}jj$ contributions ($W_{\mathrm{L}}^{\pm}W^{\pm}jj$) from the $W_{\mathrm{T}}^{\pm}W_{\mathrm{T}}^{\pm}jj$ contribution.

The polarization vectors are defined in the $W^{\pm}W^{\pm}$ center-of-mass reference frame. The studies are also performed using the center-of-mass reference frame of the initial-state partons to define the polarization vectors. The choice of the $W^{\pm}W^{\pm}$ center-of-mass reference frame leads to a larger contribution of the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$ process compared to the center-of-mass reference frame of the initial-state partons or protons [23,24]. The expected contributions of the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$ and $W_{\mathrm{L}}^{\pm}W_{\mathrm{T}}^{\pm}jj$ processes, defined using the $W^{\pm}W^{\pm}$ center-of-mass reference frame, are about 10% and 30% of the overall expected EW $W^{\pm}W^{\pm}jj$ production cross section, respectively. The fractions of the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$ ($W_{\mathrm{L}}^{\pm}W_{\mathrm{T}}^{\pm}jj$) and $W_{\mathrm{L}}^{\pm}W_{\mathrm{T}}^{\pm}jj$ ($W_{\mathrm{T}}^{\pm}W_{\mathrm{T}}^{\pm}jj$) processes in the $W_{\mathrm{L}}^{\pm}W^{\pm}jj$ ($W_{\mathrm{T}}^{\pm}W^{\pm}jj$) signal sample are fixed to the SM prediction.

The ATLAS detector [16] is a multipurpose particle physics detector with cylindrical geometry [25]. It consists of an inner tracking detector (ID) surrounded by a superconducting solenoid providing a 2 T axial magnetic field, sampling electromagnetic (ECAL) and hadronic (HCAL) calorimeters, and a muon spectrometer (MS) based on three air-core toroidal superconducting magnets with eight coils each. The ATLAS trigger system consists of a hardware-based level-1 trigger followed by a software-based high-level trigger [26]. An extensive software suite [27] is used in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

Detailed information about the reconstruction, identification, and calibration of physics objects, as well as the simulation, triggers, and event selection used in this analysis, can be found in Ref. [20] which reports the measurements of fiducial and differential cross sections of the unpolarized $W^{\pm}W^{\pm}jj$ production. A brief description is given here. The final state probed by this analysis consists in the leptonic decays (electrons or muons) of two W bosons produced in association with two jets. Candidate events used for this analysis are selected with single-lepton (e or μ) triggers [26,28,29].

Electron candidates are reconstructed from ECAL energy clusters and matched to a track reconstructed in the ID [30]. Electrons are identified using a likelihood function based on shower shape variables in the ECAL, ID track variables, and the quality of the track-cluster matching. Electrons are required to satisfy the "Tight" likelihood-based identification criteria [31] and have to have $p_T > 27$ GeV and $|\eta| < 2.47$ excluding the calorimeter transition region $1.37 < |\eta| < 1.52$. A charge selector tool based on boosted decision trees uses shower shape and track-to-cluster matching variables [30] to reject electron candidates where the charge is likely misidentified. Muons are reconstructed from tracks in the MS, matched to a corresponding track in the ID [32]. Muons are identified by a set of requirements on the number of hits in the different

ID subdetectors and different MS stations, on the track fit properties, and on variables that test the compatibility of the individual measurements in the two detector systems. Muons are required to satisfy the "medium" identification selection [32] and have $p_T > 27$ GeV and $|\eta| < 2.5$. Electrons and muons must be compatible with the hypothesis that they originate from the primary vertex and are required to satisfy the "Gradient" [30] and "PflowTight" [32] isolation criteria, respectively.

Jets are reconstructed using the anti-k_t algorithm [33,34], with a radius parameter of $R = 0.4$, using particle-flow objects [35] as input. Contamination from jets originating in additional pp interactions per bunch crossing (pile-up) is reduced by using the jet-vertex-tagger algorithm [36]. At least two jets with $|\eta| < 4.5$ are required to be present in each event, with $p_{\mathrm{T}} > 65$ GeV for the leading jet and $p_{\mathrm{T}} > 35$ GeV for the subleading jet.

The event selection in the signal region (SR) requires a same-sign lepton pair with an invariant mass $m_{\ell\ell}$ greater than 20 GeV. The missing transverse momentum, with magnitude $E_{\mathrm{T}}^{\mathrm{miss}}$, must be larger than 30 GeV in the SR to exploit the presence of neutrinos in the final state. The $E_{\mathrm{T}}^{\mathrm{miss}}$ is calculated from the negative vector sum of the transverse momenta of all of the selected and calibrated objects in the event including a track-based soft term [37]. The VBS topology is characterized by at least two jets with a large invariant mass, m_{jj}, and a large absolute rapidity difference, $|\Delta y_{jj}|$. The m_{jj} of the two highest-p_{T} jets must satisfy $m_{\mathrm{jj}} > 500$ GeV with $|\Delta y_{jj}| > 2.0$. Additional requirements to suppress background contributions from the Drell-Yan background in the dielectron final state, from top quark processes, and from processes with more than two leptons in the final state are described in Ref. [20]. The data yield in the SR is 475 events. The expected purities in the SR of the EW and QCD $W^{\pm}W^{\pm}jj$ processes and of their interference are approximately 58%, 5.2%, and, 1.6%, respectively. The interference effects among the different $W^{\pm}W^{\pm}jj$ polarization states in the SR are found to be negligible.

The SM production of WZ/γ^* boson pairs in association with two jets, denoted as $W^{\pm}Zjj$, constitutes a large background, contributing to approximately 16% of the overall expected event yield in the SR. It contributes when one of the leptons is not selected, typically because it is outside of the geometrical acceptance of the detector. The production of $W^{\pm}Zjj$ at LO has contributions both from processes that involve only electroweak (EW) interaction vertices (EW $W^{\pm}Zjj$) and from processes that involve strong interaction vertices (QCD $W^{\pm}Zjj$). The contributions of the EW and QCD $W^{\pm}Zjj$ processes are estimated with Monte Carlo (MC) simulated events. The modeling of the QCD $W^{\pm}Zjj$ process is constrained in a dedicated signal-depleted control region (CR) defined by requiring three charged leptons in the final state, $m_{\mathrm{jj}} > 200$ GeV, and a trilepton invariant mass greater than 106 GeV.

Leptons from hadron decays and jets misidentified as leptons are referred to as nonprompt leptons. The nonprompt lepton background arises mainly from $W+$jets and semileptonic $t\bar{t}$ processes. The nonprompt lepton, electron charge misidentification and photon conversion backgrounds are estimated using data-driven methods as described in Ref. [20], and contribute to approximately 18% of the overall expected event yield. Events with the same selection criteria as in the SR but requiring $200 < m_{\mathrm{jj}} < 500$ GeV are used to define the "low-m_{jj}" CR. This CR has a similar background composition as in the SR and is used to control the uncertainties of the major background contributions. Finally, small background contributions from triboson VVV ($V = W/Z/\gamma$), $t\bar{t}V$, and tZq processes are estimated using MC simulations and together contribute to less than 2% of the expected event yield in the SR.

MC simulated event samples are used to model the signal $W^{\pm}W^{\pm}jj$ process with different polarization states, as well as other background processes. Simulated events are processed through the ATLAS simulation infrastructure [38] using GEANT4 [39]. The effect of pile-up is simulated by overlaying the hard-scattering process with minimum-bias events generated with PYTHIA8.186 [40] using the A3 set of tuned parameters [41]. Different pile-up conditions between data and simulation are taken into account by reweighting the mean number of interactions per bunch crossing in simulation to the number observed in data. Detailed descriptions of the simulated MC samples used for modeling the various background events can be found in Ref. [20]. The large QCD $W^{\pm}Zjj$ background is simulated with the SHERPA2.2.12 event generator [42] using matrix elements that contain all diagrams with four EW vertices. This process is calculated for up to one additional parton at next-to-LO (NLO) and up to three additional partons at LO using COMIX [43] and OPENLOOPS [44], and merged with the SHERPA parton shower based on the Catani-Seymour dipole factorization [45].

This analysis uses state-of-the-art calculations and simulations to incorporate the NLO EW and QCD effects in modeling the polarized EW $W^{\pm}W^{\pm}jj$ production. The polarized on-shell $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$, $W_{\mathrm{L}}^{\pm}W_{\mathrm{T}}^{\pm}jj$, and $W_{\mathrm{T}}^{\pm}W_{\mathrm{T}}^{\pm}jj$ signal processes are simulated in narrow-width approximation using SHERPA3 [46,47] with up to one additional parton at LO in QCD and EW and merged with the SHERPA parton shower. The NNPDF3.0NLO [48] set of parton distribution function (PDF) is used. This multijet merging approach has been shown to capture the bulk of NLO QCD corrections to polarization fractions, as they typically stem from real emission rather than virtual diagrams [47,49], thus providing the most accurate hadron-level prediction available for these signal processes. Diagrams involving the s-channel

and triboson contributions are omitted in this simulation by the use of the VBS approximation [50] to avoid possible divergences. The contributions of these missing diagrams and further missing off-shell production effects are estimated using unpolarized $\ell^{\pm}\nu\ell^{\pm}\nu jj$ SHERPA3 simulated samples at the same perturbative accuracy. These effects are taken into account by applying corrections to the signal predictions using all kinematic information in the full phase space via neural networks at particle level following the approach of Ref. [51]. The size of the corrections in the SR is approximately 10%. In an alternative approach, the corrections are applied via particle level m_{jj} reweighting and the resulting differences in the shapes of the signal distributions are considered as an uncertainty. This uncertainty is treated as uncorrelated among the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$, $W_{\mathrm{L}}^{\pm}W_{\mathrm{T}}^{\pm}jj$, and $W_{\mathrm{T}}^{\pm}W_{\mathrm{T}}^{\pm}jj$ signal processes to account for any residual differences in the size of the corrections.

The first calculations of the fixed-order next-to-LO (NLO) EW corrections for the production of polarized EW $W^{\pm}W^{\pm}jj$ production have been recently performed [24]. The pure EW corrections are dominant and reduce the LO cross section of the EW $W^{\pm}W^{\pm}jj$ process by approximately 15% in the SR and have even larger impact in high-energy tails of distributions. The NLO EW corrections have different impacts for the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$, $W_{\mathrm{L}}^{\pm}W_{\mathrm{T}}^{\pm}jj$, and $W_{\mathrm{T}}^{\pm}W_{\mathrm{T}}^{\pm}jj$ processes with smaller in magnitude corrections for the longitudinal modes. Their effect is taken into account by applying m_{jj} dependent factors to the signal samples. In an alternative approach, the corrections are applied as leading jet p_{T} dependent factors and the difference is considered as a systematic uncertainty.

Systematic uncertainties in this measurement arise from experimental and theory sources. The results are driven by the statistical uncertainty of the data in the SR and none of the considered systematic uncertainties have a significant impact on the sensitivity of this result. Experimental systematic uncertainties are related to the trigger, lepton reconstruction, identification and isolation efficiencies [31,32], lepton energy (momentum) scale and resolution [30,32], jet energy scale and resolution [52], b-jet identification [53], modeling of $E_{\mathrm{T}}^{\mathrm{miss}}$ [37], pile-up, and integrated luminosity [14,15]. The uncertainties related to the nonprompt lepton, electron charge misidentification, and photon conversion backgrounds are described in Ref. [20]. Theoretical uncertainties associated with the signal and other background processes are evaluated using simulation. The theory uncertainties in the physics modeling of the polarized $W^{\pm}W^{\pm}jj$ processes are estimated by varying the factorization, renormalization, resummation, and merging scales [47], the strong coupling constant α_S, and the choice of the PDF [54]. Additional uncertainties related to the propagation of the NLO EW corrections and the corrections due to the off-shell production and missing diagrams are considered as described above. The systematic uncertainties with the largest impact on the result are related to the finite number of data events used for data-driven background estimates, the theory uncertainties in the physics modeling of the polarized $W^{\pm}W^{\pm}jj$ production, and uncertainties in the jet and $E_{\mathrm{T}}^{\mathrm{miss}}$ scale and resolution.

To measure the production of the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$ and $W_{\mathrm{L}}^{\pm}W^{\pm}jj$ processes, a first DNN (inclusive DNN) is trained to separate the unpolarized EW $W^{\pm}W^{\pm}jj$ production from the background processes. Two independent DNNs (signal DNNs) are then trained to extract the polarization information by separating the production of $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$ from $W_{\mathrm{T}}^{\pm}W^{\pm}jj$ and $W_{\mathrm{L}}^{\pm}W^{\pm}jj$ from $W_{\mathrm{T}}^{\pm}W_{\mathrm{T}}^{\pm}jj$. Dedicated optimizations of the model structures and hyperparameters are performed for each DNN with the open source framework OPTUNA [55]. The number of hidden layers are 9 and 10 for the inclusive and signal DNNs, respectively, with up to 204 neurons per layer used for the $W_{\mathrm{L}}^{\pm}W^{\pm}jj$ signal DNN. The kinematic variables showing the best discrimination, evaluated by removing each variable and retraining the network, are retained. Up to 20 such variables are retained for each DNN from a larger set. The variable importance is also evaluated with the SHAP framework [56]. The m_{jj} variable provides a strong discrimination for the inclusive DNN as background processes tend to have smaller m_{jj} values than those from the EW $W^{\pm}W^{\pm}jj$ production. Similarly, angular variables such as the differences in the azimuthal angle, pseudorapidity, and distance ΔR between the leading and subleading leptons and jets provide an important separation for the signal DNNs. Kinematic variables related to the transverse mass and p_{T} of the systems constructed from the leptons, jets, and $E_{\mathrm{T}}^{\mathrm{miss}}$ are also considered. The distributions of selected kinematic variables showing a strong discrimination for the $W_{\mathrm{L}}^{\pm}W^{\pm}jj$ signal DNN are shown in Fig. 2. Events from $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$ generally exhibit larger $|\Delta\eta_{\ell\ell}|$ and $\Delta\phi_{jj}$, and smaller m_{T}, than those from $W_{\mathrm{T}}^{\pm}W_{\mathrm{T}}^{\pm}jj$. A complete list of variables used for the DNNs, along with the distributions of additional discriminating variables, is discussed in the Appendix. The modeling of these DNN scores for the background processes is validated in the low-m_{jj} CR.

Binned maximum-likelihood fits are performed separately for the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$ and $W_{\mathrm{L}}^{\pm}W^{\pm}jj$ processes using the inclusive and the corresponding signal DNN score distributions. The signal DNN score distributions in three regions of the inclusive DNN score, with boundaries at (0, 0.2, 0.6, 1.0) and (0, 0.3, 0.7, 1.0), are fitted for the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$ and $W_{\mathrm{L}}^{\pm}W^{\pm}jj$ processes, respectively. The region boundaries are chosen independently to maximize the significances of the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$ and $W_{\mathrm{L}}^{\pm}W^{\pm}jj$ processes while ensuring that each bin contains at least 10 events originating from the other processes. For each fit, the three regions of the inclusive DNN score in the SR, the low-m_{jj} and QCD



FIG. 2. Distributions in the SR for the [(a) and (d)] difference in pseudorapidity between the leading and subleading leptons, $|\Delta\eta_{\ell\ell}|$, [(b) and (e)] transverse mass of the dilepton system and $E_{\mathrm{T}}^{\mathrm{miss}}$ [20], m_{T}, and [(c) and (f)] difference in azimuthal angle between the leading and subleading jets, $\Delta\phi_{jj}$. The ratios of the contributions of each process to the total contribution are shown in the bottom panels in (a)–(c). The predicted yields are shown with their best-fit normalization and shape in (d)–(f). The shaded area surrounding the expectation represents the total uncertainties in the predicted yields. The ratios of the observed yields to the total SM predictions are shown by the points in the bottom panels. The "other prompt" category combines ZZ, VVV, $t\bar{t}V$, and tZq background processes. The polarization vectors are defined in the $W^{\pm}W^{\pm}$ center-of-mass reference frame.

$W^{\pm}Zjj$ CRs are fitted simultaneously with the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$ ($W_{\mathrm{L}}^{\pm}W^{\pm}jj$), $W_{\mathrm{T}}^{\pm}W^{\pm}jj$ ($W_{\mathrm{T}}^{\pm}W_{\mathrm{T}}^{\pm}jj$), and QCD $W^{\pm}Zjj$ normalizations kept as floating parameters. The relatively small contributions of the EW $W^{\pm}Zjj$ and QCD $W^{\pm}W^{\pm}jj$ processes are normalized to the SM predictions and allowed to vary within their uncertainties. The systematic uncertainties are included as nuisance parameters [57] with Gaussian priors. The nuisance parameters are adjusted in the fit with the shape and normalization of each distribution varying within the specified constraints.

The signal DNN score distributions in each region of the inclusive DNN are shown in Fig. 3 with the normalizations and nuisance parameters adjusted by the fit. A good separation between the different polarization states is achieved. The post-fit yields are shown in the Appendix. The normalization factors for the QCD $W^{\pm}Zjj$ process are 0.74 ± 0.08 and 0.75 ± 0.08 for the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$ and $W_{\mathrm{L}}^{\pm}W^{\pm}jj$ fits, respectively, consistent with the value reported in Ref. [20]. No uncertainties are significantly constrained or pulled in the simultaneous fit.

The fiducial cross sections times branching fraction for the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$ [$\sigma\mathcal{B}(W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj)$] and $W_{\mathrm{L}}^{\pm}W^{\pm}jj$ [$\sigma\mathcal{B}(W_{\mathrm{L}}^{\pm}W^{\pm}jj)$] processes are extracted in the fiducial region defined to be as close as possible to the detector region as described in Ref. [20]. The fiducial phase space definition requires two prompt leptons at particle level (e or μ) with $p_{\mathrm{T}} > 27$ GeV and $|\eta| < 2.5$, dressed by adding the four-momenta of nearby prompt photons within a small cone of $\Delta R < 0.1$, with $m_{\ell\ell} > 20$ GeV. Contributions of events with τ-leptons from at least one of the W boson decays, with the τ-lepton decaying leptonically to an electron or a muon, are excluded from the fiducial region definition. At least two jets are required at particle level with $|\eta| < 4.5$ and $p_{\mathrm{T}} > 65$ GeV (35 GeV)



FIG. 3. Distributions of the signal DNN score in the SR for the $W^{\pm}_{\mathrm{L}}W^{\pm}_{\mathrm{L}}jj$ measurement in regions of the inclusive DNN with score values of (a) 0 to 0.2, (b) 0.2 to 0.6, and (c) 0.6 to 1, and for the $W^{\pm}_{\mathrm{L}}W^{\pm}jj$ measurement in regions of the inclusive DNN with score values of (d) 0 to 0.3, (e) 0.3 to 0.7, and (f) 0.7 to 1. The polarization vectors are defined in the $W^{\pm}W^{\pm}$ center-of-mass reference frame. The predicted yields are shown with their best-fit normalization and shape. The shaded area surrounding the expectation represents the total uncertainties in the predicted yields. The ratios of the observed yields to the total SM predictions are shown by the points in the bottom panels. The other prompt category combines ZZ, VVV, $t\bar{t}V$, and tZq background processes. The dashed lines in (a)–(c) show the SM predictions of the $W^{\pm}_{\mathrm{L}}W^{\pm}_{\mathrm{L}}jj$ contributions multiplied by a factor of 10.

for the leading (subleading) jet, with the m_{jj} of the two highest-p_{T} jets greater than 500 GeV and $|\Delta y_{jj}| > 2$.

No significant excess of events consistent with the $W^{\pm}_{\mathrm{L}}W^{\pm}_{\mathrm{L}}jj$ production is observed. The observed (expected) 95% confidence level (C.L.) upper limit on $\sigma\mathcal{B}(W^{\pm}_{\mathrm{L}}W^{\pm}_{\mathrm{L}}jj)$ is 0.45 (0.70) fb. The 95% C.L. limits are derived using the $\mathrm{CL_s}$ method [58,59]. The expected limit is evaluated using an Asimov dataset [60] assuming the SM contributions of the $W^{\pm}_{\mathrm{L}}W^{\pm}_{\mathrm{L}}jj$ and $W^{\pm}_{\mathrm{T}}W^{\pm}jj$ processes. Assuming the null hypothesis of no contribution from the $W^{\pm}_{\mathrm{L}}W^{\pm}_{\mathrm{L}}jj$ process, an expected 95% C.L. upper limit of 0.43 fb on $\sigma\mathcal{B}(W^{\pm}_{\mathrm{L}}W^{\pm}_{\mathrm{L}}jj)$ is obtained using an Asimov dataset. The significance of a nonzero $W^{\pm}_{\mathrm{L}}W^{\pm}jj$ event yield is quantified assuming contributions only from the $W^{\pm}_{\mathrm{T}}W^{\pm}_{\mathrm{T}}jj$ process. The observed significance for the $W^{\pm}_{\mathrm{L}}W^{\pm}jj$ process is 3.3σ with an expected significance, evaluated with an Asimov dataset, of 4.0σ. The asymptotic approximation [60], whose validity was confirmed through studies with pseudoexperiments, is used to calculate the limits and significances.

The measured $\sigma\mathcal{B}(W^{\pm}_{\mathrm{L}}W^{\pm}_{\mathrm{L}}jj)$ and $\sigma\mathcal{B}(W^{\pm}_{\mathrm{T}}W^{\pm}jj)$, and $\sigma\mathcal{B}(W^{\pm}_{\mathrm{L}}W^{\pm}jj)$ and $\sigma\mathcal{B}(W^{\pm}_{\mathrm{T}}W^{\pm}_{\mathrm{T}}jj)$, and the corresponding theoretical predictions from SHERPA3 are summarized in Table I. The NLO EW corrections and the corrections to take into account the off-shell production and missing contributions as described earlier are included in the predictions. The uncertainties in the predictions are dominated by the scale variations, with an uncertainty of about 24%. The measured cross sections are in agreement with the SM predictions. The results of the studies performed using the initial-state parton-parton reference frame to define the polarization vectors are shown in the Appendix.

In summary, this Letter reports the first evidence of EW production of polarized same-sign W boson pairs where at least one of the W bosons is longitudinally polarized and the most stringent limits to date on the fiducial cross section

TABLE I. Measured and predicted fiducial cross sections for the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$ and the $W_{\mathrm{T}}^{\pm}W^{\pm}jj$, and the $W_{\mathrm{L}}^{\pm}W^{\pm}jj$ and the $W_{\mathrm{T}}^{\pm}W_{\mathrm{T}}^{\pm}jj$ processes. The polarization vectors are defined in the $W^{\pm}W^{\pm}$ center-of-mass reference frame. The total measurement uncertainty is shown along with the statistical, modeling systematic and experimental systematic uncertainties. The modeling uncertainties include the theory uncertainties affecting the signal and background processes as well as the effect of a finite number of MC events and of data events used for data-driven background estimates. The predicted cross sections from SHERPA3 include the NLO EW corrections and the corrections to take into account the off-shell production and missing contributions. The predicted cross section uncertainties include the PDF, α_S, parton shower, and scale variations.

Process	Predicted $\sigma\mathcal{B}$ (fb)	Measured $\sigma\mathcal{B}$ (fb)	Uncertainty breakdown (fb)
$W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$	0.29 ± 0.07	$0.01 \pm 0.21(\mathrm{tot})$	$\pm 0.20(\mathrm{stat}) \pm 0.02(\mathrm{mod\ syst}) \pm 0.05(\mathrm{exp\ syst})$
$W_{\mathrm{T}}^{\pm}W^{\pm}jj$	2.56 ± 0.64	$3.39 \pm 0.35(\mathrm{tot})$	$\pm 0.30(\mathrm{stat}) \pm 0.08(\mathrm{mod\ syst}) \pm 0.16(\mathrm{exp\ syst})$
$W_{\mathrm{L}}^{\pm}W^{\pm}jj$	1.18 ± 0.29	$0.88 \pm 0.30(\mathrm{tot})$	$\pm 0.28(\mathrm{stat}) \pm 0.05(\mathrm{mod\ syst}) \pm 0.08(\mathrm{exp\ syst})$
$W_{\mathrm{T}}^{\pm}W_{\mathrm{T}}^{\pm}jj$	1.67 ± 0.40	$2.49 \pm 0.32(\mathrm{tot})$	$\pm 0.30(\mathrm{stat}) \pm 0.05(\mathrm{mod\ syst}) \pm 0.12(\mathrm{exp\ syst})$

of two longitudinally polarized same-sign W bosons. The dataset used corresponds to an integrated luminosity of 140 fb^{-1} of proton–proton collisions at a center-of-mass energy of 13 TeV, collected with the ATLAS detector at the LHC. The study is performed in final states including two same-sign leptons (electrons or muons), missing transverse momentum, and at least two jets with large invariant mass and a large rapidity difference. An observed (expected) 95% C.L. upper limit of 0.45 (0.70) fb is reported on the EW production of two longitudinally polarized same-sign W bosons. The observed significance of the production with at least one longitudinally polarized W boson is 3.3 standard deviations with a measured fiducial cross section of 0.88 ± 0.30 fb, in agreement with the SM prediction.

Acknowledgments—We thank CERN for the very successful operation of the LHC and its injectors, as well as the support staff at CERN and at our institutions worldwide without whom ATLAS could not be operated efficiently. The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF/SFU (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), RAL (UK), and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [61]. We gratefully acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC, and CFI, Canada; CERN; ANID, Chile; CAS, MOST, and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMFTR, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ICHEP and Academy of Sciences and Humanities, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW, Poland; FCT, Portugal; MNE/IFA, Romania; MSTDI, Serbia; MSSR, Slovakia; ARIS and MVZI, Slovenia; DSI/NRF, South Africa; MICIU/AEI, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; NSTC, Taipei; TENMAK, Türkiye; STFC/UKRI, United Kingdom; DOE and NSF, USA. Individual groups and members have received support from BCKDF, CANARIE, CRC, and DRAC, Canada; CERN-CZ, FORTE and PRIMUS, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU and Marie Skłodowska-Curie Actions, European Union; Investissements d'Avenir Labex, Investissements d'Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom. In addition, individual members wish to acknowledge support from Armenia: Yerevan Physics Institute (FAPERJ); CERN: European Organization for Nuclear Research (CERN DOCT); Chile: Agencia Nacional de Investigación y Desarrollo (FONDECYT 1230812, FONDECYT 1240864); China: Chinese Ministry of Science and Technology (MOST-2023YFA1605700, MOST-2023YFA1609300), National Natural Science Foundation of China (NSFC—12175119, NSFC 12275265); Czech Republic: Czech Science Foundation (GACR—24-11373S), Ministry of Education Youth and Sports (ERC-CZ-LL2327, FORTE CZ.02.01.01/00/22_008/0004632), PRIMUS Research Programme (PRIMUS/21/SCI/017); EU: H2020 European Research Council (ERC—101002463); European Union: European Research Council (BARD No. 101116429, ERC—948254, ERC 101089007), European Regional Development Fund (SMASH COFUND 101081355, SLO ERDF), Horizon 2020 Framework Programme (MUCCA—CHIST-ERA-19-XAI-00), European Union, Future Artificial Intelligence

Research (FAIR-NextGenerationEU PE00000013), Horizon 2020 (EuroHPC—EHPC-DEV-2024D11-051), Italian Center for High Performance Computing, Big Data and Quantum Computing (ICSC, NextGenerationEU); France: Agence Nationale de la Recherche (ANR-21-CE31-0022, ANR-22-EDIR-0002); Germany: Baden-Württemberg Stiftung (BW Stiftung-Postdoc Eliteprogramme), Deutsche Forschungsgemeinschaft (DFG—469666862, DFG—CR 312/5-2); China: Research Grants Council (GRF); Italy: Istituto Nazionale di Fisica Nucleare (ICSC, NextGenerationEU), Ministero dell'Università e della Ricerca (NextGenEU I53D23000820006 M4C2.1.1); Japan: Japan Society for the Promotion of Science (JSPS KAKENHI JP22H01227, JSPS KAKENHI JP22H04944, JSPS KAKENHI JP22KK0227, JSPS KAKENHI JP23KK0245, JSPS KAKENHI JP24K23939); Norway: Research Council of Norway (RCN-314472); Poland: Ministry of Science and Higher Education (IDUB AGH, POB8, D4 no 9722), Polish National Science Centre (NCN 2021/42/E/ST2/00350, NCN OPUS 2023/51/B/ST2/02507, NCN OPUS nr 2022/47/B/ST2/03059, NCN UMO-2019/34/E/ST2/00393, UMO-2022/47/O/ST2/00148, UMO-2023/49/B/ST2/04085, UMO-2023/51/B/ST2/00920, UMO-2024/53/N/ST2/00869); Portugal: Foundation for Science and Technology (FCT); Spain: Generalitat Valenciana (Artemisa, FEDER, IDIFEDER/2018/048), Ministry of Science and Innovation (MCIN & NextGenEU PCI2022-135018-2, MICIN & FEDER PID2021-125273NB, RYC2019-028510-I, RYC2020-030254-I, RYC2021-031273-I, RYC2022-038164-I); Sweden: Carl Trygger Foundation (Carl Trygger Foundation CTS 22:2312), Swedish Research Council (Swedish Research Council 2023-04654, VR 2021-03651, VR 2022-03845, VR 2022-04683, VR 2023-03403, VR 2024-05451), Knut and Alice Wallenberg Foundation (KAW 2018.0458, KAW 2022.0358, KAW 2023.0366); Switzerland: Swiss National Science Foundation (SNSF—PCEFP2_194658); United Kingdom: Leverhulme Trust (Leverhulme Trust RPG-2020-004), Royal Society (NIF-R1-231091); USA: U.S. Department of Energy (ECA DE-AC02-76SF00515), Neubauer Family Foundation.

Data availability—The data that support the findings of this Letter are not publicly available. The data are available from the authors upon reasonable request.

[1] P. W. Higgs, Broken symmetries, massless particles and gauge fields, Phys. Lett. **12**, 132 (1964).
[2] P. W. Higgs, Broken symmetries and the masses of gauge bosons, Phys. Rev. Lett. **13**, 508 (1964).
[3] F. Englert and R. Brout, Broken symmetry and the mass of gauge vector mesons, Phys. Rev. Lett. **13**, 321 (1964).
[4] G. Guralnik, C. Hagen, and T. Kibble, Global conservation laws and massless particles, Phys. Rev. Lett. **13**, 585 (1964).
[5] T. Kibble, Symmetry breaking in non-Abelian gauge theories, Phys. Rev. **155**, 1554 (1967).
[6] ATLAS Collaboration, Observation of a new particle in the search for the standard model Higgs boson with the ATLAS detector at the LHC, Phys. Lett. B **716**, 1 (2012).
[7] CMS Collaboration, Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, Phys. Lett. B **716**, 30 (2012).
[8] ATLAS Collaboration, A detailed map of Higgs boson interactions by the ATLAS experiment ten years after the discovery, Nature (London) **607**, 52 (2022); **612**, E24(E) (2022).
[9] CMS Collaboration, A portrait of the Higgs boson by the CMS experiment ten years after the discovery, Nature (London) **607**, 60 (2022); **623**, E4(E) (2023).
[10] L. Evans and P. Bryant, LHC machine, J. Instrum. **3**, S08001 (2008).
[11] B. W. Lee, C. Quigg, and H. B. Thacker, Strength of weak interactions at very high energies and the Higgs boson mass, Phys. Rev. Lett. **38**, 883 (1977).
[12] B. W. Lee, C. Quigg, and H. B. Thacker, Weak interactions at very high energies: The role of the Higgs-boson mass, Phys. Rev. D **16**, 1519 (1977).
[13] A. Alboteanu, W. Kilian, and J. Reuter, Resonances and unitarity in weak boson scattering at the LHC, J. High Energy Phys. 11 (2008) 010.
[14] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC, Eur. Phys. J. C **83**, 982 (2023).
[15] G. Avoni *et al.*, The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS, J. Instrum. **13**, P07017 (2018).
[16] ATLAS Collaboration, The ATLAS experiment at the CERN large hadron collider, J. Instrum. **3**, S08003 (2008).
[17] CMS Collaboration, Observation of electroweak production of same-sign W boson pairs in the two jet and two same-sign lepton final state in proton–proton collisions at $\sqrt{s} = 13$ TeV, Phys. Rev. Lett. **120**, 081801 (2018).
[18] ATLAS Collaboration, Observation of electroweak production of a same-sign W boson pair in association with two jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Rev. Lett. **123**, 161801 (2019).
[19] CMS Collaboration, Measurements of production cross sections of WZ and same-sign WW boson pairs in association with two jets in proton–proton collisions at $\sqrt{s} = 13$ TeV, Phys. Lett. B **809**, 135710 (2020).
[20] ATLAS Collaboration, Measurement and interpretation of same-sign W boson pair production in association with two jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, J. High Energy Phys. 04 (2024) 026.
[21] CMS Collaboration, Measurements of production cross sections of polarized same-sign W boson pairs in association with two jets in proton–proton collisions at $\sqrt{s} = 13$ TeV, Phys. Lett. B **812**, 136018 (2021).
[22] K. Doroba *et al.*, The $W_L W_L$ scattering at the LHC: Improving the selection criteria, Phys. Rev. D **86**, 036011 (2012).

[23] A. Ballestrero, E. Maina, and G. Pelliccioli, Different polarization definitions in same-sign WW scattering at the LHC, Phys. Lett. B **811**, 135856 (2020).

[24] A. Denner, C. Haitz, and G. Pelliccioli, NLO EW and QCD corrections to polarised same-sign WW scattering at the LHC, J. High Energy Phys. 11 (2024) 115.

[25] ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the center of the detector and the z axis along the beam pipe. The x axis points from the IP to the centre of the LHC ring, and the y axis points upwards. Polar coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln\tan(\theta/2)$ and is equal to the rapidity $y = \frac{1}{2}\ln[(E + p_z)/(E - p_z)]$ in the relativistic limit. Transverse momentum (p_{T}) is defined relative to the beam axis and is calculated as $p_T = p\sin\theta$ where p is the momentum. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta y)^2 + (\Delta\phi)^2}$.

[26] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, Eur. Phys. J. C **77**, 317 (2017).

[27] ATLAS Collaboration, Software and computing for Run 3 of the ATLAS experiment at the LHC, Eur. Phys. J. C **85**, 234 (2025).

[28] ATLAS Collaboration, Performance of electron and photon triggers in ATLAS during LHC Run 2, Eur. Phys. J. C **80**, 47 (2020).

[29] ATLAS Collaboration, Trigger Menu in 2018, CERN Report No. ATL-DAQ-PUB-2019-001, 2019, https://cds.cern.ch/record/2693402.

[30] ATLAS Collaboration, Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data, J. Instrum. **14**, P12006 (2019).

[31] ATLAS Collaboration, Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton–proton collision data at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C **79**, 639 (2019).

[32] ATLAS Collaboration, Muon reconstruction and identification efficiency in ATLAS using the full Run 2pp collision data set at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C **81**, 578 (2021).

[33] M. Cacciari, G. P. Salam, and G. Soyez, The anti-k_t jet clustering algorithm, J. High Energy Phys. 04 (2008) 063.

[34] M. Cacciari, G. P. Salam, and G. Soyez, FastJet user manual, Eur. Phys. J. C **72**, 1896 (2012).

[35] ATLAS Collaboration, Jet reconstruction and performance using particle flow with the ATLAS Detector, Eur. Phys. J. C **77**, 466 (2017).

[36] ATLAS Collaboration, Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, Eur. Phys. J. C **76**, 581 (2016).

[37] ATLAS Collaboration, The performance of missing transverse momentum reconstruction and its significance with the ATLAS detector using 140 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions, Eur. Phys. J. C **85**, 606 (2025).

[38] ATLAS Collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C **70**, 823 (2010).

[39] S. Agostinelli *et al.*, GEANT4—A simulation toolkit, Nucl. Instrum. Methods Phys. Res., Sect. A **506**, 250 (2003).

[40] T. Sjöstrand, S. Mrenna, and P. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. **178**, 852 (2008).

[41] ATLAS Collaboration, The PYTHIA8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie–Landshoff diffractive model, CERN Report No. ATL-PHYS-PUB-2016-017, 2016, https://cds.cern.ch/record/2206965.

[42] E. Bothmann *et al.*, Event generation with SHERPA2.2, SciPost Phys. **7**, 034 (2019).

[43] T. Gleisberg and S. Höche, Comix, a new matrix element generator, J. High Energy Phys. 12 (2008) 039.

[44] F. Cascioli, P. Maierhöfer, and S. Pozzorini, Scattering amplitudes with open loops, Phys. Rev. Lett. **108**, 111601 (2012).

[45] S. Schumann and F. Krauss, A parton shower algorithm based on Catani–Seymour dipole factorisation, J. High Energy Phys. 03 (2008) 038.

[46] E. Bothmann *et al.*, Event generation with SHERPA3, J. High Energy Phys. 12 (2024) 156.

[47] M. Hoppe, M. Schönherr, and F. Siegert, Polarised cross sections for vector boson production with Sherpa, J. High Energy Phys. 04 (2024) 001.

[48] R. D. Ball *et al.* (NNPDF Collaboration), Parton distributions for the LHC run II, J. High Energy Phys. 04 (2015) 040.

[49] G. Pelliccioli and G. Zanderighi, Polarised-boson pairs at the LHC with NLOPS accuracy, Eur. Phys. J. C **84**, 16 (2024).

[50] A. Ballestrero *et al.*, Precise predictions for same-sign W-boson scattering at the LHC, Eur. Phys. J. C **78**, 671 (2018).

[51] A. Andreassen and B. Nachman, Neural networks for full phase-space reweighting and parameter tuning, Phys. Rev. D **101**, 091901(E) (2020).

[52] ATLAS Collaboration, Jet energy scale and resolution measured in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Eur. Phys. J. C **81**, 689 (2021).

[53] ATLAS Collaboration, ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C **79**, 970 (2019).

[54] J. Butterworth *et al.*, PDF4LHC recommendations for LHC run II, J. Phys. G **43**, 023001 (2016).

[55] T. Akiba, S. Sano, T. Yanase, T. Ohta, and M. Koyama, Optuna: A next-generation hyperparameter optimization framework, arXiv:1907.10902.

[56] S. M. Lundberg and S. Lee, A unified approach to interpreting model predictions, *Proceedings of the 31st International Conference on Neural Information Processing Systems* (2017), arXiv:1705.07874.

[57] W. A. Rolke, A. M. López, and J. Conrad, Limits and confidence intervals in the presence of nuisance parameters, Nucl. Instrum. Methods Phys. Res., Sect. A **551**, 493 (2005).

[58] T. Junk, Confidence level computation for combining searches with small statistics, Nucl. Instrum. Methods Phys. Res., Sect. A **434**, 435 (1999).

[59] A. L. Read, Presentation of search results: The CL_s technique, J. Phys. G **28**, 2693 (2002).

[60] G. Cowan, K. Cranmer, E. Gross, and O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C **71**, 1554 (2011); **73**, 2501(E) (2013).

[61] ATLAS Collaboration, ATLAS computing acknowledgements, CERN Report No. ATL-SOFT-PUB-2025-001, 2025, https://cds.cern.ch/record/2922210.

[62] D. Rainwater, R. Szalapski, and D. Zeppenfeld, Probing color-singlet exchange in $Z+2$-jet events at the CERN LHC, Phys. Rev. D **54**, 6680 (1996).

[63] A. J. Barr *et al.*, Guide to transverse projections and mass-constraining variables, Phys. Rev. D **84**, 095031 (2011).

End Matter

Appendix—The variables used in the training and optimization of the DNNs are summarized in Table II. The distributions of selected variables showing a significant separation between the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$, $W_{\mathrm{L}}^{\pm}W_{\mathrm{T}}^{\pm}jj$, and $W_{\mathrm{T}}^{\pm}W_{\mathrm{T}}^{\pm}jj$ processes are shown in Fig. 4. The expected signal and background yields in the SR for different regions of the inclusive DNN score are shown in Table III. A summary of the fractional uncertainties on $\sigma\mathcal{B}(W_{\mathrm{L}}^{\pm}W^{\pm}jj)$ measurement is shown in Table IV.

The results of the studies performed using the initial-state parton-parton reference frame to define the polarization vectors are reported. The measured $\sigma\mathcal{B}(W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj)$ and $\sigma\mathcal{B}(W_{\mathrm{T}}^{\pm}W^{\pm}jj)$, and $\sigma\mathcal{B}(W_{\mathrm{L}}^{\pm}W^{\pm}jj)$ and $\sigma\mathcal{B}(W_{\mathrm{T}}^{\pm}W_{\mathrm{T}}^{\pm}jj)$, and the corresponding theoretical predictions from

TABLE II. Variables used in the training and optimization of the DNNs. The variables are scaled with different scaling functions for the training and application.

Kinematics	Descriptions	Scaling
	Object-level variables	
$p_{\mathrm{T}}^{\ell_1}$	p_T of the leading lepton	$\log_{10}(x)$
η^{ℓ_1}	η of the leading lepton	x
ℓ_1 type	Flavor of the leading lepton	x
$p_{\mathrm{T}}^{\ell_2}$	p_{T} of the subleading lepton	$\log_{10}(x)$
η^{ℓ_2}	η of the subleading lepton	x
$\phi^{\ell_2}-\phi^{\ell_1}$	Difference in azimuthal angle between the leading and subleading leptons	x
ℓ_2 type	Flavor of the subleading lepton	x
$p_{\mathrm{T}}^{j_1}$	p_{T} of the leading jet	$\log_{10}(x)$
η^{j_1}	η of the leading jet	x
$\phi^{j_1}-\phi^{\ell_1}$	Difference in azimuthal angle between the leading jet and leading lepton	x
$p_{\mathrm{T}}^{j_2}$	p_{T} of the subleading jet	$\log_{10}(x)$
η^{j_2}	η of the subleading jet	x
$\phi^{j_2}-\phi^{\ell_1}$	Difference in azimuthal angle between the subleading jet and leading lepton	x
$E_{\mathrm{T}}^{\mathrm{miss}}$	Missing transverse momentum	$\log_{10}(x)$
$\phi(E_{\mathrm{T}}^{\mathrm{miss}})-\phi^{\ell_1}$	Difference in azimuthal angle between the missing transverse momentum and leading lepton	x
	Event-level variables	
$Z_{\ell_1}^{\star}$	Zeppenfeld variable of the leading lepton [62]	$\sqrt{x}$
$Z_{\ell_2}^{\star}$	Zeppenfeld variable of the subleading lepton [62]	$\sqrt{x}$
$m_{\mathrm{T}}^{\ell_1}$	Transverse mass of the leading lepton and $E_{\mathrm{T}}^{\mathrm{miss}}$	$\sqrt{x}$
$m_{\mathrm{T}}^{\ell_2}$	Transverse mass of the subleading lepton and $E_{\mathrm{T}}^{\mathrm{miss}}$	$\sqrt{x}$
$\Delta R_{\ell\ell}$	Distance ΔR between the leading and subleading leptons	x
$\Delta\eta_{\ell\ell}$	Difference in pseudorapidity between the leading and subleading leptons	$\sqrt{x}$
$m_{\ell\ell}$	Invariant mass of the two leptons	$\log_{10}(x)$
$p_{\mathrm{T}}^{\ell\ell}$	p_{T} of the dilepton system	$\sqrt{x}$
m_{T}	Transverse mass of the dilepton system and $E_{\mathrm{T}}^{\mathrm{miss}}$ [20]	$\sqrt{x}$
m_{T}^{o}	Projected transverse mass $\sqrt{(p_{\mathrm{T}}^{\ell_1}+p_{\mathrm{T}}^{\ell_2}+E_{\mathrm{T}}^{\mathrm{miss}})^2-(\vec{p}_{\mathrm{T}}^{\,\ell_1}+\vec{p}_{\mathrm{T}}^{\,\ell_2}+\vec{E}_{\mathrm{T}}^{\mathrm{miss}})^2}$ [63]	$\sqrt{x}$
ΔR_{jj}	Distance ΔR between the leading and subleading jets	x
Δy_{jj}	Rapidiy difference between the leading and subleading jets	x
m_{jj}	Invariant mass of the two jets	$\log_{10}(x)$
$\Delta\phi_{jj}$	Difference in azimuthal angle between the leading and subleading jets	x
$(p_{\mathrm{T}}^{\ell_1}\cdot p_{\mathrm{T}}^{\ell_2})/(p_{\mathrm{T}}^{j_1}\cdot p_{\mathrm{T}}^{j_2})$	p_{T} ratio of the leptons and jets [22]	$\log_{10}(x+0.02)$
$\min(\Delta R_{\ell,j})$	Minimal distance ΔR between the leptons and jets	x



FIG. 4. Distributions in the SR for the [(a) and (d)] m_{T}^{o}, [(b) and (e)] $m_{\ell\ell}$, and [(c) and (f)] $p_{\mathrm{T}}^{j_1}$. The ratios of the contributions of each process to the total contribution are shown in the bottom panels in (a)–(c). The predicted yields are shown with their best-fit normalization and shape in (d)–(f). The shaded area surrounding the expectation represents the total uncertainties in the predicted yields. The ratios of the observed yields to the total SM predictions are shown by the points in the bottom panels. The other prompt category combines ZZ, VVV, $t\bar{t}V$, and tZq background processes. The polarization vectors are defined in the $W^{\pm}W^{\pm}$ center-of-mass reference frame.

SHERPA3 are shown in Table V. The observed significance for the $W_{\mathrm{L}}^{\pm}W^{\pm}jj$ process is 2.5σ with an expected significance of 3.5σ. The observed (expected) 95% C.L. upper limit on $\sigma\mathcal{B}(W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj)$ is 0.60 (0.63) fb. The expected limit is evaluated using an Asimov data set assuming the SM contributions of the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$ and $W_{\mathrm{T}}^{\pm}W^{\pm}jj$ processes. An expected limit of 0.46 fb is obtained using an Asimov dataset assuming the null hypothesis of no contribution from the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$ process.

TABLE III. Post-fit expected signal and background yields and observed data events in the SR. The yields are shown for the fit for the $W_{\mathrm{L}}^{\pm}W^{\pm}jj$ measurement in regions of the inclusive DNN score. The total uncertainties in the predicted yields are shown. The conversions category combines $V\gamma$ and charge misidentifcation background processes. The other prompt category combines ZZ, VVV, $t\bar{t}V$, and tZq background processes. The polarization vectors are defined in the $W^{\pm}W^{\pm}$ center-of-mass reference frame.

Process	Region 0 to 0.3	Region 0.3 to 0.7	Region 0.7 to 1
$W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$	1.8 ± 0.7	5.6 ± 1.9	8.3 ± 2.8
$W_{\mathrm{L}}^{\pm}W_{\mathrm{T}}^{\pm}jj$	6.0 ± 2.5	17.8 ± 6.2	25.7 ± 8.5
$W_{\mathrm{T}}^{\pm}W_{\mathrm{T}}^{\pm}jj$	18.4 ± 4.4	64.0 ± 10.0	111.9 ± 14.7
QCD $W^{\pm}W^{\pm}jj$	14.4 ± 4.1	12.5 ± 3.5	2.6 ± 0.8
Int $W^{\pm}W^{\pm}jj$	2.3 ± 0.1	6.0 ± 0.2	4.8 ± 0.1
QCD $W^{\pm}Zjj$	33.3 ± 2.6	20.3 ± 1.6	4.5 ± 0.4
EW $W^{\pm}Zjj$	3.3 ± 0.1	6.2 ± 0.2	5.5 ± 0.2
Nonprompt	31.2 ± 4.3	20.2 ± 2.9	10.4 ± 3.1
Conversions	14.6 ± 3.7	6.2 ± 1.8	1.6 ± 0.5
Other prompt	3.7 ± 0.7	2.6 ± 0.6	0.8 ± 0.2
Total SM	129 ± 7	161 ± 10	176 ± 13
Data	142	158	175

TABLE IV. The fractional uncertainty of different components on the $\sigma\mathcal{B}(W_{\mathrm{L}}^{\pm}W^{\pm}jj)$ measurement. The contribution of a systematic uncertainty (uncertainty group) to the total uncertainty is evaluated by fixing the respective NP (NPs) to its (their) best-fit value(s), redoing the fit, and subtracting the uncertainties in the cross-section in quadrature. The procedure is implemented incrementally such that the sum in quadrature of the grouped systematic and statistical uncertainties corresponds to the total cross-section uncertainty by construction. Lepton calibration uncertainties encompass the effects of the calibration of lepton energy or momentum scale and resolution, as well as the lepton trigger, reconstruction, identification, and isolation efficiencies. The background modeling statistical category is related to the effect of a finite number of data events used for data-driven background estimates and of MC events. The polarization vectors are defined in the $W^{\pm}W^{\pm}$ center-of-mass reference frame.

Source of uncertainty	$\Delta\sigma/\sigma$ (%)
Experimental	
Lepton calibration	0.2
Jet energy and $E_{\mathrm{T}}^{\mathrm{miss}}$ scale and resolution	3.9
Pileup modeling	1.2
Background, charge misidentification and photon conversion	0.5
Background, nonprompt	4.2
Background modeling statistical	7.2
Luminosity	1.1
Modeling	
$W^{\pm}W^{\pm}jj$ EW + QCD uncertainties	4.7
Background, WZ scale, PDFs, and α_s	0.4
Background, WZ reweighting	0.3
Small background normalizations	1.1
Normalization factors	2.5
Experimental and modeling	11.1
Data statistical	32.2
Total	34.1

TABLE V. Measured and predicted fiducial cross sections for the $W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$ and the $W_{\mathrm{T}}^{\pm}W^{\pm}jj$, and the $W_{\mathrm{L}}^{\pm}W^{\pm}jj$ and the $W_{\mathrm{T}}^{\pm}W_{\mathrm{T}}^{\pm}jj$ processes. The polarization vectors are defined in the initial-state parton-parton reference frame. The total measurement uncertainty is shown along with the statistical, modeling systematic and experimental systematic uncertainties. The modeling uncertainties include the theory uncertainties affecting the signal and background processes as well as the effect of a finite number of MC events and of data events used for data-driven background estimates. The predicted cross sections from SHERPA3 include the NLO EW corrections and the corrections to take into account the off-shell production and missing contributions. The predicted cross section uncertainties include the PDF, α_S, and scale variations.

Description	Predicted $\sigma\mathcal{B}$ (fb)	Measured $\sigma\mathcal{B}$ (fb)	Uncertainty breakdown (fb)
$W_{\mathrm{L}}^{\pm}W_{\mathrm{L}}^{\pm}jj$	0.19 ± 0.05	$0.16 \pm 0.22(\mathrm{tot})$	$\pm 0.21(\mathrm{stat}) \pm 0.02(\mathrm{mod\ syst}) \pm 0.06(\mathrm{expt\ syst})$
$W_{\mathrm{T}}^{\pm}W^{\pm}jj$	2.67 ± 0.66	$3.40 \pm 0.35(\mathrm{tot})$	$\pm 0.31(\mathrm{stat}) \pm 0.08(\mathrm{mod\ syst}) \pm 0.16(\mathrm{expt\ syst})$
$W_{\mathrm{L}}^{\pm}W^{\pm}jj$	1.24 ± 0.31	$0.84 \pm 0.37(\mathrm{tot})$	$\pm 0.35(\mathrm{stat}) \pm 0.05(\mathrm{mod\ syst}) \pm 0.11(\mathrm{expt\ syst})$
$W_{\mathrm{T}}^{\pm}W_{\mathrm{T}}^{\pm}jj$	1.62 ± 0.39	$2.46 \pm 0.37(\mathrm{tot})$	$\pm 0.34(\mathrm{stat}) \pm 0.06(\mathrm{mod\ syst}) \pm 0.14(\mathrm{expt\ syst})$

G. Aad,[104] E. Aakvaag,[17] B. Abbott,[123] S. Abdelhameed,[119a] K. Abeling,[55] N. J. Abicht,[49] S. H. Abidi,[30] M. Aboelela,[45] A. Aboulhorma,[36e] H. Abramowicz,[157] Y. Abulaiti,[120] B. S. Acharya,[69a,69b,b] A. Ackermann,[63a] C. Adam Bourdarios,[4] L. Adamczyk,[86a] S. V. Addepalli,[149] M. J. Addison,[103] J. Adelman,[118] A. Adiguzel,[22c] T. Adye,[137] A. A. Affolder,[139] Y. Afik,[40] M. N. Agaras,[13] A. Aggarwal,[102] C. Agheorghiesei,[28c] F. Ahmadov,[39,c] S. Ahuja,[97] X. Ai,[143b] G. Aielli,[76a,76b] A. Aikot,[169] M. Ait Tamlihat,[36e] B. Aitbenchikh,[36a] M. Akbiyik,[102] T. P. A. Åkesson,[100] A. V. Akimov,[151] D. Akiyama,[174] N. N. Akolkar,[25] S. Aktas,[22a] G. L. Alberghi,[24b] J. Albert,[171] P. Albicocco,[53] G. L. Albouy,[60] S. Alderweireldt,[52] Z. L. Alegria,[124] M. Aleksa,[37] I. N. Aleksandrov,[39] C. Alexa,[28b] T. Alexopoulos,[10] F. Alfonsi,[24b] M. Algren,[56] M. Alhroob,[173] B. Ali,[135] H. M. J. Ali,[93,d] S. Ali,[32] S. W. Alibocus,[94] M. Aliev,[34c] G. Alimonti,[71a] W. Alkakhi,[55] C. Allaire,[66] B. M. M. Allbrooke,[152] J. S. Allen,[103] J. F. Allen,[52] P. P. Allport,[21] A. Aloisio,[72a,72b] F. Alonso,[92] C. Alpigiani,[142] Z. M. K. Alsolami,[93] A. Alvarez Fernandez,[102] M. Alves Cardoso,[56] M. G. Alviggi,[72a,72b] M. Aly,[103] Y. Amaral Coutinho,[83b] A. Ambler,[106] C. Amelung,[37] M. Amerl,[103] C. G. Ames,[111] T. Amezza,[130] D. Amidei,[108] B. Amini,[54] K. Amirie,[161] A. Amirkhanov,[39] S. P. Amor Dos Santos,[133a] K. R. Amos,[169] D. Amperiadou,[158] S. An,[84] C. Anastopoulos,[145] T. Andeen,[11] J. K. Anders,[94] A. C. Anderson,[59] A. Andreazza,[71a,71b] S. Angelidakis,[9] A. Angerami,[42] A. V. Anisenkov,[39] A. Annovi,[74a] C. Antel,[56] E. Antipov,[151] M. Antonelli,[53] F. Anulli,[75a] M. Aoki,[84] T. Aoki,[159] M. A. Aparo,[152] L. Aperio Bella,[48] M. Apicella,[31] C. Appelt,[157] A. Apyan,[27] S. J. Arbiol Val,[87] C. Arcangeletti,[53] A. T. H. Arce,[51] J-F. Arguin,[110] S. Argyropoulos,[158] J.-H. Arling,[48] O. Arnaez,[4] H. Arnold,[151] G. Artoni,[75a,75b] H. Asada,[113] K. Asai,[121] S. Asai,[159] S. Asatryan,[179] N. A. Asbah,[37] R. A. Ashby Pickering,[173] A. M. Aslam,[97] K. Assamagan,[30] R. Astalos,[29a] K. S. V. Astrand,[100] S. Atashi,[165] R. J. Atkin,[34a] H. Atmani,[36f] P. A. Atmasiddha,[131] K. Augsten,[135] A. D. Auriol,[41] V. A. Austrup,[103] G. Avolio,[37] K. Axiotis,[56] G. Azuelos,[110,e] D. Babal,[29b] H. Bachacou,[138] K. Bachas,[158,f] A. Bachiu,[35] E. Bachmann,[50] M. J. Backes,[63a] A. Badea,[40] T. M. Baer,[108] P. Bagnaia,[75a,75b] M. Bahmani,[19] D. Bahner,[54] K. Bai,[126] J. T. Baines,[137] L. Baines,[96] O. K. Baker,[178] E. Bakos,[16] D. Bakshi Gupta,[8] L. E. Balabram Filho,[83b] V. Balakrishnan,[123] R. Balasubramanian,[4] E. M. Baldin,[38] P. Balek,[86a] E. Ballabene,[24b,24a] F. Balli,[138] L. M. Baltes,[63a] W. K. Balunas,[33] J. Balz,[102] I. Bamwidhi,[119b] E. Banas,[87] M. Bandieramonte,[132] A. Bandyopadhyay,[25] S. Bansal,[25] L. Barak,[157] M. Barakat,[48] E. L. Barberio,[107] D. Barberis,[18b] M. Barbero,[104] M. Z. Barel,[117] T. Barillari,[112] M-S. Barisits,[37] T. Barklow,[149] P. Baron,[136] D. A. Baron Moreno,[103] A. Baroncelli,[62] A. J. Barr,[129] J. D. Barr,[98] F. Barreiro,[101] J. Barreiro Guimarães da Costa,[14] M. G. Barros Teixeira,[133a] S. Barsov,[38] F. Bartels,[63a] R. Bartoldus,[149] A. E. Barton,[93] P. Bartos,[29a] A. Basan,[102] M. Baselga,[49] S. Bashiri,[87] A. Bassalat,[66,g] M. J. Basso,[162a] S. Bataju,[45] R. Bate,[170] R. L. Bates,[59] S. Batlamous,[101] M. Battaglia,[139] D. Battulga,[19] M. Bauce,[75a,75b] M. Bauer,[79] P. Bauer,[25] L. T. Bayer,[48] L. T. Bazzano Hurrell,[31] J. B. Beacham,[112] T. Beau,[130] J. Y. Beaucamp,[92] P. H. Beauchemin,[164] P. Bechtle,[25] H. P. Beck,[20,h] K. Becker,[173]

A. J. Beddall,[82] V. A. Bednyakov,[39] C. P. Bee,[151] L. J. Beemster,[16] M. Begalli,[83d] M. Begel,[30] J. K. Behr,[48] J. F. Beirer,[37] F. Beisiegel,[25] M. Belfkir,[119b] G. Bella,[157] L. Bellagamba,[24b] A. Bellerive,[35] C. D. Bellgraph,[68] P. Bellos,[21] K. Beloborodov,[38] D. Benchekroun,[36a] F. Bendebba,[36a] Y. Benhammou,[157] K. C. Benkendorfer,[61] L. Beresford,[48] M. Beretta,[53] E. Bergeaas Kuutmann,[167] N. Berger,[4] B. Bergmann,[135] J. Beringer,[18a] G. Bernardi,[5] C. Bernius,[149] F. U. Bernlochner,[25] F. Bernon,[37] A. Berrocal Guardia,[13] T. Berry,[97] P. Berta,[136] A. Berthold,[50] A. Berti,[133a] R. Bertrand,[104] S. Bethke,[112] A. Betti,[75a,75b] A. J. Bevan,[96] L. Bezio,[56] N. K. Bhalla,[54] S. Bharthuar,[112] S. Bhatta,[151] P. Bhattarai,[149] Z. M. Bhatti,[120] K. D. Bhide,[54] V. S. Bhopatkar,[124] R. M. Bianchi,[132] G. Bianco,[24b,24a] O. Biebel,[111] M. Biglietti,[77a] C. S. Billingsley,[45] Y. Bimgdi,[36f] M. Bindi,[55] A. Bingham,[177] A. Bingul,[22b] C. Bini,[75a,75b] G. A. Bird,[33] M. Birman,[175] M. Biros,[136] S. Biryukov,[152] T. Bisanz,[49] E. Bisceglie,[24b,24a] J. P. Biswal,[137] D. Biswas,[147] I. Bloch,[48] A. Blue,[59] U. Blumenschein,[96] J. Blumenthal,[102] V. S. Bobrovnikov,[39] L. Boccardo,[57b,57a] M. Boehler,[54] B. Boehm,[172] D. Bogavac,[13] A. G. Bogdanchikov,[38] L. S. Boggia,[130] V. Boisvert,[97] P. Bokan,[37] T. Bold,[86a] M. Bomben,[5] M. Bona,[96] M. Boonekamp,[138] A. G. Borbély,[59] I. S. Bordulev,[38] G. Borissov,[93] D. Bortoletto,[129] D. Boscherini,[24b] M. Bosman,[13] K. Bouaouda,[36a] N. Bouchhar,[169] L. Boudet,[4] J. Boudreau,[132] E. V. Bouhova-Thacker,[93] D. Boumediene,[41] R. Bouquet,[57b,57a] A. Boveia,[122] J. Boyd,[37] D. Boye,[30] I. R. Boyko,[39] L. Bozianu,[56] J. Bracinik,[21] N. Brahimi,[4] G. Brandt,[177] O. Brandt,[33] B. Brau,[105] J. E. Brau,[126] R. Brener,[175] L. Brenner,[117] R. Brenner,[167] S. Bressler,[175] G. Brianti,[78a,78b] D. Britton,[59] D. Britzger,[112] I. Brock,[25] R. Brock,[109] G. Brooijmans,[42] A. J. Brooks,[68] E. M. Brooks,[162b] E. Brost,[30] L. M. Brown,[171,162a] L. E. Bruce,[61] T. L. Bruckler,[129] P. A. Bruckman de Renstrom,[87] B. Brüers,[48] A. Bruni,[24b] G. Bruni,[24b] D. Brunner,[47a,47b] M. Bruschi,[24b] N. Bruscino,[75a,75b] T. Buanes,[17] Q. Buat,[142] D. Buchin,[112] A. G. Buckley,[59] O. Bulekov,[82] B. A. Bullard,[149] S. Burdin,[94] C. D. Burgard,[49] A. M. Burger,[91] B. Burghgrave,[8] O. Burlayenko,[54] J. Burleson,[168] J. C. Burzynski,[148] E. L. Busch,[42] V. Büscher,[102] P. J. Bussey,[59] J. M. Butler,[26] C. M. Buttar,[59] J. M. Butterworth,[98] W. Buttinger,[137] C. J. Buxo Vazquez,[109] A. R. Buzykaev,[39] S. Cabrera Urbán,[169] L. Cadamuro,[66] D. Caforio,[58] H. Cai,[132] Y. Cai,[24b,114c,24a] Y. Cai,[114a] V. M. M. Cairo,[37] O. Cakir,[3a] N. Calace,[37] P. Calafiura,[18a] G. Calderini,[130] P. Calfayan,[35] G. Callea,[59] L. P. Caloba,[83b] D. Calvet,[41] S. Calvet,[41] R. Camacho Toro,[130] S. Camarda,[37] D. Camarero Munoz,[27] P. Camarri,[76a,76b] C. Camincher,[171] M. Campanelli,[98] A. Camplani,[43] V. Canale,[72a,72b] A. C. Canbay,[3a] E. Canonero,[97] J. Cantero,[169] Y. Cao,[168] F. Capocasa,[27] M. Capua,[44b,44a] A. Carbone,[71a,71b] R. Cardarelli,[76a] J. C. J. Cardenas,[8] M. P. Cardiff,[27] G. Carducci,[44b,44a] T. Carli,[37] G. Carlino,[72a] J. I. Carlotto,[13] B. T. Carlson,[132,i] E. M. Carlson,[171] J. Carmignani,[94] L. Carminati,[71a,71b] A. Carnelli,[4] M. Carnesale,[37] S. Caron,[116] E. Carquin,[140f] I. B. Carr,[107] S. Carrá,[73a,73b] G. Carratta,[24b,24a] A. M. Carroll,[126] M. P. Casado,[13,j] P. Casolaro,[72a,72b] M. Caspar,[48] F. L. Castillo,[4] L. Castillo Garcia,[13] V. Castillo Gimenez,[169] N. F. Castro,[133a,133e] A. Catinaccio,[37] J. R. Catmore,[128] T. Cavaliere,[4] V. Cavaliere,[30] L. J. Caviedes Betancourt,[23b] E. Celebi,[82] S. Cella,[37] V. Cepaitis,[56] K. Cerny,[125] A. S. Cerqueira,[83a] A. Cerri,[74a,74b,k] L. Cerrito,[76a,76b] F. Cerutti,[18a] B. Cervato,[71a,71b] A. Cervelli,[24b] G. Cesarini,[53] S. A. Cetin,[82] P. M. Chabrillat,[130] R. Chakkappai,[66] S. Chakraborty,[173] J. Chan,[18a] W. Y. Chan,[159] J. D. Chapman,[33] E. Chapon,[138] B. Chargeishvili,[155b] D. G. Charlton,[21] C. Chauhan,[136] Y. Che,[114a] S. Chekanov,[6] S. V. Chekulaev,[162a] G. A. Chelkov,[39,l] B. Chen,[157] B. Chen,[171] H. Chen,[114a] H. Chen,[30] J. Chen,[144a] J. Chen,[148] M. Chen,[129] S. Chen,[89] S. J. Chen,[114a] X. Chen,[144a] X. Chen,[15,m] Z. Chen,[62] C. L. Cheng,[176] H. C. Cheng,[64a] S. Cheong,[149] A. Cheplakov,[39] E. Cherepanova,[117] R. Cherkaoui El Moursli,[36e] E. Cheu,[7] K. Cheung,[65] L. Chevalier,[138] V. Chiarella,[53] G. Chiarelli,[74a] G. Chiodini,[70a] A. S. Chisholm,[21] A. Chitan,[28b] M. Chitishvili,[169] M. V. Chizhov,[39,n] K. Choi,[11] Y. Chou,[142] E. Y. S. Chow,[116] K. L. Chu,[175] M. C. Chu,[64a] X. Chu,[14,114c] Z. Chubinidze,[53] J. Chudoba,[134] J. J. Chwastowski,[87] D. Cieri,[112] K. M. Ciesla,[86a] V. Cindro,[95] A. Ciocio,[18a] F. Cirotto,[72a,72b] Z. H. Citron,[175] M. Citterio,[71a] D. A. Ciubotaru,[28b] A. Clark,[56] P. J. Clark,[52] N. Clarke Hall,[98] C. Clarry,[161] S. E. Clawson,[48] C. Clement,[47a,47b] Y. Coadou,[104] M. Cobal,[69a,69c] A. Coccaro,[57b] R. F. Coelho Barrue,[133a] R. Coelho Lopes De Sa,[105] S. Coelli,[71a] L. S. Colangeli,[161] B. Cole,[42] P. Collado Soto,[101] J. Collot,[60] R. Coluccia,[70a,70b] P. Conde Muiño,[133a,133g] M. P. Connell,[34c] S. H. Connell,[34c] E. I. Conroy,[129] M. Contreras Cossio,[11] F. Conventi,[72a,o] H. G. Cooke,[21] A. M. Cooper-Sarkar,[129] L. Corazzina,[75a,75b] F. A. Corchia,[24b,24a] A. Cordeiro Oudot Choi,[142] L. D. Corpe,[41] M. Corradi,[75a,75b] F. Corriveau,[106,p] A. Cortes-Gonzalez,[159] M. J. Costa,[169] F. Costanza,[4] D. Costanzo,[145] B. M. Cote,[122]

J. Couthures,[4] G. Cowan,[97] K. Cranmer,[176] L. Cremer,[49] D. Cremonini,[24b,24a] S. Crépé-Renaudin,[60] F. Crescioli,[130] T. Cresta,[73a,73b] M. Cristinziani,[147] M. Cristoforetti,[78a,78b] V. Croft,[117] J. E. Crosby,[124] G. Crosetti,[44b,44a] A. Cueto,[101] H. Cui,[98] Z. Cui,[7] W. R. Cunningham,[59] F. Curcio,[169] J. R. Curran,[52] M. J. Da Cunha Sargedas De Sousa,[57b,57a] J. V. Da Fonseca Pinto,[83b] C. Da Via,[103] W. Dabrowski,[86a] T. Dado,[37] S. Dahbi,[154] T. Dai,[108] D. Dal Santo,[20] C. Dallapiccola,[105] M. Dam,[43] G. D'amen,[30] V. D'Amico,[111] J. Damp,[102] J. R. Dandoy,[35] D. Dannheim,[37] G. D'anniballe,[74a,74b] M. Danninger,[148] V. Dao,[151] G. Darbo,[57b] S. J. Das,[30] F. Dattola,[48] S. D'Auria,[71a,71b] A. D'Avanzo,[72a,72b] T. Davidek,[136] J. Davidson,[173] I. Dawson,[96] K. De,[8] C. De Almeida Rossi,[161] R. De Asmundis,[72a] N. De Biase,[48] S. De Castro,[24b,24a] N. De Groot,[116] P. de Jong,[117] H. De la Torre,[118] A. De Maria,[114a] A. De Salvo,[75a] U. De Sanctis,[76a,76b] F. De Santis,[70a,70b] A. De Santo,[152] J. B. De Vivie De Regie,[60] J. Debevc,[95] D. V. Dedovich,[39] J. Degens,[94] A. M. Deiana,[45] J. Del Peso,[101] L. Delagrange,[130] F. Deliot,[138] C. M. Delitzsch,[49] M. Della Pietra,[72a,72b] D. Della Volpe,[56] A. Dell'Acqua,[37] L. Dell'Asta,[71a,71b] M. Delmastro,[4] C. C. Delogu,[102] P. A. Delsart,[60] S. Demers,[178] M. Demichev,[39] S. P. Denisov,[38] H. Denizli,[22a,q] L. D'Eramo,[41] D. Derendarz,[87] F. Derue,[130] P. Dervan,[94] A. M. Desai,[1] K. Desch,[25] F. A. Di Bello,[57b,57a] A. Di Ciaccio,[76a,76b] L. Di Ciaccio,[4] A. Di Domenico,[75a,75b] C. Di Donato,[72a,72b] A. Di Girolamo,[37] G. Di Gregorio,[37] A. Di Luca,[78a,78b] B. Di Micco,[77a,77b] R. Di Nardo,[77a,77b] K. F. Di Petrillo,[40] M. Diamantopoulou,[35] F. A. Dias,[117] M. A. Diaz,[140a,140b] A. R. Didenko,[39] M. Didenko,[169] S. D. Diefenbacher,[18a] E. B. Diehl,[108] S. Díez Cornell,[48] C. Diez Pardos,[147] C. Dimitriadi,[150] A. Dimitrievska,[21] A. Dimri,[151] J. Dingfelder,[25] T. Dingley,[129] I-M. Dinu,[28b] S. J. Dittmeier,[63b] F. Dittus,[37] M. Divisek,[136] B. Dixit,[94] F. Djama,[104] T. Djobava,[155b] C. Doglioni,[103,100] A. Dohnalova,[29a] Z. Dolezal,[136] K. Domijan,[86a] K. M. Dona,[40] M. Donadelli,[83d] B. Dong,[109] J. Donini,[41] A. D'Onofrio,[72a,72b] M. D'Onofrio,[94] J. Dopke,[137] A. Doria,[72a] N. Dos Santos Fernandes,[133a] P. Dougan,[103] M. T. Dova,[92] A. T. Doyle,[59] M. A. Draguet,[129] M. P. Drescher,[55] E. Dreyer,[175] I. Drivas-koulouris,[10] M. Drnevich,[120] M. Drozdova,[56] D. Du,[62] T. A. du Pree,[117] Z. Duan,[114a] M. Dubau,[4] F. Dubinin,[39] M. Dubovsky,[29a] E. Duchovni,[175] G. Duckeck,[111] P. K. Duckett,[98] O. A. Ducu,[28b] D. Duda,[52] A. Dudarev,[37] E. R. Duden,[27] M. D'uffizi,[103] L. Duflot,[66] M. Dührssen,[37] I. Duminica,[28g] A. E. Dumitriu,[28b] M. Dunford,[63a] S. Dungs,[49] K. Dunne,[47a,47b] A. Duperrin,[104] H. Duran Yildiz,[3a] M. Düren,[58] A. Durglishvili,[155b] D. Duvnjak,[35] G. I. Dyckes,[18a] M. Dyndal,[86a] B. S. Dziedzic,[37] Z. O. Earnshaw,[152] G. H. Eberwein,[129] B. Eckerova,[29a] S. Eggebrecht,[55] E. Egidio Purcino De Souza,[83e] G. Eigen,[17] K. Einsweiler,[18a] T. Ekelof,[167] P. A. Ekman,[100] S. El Farkh,[36b] Y. El Ghazali,[62] H. El Jarrari,[37] A. El Moussaouy,[36a] V. Ellajosyula,[167] M. Ellert,[167] F. Ellinghaus,[177] N. Ellis,[37] J. Elmsheuser,[30] M. Elsawy,[119a] M. Elsing,[37] D. Emeliyanov,[137] Y. Enari,[84] I. Ene,[18a] S. Epari,[110] D. Ernani Martins Neto,[87] F. Ernst,[37] M. Errenst,[177] M. Escalier,[66] C. Escobar,[169] E. Etzion,[157] G. Evans,[133a,133b] H. Evans,[68] L. S. Evans,[97] A. Ezhilov,[38] S. Ezzarqtouni,[36a] F. Fabbri,[24b,24a] L. Fabbri,[24b,24a] G. Facini,[98] V. Fadeyev,[139] R. M. Fakhrutdinov,[38] D. Fakoudis,[102] S. Falciano,[75a] L. F. Falda Ulhoa Coelho,[133a] F. Fallavollita,[112] G. Falsetti,[44b,44a] J. Faltova,[136] C. Fan,[168] K. Y. Fan,[64b] Y. Fan,[14] Y. Fang,[14,114c] M. Fanti,[71a,71b] M. Faraj,[69a,69b] Z. Farazpay,[99] A. Farbin,[8] A. Farilla,[77a] T. Farooque,[109] J. N. Farr,[178] S. M. Farrington,[137,52] F. Fassi,[36e] D. Fassouliotis,[9] L. Fayard,[66] P. Federic,[136] P. Federicova,[134] O. L. Fedin,[38,l] M. Feickert,[176] L. Feligioni,[104] D. E. Fellers,[18a] C. Feng,[143a] Z. Feng,[117] M. J. Fenton,[165] L. Ferencz,[48] B. Fernandez Barbadillo,[93] P. Fernandez Martinez,[67] M. J. V. Fernoux,[104] J. Ferrando,[93] A. Ferrari,[167] P. Ferrari,[117,116] R. Ferrari,[73a] D. Ferrere,[56] C. Ferretti,[108] M. P. Fewell,[1] D. Fiacco,[75a,75b] F. Fiedler,[102] P. Fiedler,[135] S. Filimonov,[39] M. S. Filip,[28b,r] A. Filipčič,[95] E. K. Filmer,[162a] F. Filthaut,[116] M. C. N. Fiolhais,[133a,133c,s] L. Fiorini,[169] W. C. Fisher,[109] T. Fitschen,[103] P. M. Fitzhugh,[138] I. Fleck,[147] P. Fleischmann,[108] T. Flick,[177] M. Flores,[34d,t] L. R. Flores Castillo,[64a] L. Flores Sanz De Acedo,[37] F. M. Follega,[78a,78b] N. Fomin,[33] J. H. Foo,[161] A. Formica,[138] A. C. Forti,[103] E. Fortin,[37] A. W. Fortman,[18a] L. Foster,[18a] L. Fountas,[9,u] D. Fournier,[66] H. Fox,[93] P. Francavilla,[74a,74b] S. Francescato,[61] S. Franchellucci,[56] M. Franchini,[24b,24a] S. Franchino,[63a] D. Francis,[37] L. Franco,[116] V. Franco Lima,[37] L. Franconi,[48] M. Franklin,[61] G. Frattari,[27] Y. Y. Frid,[157] J. Friend,[59] N. Fritzsche,[37] A. Froch,[56] D. Froidevaux,[37] J. A. Frost,[129] Y. Fu,[109] S. Fuenzalida Garrido,[140f] M. Fujimoto,[104] K. Y. Fung,[64a] E. Furtado De Simas Filho,[83e] M. Furukawa,[159] J. Fuster,[169] A. Gaa,[55] A. Gabrielli,[24b,24a] A. Gabrielli,[161] P. Gadow,[37] G. Gagliardi,[57b,57a] L. G. Gagnon,[18a] S. Gaid,[88b] S. Galantzan,[157] J. Gallagher,[1] E. J. Gallas,[129] A. L. Gallen,[167] B. J. Gallop,[137] K. K. Gan,[122] S. Ganguly,[159] Y. Gao,[52] A. Garabaglu,[142]

F. M. Garay Walls,[140a,140b] C. García,[169] A. Garcia Alonso,[117] A. G. Garcia Caffaro,[178] J. E. García Navarro,[169] M. Garcia-Sciveres,[18a] G. L. Gardner,[131] R. W. Gardner,[40] N. Garelli,[164] R. B. Garg,[149] J. M. Gargan,[52] C. A. Garner,[161] C. M. Garvey,[34a] V. K. Gassmann,[164] G. Gaudio,[73a] V. Gautam,[13] P. Gauzzi,[75a,75b] J. Gavranovic,[95] I. L. Gavrilenko,[133a] A. Gavrilyuk,[38] C. Gay,[170] G. Gaycken,[126] E. N. Gazis,[10] A. Gekow,[122] C. Gemme,[57b] M. H. Genest,[60] A. D. Gentry,[115] S. George,[97] T. Geralis,[46] A. A. Gerwin,[123] P. Gessinger-Befurt,[37] M. E. Geyik,[177] M. Ghani,[173] K. Ghorbanian,[96] A. Ghosal,[147] A. Ghosh,[165] A. Ghosh,[7] B. Giacobbe,[24b] S. Giagu,[75a,75b] T. Giani,[117] A. Giannini,[62] S. M. Gibson,[97] M. Gignac,[139] D. T. Gil,[86b] A. K. Gilbert,[86a] B. J. Gilbert,[42] D. Gillberg,[35] G. Gilles,[117] D. M. Gingrich,[2,e] M. P. Giordani,[69a,69c] P. F. Giraud,[138] G. Giugliarelli,[69a,69c] D. Giugni,[71a] F. Giuli,[76a,76b] I. Gkialas,[9,u] L. K. Gladilin,[38] C. Glasman,[101] M. Glazewska,[20] R. M. Gleason,[165] G. Glemža,[48] M. Glisic,[126] I. Gnesi,[44b] Y. Go,[30] M. Goblirsch-Kolb,[37] B. Gocke,[49] D. Godin,[110] B. Gokturk,[22a] S. Goldfarb,[107] T. Golling,[56] M. G. D. Gololo,[34c] D. Golubkov,[38] J. P. Gombas,[109] A. Gomes,[133a,133b] G. Gomes Da Silva,[147] A. J. Gomez Delegido,[169] R. Gonçalo,[133a] L. Gonella,[21] A. Gongadze,[155c] F. Gonnella,[21] J. L. Gonski,[149] R. Y. González Andana,[52] S. González de la Hoz,[169] M. V. Gonzalez Rodrigues,[48] R. Gonzalez Suarez,[167] S. Gonzalez-Sevilla,[56] L. Goossens,[37] B. Gorini,[37] E. Gorini,[70a,70b] A. Gorišek,[95] T. C. Gosart,[131] A. T. Goshaw,[51] M. I. Gostkin,[39] S. Goswami,[124] C. A. Gottardo,[37] S. A. Gotz,[111] M. Gouighri,[36b] A. G. Goussiou,[142] N. Govender,[34c] R. P. Grabarczyk,[129] I. Grabowska-Bold,[86a] K. Graham,[35] E. Gramstad,[128] S. Grancagnolo,[70a,70b] C. M. Grant,[1] P. M. Gravila,[28f] F. G. Gravili,[70a,70b] H. M. Gray,[18a] M. Greco,[112] M. J. Green,[1] C. Grefe,[25] A. S. Grefsrud,[17] I. M. Gregor,[48] K. T. Greif,[165] P. Grenier,[149] S. G. Grewe,[112] A. A. Grillo,[139] K. Grimm,[32] S. Grinstein,[13,v] J.-F. Grivaz,[66] E. Gross,[175] J. Grosse-Knetter,[55] L. Guan,[108] G. Guerrieri,[37] R. Guevara,[128] R. Gugel,[102] J. A. M. Guhit,[108] A. Guida,[19] E. Guilloton,[173] S. Guindon,[37] F. Guo,[14,114c] J. Guo,[144a] L. Guo,[48] L. Guo,[114b,w] Y. Guo,[108] A. Gupta,[49] R. Gupta,[132] S. Gupta,[27] S. Gurbuz,[25] S. S. Gurdasani,[48] G. Gustavino,[75a,75b] P. Gutierrez,[123] L. F. Gutierrez Zagazeta,[131] M. Gutsche,[50] C. Gutschow,[98] C. Gwenlan,[129] C. B. Gwilliam,[94] E. S. Haaland,[128] A. Haas,[120] M. Habedank,[59] C. Haber,[18a] H. K. Hadavand,[8] A. Haddad,[41] A. Hadef,[50] A. I. Hagan,[93] J. J. Hahn,[147] E. H. Haines,[98] M. Haleem,[172] J. Haley,[124] G. D. Hallewell,[104] L. Halser,[20] K. Hamano,[171] M. Hamer,[25] S. E. D. Hammoud,[66] E. J. Hampshire,[97] J. Han,[143a] L. Han,[114a] L. Han,[62] S. Han,[18a] K. Hanagaki,[84] M. Hance,[139] D. A. Hangal,[42] H. Hanif,[148] M. D. Hank,[131] J. B. Hansen,[43] P. H. Hansen,[43] D. Harada,[56] T. Harenberg,[177] S. Harkusha,[179] M. L. Harris,[105] Y. T. Harris,[25] J. Harrison,[13] N. M. Harrison,[122] P. F. Harrison,[173] M. L. E. Hart,[98] N. M. Hartman,[112] N. M. Hartmann,[111] R. Z. Hasan,[97,137] Y. Hasegawa,[146] F. Haslbeck,[129] S. Hassan,[17] R. Hauser,[109] M. Haviernik,[136] C. M. Hawkes,[21] R. J. Hawkings,[37] Y. Hayashi,[159] D. Hayden,[109] C. Hayes,[108] R. L. Hayes,[117] C. P. Hays,[129] J. M. Hays,[96] H. S. Hayward,[94] M. He,[14,114c] Y. He,[48] Y. He,[98] N. B. Heatley,[96] V. Hedberg,[100] C. Heidegger,[54] K. K. Heidegger,[54] J. Heilman,[35] S. Heim,[48] T. Heim,[18a] J. G. Heinlein,[131] J. J. Heinrich,[126] L. Heinrich,[112] J. Hejbal,[134] M. Helbig,[50] A. Held,[176] S. Hellesund,[17] C. M. Helling,[170] S. Hellman,[47a,47b] A. M. Henriques Correia,[37] H. Herde,[100] Y. Hernández Jiménez,[151] L. M. Herrmann,[25] T. Herrmann,[50] G. Herten,[54] R. Hertenberger,[111] L. Hervas,[37] M. E. Hesping,[102] N. P. Hessey,[162a] J. Hessler,[112] M. Hidaoui,[36b] N. Hidic,[136] E. Hill,[161] T. S. Hillersoy,[17] S. J. Hillier,[21] J. R. Hinds,[109] F. Hinterkeuser,[25] M. Hirose,[127] S. Hirose,[163] D. Hirschbuehl,[177] T. G. Hitchings,[103] B. Hiti,[95] J. Hobbs,[151] R. Hobincu,[28e] N. Hod,[175] A. M. Hodges,[168] M. C. Hodgkinson,[145] B. H. Hodkinson,[129] A. Hoecker,[37] D. D. Hofer,[108] J. Hofer,[169] M. Holzbock,[37] L. B. A. H. Hommels,[33] V. Homsak,[129] B. P. Honan,[103] J. J. Hong,[68] T. M. Hong,[132] B. H. Hooberman,[168] W. H. Hopkins,[6] M. C. Hoppesch,[168] Y. Horii,[113] M. E. Horstmann,[112] S. Hou,[154] M. R. Housenga,[168] A. S. Howard,[95] J. Howarth,[59] J. Hoya,[6] M. Hrabovsky,[125] T. Hryn'ova,[4] P. J. Hsu,[65] S.-C. Hsu,[142] T. Hsu,[66] M. Hu,[18a] Q. Hu,[62] S. Huang,[33] X. Huang,[14,114c] Y. Huang,[136] Y. Huang,[114b] Y. Huang,[102] Y. Huang,[14] Z. Huang,[66] Z. Hubacek,[135] M. Huebner,[25] F. Huegging,[25] T. B. Huffman,[129] M. Hufnagel Maranha De Faria,[83a] C. A. Hugli,[48] M. Huhtinen,[37] S. K. Huiberts,[17] R. Hulsken,[106] C. E. Hultquist,[18a] N. Huseynov,[12,x] J. Huston,[109] J. Huth,[61] R. Hyneman,[7] G. Iacobucci,[56] G. Iakovidis,[30] L. Iconomidou-Fayard,[66] J. P. Iddon,[37] P. Iengo,[72a,72b] R. Iguchi,[159] Y. Iiyama,[159] T. Iizawa,[159] Y. Ikegami,[84] D. Iliadis,[158] N. Ilic,[161] H. Imam,[36a] G. Inacio Goncalves,[83d] S. A. Infante Cabanas,[140c] T. Ingebretsen Carlson,[47a,47b] J. M. Inglis,[96] G. Introzzi,[73a,73b] M. Iodice,[77a] V. Ippolito,[75a,75b] R. K. Irwin,[94] M. Ishino,[159] W. Islam,[176] C. Issever,[19] S. Istin,[22a,y]

K. Itabashi,[84] H. Ito,[174] R. Iuppa,[78a,78b] A. Ivina,[175] V. Izzo,[72a] P. Jacka,[134] P. Jackson,[1] P. Jain,[48] K. Jakobs,[54] T. Jakoubek,[175] J. Jamieson,[59] W. Jang,[159] S. Jankovych,[136] M. Javurkova,[105] P. Jawahar,[103] L. Jeanty,[126] J. Jejelava,[155a,z] P. Jenni,[54,aa] C. E. Jessiman,[35] C. Jia,[143a] H. Jia,[170] J. Jia,[151] X. Jia,[14,114c] Z. Jia,[114a] C. Jiang,[52] Q. Jiang,[64b] S. Jiggins,[48] M. Jimenez Ortega,[169] J. Jimenez Pena,[13] S. Jin,[114a] A. Jinaru,[28b] O. Jinnouchi,[141] P. Johansson,[145] K. A. Johns,[7] J. W. Johnson,[139] F. A. Jolly,[48] D. M. Jones,[152] E. Jones,[48] K. S. Jones,[8] P. Jones,[33] R. W. L. Jones,[93] T. J. Jones,[94] H. L. Joos,[55,37] R. Joshi,[122] J. Jovicevic,[16] X. Ju,[18a] J. J. Junggeburth,[37] T. Junkermann,[63a] A. Juste Rozas,[13,v] M. K. Juzek,[87] S. Kabana,[140e] A. Kaczmarska,[87] M. Kado,[112] H. Kagan,[122] M. Kagan,[149] A. Kahn,[131] C. Kahra,[102] T. Kaji,[159] E. Kajomovitz,[156] N. Kakati,[175] N. Kakoty,[13] I. Kalaitzidou,[54] S. Kandel,[8] N. J. Kang,[139] D. Kar,[34g] K. Karava,[129] E. Karentzos,[25] O. Karkout,[117] S. N. Karpov,[39] Z. M. Karpova,[39] V. Kartvelishvili,[93] A. N. Karyukhin,[38] E. Kasimi,[158] J. Katzy,[48] S. Kaur,[35] K. Kawade,[146] M. P. Kawale,[123] C. Kawamoto,[89] T. Kawamoto,[62] E. F. Kay,[37] F. I. Kaya,[164] S. Kazakos,[109] V. F. Kazanin,[38] J. M. Keaveney,[34a] R. Keeler,[171] G. V. Kehris,[61] J. S. Keller,[35] J. J. Kempster,[152] O. Kepka,[134] J. Kerr,[162b] B. P. Kerridge,[137] B. P. Kerševan,[95] L. Keszeghova,[29a] R. A. Khan,[132] A. Khanov,[124] A. G. Kharlamov,[38] T. Kharlamova,[38] E. E. Khoda,[142] M. Kholodenko,[133a] T. J. Khoo,[19] G. Khoriauli,[172] Y. Khoulaki,[36a] J. Khubua,[155b,a] Y. A. R. Khwaira,[130] B. Kibirige,[34g] D. Kim,[6] D. W. Kim,[47a,47b] Y. K. Kim,[40] N. Kimura,[98] M. K. Kingston,[55] A. Kirchhoff,[55] C. Kirfel,[25] F. Kirfel,[25] J. Kirk,[137] A. E. Kiryunin,[112] S. Kita,[163] O. Kivernyk,[25] M. Klassen,[164] C. Klein,[35] L. Klein,[172] M. H. Klein,[45] S. B. Klein,[56] U. Klein,[94] A. Klimentov,[30] T. Klioutchnikova,[37] P. Kluit,[117] S. Kluth,[112] E. Kneringer,[79] T. M. Knight,[161] A. Knue,[49] M. Kobel,[50] D. Kobylianskii,[175] S. F. Koch,[129] M. Kocian,[149] P. Kodyš,[136] D. M. Koeck,[126] T. Koffas,[35] O. Kolay,[50] I. Koletsou,[4] T. Komarek,[87] K. Köneke,[55] A. X. Y. Kong,[1] T. Kono,[121] N. Konstantinidis,[98] P. Kontaxakis,[56] B. Konya,[100] R. Kopeliansky,[42] S. Koperny,[86a] K. Korcyl,[87] K. Kordas,[158,bb] A. Korn,[98] S. Korn,[55] I. Korolkov,[13] N. Korotkova,[38] B. Kortman,[117] O. Kortner,[112] S. Kortner,[112] W. H. Kostecka,[118] M. Kostov,[29a] V. V. Kostyukhin,[147] A. Kotsokechagia,[37] A. Kotwal,[51] A. Koulouris,[37] A. Kourkoumeli-Charalampidi,[73a,73b] C. Kourkoumelis,[9] E. Kourlitis,[112] O. Kovanda,[126] R. Kowalewski,[171] W. Kozanecki,[126] A. S. Kozhin,[38] V. A. Kramarenko,[38] G. Kramberger,[95] P. Kramer,[25] M. W. Krasny,[130] A. Krasznahorkay,[105] A. C. Kraus,[118] J. W. Kraus,[177] J. A. Kremer,[48] N. B. Krengel,[147] T. Kresse,[50] L. Kretschmann,[177] J. Kretzschmar,[94] K. Kreul,[19] P. Krieger,[161] K. Krizka,[21] K. Kroeninger,[49] H. Kroha,[112] J. Kroll,[134] J. Kroll,[131] K. S. Krowpman,[109] U. Kruchonak,[39] H. Krüger,[25] N. Krumnack,[81] M. C. Kruse,[51] O. Kuchinskaia,[39] S. Kuday,[3a] S. Kuehn,[37] R. Kuesters,[54] T. Kuhl,[48] V. Kukhtin,[39] Y. Kulchitsky,[39] S. Kuleshov,[140d,140b] J. Kull,[1] E. V. Kumar,[111] M. Kumar,[34g] N. Kumari,[48] P. Kumari,[162b] A. Kupco,[134] T. Kupfer,[49] A. Kupich,[38] O. Kuprash,[54] H. Kurashige,[85] L. L. Kurchaninov,[162a] O. Kurdysh,[4] Y. A. Kurochkin,[38] A. Kurova,[38] M. Kuze,[141] A. K. Kvam,[105] J. Kvita,[125] N. G. Kyriacou,[108] C. Lacasta,[169] F. Lacava,[75a,75b] H. Lacker,[19] D. Lacour,[130] N. N. Lad,[98] E. Ladygin,[39] A. Lafarge,[41] B. Laforge,[130] T. Lagouri,[178] F. Z. Lahbabi,[36a] S. Lai,[55] J. E. Lambert,[171] S. Lammers,[68] W. Lampl,[7] C. Lampoudis,[158,bb] G. Lamprinoudis,[102] A. N. Lancaster,[118] E. Lançon,[30] U. Landgraf,[54] M. P. J. Landon,[96] V. S. Lang,[54] O. K. B. Langrekken,[128] A. J. Lankford,[165] F. Lanni,[37] K. Lantzsch,[25] A. Lanza,[73a] M. Lanzac Berrocal,[169] J. F. Laporte,[138] T. Lari,[71a] D. Larsen,[17] L. Larson,[11] F. Lasagni Manghi,[24b] M. Lassnig,[37] S. D. Lawlor,[145] R. Lazaridou,[173] M. Lazzaroni,[71a,71b] H. D. M. Le,[109] E. M. Le Boulicaut,[178] L. T. Le Pottier,[18a] B. Leban,[24b,24a] F. Ledroit-Guillon,[60] T. F. Lee,[162b] L. L. Leeuw,[34c] M. Lefebvre,[171] C. Leggett,[18a] G. Lehmann Miotto,[37] M. Leigh,[56] W. A. Leight,[105] W. Leinonen,[116] A. Leisos,[158,cc] M. A. L. Leite,[83c] C. E. Leitgeb,[19] R. Leitner,[136] K. J. C. Leney,[45] T. Lenz,[25] S. Leone,[74a] C. Leonidopoulos,[52] A. Leopold,[150] J. H. Lepage Bourbonnais,[35] R. Les,[109] C. G. Lester,[33] M. Levchenko,[38] J. Levêque,[4] L. J. Levinson,[175] G. Levrini,[24b,24a] M. P. Lewicki,[87] C. Lewis,[142] D. J. Lewis,[4] L. Lewitt,[145] A. Li,[30] B. Li,[143a] C. Li,[108] C-Q. Li,[112] H. Li,[143a] H. Li,[103] H. Li,[15] H. Li,[62] H. Li,[143a] J. Li,[144a] K. Li,[14] L. Li,[144a] R. Li,[178] S. Li,[14,114c] S. Li,[144b,144a] T. Li,[5] X. Li,[106] Z. Li,[159] Z. Li,[14,114c] Z. Li,[62] S. Liang,[14,114c] Z. Liang,[14] M. Liberatore,[138] B. Liberti,[76a] K. Lie,[64c] J. Lieber Marin,[83e] H. Lien,[68] H. Lin,[108] S. F. Lin,[151] L. Linden,[111] R. E. Lindley,[7] J. H. Lindon,[37] J. Ling,[61] E. Lipeles,[131] A. Lipniacka,[17] A. Lister,[170] J. D. Little,[68] B. Liu,[14] B. X. Liu,[114b] D. Liu,[144b,144a] D. Liu,[139] E. H. L. Liu,[21] J. K. K. Liu,[120] K. Liu,[144b] K. Liu,[144b,144a] M. Liu,[62] M. Y. Liu,[62] P. Liu,[14] Q. Liu,[144b,142,144a] X. Liu,[62] X. Liu,[143a] Y. Liu,[114b,114c] Y. L. Liu,[143a] Y. W. Liu,[62] Z. Liu,[66,dd] S. L. Lloyd,[96] E. M. Lobodzinska,[48] P. Loch,[7]

E. Lodhi,[161] T. Lohse,[19] K. Lohwasser,[145] E. Loiacono,[48] J. D. Lomas,[21] J. D. Long,[42] I. Longarini,[165] R. Longo,[168] A. Lopez Solis,[13] N. A. Lopez-canelas,[7] N. Lorenzo Martinez,[4] A. M. Lory,[111] M. Losada,[119a] G. Löschcke Centeno,[152] X. Lou,[47a,47b] X. Lou,[14,114c] A. Lounis,[66] P. A. Love,[93] M. Lu,[66] S. Lu,[131] Y. J. Lu,[154] H. J. Lubatti,[142] C. Luci,[75a,75b] F. L. Lucio Alves,[114a] F. Luehring,[68] B. S. Lunday,[131] O. Lundberg,[150] J. Lunde,[37] N. A. Luongo,[6] M. S. Lutz,[37] A. B. Lux,[26] D. Lynn,[30] R. Lysak,[134] V. Lysenko,[135] E. Lytken,[100] V. Lyubushkin,[39] T. Lyubushkina,[39] M. M. Lyukova,[151] M. Firdaus M. Soberi,[52] H. Ma,[30] K. Ma,[62] L. L. Ma,[143a] W. Ma,[62] Y. Ma,[124] J. C. MacDonald,[102] P. C. Machado De Abreu Farias,[83e] R. Madar,[41] T. Madula,[98] J. Maeda,[85] T. Maeno,[30] P. T. Mafa,[34c,ee] H. Maguire,[145] V. Maiboroda,[66] A. Maio,[133a,133b,133d] K. Maj,[86a] O. Majersky,[48] S. Majewski,[126] R. Makhmanazarov,[38] N. Makovec,[66] V. Maksimovic,[16] B. Malaescu,[130] J. Malamant,[128] Pa. Malecki,[87] V. P. Maleev,[38] F. Malek,[60,ff] M. Mali,[95] D. Malito,[97] U. Mallik,[80,a] A. Maloizel,[5] S. Maltezos,[10] A. Malvezzi Lopes,[83d] S. Malyukov,[39] J. Mamuzic,[13] G. Mancini,[53] M. N. Mancini,[27] G. Manco,[73a,73b] J. P. Mandalia,[96] S. S. Mandarry,[152] I. Mandić,[95] L. Manhaes de Andrade Filho,[83a] I. M. Maniatis,[175] J. Manjarres Ramos,[91] D. C. Mankad,[175] A. Mann,[111] T. Manoussos,[37] M. N. Mantinan,[40] S. Manzoni,[37] L. Mao,[144a] X. Mapekula,[34c] A. Marantis,[158] R. R. Marcelo Gregorio,[96] G. Marchiori,[5] M. Marcisovsky,[134] C. Marcon,[71a] E. Maricic,[16] M. Marinescu,[48] S. Marium,[48] M. Marjanovic,[123] A. Markhoos,[54] M. Markovitch,[66] M. K. Maroun,[105] G. T. Marsden,[103] E. J. Marshall,[93] Z. Marshall,[18a] S. Marti-Garcia,[169] J. Martin,[98] T. A. Martin,[137] V. J. Martin,[52] B. Martin dit Latour,[17] L. Martinelli,[75a,75b] M. Martinez,[13,v] P. Martinez Agullo,[169] V. I. Martinez Outschoorn,[105] P. Martinez Suarez,[13] S. Martin-Haugh,[137] G. Martinovicova,[136] V. S. Martoiu,[28b] A. C. Martyniuk,[98] A. Marzin,[37] D. Mascione,[78a,78b] L. Masetti,[102] J. Masik,[103] A. L. Maslennikov,[39] S. L. Mason,[42] P. Massarotti,[72a,72b] P. Mastrandrea,[74a,74b] A. Mastroberardino,[44b,44a] T. Masubuchi,[127] T. T. Mathew,[126] J. Matousek,[136] D. M. Mattern,[49] J. Maurer,[28b] T. Maurin,[59] A. J. Maury,[66] B. Maček,[95] C. Mavungu Tsava,[104] D. A. Maximov,[38] A. E. May,[103] E. Mayer,[41] R. Mazini,[34g] I. Maznas,[118] S. M. Mazza,[139] E. Mazzeo,[37] J. P. Mc Gowan,[171] S. P. Mc Kee,[108] C. A. Mc Lean,[6] C. C. McCracken,[170] E. F. McDonald,[107] A. E. McDougall,[117] L. F. Mcelhinney,[93] J. A. Mcfayden,[152] R. P. McGovern,[131] R. P. Mckenzie,[34g] T. C. Mclachlan,[48] D. J. Mclaughlin,[98] S. J. McMahon,[137] C. M. Mcpartland,[94] R. A. McPherson,[171,p] S. Mehlhase,[111] A. Mehta,[94] D. Melini,[169] B. R. Mellado Garcia,[34g] A. H. Melo,[55] F. Meloni,[48] A. M. Mendes Jacques Da Costa,[103] L. Meng,[93] S. Menke,[112] M. Mentink,[37] E. Meoni,[44b,44a] G. Mercado,[118] S. Merianos,[158] C. Merlassino,[69a,69c] C. Meroni,[71a,71b] J. Metcalfe,[6] A. S. Mete,[6] E. Meuser,[102] C. Meyer,[68] J-P. Meyer,[138] Y. Miao,[114a] R. P. Middleton,[137] M. Mihovilovic,[66] L. Mijović,[52] G. Mikenberg,[175] M. Mikestikova,[134] M. Mikuž,[95] H. Mildner,[102] A. Milic,[37] D. W. Miller,[40] E. H. Miller,[149] L. S. Miller,[35] A. Milov,[175] D. A. Milstead,[47a,47b] T. Min,[114a] A. A. Minaenko,[38] I. A. Minashvili,[155b] A. I. Mincer,[120] B. Mindur,[86a] M. Mineev,[39] Y. Mino,[89] L. M. Mir,[13] M. Miralles Lopez,[59] M. Mironova,[18a] M. C. Missio,[116] A. Mitra,[173] V. A. Mitsou,[169] Y. Mitsumori,[113] O. Miu,[161] P. S. Miyagawa,[96] T. Mkrtchyan,[63a] M. Mlinarevic,[98] T. Mlinarevic,[98] M. Mlynarikova,[37] S. Mobius,[20] M. H. Mohamed Farook,[115] S. Mohapatra,[42] S. Mohiuddin,[124] G. Mokgatitswane,[34g] L. Moleri,[175] U. Molinatti,[129] L. G. Mollier,[20] B. Mondal,[134] S. Mondal,[135] K. Mönig,[48] E. Monnier,[104] L. Monsonis Romero,[169] J. Montejo Berlingen,[13] A. Montella,[47a,47b] M. Montella,[122] F. Montereali,[77a,77b] F. Monticelli,[92] S. Monzani,[69a,69c] A. Morancho Tarda,[43] N. Morange,[66] A. L. Moreira De Carvalho,[48] M. Moreno Llácer,[169] C. Moreno Martinez,[56] J. M. Moreno Perez,[23b] P. Morettini,[57b] S. Morgenstern,[37] M. Morii,[61] M. Morinaga,[159] M. Moritsu,[90] F. Morodei,[75a,75b] P. Moschovakos,[37] B. Moser,[54] M. Mosidze,[155b] T. Moskalets,[45] P. Moskvitina,[116] J. Moss,[32] P. Moszkowicz,[86a] A. Moussa,[36d] Y. Moyal,[175] H. Moyano Gomez,[13] E. J. W. Moyse,[105] O. Mtintsilana,[34g] S. Muanza,[104] M. Mucha,[25] J. Mueller,[132] R. Müller,[37] G. A. Mullier,[167] A. J. Mullin,[33] J. J. Mullin,[51] A. C. Mullins,[45] A. E. Mulski,[61] D. P. Mungo,[161] D. Munoz Perez,[169] F. J. Munoz Sanchez,[103] W. J. Murray,[173,137] M. Muškinja,[95] C. Mwewa,[48] A. G. Myagkov,[38,l] A. J. Myers,[8] G. Myers,[108] M. Myska,[135] B. P. Nachman,[18a] K. Nagai,[129] K. Nagano,[84] R. Nagasaka,[159] J. L. Nagle,[30,gg] E. Nagy,[104] A. M. Nairz,[37] Y. Nakahama,[84] K. Nakamura,[84] K. Nakkalil,[5] A. Nandi,[63b] H. Nanjo,[127] E. A. Narayanan,[45] Y. Narukawa,[159] I. Naryshkin,[38] L. Nasella,[71a,71b] S. Nasri,[119b] C. Nass,[25] G. Navarro,[23a] J. Navarro-Gonzalez,[169] A. Nayaz,[19] P. Y. Nechaeva,[38] S. Nechaeva,[24b,24a] F. Nechansky,[134] L. Nedic,[129] T. J. Neep,[21] A. Negri,[73a,73b] M. Negrini,[24b] C. Nellist,[117] C. Nelson,[106]

K. Nelson,[108] S. Nemecek,[134] M. Nessi,[37,hh] M. S. Neubauer,[168] J. Newell,[94] P. R. Newman,[21] Y. W. Y. Ng,[168] B. Ngair,[119a] H. D. N. Nguyen,[110] J. D. Nichols,[123] R. B. Nickerson,[129] R. Nicolaidou,[138] J. Nielsen,[139] M. Niemeyer,[55] J. Niermann,[37] N. Nikiforou,[37] V. Nikolaenko,[38,l] I. Nikolic-Audit,[130] P. Nilsson,[30] I. Ninca,[48] G. Ninio,[157] A. Nisati,[75a] N. Nishu,[2] R. Nisius,[112] N. Nitika,[69a,69c] J-E. Nitschke,[50] E. K. Nkadimeng,[34b] T. Nobe,[159] T. Nommensen,[153] M. B. Norfolk,[145] B. J. Norman,[35] M. Noury,[36a] J. Novak,[95] T. Novak,[95] R. Novotny,[135] L. Nozka,[125] K. Ntekas,[165] N. M. J. Nunes De Moura Junior,[83b] J. Ocariz,[130] A. Ochi,[85] I. Ochoa,[133a] S. Oerdek,[48,ii] J. T. Offermann,[40] A. Ogrodnik,[136] A. Oh,[103] C. C. Ohm,[150] H. Oide,[84] M. L. Ojeda,[37] Y. Okumura,[159] L. F. Oleiro Seabra,[133a] I. Oleksiyuk,[56] G. Oliveira Correa,[13] D. Oliveira Damazio,[30] J. L. Oliver,[165] Ö. O. Öncel,[54] A. P. O'Neill,[20] A. Onofre,[133a,133e,jj] P. U. E. Onyisi,[11] M. J. Oreglia,[40] D. Orestano,[77a,77b] R. Orlandini,[77a,77b] R. S. Orr,[161] L. M. Osojnak,[131] Y. Osumi,[113] G. Otero y Garzon,[31] H. Otono,[90] G. J. Ottino,[18a] M. Ouchrif,[36d] F. Ould-Saada,[128] T. Ovsiannikova,[142] M. Owen,[59] R. E. Owen,[137] V. E. Ozcan,[22a] F. Ozturk,[87] N. Ozturk,[8] S. Ozturk,[82] H. A. Pacey,[129] K. Pachal,[162a] A. Pacheco Pages,[13] C. Padilla Aranda,[13] G. Padovano,[75a,75b] S. Pagan Griso,[18a] G. Palacino,[68] A. Palazzo,[70a,70b] J. Pampel,[25] J. Pan,[178] T. Pan,[64a] D. K. Panchal,[11] C. E. Pandini,[60] J. G. Panduro Vazquez,[137] H. D. Pandya,[1] H. Pang,[138] P. Pani,[48] G. Panizzo,[69a,69c] L. Panwar,[130] L. Paolozzi,[56] S. Parajuli,[168] A. Paramonov,[6] C. Paraskevopoulos,[53] D. Paredes Hernandez,[64b] A. Pareti,[73a,73b] K. R. Park,[42] T. H. Park,[112] F. Parodi,[57b,57a] J. A. Parsons,[42] U. Parzefall,[54] B. Pascual Dias,[41] L. Pascual Dominguez,[101] E. Pasqualucci,[75a] S. Passaggio,[57b] F. Pastore,[97] P. Patel,[87] U. M. Patel,[51] J. R. Pater,[103] T. Pauly,[37] F. Pauwels,[136] C. I. Pazos,[164] M. Pedersen,[128] R. Pedro,[133a] S. V. Peleganchuk,[38] O. Penc,[37] E. A. Pender,[52] S. Peng,[15] G. D. Penn,[178] K. E. Penski,[111] M. Penzin,[38] B. S. Peralva,[83d] A. P. Pereira Peixoto,[142] L. Pereira Sanchez,[149] D. V. Perepelitsa,[30,gg] G. Perera,[105] E. Perez Codina,[37] M. Perganti,[10] H. Pernegger,[37] S. Perrella,[75a,75b] O. Perrin,[41] K. Peters,[48] R. F. Y. Peters,[103] B. A. Petersen,[37] T. C. Petersen,[43] E. Petit,[104] V. Petousis,[135] A. R. Petri,[71a,71b] C. Petridou,[158,bb] T. Petru,[136] A. Petrukhin,[147] M. Pettee,[18a] A. Petukhov,[82] K. Petukhova,[37] R. Pezoa,[140f] L. Pezzotti,[24b,24a] G. Pezzullo,[178] L. Pfaffenbichler,[37] A. J. Pfleger,[37] T. M. Pham,[176] T. Pham,[107] P. W. Phillips,[137] G. Piacquadio,[151] E. Pianori,[18a] F. Piazza,[126] R. Piegaia,[31] D. Pietreanu,[28b] A. D. Pilkington,[103] M. Pinamonti,[69a,69c] J. L. Pinfold,[2] B. C. Pinheiro Pereira,[133a] J. Pinol Bel,[13] A. E. Pinto Pinoargote,[130] L. Pintucci,[69a,69c] K. M. Piper,[152] A. Pirttikoski,[56] D. A. Pizzi,[35] L. Pizzimento,[64b] A. Plebani,[33] M.-A. Pleier,[30] V. Pleskot,[136] E. Plotnikova,[39] G. Poddar,[96] R. Poettgen,[100] L. Poggioli,[130] S. Polacek,[136] G. Polesello,[73a] A. Poley,[148] A. Polini,[24b] C. S. Pollard,[173] Z. B. Pollock,[122] E. Pompa Pacchi,[123] N. I. Pond,[98] D. Ponomarenko,[68] L. Pontecorvo,[37] S. Popa,[28a] G. A. Popeneciu,[28d] A. Poreba,[37] D. M. Portillo Quintero,[162a] S. Pospisil,[135] M. A. Postill,[145] P. Postolache,[28c] K. Potamianos,[173] P. A. Potepa,[86a] I. N. Potrap,[39] C. J. Potter,[33] H. Potti,[153] J. Poveda,[169] M. E. Pozo Astigarraga,[37] R. Pozzi,[37] A. Prades Ibanez,[76a,76b] J. Pretel,[171] D. Price,[103] M. Primavera,[70a] L. Primomo,[69a,69c] M. A. Principe Martin,[101] R. Privara,[125] T. Procter,[86b] M. L. Proffitt,[142] N. Proklova,[131] K. Prokofiev,[64c] G. Proto,[112] J. Proudfoot,[6] M. Przybycien,[86a] W. W. Przygoda,[86b] A. Psallidas,[46] J. E. Puddefoot,[145] D. Pudzha,[53] D. Pyatiizbyantseva,[116] J. Qian,[108] R. Qian,[109] D. Qichen,[103] Y. Qin,[13] T. Qiu,[52] A. Quadt,[55] M. Queitsch-Maitland,[103] G. Quetant,[56] R. P. Quinn,[170] G. Rabanal Bolanos,[61] D. Rafanoharana,[112] F. Raffaeli,[76a,76b] F. Ragusa,[71a,71b] J. L. Rainbolt,[40] J. A. Raine,[56] S. Rajagopalan,[30] E. Ramakoti,[39] L. Rambelli,[57b,57a] I. A. Ramirez-Berend,[35] K. Ran,[48,114c] D. S. Rankin,[131] N. P. Rapheeha,[34g] H. Rasheed,[28b] D. F. Rassloff,[63a] A. Rastogi,[18a] S. Rave,[102] S. Ravera,[57b,57a] B. Ravina,[37] I. Ravinovich,[175] M. Raymond,[37] A. L. Read,[128] N. P. Readioff,[145] D. M. Rebuzzi,[73a,73b] A. S. Reed,[112] K. Reeves,[27] J. A. Reidelsturz,[177] D. Reikher,[126] A. Rej,[49] C. Rembser,[37] H. Ren,[62] M. Renda,[28b] F. Renner,[48] A. G. Rennie,[59] A. L. Rescia,[48] S. Resconi,[71a] M. Ressegotti,[57b,57a] S. Rettie,[37] W. F. Rettie,[35] E. Reynolds,[18a] O. L. Rezanova,[39] P. Reznicek,[136] H. Riani,[36d] N. Ribaric,[51] E. Ricci,[78a,78b] R. Richter,[112] S. Richter,[47a,47b] E. Richter-Was,[86b] M. Ridel,[130] S. Ridouani,[36d] P. Rieck,[120] P. Riedler,[37] E. M. Riefel,[47a,47b] J. O. Rieger,[117] M. Rijssenbeek,[151] M. Rimoldi,[37] L. Rinaldi,[24b,24a] P. Rincke,[167,55] G. Ripellino,[167] I. Riu,[13] J. C. Rivera Vergara,[171] F. Rizatdinova,[124] E. Rizvi,[96] B. R. Roberts,[18a] S. S. Roberts,[139] D. Robinson,[33] M. Robles Manzano,[102] A. Robson,[59] A. Rocchi,[76a,76b] C. Roda,[74a,74b] S. Rodriguez Bosca,[37] Y. Rodriguez Garcia,[23a] A. M. Rodríguez Vera,[118] S. Roe,[37] J. T. Roemer,[37] O. Røhne,[128] R. A. Rojas,[37] C. P. A. Roland,[130] A. Romaniouk,[79] E. Romano,[73a,73b] M. Romano,[24b] A. C. Romero Hernandez,[168]

N. Rompotis,[94] L. Roos,[130] S. Rosati,[75a] B. J. Rosser,[40] E. Rossi,[129] E. Rossi,[72a,72b] L. P. Rossi,[61] L. Rossini,[54] R. Rosten,[122] M. Rotaru,[28b] B. Rottler,[54] D. Rousseau,[66] D. Rousso,[48] S. Roy-Garand,[161] A. Rozanov,[104] Z. M. A. Rozario,[59] Y. Rozen,[156] A. Rubio Jimenez,[169] V. H. Ruelas Rivera,[19] T. A. Ruggeri,[1] A. Ruggiero,[129] A. Ruiz-Martinez,[169] A. Rummler,[37] Z. Rurikova,[54] N. A. Rusakovich,[39] H. L. Russell,[171] G. Russo,[75a,75b] J. P. Rutherfoord,[7] S. Rutherford Colmenares,[33] M. Rybar,[136] P. Rybczynski,[86a] A. Ryzhov,[45] J. A. Sabater Iglesias,[56] H. F-W. Sadrozinski,[139] F. Safai Tehrani,[75a] S. Saha,[1] M. Sahinsoy,[82] B. Sahoo,[175] A. Saibel,[169] B. T. Saifuddin,[123] M. Saimpert,[138] G. T. Saito,[83c] M. Saito,[159] T. Saito,[159] A. Sala,[71a,71b] A. Salnikov,[149] J. Salt,[169] A. Salvador Salas,[157] F. Salvatore,[152] A. Salzburger,[37] D. Sammel,[54] E. Sampson,[93] D. Sampsonidis,[158,bb] D. Sampsonidou,[126] J. Sánchez,[169] V. Sanchez Sebastian,[169] H. Sandaker,[128] C. O. Sander,[48] J. A. Sandesara,[176] M. Sandhoff,[177] C. Sandoval,[23b] L. Sanfilippo,[63a] D. P. C. Sankey,[137] T. Sano,[89] A. Sansoni,[53] L. Santi,[37] C. Santoni,[41] H. Santos,[133a,133b] A. Santra,[175] E. Sanzani,[24b,24a] K. A. Saoucha,[88b] J. G. Saraiva,[133a,133d] J. Sardain,[7] O. Sasaki,[84] K. Sato,[163] C. Sauer,[37] E. Sauvan,[4] P. Savard,[161,e] R. Sawada,[159] C. Sawyer,[137] L. Sawyer,[99] C. Sbarra,[24b] A. Sbrizzi,[24b,24a] T. Scanlon,[98] J. Schaarschmidt,[142] U. Schäfer,[102] A. C. Schaffer,[66,45] D. Schaile,[111] R. D. Schamberger,[151] C. Scharf,[19] M. M. Schefer,[20] V. A. Schegelsky,[38] D. Scheirich,[136] M. Schernau,[140e] C. Scheulen,[56] C. Schiavi,[57b,57a] M. Schioppa,[44b,44a] B. Schlag,[149] S. Schlenker,[37] J. Schmeing,[177] E. Schmidt,[112] M. A. Schmidt,[177] K. Schmieden,[102] C. Schmitt,[102] N. Schmitt,[102] S. Schmitt,[48] N. A. Schneider,[111] L. Schoeffel,[138] A. Schoening,[63b] P. G. Scholer,[35] E. Schopf,[147] M. Schott,[25] S. Schramm,[56] T. Schroer,[56] H-C. Schultz-Coulon,[63a] M. Schumacher,[54] B. A. Schumm,[139] Ph. Schune,[138] H. R. Schwartz,[139] A. Schwartzman,[149] T. A. Schwarz,[108] Ph. Schwemling,[138] R. Schwienhorst,[109] F. G. Sciacca,[20] A. Sciandra,[30] G. Sciolla,[27] F. Scuri,[74a] C. D. Sebastiani,[37] K. Sedlaczek,[118] S. C. Seidel,[115] A. Seiden,[139] B. D. Seidlitz,[42] C. Seitz,[48] J. M. Seixas,[83b] G. Sekhniaidze,[72a] L. Selem,[60] N. Semprini-Cesari,[24b,24a] A. Semushin,[179] D. Sengupta,[56] V. Senthilkumar,[169] L. Serin,[66] M. Sessa,[72a,72b] H. Severini,[123] F. Sforza,[57b,57a] A. Sfyrla,[56] Q. Sha,[14] E. Shabalina,[55] H. Shaddix,[118] A. H. Shah,[33] R. Shaheen,[150] J. D. Shahinian,[131] M. Shamim,[37] L. Y. Shan,[14] M. Shapiro,[18a] A. Sharma,[37] A. S. Sharma,[170] P. Sharma,[30] P. B. Shatalov,[38] K. Shaw,[152] S. M. Shaw,[103] Q. Shen,[144a] D. J. Sheppard,[148] P. Sherwood,[98] L. Shi,[98] X. Shi,[14] S. Shimizu,[84] C. O. Shimmin,[178] I. P. J. Shipsey,[129,a] S. Shirabe,[90] M. Shiyakova,[39,kk] M. J. Shochet,[40] D. R. Shope,[128] B. Shrestha,[123] S. Shrestha,[122,ll] I. Shreyber,[39] M. J. Shroff,[171] P. Sicho,[134] A. M. Sickles,[168] E. Sideras Haddad,[34g,166] A. C. Sidley,[117] A. Sidoti,[24b] F. Siegert,[50] Dj. Sijacki,[16] F. Sili,[92] J. M. Silva,[52] I. Silva Ferreira,[83b] M. V. Silva Oliveira,[30] S. B. Silverstein,[47a] S. Simion,[66] R. Simoniello,[37] E. L. Simpson,[103] H. Simpson,[152] L. R. Simpson,[6] S. Simsek,[82] S. Sindhu,[55] P. Sinervo,[161] S. N. Singh,[27] S. Singh,[30] S. Sinha,[48] S. Sinha,[103] M. Sioli,[24b,24a] K. Sioulas,[9] I. Siral,[37] E. Sitnikova,[48] J. Sjölin,[47a,47b] A. Skaf,[55] E. Skorda,[21] P. Skubic,[123] M. Slawinska,[87] I. Slazyk,[17] I. Sliusar,[128] V. Smakhtin,[175] B. H. Smart,[137] S. Yu. Smirnov,[140b] Y. Smirnov,[82] L. N. Smirnova,[38,l] O. Smirnova,[100] A. C. Smith,[42] D. R. Smith,[165] J. L. Smith,[103] M. B. Smith,[35] R. Smith,[149] H. Smitmanns,[102] M. Smizanska,[93] K. Smolek,[135] P. Smolyanskiy,[135] A. A. Snesarev,[39] H. L. Snoek,[117] S. Snyder,[30] R. Sobie,[171,p] A. Soffer,[157] C. A. Solans Sanchez,[37] E. Yu. Soldatov,[39] U. Soldevila,[169] A. A. Solodkov,[34g] S. Solomon,[27] A. Soloshenko,[39] K. Solovieva,[54] O. V. Solovyanov,[41] P. Sommer,[50] A. Sonay,[13] A. Sopczak,[135] A. L. Sopio,[52] F. Sopkova,[29b] J. D. Sorenson,[115] I. R. Sotarriva Alvarez,[141] V. Sothilingam,[63a] O. J. Soto Sandoval,[140c,140b] S. Sottocornola,[68] R. Soualah,[88a] Z. Soumaimi,[36e] D. South,[48] N. Soybelman,[175] S. Spagnolo,[70a,70b] M. Spalla,[112] D. Sperlich,[54] B. Spisso,[72a,72b] D. P. Spiteri,[59] L. Splendori,[104] M. Spousta,[136] E. J. Staats,[35] R. Stamen,[63a] E. Stanecka,[87] W. Stanek-Maslouska,[48] M. V. Stange,[50] B. Stanislaus,[18a] M. M. Stanitzki,[48] B. Stapf,[48] E. A. Starchenko,[38] G. H. Stark,[139] J. Stark,[91] P. Staroba,[134] P. Starovoitov,[88b] R. Staszewski,[87] G. Stavropoulos,[46] A. Stefl,[37] P. Steinberg,[30] B. Stelzer,[148,162a] H. J. Stelzer,[132] O. Stelzer-Chilton,[162a] H. Stenzel,[58] T. J. Stevenson,[152] G. A. Stewart,[37] J. R. Stewart,[124] M. C. Stockton,[37] G. Stoicea,[28b] M. Stolarski,[133a] S. Stonjek,[112] A. Straessner,[50] J. Strandberg,[150] S. Strandberg,[47a,47b] M. Stratmann,[177] M. Strauss,[123] T. Strebler,[104] P. Strizenec,[29b] R. Ströhmer,[172] D. M. Strom,[126] R. Stroynowski,[45] A. Strubig,[47a,47b] S. A. Stucci,[30] B. Stugu,[17] J. Stupak,[123] N. A. Styles,[48] D. Su,[149] S. Su,[62] X. Su,[62] D. Suchy,[29a] K. Sugizaki,[131] V. V. Sulin,[38] M. J. Sullivan,[94] D. M. S. Sultan,[129] L. Sultanaliyeva,[38] S. Sultansoy,[3b] S. Sun,[176] W. Sun,[14]

O. Sunneborn Gudnadottir,[167] N. Sur,[100] M. R. Sutton,[152] H. Suzuki,[163] M. Svatos,[134] P. N. Swallow,[33] M. Swiatlowski,[162a] T. Swirski,[172] A. Swoboda,[37] I. Sykora,[29a] M. Sykora,[136] T. Sykora,[136] D. Ta,[102] K. Tackmann,[48,ii] A. Taffard,[165] R. Tafirout,[162a] Y. Takubo,[84] M. Talby,[104] A. A. Talyshev,[38] K. C. Tam,[64b] N. M. Tamir,[157] A. Tanaka,[159] J. Tanaka,[159] R. Tanaka,[66] M. Tanasini,[151] Z. Tao,[170] S. Tapia Araya,[140f] S. Tapprogge,[102] A. Tarek Abouelfadl Mohamed,[109] S. Tarem,[156] K. Tariq,[14] G. Tarna,[28b] G. F. Tartarelli,[71a] M. J. Tartarin,[91] P. Tas,[136] M. Tasevsky,[134] E. Tassi,[44b,44a] A. C. Tate,[168] G. Tateno,[159] Y. Tayalati,[36e,mm] G. N. Taylor,[107] W. Taylor,[162b] A. S. Tegetmeier,[91] P. Teixeira-Dias,[97] J. J. Teoh,[161] K. Terashi,[159] J. Terron,[101] S. Terzo,[13] M. Testa,[53] R. J. Teuscher,[161,p] A. Thaler,[79] O. Theiner,[56] T. Theveneaux-Pelzer,[104] D. W. Thomas,[97] J. P. Thomas,[21] E. A. Thompson,[18a] P. D. Thompson,[21] E. Thomson,[131] R. E. Thornberry,[45] C. Tian,[62] Y. Tian,[56] V. Tikhomirov,[82] Yu. A. Tikhonov,[39] S. Timoshenko,[38] D. Timoshyn,[136] E. X. L. Ting,[1] P. Tipton,[178] A. Tishelman-Charny,[30] K. Todome,[141] S. Todorova-Nova,[136] S. Todt,[50] L. Toffolin,[69a,69c] M. Togawa,[84] J. Tojo,[90] S. Tokár,[29a] O. Toldaiev,[68] G. Tolkachev,[104] M. Tomoto,[84,113] L. Tompkins,[149,nn] E. Torrence,[126] H. Torres,[91] E. Torró Pastor,[169] M. Toscani,[31] C. Tosciri,[40] M. Tost,[11] D. R. Tovey,[145] T. Trefzger,[172] P. M. Tricarico,[13] A. Tricoli,[30] I. M. Trigger,[162a] S. Trincaz-Duvoid,[130] D. A. Trischuk,[27] A. Tropina,[39] L. Truong,[34c] M. Trzebinski,[87] A. Trzupek,[87] F. Tsai,[151] M. Tsai,[108] A. Tsiamis,[158] P. V. Tsiareshka,[39] S. Tsigaridas,[162a] A. Tsirigotis,[158,cc] V. Tsiskaridze,[161] E. G. Tskhadadze,[155a] M. Tsopoulou,[158] Y. Tsujikawa,[89] I. I. Tsukerman,[38] V. Tsulaia,[18a] S. Tsuno,[84] K. Tsuri,[121] D. Tsybychev,[151] Y. Tu,[64b] A. Tudorache,[28b] V. Tudorache,[28b] S. B. Tuncay,[129] S. Turchikhin,[57b,57a] I. Turk Cakir,[3a] R. Turra,[71a] T. Turtuvshin,[39,oo] P. M. Tuts,[42] S. Tzamarias,[158,bb] E. Tzovara,[102] Y. Uematsu,[84] F. Ukegawa,[163] P. A. Ulloa Poblete,[140c,140b] E. N. Umaka,[30] G. Unal,[37] A. Undrus,[30] G. Unel,[165] J. Urban,[29b] P. Urrejola,[140a] G. Usai,[8] R. Ushioda,[160] M. Usman,[110] F. Ustuner,[52] Z. Uysal,[82] V. Vacek,[135] B. Vachon,[106] T. Vafeiadis,[37] A. Vaitkus,[98] C. Valderanis,[111] E. Valdes Santurio,[47a,47b] M. Valente,[37] S. Valentinetti,[24b,24a] A. Valero,[169] E. Valiente Moreno,[169] A. Vallier,[91] J. A. Valls Ferrer,[169] D. R. Van Arneman,[117] T. R. Van Daalen,[142] A. Van Der Graaf,[49] H. Z. Van Der Schyf,[34g] P. Van Gemmeren,[6] M. Van Rijnbach,[37] S. Van Stroud,[98] I. Van Vulpen,[117] P. Vana,[136] M. Vanadia,[76a,76b] U. M. Vande Voorde,[150] W. Vandelli,[37] E. R. Vandewall,[124] D. Vannicola,[157] L. Vannoli,[53] R. Vari,[75a] M. Varma,[178] E. W. Varnes,[7] C. Varni,[18b] D. Varouchas,[66] L. Varriale,[169] K. E. Varvell,[153] M. E. Vasile,[28b] L. Vaslin,[84] M. D. Vassilev,[149] A. Vasyukov,[39] L. M. Vaughan,[124] R. Vavricka,[136] T. Vazquez Schroeder,[13] J. Veatch,[32] V. Vecchio,[103] M. J. Veen,[105] I. Veliscek,[30] I. Velkovska,[95] L. M. Veloce,[161] F. Veloso,[133a,133c] S. Veneziano,[75a] A. Ventura,[70a,70b] S. Ventura Gonzalez,[138] A. Verbytskyi,[112] M. Verducci,[74a,74b] C. Vergis,[96] M. Verissimo De Araujo,[83b] W. Verkerke,[117] J. C. Vermeulen,[117] C. Vernieri,[149] M. Vessella,[165] M. C. Vetterli,[148,e] A. Vgenopoulos,[102] N. Viaux Maira,[140f] T. Vickey,[145] O. E. Vickey Boeriu,[145] G. H. A. Viehhauser,[129] L. Vigani,[63b] M. Vigl,[112] M. Villa,[24b,24a] M. Villaplana Perez,[169] E. M. Villhauer,[40] E. Vilucchi,[53] M. Vincent,[169] M. G. Vincter,[35] A. Visibile,[117] C. Vittori,[37] I. Vivarelli,[24b,24a] E. Voevodina,[112] F. Vogel,[111] J. C. Voigt,[50] P. Vokac,[135] Yu. Volkotrub,[86b] E. Von Toerne,[25] B. Vormwald,[37] K. Vorobev,[51] M. Vos,[169] K. Voss,[147] M. Vozak,[37] L. Vozdecky,[123] N. Vranjes,[16] M. Vranjes Milosavljevic,[16] M. Vreeswijk,[117] N. K. Vu,[144b,144a] R. Vuillermet,[37] O. Vujinovic,[102] I. Vukotic,[40] I. K. Vyas,[35] J. F. Wack,[33] S. Wada,[163] C. Wagner,[149] J. M. Wagner,[18a] W. Wagner,[177] S. Wahdan,[177] H. Wahlberg,[92] C. H. Waits,[123] J. Walder,[137] R. Walker,[111] K. Walkingshaw Pass,[59] W. Walkowiak,[147] A. Wall,[131] E. J. Wallin,[100] T. Wamorkar,[18a] A. Wang,[62] A. Z. Wang,[139] C. Wang,[102] C. Wang,[11] H. Wang,[18a] J. Wang,[64c] P. Wang,[103] P. Wang,[98] R. Wang,[61] R. Wang,[6] S. M. Wang,[154] S. Wang,[14] T. Wang,[62] T. Wang,[62] W. T. Wang,[80] W. Wang,[14] X. Wang,[168] X. Wang,[144a] X. Wang,[48] Y. Wang,[114a] Y. Wang,[62] Z. Wang,[108] Z. Wang,[144b] Z. Wang,[108] C. Wanotayaroj,[84] A. Warburton,[106] A. L. Warnerbring,[147] N. Warrack,[59] S. Waterhouse,[97] A. T. Watson,[21] H. Watson,[52] M. F. Watson,[21] E. Watton,[59] G. Watts,[142] B. M. Waugh,[98] J. M. Webb,[54] C. Weber,[30] H. A. Weber,[19] M. S. Weber,[20] S. M. Weber,[63a] C. Wei,[62] Y. Wei,[54] A. R. Weidberg,[129] E. J. Weik,[120] J. Weingarten,[49] C. Weiser,[54] C. J. Wells,[48] T. Wenaus,[30] B. Wendland,[49] T. Wengler,[37] N. S. Wenke,[112] N. Wermes,[25] M. Wessels,[63a] A. M. Wharton,[93] A. S. White,[61] A. White,[8] M. J. White,[1] D. Whiteson,[165] L. Wickremasinghe,[127] W. Wiedenmann,[176] M. Wielers,[137] R. Wierda,[150] C. Wiglesworth,[43] H. G. Wilkens,[37] J. J. H. Wilkinson,[33] D. M. Williams,[42] H. H. Williams,[131] S. Williams,[33] S. Willocq,[105] B. J. Wilson,[103] D. J. Wilson,[103] P. J. Windischhofer,[40] F. I. Winkel,[31] F. Winklmeier,[126] B. T. Winter,[54] M. Wittgen,[149]

M. Wobisch,[99] T. Wojtkowski,[60] Z. Wolffs,[117] J. Wollrath,[37] M. W. Wolter,[87] H. Wolters,[133a,133c] M. C. Wong,[139] E. L. Woodward,[42] S. D. Worm,[48] B. K. Wosiek,[87] K. W. Woźniak,[87] S. Wozniewski,[55] K. Wraight,[59] C. Wu,[161] C. Wu,[21] J. Wu,[159] M. Wu,[114b] M. Wu,[116] S. L. Wu,[176] S. Wu,[14] X. Wu,[62] Y. Wu,[62] Z. Wu,[4] J. Wuerzinger,[112] T. R. Wyatt,[103] B. M. Wynne,[52] S. Xella,[43] L. Xia,[114a] M. Xia,[15] M. Xie,[62] A. Xiong,[126] J. Xiong,[18a] D. Xu,[14] H. Xu,[62] L. Xu,[62] R. Xu,[131] T. Xu,[108] Y. Xu,[142] Z. Xu,[52] Z. Xu,[114a] B. Yabsley,[153] S. Yacoob,[34a] Y. Yamaguchi,[84] E. Yamashita,[159] H. Yamauchi,[163] T. Yamazaki,[18a] Y. Yamazaki,[85] S. Yan,[59] Z. Yan,[105] H. J. Yang,[144a,144b] H. T. Yang,[62] S. Yang,[62] T. Yang,[64c] X. Yang,[37] X. Yang,[14] Y. Yang,[159] Y. Yang,[62] W-M. Yao,[18a] C. L. Yardley,[152] J. Ye,[14] S. Ye,[30] X. Ye,[62] Y. Yeh,[98] I. Yeletskikh,[39] B. Yeo,[18b] M. R. Yexley,[98] T. P. Yildirim,[129] P. Yin,[42] K. Yorita,[174] C. J. S. Young,[37] C. Young,[149] N. D. Young,[126] Y. Yu,[62] J. Yuan,[14,114c] M. Yuan,[108] R. Yuan,[144b,144a] L. Yue,[98] M. Zaazoua,[62] B. Zabinski,[87] I. Zahir,[36a] A. Zaio,[57b,57a] Z. K. Zak,[87] T. Zakareishvili,[169] S. Zambito,[56] J. A. Zamora Saa,[140d] J. Zang,[159] R. Zanzottera,[71a,71b] O. Zaplatilek,[135] C. Zeitnitz,[177] H. Zeng,[14] J. C. Zeng,[168] D. T. Zenger Jr.,[27] O. Zenin,[38] T. Ženiš,[29a] S. Zenz,[96] D. Zerwas,[66] M. Zhai,[14,114c] D. F. Zhang,[145] G. Zhang,[14] J. Zhang,[143a] J. Zhang,[6] K. Zhang,[14,114c] L. Zhang,[62] L. Zhang,[114a] P. Zhang,[14,114c] R. Zhang,[114a] S. Zhang,[91] T. Zhang,[159] Y. Zhang,[142] Y. Zhang,[98] Y. Zhang,[62] Y. Zhang,[114a] Z. Zhang,[143a] Z. Zhang,[66] H. Zhao,[142] T. Zhao,[143a] Y. Zhao,[35] Z. Zhao,[62] Z. Zhao,[62] A. Zhemchugov,[39] J. Zheng,[114a] K. Zheng,[168] X. Zheng,[62] Z. Zheng,[149] D. Zhong,[168] B. Zhou,[108] H. Zhou,[7] N. Zhou,[144a] Y. Zhou,[15] Y. Zhou,[114a] Y. Zhou,[7] C. G. Zhu,[143a] J. Zhu,[108] X. Zhu,[144b] Y. Zhu,[144a] Y. Zhu,[62] X. Zhuang,[14] K. Zhukov,[68] N. I. Zimine,[39] J. Zinsser,[63b] M. Ziolkowski,[147] L. Živković,[16] A. Zoccoli,[24b,24a] K. Zoch,[61] A. Zografos,[37] T. G. Zorbas,[145] O. Zormpa,[46] and L. Zwalinski[37]

(ATLAS Collaboration)

[1]*Department of Physics, University of Adelaide, Adelaide, Australia*
[2]*Department of Physics, University of Alberta, Edmonton, Alberta, Canada*
[3a]*Department of Physics, Ankara University, Ankara, Türkiye*
[3b]*Division of Physics, TOBB University of Economics and Technology, Ankara, Türkiye*
[4]*LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy, France*
[5]*APC, Université Paris Cité, CNRS/IN2P3, Paris, France*
[6]*High Energy Physics Division, Argonne National Laboratory, Argonne, Illinois, USA*
[7]*Department of Physics, University of Arizona, Tucson, Arizona, USA*
[8]*Department of Physics, University of Texas at Arlington, Arlington, Texas, USA*
[9]*Physics Department, National and Kapodistrian University of Athens, Athens, Greece*
[10]*Physics Department, National Technical University of Athens, Zografou, Greece*
[11]*Department of Physics, University of Texas at Austin, Austin, Texas, USA*
[12]*Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan*
[13]*Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona, Spain*
[14]*Institute of High Energy Physics, Chinese Academy of Sciences, Beijing, China*
[15]*Physics Department, Tsinghua University, Beijing, China*
[16]*Institute of Physics, University of Belgrade, Belgrade, Serbia*
[17]*Department for Physics and Technology, University of Bergen, Bergen, Norway*
[18a]*Physics Division, Lawrence Berkeley National Laboratory, Berkeley, California, USA*
[18b]*University of California, Berkeley, California, USA*
[19]*Institut für Physik, Humboldt Universität zu Berlin, Berlin, Germany*
[20]*Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland*
[21]*School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom*
[22a]*Department of Physics, Bogazici University, Istanbul, Türkiye*
[22b]*Department of Physics Engineering, Gaziantep University, Gaziantep, Türkiye*
[22c]*Department of Physics, Istanbul University, Istanbul, Türkiye*
[23a]*Facultad de Ciencias y Centro de Investigaciónes, Universidad Antonio Nariño, Bogotá, Colombia*
[23b]*Departamento de Física, Universidad Nacional de Colombia, Bogotá, Colombia*
[24a]*Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna, Italy*
[24b]*INFN Sezione di Bologna, Italy*
[25]*Physikalisches Institut, Universität Bonn, Bonn, Germany*
[26]*Department of Physics, Boston University, Boston, Massachusetts, USA*

[27]Department of Physics, Brandeis University, Waltham, Massachusetts, USA
[28a]Transilvania University of Brasov, Brasov, Romania
[28b]Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest, Romania
[28c]Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi, Romania
[28d]National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca, Romania
[28e]National University of Science and Technology Politechnica, Bucharest, Romania
[28f]West University in Timisoara, Timisoara, Romania
[28g]Faculty of Physics, University of Bucharest, Bucharest, Romania
[29a]Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava, Slovak Republic
[29b]Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
[30]Physics Department, Brookhaven National Laboratory, Upton, New York, USA
[31]Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires, Argentina
[32]California State University, California, USA
[33]Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
[34a]Department of Physics, University of Cape Town, Cape Town, South Africa
[34b]iThemba Labs, Western Cape, South Africa
[34c]Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg, South Africa
[34d]National Institute of Physics, University of the Philippines Diliman (Philippines), Philippines
[34e]University of South Africa, Department of Physics, Pretoria, South Africa
[34f]University of Zululand, KwaDlangezwa, South Africa
[34g]School of Physics, University of the Witwatersrand, Johannesburg, South Africa
[35]Department of Physics, Carleton University, Ottawa, Ontario, Canada
[36a]Faculté des Sciences Ain Chock, Université Hassan II de Casablanca, Morocco
[36b]Faculté des Sciences, Université Ibn-Tofail, Kénitra, Morocco
[36c]Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech, Morocco
[36d]LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda, Morocco
[36e]Faculté des sciences, Université Mohammed V, Rabat, Morocco
[36f]Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir, Morocco
[37]CERN, Geneva, Switzerland
[38]Affiliated with an institute formerly covered by a cooperation agreement with CERN
[39]Affiliated with an international laboratory covered by a cooperation agreement with CERN
[40]Enrico Fermi Institute, University of Chicago, Chicago, Illinois, USA
[41]LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand, France
[42]Nevis Laboratory, Columbia University, Irvington, New York, USA
[43]Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark
[44a]Dipartimento di Fisica, Università della Calabria, Rende, Italy
[44b]INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati, Italy
[45]Physics Department, Southern Methodist University, Dallas, Texas, USA
[46]National Centre for Scientific Research "Demokritos", Agia Paraskevi, Greece
[47a]Department of Physics, Stockholm University, Sweden
[47b]Oskar Klein Centre, Stockholm, Sweden
[48]Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen, Germany
[49]Fakultät Physik, Technische Universität Dortmund, Dortmund, Germany
[50]Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany
[51]Department of Physics, Duke University, Durham, North Carolina, USA
[52]SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
[53]INFN e Laboratori Nazionali di Frascati, Frascati, Italy
[54]Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg, Germany
[55]II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen, Germany
[56]Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland
[57a]Dipartimento di Fisica, Università di Genova, Genova, Italy
[57b]INFN Sezione di Genova, Italy
[58]II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
[59]SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
[60]LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble, France
[61]Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, Massachusetts, USA

[62]Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei, China
[63a]Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
[63b]Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
[64a]Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong, China
[64b]Department of Physics, University of Hong Kong, Hong Kong, China
[64c]Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
[65]Department of Physics, National Tsing Hua University, Hsinchu, Taiwan
[66]IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay, France
[67]Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona, Spain
[68]Department of Physics, Indiana University, Bloomington, Indiana, USA
[69a]INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine, Italy
[69b]ICTP, Trieste, Italy
[69c]Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine, Italy
[70a]INFN Sezione di Lecce, Italy
[70b]Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
[71a]INFN Sezione di Milano, Italy
[71b]Dipartimento di Fisica, Università di Milano, Milano, Italy
[72a]INFN Sezione di Napoli, Italy
[72b]Dipartimento di Fisica, Università di Napoli, Napoli, Italy
[73a]INFN Sezione di Pavia, Italy
[73b]Dipartimento di Fisica, Università di Pavia, Pavia, Italy
[74a]INFN Sezione di Pisa, Italy
[74b]Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
[75a]INFN Sezione di Roma, Italy
[75b]Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
[76a]INFN Sezione di Roma Tor Vergata, Italy
[76b]Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
[77a]INFN Sezione di Roma Tre, Italy
[77b]Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
[78a]INFN-TIFPA, Italy
[78b]Università degli Studi di Trento, Trento, Italy
[79]Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck, Austria
[80]University of Iowa, Iowa City, Iowa, USA
[81]Department of Physics and Astronomy, Iowa State University, Ames, Iowa, USA
[82]Istinye University, Sariyer, Istanbul, Türkiye
[83a]Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora, Brazil
[83b]Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro, Brazil
[83c]Instituto de Física, Universidade de São Paulo, São Paulo, Brazil
[83d]Rio de Janeiro State University, Rio de Janeiro, Brazil
[83e]Federal University of Bahia, Bahia, Brazil
[84]KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
[85]Graduate School of Science, Kobe University, Kobe, Japan
[86a]AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow, Poland
[86b]Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
[87]Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland
[88a]Khalifa University of Science and Technology, Abu Dhabi, United Arab Emirates
[88b]University of Sharjah, Sharjah, United Arab Emirates
[89]Faculty of Science, Kyoto University, Kyoto, Japan
[90]Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan
[91]L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse, France
[92]Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
[93]Physics Department, Lancaster University, Lancaster, United Kingdom
[94]Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
[95]Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia
[96]Department of Physics and Astronomy, Queen Mary University of London, London, United Kingdom

[97]Department of Physics, Royal Holloway University of London, Egham, United Kingdom
[98]Department of Physics and Astronomy, University College London, London, United Kingdom
[99]Louisiana Tech University, Ruston, Los Angeles, USA
[100]Fysiska institutionen, Lunds universitet, Lund, Sweden
[101]Departamento de Física Teorica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid, Spain
[102]Institut für Physik, Universität Mainz, Mainz, Germany
[103]School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
[104]CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille, France
[105]Department of Physics, University of Massachusetts, Amherst, Massachusetts, USA
[106]Department of Physics, McGill University, Montreal, Quebec, Canada
[107]School of Physics, University of Melbourne, Victoria, Australia
[108]Department of Physics, University of Michigan, Ann Arbor, Michigan, USA
[109]Department of Physics and Astronomy, Michigan State University, East Lansing, Michigan, USA
[110]Group of Particle Physics, University of Montreal, Montreal, Quebec, Canada
[111]Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
[112]Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
[113]Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
[114a]Department of Physics, Nanjing University, Nanjing, China
[114b]School of Science, Shenzhen Campus of Sun Yat-sen University, China
[114c]University of Chinese Academy of Science (UCAS), Beijing, China
[115]Department of Physics and Astronomy, University of New Mexico, Albuquerque, New Mexico, USA
[116]Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen, Netherlands
[117]Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
[118]Department of Physics, Northern Illinois University, DeKalb, Illinois, USA
[119a]New York University Abu Dhabi, Abu Dhabi, United Arab Emirates
[119b]United Arab Emirates University, Al Ain, United Arab Emirates
[120]Department of Physics, New York University, New York, New York, USA
[121]Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo, Japan
[122]Ohio State University, Columbus, Ohio, USA
[123]Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, Oklahoma, USA
[124]Department of Physics, Oklahoma State University, Stillwater, Oklahoma, USA
[125]Palacký University, Joint Laboratory of Optics, Olomouc, Czech Republic
[126]Institute for Fundamental Science, University of Oregon, Eugene, Oregon, USA
[127]Graduate School of Science, University of Osaka, Osaka, Japan
[128]Department of Physics, University of Oslo, Oslo, Norway
[129]Department of Physics, Oxford University, Oxford, United Kingdom
[130]LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris, France
[131]Department of Physics, University of Pennsylvania, Philadelphia, Pennsylvania, USA
[132]Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, Pennsylvania, USA
[133a]Laboratório de Instrumentação e Física Experimental de Partículas—LIP, Lisboa, Portugal
[133b]Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa, Portugal
[133c]Departamento de Física, Universidade de Coimbra, Coimbra, Portugal
[133d]Centro de Física Nuclear da Universidade de Lisboa, Lisboa, Portugal
[133e]Departamento de Física, Escola de Ciências, Universidade do Minho, Braga, Portugal
[133f]Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain), Spain
[133g]Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa, Portugal
[134]Institute of Physics of the Czech Academy of Sciences, Prague, Czech Republic
[135]Czech Technical University in Prague, Prague, Czech Republic
[136]Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic
[137]Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
[138]IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France
[139]Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, California, USA
[140a]Departamento de Física, Pontificia Universidad Católica de Chile, Santiago, Chile
[140b]Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago, Chile
[140c]Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena, Chile
[140d]Universidad Andres Bello, Department of Physics, Santiago, Chile
[140e]Instituto de Alta Investigación, Universidad de Tarapacá, Arica, Chile
[140f]Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
[141]Department of Physics, Institute of Science, Tokyo, Japan
[142]Department of Physics, University of Washington, Seattle, Washington, USA

[143a]Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao, China
[143b]School of Physics, Zhengzhou University, China
[144a]State Key Laboratory of Dark Matter Physics, School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai, China
[144b]State Key Laboratory of Dark Matter Physics, Tsung-Dao Lee Institute, Shanghai Jiao Tong University, Shanghai, China
[145]Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
[146]Department of Physics, Shinshu University, Nagano, Japan
[147]Department Physik, Universität Siegen, Siegen, Germany
[148]Department of Physics, Simon Fraser University, Burnaby, British Columbia, Canada
[149]SLAC National Accelerator Laboratory, Stanford, California, USA
[150]Department of Physics, Royal Institute of Technology, Stockholm, Sweden
[151]Departments of Physics and Astronomy, Stony Brook University, Stony Brook, New York, USA
[152]Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
[153]School of Physics, University of Sydney, Sydney, Australia
[154]Institute of Physics, Academia Sinica, Taipei, Taiwan
[155a]E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi, Georgia
[155b]High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
[155c]University of Georgia, Tbilisi, Georgia
[156]Department of Physics, Technion, Israel Institute of Technology, Haifa, Israel
[157]Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
[158]Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
[159]International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo, Japan
[160]Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
[161]Department of Physics, University of Toronto, Toronto, Ontario, Canada
[162a]TRIUMF, Vancouver, British Columbia, Canada
[162b]Department of Physics and Astronomy, York University, Toronto, Ontario, Canada
[163]Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan
[164]Department of Physics and Astronomy, Tufts University, Medford, Massachusetts, USA
[165]Department of Physics and Astronomy, University of California Irvine, Irvine, California, USA
[166]University of West Attica, Athens, Greece
[167]Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
[168]Department of Physics, University of Illinois, Urbana, Illinois, USA
[169]Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia, Spain
[170]Department of Physics, University of British Columbia, Vancouver, British Columbia, Canada
[171]Department of Physics and Astronomy, University of Victoria, Victoria, British Columbia, Canada
[172]Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg, Germany
[173]Department of Physics, University of Warwick, Coventry, United Kingdom
[174]Waseda University, Tokyo, Japan
[175]Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot, Israel
[176]Department of Physics, University of Wisconsin, Madison, Wisconsin, USA
[177]Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
[178]Department of Physics, Yale University, New Haven, Connecticut, USA
[179]Yerevan Physics Institute, Yerevan, Armenia

[a]Deceased.
[b]Also at Department of Physics, King's College London, London, United Kingdom.
[c]Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.
[d]Also at Imam Mohammad Ibn Saud Islamic University, Saudi Arabia.
[e]Also at TRIUMF, Vancouver, British Columbia, Canada.
[f]Also at Department of Physics, University of Thessaly, Greece.
[g]Also at An-Najah National University, Nablus, Palestine.
[h]Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.
[i]Also at Department of Physics, Westmont College, Santa Barbara, USA.
[j]Also at Departament de Fisica de la Universitat Autonoma de Barcelona, Barcelona, Spain.
[k]Also at University of Sienna, Italy.
[l]Also at Affiliated with an institute formerly covered by a cooperation agreement with CERN.
[m]Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing, China.
[n]Also at Faculty of Physics, Sofia University, 'St. Kliment Ohridski', Sofia, Bulgaria.

[o]Also at Università di Napoli Parthenope, Napoli, Italy.
[p]Also at Institute of Particle Physics (IPP), Canada.
[q]Also at Department of Physics, Bolu Abant Izzet Baysal University, Bolu, Türkiye.
[r]Also at Faculty of Physics, University of Bucharest, Romania.
[s]Also at Borough of Manhattan Community College, City University of New York, New York, New York, USA.
[t]Also at National Institute of Physics, University of the Philippines Diliman (Philippines), Philippines.
[u]Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.
[v]Also at Institucio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.
[w]Also at Henan University, China.
[x]Also at CMD-AC UNEC Research Center, Azerbaijan State University of Economics (UNEC), Azerbaijan.
[y]Also at Yeditepe University, Physics Department, Istanbul, Türkiye.
[z]Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.
[aa]Also at CERN, Geneva, Switzerland.
[bb]Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki, Greece.
[cc]Also at Hellenic Open University, Patras, Greece.
[dd]Also at Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei, China.
[ee]Also at Department of Mathematical Sciences, University of South Africa, Johannesburg, South Africa.
[ff]Also at Department of Physics, Stellenbosch University, South Africa.
[gg]Also at University of Colorado Boulder, Department of Physics, Colorado, USA.
[hh]Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland.
[ii]Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.
[jj]Also at Centre of Physics of the Universities of Minho and Porto (CF-UM-UP), Portugal.
[kk]Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.
[ll]Also at Washington College, Chestertown, Maryland, USA.
[mm]Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir, Morocco.
[nn]Also at Department of Physics, Stanford University, Stanford, California, USA.
[oo]Also at Institute of Physics and Technology, Mongolian Academy of Sciences, Ulaanbaatar, Mongolia.