UNIVERSITY OF AMSTERDAM

UvA-DARE (Digital Academic Repository)

Recognition, prevalence, and risk factors of internal derangements of the temporomandibular joint

Huddleston Slater, J.J.R.

Publication date
2003

Link to publication

Citation for published version (APA):
Huddleston Slater, J. J. R. (2003). *Recognition, prevalence, and risk factors of internal derangements of the temporomandibular joint*. [Thesis, fully internal, Universiteit van Amsterdam]. Budde Elinkwijk BV.

General rights
It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations
If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: https://uba.uva.nl/en/contact, or a letter to: Library of the University of Amsterdam, Secretariat, P.O. Box 19185, 1000 GD Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (https://dare.uva.nl)

Download date:07 Oct 2026

References

Atkinson WB, Bates RE Jr (1983). The effects of the angle of the articular eminence on anterior disk displacement. *J Prosthet Dent* 49:554-5.

Barclay P, Hollender LG, Maravilla KR, Truelove EL (1999). Comparison of clinical magnetic resonance imaging diagnosis in patients with disc displacement in the temporomandibular Joint. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 88:37-43.

Blankestijn J, Boering G (1985). Posterior dislocation of the temporomandibular disc. *Int J Oral Surg* 14:437-43.

Brown T (1975). Mandibular movements. *Monogr Oral Sci* 4:126-150.

Brown WA (1980). Internal derangement of the temporomandibular joint: review of 214 patients following meniscectomy. *Can J Surg* 23:30-2.

Burgemeijer RJF, Fredriks AM, van Buuren S, Verloove-Vanhorick SP, Wit JM (1998). Groeidiagrammen 1997. Houten: Bohn Stafleu Van Loghum.

Carlsson GE, Öberg T (1974). Remodeling of the temporomandibular joints. *Oral Sci Rev* 4:53-86.

Carlsson GE, Egermark I, Magnusson T (2002). Predictors of signs and symptoms of temporomandibular disorders: a 20-year follow-up study from childhood to adulthood. *Acta Odontol Scand* 60:180-5.

Catiç A, Naeije M (1999). Location of the hinge axis and the kinematic center in asymptomatic and clicking temporomandibular joints. *J Oral Rehabil* 26:661-5.

Chen YJ, Gallo LM, Meier D, Palla S (2000). Dynamic magnetic resonance imaging technique for the study of the temporomandibular joint. *J Orofac Pain* 14:65-73.

Chen YJ, Gallo LM, Palla S (2002). The mediolateral temporomandibular joint disc position: an in vivo quantitative study. *J Orofac Pain* 16:29-38.

Chossegros C, Cheynet F, Guyot L, Bellot-Samson V, Blanc JL (2001). Posterior disk displacement of the TMJ: MRI evidence in two cases. *J Craniomandib Pract* 19:289-293.

De Kanter RJ, Truin GJ, Burgersdijk RC, Van 't Hof MA, Battistuzzi PG, Kalsbeek H, Kayser AF (1993). Prevalence in the Dutch adult population and a meta-analysis of signs and symptoms of temporomandibular disorder. *J Dent Res* 72:1509-18.

De Wijer A, Lobbezoo-Scholte AM, Steenks MH, Bosman F (1995). Reliability of clinical findings in temporomandibular disorders. *J Orofac Pain* 9:181-91.

Dibbets JM, van der Weele LT (1992). The prevalence of joint noises as related to age and gender. *J Craniomandib Disord* 6:157-60.

Dijkgraaf LC, de Bont LG, Boering G, Liem RS (1995). The structure, biochemistry, and metabolism of osteoarthritic cartilage: a review of the literature. *J Oral Maxillofac Surg* 53:1182-92.

Dijkstra PU, de Bont LG, de Leeuw R, Stegenga B, Boering G (1993). Temporomandibular joint osteoarthrosis and temporomandibular joint hypermobility. *Cranio* 11:268-75.

Dijkstra PU, Kropmans TJ, Stegenga B (2002). The association between generalized joint hypermobility and temporomandibular joint disorders: a systematic review. *J Dent Res* 81:158-63.

Dolwick MF (1995). Intra-articular disc displacement part I: its questionable role in temporomandibular joint pathology. *J Oral Maxillofac Surg* 53:1069-72.

DuBrul EL (1988). Sicher's oral anatomy. St. Louis: The C.V. Mosby Company.

Dworkin SF, LeResche L, DeRouen T (1988). Reliability of clinical measurement in temporomandibular disorders. *Clin J Pain* 4:89-99.

Dworkin SF, LeResche L (1992). Research diagnostic criteria for temporomandibular disorders. *J Craniomandib Disord* 6:301-355.

Egermark-Eriksson I, Carlsson GE, Ingervall B (1981). Prevalence of mandibular dysfunction and orofacial parafunction in 7-, 11- and 15-year-old Swedish children. *Eur J Orthod* 3:163-72.

Engelke W (1990). Die dorsale Diskusluxation, eine Rarität? *Dtsch Z Mund Kiefer Gesichtschir* 14:86-89.

Farrar WB (1971). Diagnosis and treatment of anterior dislocation of the articular disc. *NY J Dent* 41: 348-51.

Farrar WB (1978). Characteristics of the condylar path in internal derangements of the TMJ. *J Prosthet Dent.* 39:319-23.

Farrar WB, McCarty WL (1982). A clinical outline of temporomandibular joint diagnosis and treatment. 7th ed. Normandie. Montgomery: Walker Printing Co.

Fletcher AM (1985). Ethnic variations in sagittal condylar guidance angles. *J Dent* 13:304-10.

Freesmeyer WB, Luckenbach A (1987). Temporomandibular joint diagnosis and therapy with computer-processed registration methods. Zahnärztl Mitt 77: 692-4, 697-703.

Freesmeyer HB (1993). Zahnärztliche Funktionstherapie. München: Karl Hanser Verlag.

Gallagher DM (1986). Posterior dislocation of the temporomandibular joint meniscus: report of three cases. *J Am Dent Assoc* 113:411-5.

Gibbs CH, Lundeen HC (1982). Jaw movements and forces during chewing and swallowing and their clinical significance. In: Advances in occlusion. Lundeen HC, Gibbs CH, editors. Boston: John Wright, pp 2-32.

Gibbs SJ, Simmons HC (1998). A protocol for magnetic resonance imaging of the Temporomandibular joints. *J Craniomandib Pract* 16:236-241.

Glass EG, McGlynn FD, Glaros AG, Melton K, Romans K (1993). Prevalence of temporomandibular disorder symptoms in a major metropolitan area. *Cranio* 11: 217-20.

Greene CS, Marbach JJ (1982). Epidemiologic studies of mandibular dysfunction: a critical review. *J Prosthet Dent* 48:184-190.

Hansson T, Nilner M (1975). A study of the occurrence of symptoms of diseases of the temporomandibular joint masticatory musculature and related structures. *J Oral Rehabil* 2:313-324.

Hardison JD, Okeson JP(1990). Comparison of three clinical techniques for evaluating joint sounds. *Cranio* 8, 307-11.

Hesse JR, Hansson TL (1988). Factors influencing joint mobility in general and in particular respect of the craniomandibular articulation: a literature review. *J Craniomandib Disord* 2:19-28

Huddleston Slater JJR, Naeije M (1998). Classification of kinematic condylar movement traces from clicking TM joints. *J Dent Res 77:777* abstract 3172.

Huddleston Slater JJR, Visscher CM, Lobbezoo F, Naeije M (1999). The intra-articular distance within the TMJ during free and loaded closing movements. *J Dent Res* 78:1815-20.

Huddleston Slater JJR, Lobbezoo F, Naeije M (2002a). Mandibular movement characteristics of an anterior disc displacement with reduction. *J Orofacial Pain* 6:135-42.

Huddleston Slater JJR, Lobbezoo F, Naeije M (2002b). Recognition of internal derangements. *J Oral Rehabil (In press)*

Huddleston Slater JR, Lobbezoo F, Chen Y-J, Naeije M (2002c). A comparative study between clinical and instrumental techniques for the recognition of internal derangements within the temporomandibular Joint. *(Submitted)*

Jensen R, Krogh Rasmussen B, Pedersen B, Lous I, Olesen J (1993). Prevalence of oromandibular dysfunction in a general population. *J Orofacial Pain* 7:175-82.

Katzberg RW, Westesson PL (1993). Diagnosis of the temporomandibular joint. W.B. Philadelphia: Saunders company 3-23.

Kircos LT, Ortendahl DA, Mark AS, Arakawa M (1987). Magnetic resonance imaging of the TMJ disc in asymptomatic volunteers. *J Oral Maxillofac Surg* 45:852-4.

Klett R (1982). Elektronisches Registrierverfahren für die Kiefergelenksdiagnostik. *Dtsch Zahnärztl* 37: 991-8.

Kohno S (1968). A study on condylar movements with reference to the mandibular movement in the sagittal plane; analysis of sagittal axis with the multiple electronic flush apparatus. *J Jpn Prosthet Soc* 12:350-80.

Könönen M, Waltimo A, Nyström M (1996). Does clicking in adolescence lead to painful temporomandibular joint locking? *Lancet* 347:1080-1.

Koolstra JH, Van Eijden TMGJ (1997). The jaw open-close movements predicted by biomechanical modelling. *J Biomechan* 30:943-950.

Krebs M, Gallo LM, Airoldi RL, Meier D, Boesiger P, Palla S (1994). Three-dimensional animation of the temporomandibular joint. *Technology and Health Care* 2:193-207.

Krebs M, Gallo LM, Airoldi RL, Palla S (1995). A new method for three-dimensional reconstruction and animation of the temporomandibular joint. *Ann Acad Med Singapore* 24:11-6.

Landis JR, Koch GG (1977). The measurement of observer agreement for categorical data. *Biometrics* 33:159-74.

Locker D, Slade G (1988). Prevalence of symptoms associated with temporomandibular disorders in a Canadian population. *Comm Dent Oral Epidemiol* 16:310-313.

Lückerath W, Helfgen EH, Schlolaut KH (1989). Formen exzentrisch-posteriorer Verlagerungen des Discus articularis. *Dtsch Zahnärztl Z* 44:S45-8.

Lundh H, Westesson PL, Kopp S, Tillstrom B (1985). Anterior repositioning splint in the treatment of temporomandibular joints with reciprocal clicking: comparison with a flat occlusal splint and an untreated control group. *Oral Surg Oral Med Oral Pathol* 60:131-6.

Lundh H, Westesson PL, Kopp S (1987). A three-year follow-up of patients with reciprocal temporomandibular joint clicking. *Oral Surg Oral Med Oral Pathol* 63: 530-3.

Magnusson T, Carlsson GE, Egermark I (1994). Changes in clinical signs of craniomandibular disorders from the age of 15 to 25 years. *J Orofac Pain* 8:207-15.

Magnusson T, Egermark I, Carlsson GE (2000). A longitudinal epidemiologic study of signs and symptoms of temporomandibular disorders from 15 to 35 years of age. *J Orofac Pain* 14:310-9.

Mauderli AP, Lundeen HC, Loughner B (1988). Condylar movement recordings for analyzing TMJ derangements. *J Craniomandib Disord Facial Oral Pain* 2:119-27.

McCarty WL (1980). Diagnosis and treatment of internal derangements of the articular disc and mandibular condyle. In Solberg WK, Clark GT (eds). Temporomandibular Joint Problems: biologic diagnosis and treatment. Chicago, Quintessence Publ Co. 145-68.

McNeill C (1993). Temporomandibular disorders. Guidelines for classification, assessment and management. The American Academy of Orofacial Pain. Quintessence Pub Co. Chicago.

Merlini L, Palla S (1988). The relationship between condylar rotation and anterior translation in healthy and clicking temporomandibular joints. *Schweiz Monatsschr Zahnmed* 98:1191-9.

Merskey H, Bogduk N (eds) (1994). Classification of chronic pain. Descriptions of chronic pain syndromes and definitions of pain terms. Task force on taxonomy of the international association for the study of pian. 2nd edition. Seattle: IASP press.

Modic MT (1999). Degenerative disc disease and back pain. *Magn Reson Imaging Clin N Am* 7:481-91.

Morneburg T, Pröschel PA (1998). Differences between traces of adjacent condylar points and their impact on clinical evaluation of condyle motion. *Int J Prosthodont* 11:317-24.

Naeije M, Weijden van der JJ, Megens CCEJ (1995). OKAS-3D: an opto-electronic jaw movement recording system with six degrees of freedom. *Med Biol Eng Comput* 33:683-8.

Naeije M, Huddleston Slater JJR, Lobbezoo F (1999). Variation in movement traces of the kinematic center of the temporomandibular joint. J Orofac Pain 13:121-7.

Nitzan DW (2002). Temporomandibular Joint "open lock" versus condylar dislocation: signs and symptoms, imaging, treatment, and pathogenesis. *J Oral Maxillofac Surg* 60:506-511.

Obwegeser H, Aarnes K (1973). Zur Luxation des Discus Articularis des Kiefergekenkes. *Schweiz Monatsschr Zahnheilkd* 83:67-70.

Okeson JP (1996). Orofacial Pain: guidelines for assessment, diagnosis, and management. The American Academy of Orofacial Pain. Quintessence Pub Co. Chicago.

Osborn JW (1989). The temporomandibular ligament and the articular eminence as constraints during jaw opening. *J Oral Rehabil* 16:323-333.

Osborn JW (1993). A model to describe how ligaments may control symmetrical jaw opening movements in man. *J Oral Rehabil* 20:585-604.

Ozawa S, Tanne K (1997). Diagnostic accuracy of sagittal condylar movement patterns for identifying internal derangement of the temporomandibular joint. *J Orofac Pain* 11:222-31.

Palla S, Krebs M, Gallo LM (1998). Jaw tracking and temporomandibular joint animation. In: Science and practice of occlusion. McNeill C, editor. Chicago: Quittessence Publishing Co. 365-78.

Panmekiate S, Petersson A, Akerman S (1991). Angulation and prominence of the posterior slope of the eminence of the temporomandibular joint in relation to disc position. *Dentomaxillofac Radiol* 20:205-8.

Parlett K, Paesani D, Tallents RH, Hatala MA (1993). Temporomandibular joint axiography and MRI findings: a comparative study. *J Prosthet Dent* 70:521-31.

Peck CC, Murray GM, Johnson CWL, Klineberg IJ (1997). The variability of condylar point pathways in open-close jaw movements. *J Prosthet Dent* 77:394-404.

Posselt U (1952). Studies in the mobility of the human mandible. *Acta Odont Scand* 10 [Suppl.]: 11-150.

Prahl-Andersen B, Kowalski CJ, Heydendael PHJM (1979). A mixed-longitudinal interdisciplinary study of growth and development. New York: Academic Press Inc.

Pröschel P, Feng H, Ohkawa S, Ott R, Hofmann M (1993). Untersuchung zur Interpretation des Bewegungsverhaltens kondylärer Punkte. *Dtsch Zahnärztl Z* 48:323-326.

Pullinger AG, Seligman DA (2001). Multifactorial analysis of differences in temporomandibular joint hard tissue anatomic relationships between disk displacement with and without reduction in women. *J Prosthet Dent* 86:407-419.

Pullinger AG, Seligman DA, John MT, Harkins S (2002). Multifactorial comparison of disk displacement with and without reduction to normals according to temporomandibular joint hard tissue anatomic relationships. *J Prosthet Dent* 87:298-310.

Ren YF, Isberg A, Westesson PL (1995). Steepness of the articular eminence in the temporomandibular joint. Tomographic comparison between asymptomatic volunteers with normal disk position and patients with disk displacement. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 80: 258-66.

Ribeiro RF, Tallents RH, Katzberg RW, Murphy WC, Moss ME, Magalhaes AC, Tavano O (1997). The prevalence of disc displacement in symptomatic and asymptomatic volunteers aged 6 to 25 years. *J Orofac Pain* 11:37-47.

Romanelli GG, Harper R, Mock D, Pharoah MJ, Tenenbaum HC (1993). Evaluation of temporomandibular joint internal derangement. *J Orofac Pain* 7:254-62.

Schwartz L (1966). Disorders of the temporomandibular joint. Diagnosis, management, relation to occlusion of teeth W.B. Saunders Company, Philadelphia.

Stegenga B (2001). Osteoarthritis of the temporomandibular joint organ and its relationship to disc displacement. *J Orofac Pain* 15:93-205.

Ten Cate R. Gross and Micro Anatomy (1994). In: Zarb GA, Carlsson GE, Sessle BJ, Mohl N, eds. Temporomandibular joint and masticatory muscle disorders. Copenhagen: Munksgaard. 48-66.

Tenenbaum HC, Freeman BV, Psutka DJ, Baker GI (1999). Temporomandibular disorders: disc displacements. *J Orofac Pain* 13:285-90.

The glossary of prosthodontic terms (1999). *J Prosthet Dent* 81:48-110

Thilander B, Rubio G, Pena L, de Mayorga C (2002). Prevalence of temporomandibular dysfunction and its association with malocclusion in children and adolescents: an epidemiologic study related to specified stages of dental development. *Angle Orthod* 72:146-54.

Travers KH, Buschang PH, Hayasaki H, Trockmorton GS (2000). Associations between incisor and condylar movements during maximum mouth opening in humans. *Archs Oral Biol* 45:267-75.

van Willigen J (1979). The sagittal condylar movements of the clicking temporomandibular joint. *J Oral Rehabil* 6:167-75.

Visscher CM, Huddleston Slater JJR, Lobbezoo F, Naeije M (2000). Kinematics of the human mandible for different head postures. *J Oral Rehabil* 27:299-305.

Wabeke KB, Spruijt RJ, van der Zaag J (1994). The reliability of clinical methods for recording temporomandibular joint sounds. *J Dent Res* 73:1157-62.

Westesson PL, Larheim TA, Tanaka H (1998). Posterior disc displacement in the temporomandibular joint. *J Oral Maxillofac Surg* 56:1266-73.

Wise SW, Conway WF, Laskin DM (1993). Temporomandibular joint clicking only on closure. Report of a case and explanation of the cause. *J Oral Maxillofac Surg* 51:1272-3.

Yatabe M, Zwijnenburg A, Megens CCEJ, Naeije M (1995). The kinematic center: a reference for condylar movements. *J Dent Res* 74:1644-8.

Yatabe M, Zwijnenburg A, Megens CCEJ, Naeije M (1997). Movements of the mandibular condyle during jaw opening and closing. *J Dent Res* 76:714-9.

Yoda T, Imai H, Shinjyo Y, Sakamoto I, Abe M, Enomoto S (2002). Effect of arthrocentesis on TMJ disturbance of mouth closure with loud clicking: A preliminary study. *Cranio* 20:18-22.

Zwijnenburg A, Megens CCEJ, Naeije M (1996). Influence of choice of reference points on the condylar movement paths during mandibular movements. *J Oral Rehabil* 23:832-7.