



UvA-DARE (Digital Academic Repository)

X-ray re-brightening of the accreting millisecond X-ray pulsar IGR J17379-3747

van den Eijnden, J.; Degenaar, N.; Russell, T.; Wijnands, R.; Hernandez Santisteban, J.V.; Russell, D.M.; AlMannaï, A.; Maitra, D.; Shaw, A.W.; Heinke, C.O.; Sivakoff, G.R.; Maccarone, T.; Miller-Jones, J.; Armas Padilla, M.; Bahramian, A.

Publication date

2018

Document Version

Final published version

Published in

The astronomer's telegram

License

Unspecified

[Link to publication](#)

Citation for published version (APA):

van den Eijnden, J., Degenaar, N., Russell, T., Wijnands, R., Hernandez Santisteban, J. V., Russell, D. M., AlMannaï, A., Maitra, D., Shaw, A. W., Heinke, C. O., Sivakoff, G. R., Maccarone, T., Miller-Jones, J., Armas Padilla, M., & Bahramian, A. (2018). X-ray re-brightening of the accreting millisecond X-ray pulsar IGR J17379-3747. *The astronomer's telegram*, 11520. <http://www.astronomerstelegam.org/?read=11520>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (<https://dare.uva.nl>)

15 Apr 2019; 10:10 UT

Outside

GCN
IAUCs

Other

ATel on [Twitter](#) and [Facebook](#)
[ATELstream](#)
[ATel Community Site](#)

This space for free for your conference.

[\[Previous](#) | [Next](#) | [ADS](#)]

X-ray re-brightening of the accreting millisecond X-ray pulsar IGR J17379-3747

ATel #11520; *J. van den Eijnden, N. Degenaar, T. Russell, R. Wijnands, J. V. Hernandez Santisteban (University of Amsterdam), D. M. Russell, A. AlManna'ei (NYU Abu Dhabi), D. Maitra (Wheaton College), A. W. Shaw, C. O. Heinke, G. R. Sivakoff (University of Alberta), T. Maccarone (Texas Tech University), J. Miller-Jones (ICRAR-Curtin), M. Armas Padilla (Instituto de Astrofísica de Canarias), A. Bahramian (Michigan State University)*

*on 9 Apr 2018; 18:56 UT**Credential Certification: Jakob Van den Eijnden (a.j.vandeneijnden@uva.nl)*

Subjects: X-ray, Neutron Star, Transient, Pulsar

IGR J17379-3747 is a neutron star low-mass X-ray binary, identified as an accreting millisecond X-ray pulsar by the detection of 468 Hz pulsations by NICER (Atel #11507). On 19 March 2018, MAXI/GSC reported renewed X-ray activity of this source (ATel #11447). This outburst reached a peak 2-10 keV X-ray luminosity of $9E35 (D/8 \text{ kpc})^2 \text{ erg s}^{-1}$ on 23 March 2018 (Atel #11487), after which it started to decay in X-rays. On 4 April 2018, the source was no longer detected in a 645 second monitoring observation using the Swift X-ray Telescope (XRT).

Here, we report the X-ray re-brightening of IGR J17379-3747 in the latest XRT monitoring observation taken on 8 April 2018 00:59 UT. We extract the PC-mode spectrum using the Swift XRT online pipeline (Evans et al. 2009, MNRAS, 397, 1177) and fit it in the 0.5 to 10 keV energy range with an absorbed power law model (TBABS*PO in XSPEC). The spectrum is well-described with an $N_{\text{H}} = (1.05 \pm 0.17) E22 \text{ cm}^{-2}$, a power law index 2.6 ± 0.2 and a reduced chi-squared of 222/351. The unabsorbed 0.5-10 keV and 2-10 keV X-ray fluxes are $(4.3 \pm 0.3)E-11 \text{ erg s}^{-1} \text{ cm}^{-2}$ and $(1.4 \pm 0.2)E-11 \text{ erg s}^{-1} \text{ cm}^{-2}$, respectively. These fluxes correspond to X-ray luminosities of $(3.3 \pm 0.2) (D/8 \text{ kpc})^2 E35 \text{ erg s}^{-1}$ and $(1.1 \pm 0.1) (D/8 \text{ kpc})^2 E35 \text{ erg s}^{-1}$, respectively.

Further Swift XRT monitoring observations are planned every other day. Optical observations are planned with Las Cumbres Observatory and VLA radio monitoring is ongoing (Atel #11487). Further multi-wavelength observations are encouraged.

Related

11520	X-ray re-brightening of the accreting millisecond X-ray pulsar IGR J17379-3747
11507	NICER discovers millisecond pulsations from the neutron star LMXB IGR J17379-3747
11487	VLA radio detection of the very-faint X-ray transient IGR J17379-3747
11447	MAXI/GSC detection of renewed activity from the gamma-ray source IGR J17379-3747
1714	Swift/XRT determines a precise location for IGR J17379-3747
1711	X-ray activity of IGR J17379-3747 confirmed with INTEGRAL
1709	New and Old Outbursts of IGR J17379-3747 (= XTE J1737-376)

[**Telegram Index**]

R. E. Rutledge, Editor-in-Chief

Derek Fox, Editor

Mansi M. Kasliwal, Co-Editor

rrutledge@astronomerstelegam.org

dfox@astronomerstelegam.org

mansi@astronomerstelegam.org