



UvA-DARE (Digital Academic Repository)

The mobility of aluminium, iron and organic matter in acidic

Jansen, B.

Publication date
2003

[Link to publication](#)

Citation for published version (APA):

Jansen, B. (2003). *The mobility of aluminium, iron and organic matter in acidic*. [Thesis, fully internal, Universiteit van Amsterdam]. IBED, Universiteit van Amsterdam.

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, P.O. Box 19185, 1000 GD Amsterdam, The Netherlands. You will be contacted as soon as possible.

References

- Alfaro-De la Torre, M.C., Beaulieu, P.Y. and Tessier, A., 2000. In situ measurement of trace metals in lakewater using the dialysis and DGT techniques. *Analytica Chimica Acta*, 418: 53-68.
- Anderson, H.A., Berrow, M.L., Farmer, V.C., Hepburn, A., Russel, J.D. and Walker, W.J., 1982. A reassessment of podzol formation processes. *Journal of Soil Science*, 33: 125-136.
- Appelo, C.A.J. and Postma, D., 1994. *Geochemistry, groundwater and pollution*. A. A. Balkema, Rotterdam, 536 pp.
- Aran, D., Gury, M. and Jeanroy, E., 2001. Organo-metallic complexes in an Andosol: a comparative study with a Cambisol and Podzol. *Geoderma*, 99: 65-79.
- Ares, J. and Ziechman, W., 1988. Interactions of organic matter and aluminum ions in acid forest soil solutions: metal complexation, flocculation and precipitation. *Soil Science*, 145: 437-447.
- Begheijn, L.T., 1979. Determination of iron(II) in rock, soil and clay. *The Analyst*, 104: 1055-1061.
- Berggren, D. and Mulder, J., 1995. The role of organic matter in controlling aluminum solubility in acidic mineral soil horizons. *Geochimica et Cosmochimica Acta*, 59: 4167-4180.
- Bloomfield, C., 1953. A study of podzolization. Part I. The mobilization of iron and aluminium by Scots pine needles. *Journal of Soil Science*, 4: 5-16.
- Bloomfield, C., 1954. A study of podzolization. Part V. The mobilization of iron and aluminium by aspen and ash leaves. *Journal of Soil Science*, 5: 50-56.
- Browne, B.A., 1995. Toward a new theory of podzolization. In: W.W. McFee and J.M. Kelly (Editors), *Carbon forms and functions in forest soils*. Soil Science Society of America Inc., Madison, Wisconsin USA, pp. 253-273.
- Browne, B.A. and Driscoll, C.T., 1993. pH-dependent binding of aluminum by a fulvic acid. *Environmental Science & Technology*, 27: 915-922.
- Buurman, P. (Editor), 1984. *Podzols*. Van Nostrand Reinhold Soil Science Series. Van Nostrand Reinhold, New York, 450 pp.
- Chen, M. and Wang, W., 2001. Bioavailability of natural colloid-bound iron to marine plankton: influences of colloidal size and aging. *Limnology and oceanography*, 46: 1956-1967.
- Clarke, N. and Danielsson, L.G., 1995. The simultaneous speciation of aluminium and iron in a flow-injection system. *Analytica Chimica Acta*, 306: 5-20.
- Conte, P. and Piccolo, A., 1999. Conformational arrangement of dissolved humic substances. Influence of solution composition on association of humic molecules. *Environmental Science & Technology*, 33: 1682-1690.
- Dahlgren, R.A., Driscoll, C.T. and McAvoy, D.C., 1989. Aluminum precipitation and dissolution rates in spodosol Bs horizons in the Northeastern USA. *Soil Science Society of America Journal*, 53: 1045-1052.

References

- Dahlgren, R.A. and Marrett, D.J., 1991. Organic carbon sorption in arctic and subalpine Spodosol B horizons. *Soil Science Society of America Journal*, 55: 1382-1390.
- Da Silva, E.J.C.G., Machado, A.A.S.C. and Oliveira, C.J.S., 1997. Study of the interaction of Al(III) with a soil fulvic acid in the acid pH range by self-modeling mixture analysis of synchronous fluorescence spectral data. *Analytica Chimica Acta*, 349: 23-31.
- Davison, W. and Zhang, H., 1994. *In Situ* speciation measurements of trace components in natural waters using thin-film gels. *Nature*, 367: 546-548.
- De Coninck, F., 1980. Major mechanisms in formation of Spodic horizons. *Geoderma*, 24: 101-128.
- De Maagd, P.G.J., Sinnige, T.L., Schrap, S.M., Opperhuizen, A. and Sijm, D.T.H.M., 1998. Sorption coefficients of polycyclic aromatic hydrocarbons for two lake sediments: influence of the bactericide sodium azide. *Environmental Toxicology and Chemistry*, 17: 1899-1907.
- De Wit, H.A., Groseth, T. and Mulder, J., 2001. Predicting aluminium and soil organic matter solubility using the mechanistic equilibrium model WHAM. *Soil Science Society of America Journal*, 65: 1089-1100.
- De Wit, H.A., Kotowski, M. and Mulder, J., 1999. Modeling aluminum and organic matter solubility in the forest floor using WHAM. *Soil Science Society of America Journal*, 63: 1141-1148.
- Denney, S., Sherwood, J. and Leyden, J., 1999. In situ measurements of labile Cu, Cd and Mn in river waters using DGT. *the Science of the Total Environment*, 239: 71-80.
- Dixon, J.B. and Weed, S.B. (Editors), 1989. *Minerals in soil environments*. Soil Science Society of America Book Series, 1. Soil Science Society of America, Madison, Wisconsin, United States of America.
- Erich, M.S. and Trusty, G.M., 1997. Chemical characterization of dissolved organic matter released by limed and unlimed forest soil horizons. *Canadian Journal of Soil Science*, 77: 405-414.
- Fang, F., Kanan, S., Patterson, H.H. and Cronan, C.S., 1998. A spectrofluorimetric study of the binding of carbofuran, carbaryl, and aldicarb with dissolved organic matter. *Analytica Chimica Acta*, 373: 139-151.
- FAO, 1988. *FAO/UNESCO Soil Map of the World. Revised Legend*. FAO, Rome.
- Farmer, V.C. and Lumsdon, D.G., 2001. Interactions of fulvic acid with aluminium and a proto-imogolite sol: the contribution of E-horizon eluates to podzolization. *European Journal of Soil Science*, 52: 177-188.
- Farmer, V.C. and Lumsdon, D.G., 2002. A re-interpretation of 'Aluminium solubility mechanisms in moderately acid Bs horizons of podzolized soils' by Gustafsson *et al.* *European Journal of Soil Science*, 53: 671-673.
- Farmer, V.C., Russel, J.D. and Berrow, M.L., 1980. Imogolite and proto-imogolite allophane in spodic horizons: evidence for a mobile aluminium silicate complex in podzol formation. *Journal of Soil Science*, 31: 673-684.

- Fox, T.R., 1995. The influence of low-molecular-weight organic acids on properties and processes in forest soils. In: W.W. McFee and J.M. Kelly (Editors), *Carbon Forms and Functions in Forest Soils*. Soil Science Society of America, Inc., Madison Wisconsin, pp. 43-62.
- Gerke, J., 1994. Aluminum complexation by humic substances and aluminum species in the soil solution. *Geoderma*, 63: 165-175.
- Gerke, J., 1997. Aluminum and iron (III) species in the soil solution including organic complexes with citrate and humic substances. *Zeitschrift für Pflanzenernährung und Bodenkunde*, 160: 427-432.
- Gimpel, J., Zhang, H., Davison, W. and Edwards, A.C., 2003. In situ trace metal speciation in lake surface waters using DGT, dialysis and filtration. *Environmental Science & Technology*, 37: 138-146.
- Gu, B., Schmitt, J., Chen, Z., Liang, L. and McCarthy, J., 1994. Adsorption and desorption of natural organic matter on iron oxide: mechanisms and models. *Environmental Science & Technology*, 26: 38-46.
- Guggenberger, G. and Zech, W., 1993. Dissolved organic carbon control in acid forest soils of the Fichtergebirge (Germany) as revealed by distribution patterns and structural composition analysis. *Geoderma*, 59: 109-129.
- Gustafsson, J.P., Berggren, D., Simonsson, M., Zysset, M. and Mulder, J., 2001. Aluminium solubility mechanisms in moderately acid Bs horizons of podzolized soils. *European Journal of Soil Science*, 52: 655-665.
- Herbert, B.E. and Bertsch, P.M., 1995. Characterization of Dissolved and Colloidal Organic Matter in Soil Solution: A Review. In: W.W. McFee and J.M. Kelly (Editors), *Carbon Forms and Functions in Forest Soils*. Soil Science Society of America, Inc., Madison Wisconsin, pp. 63-88.
- Hering, J.G. and Morel, F.M.M., 1990. The kinetics of trace metal complexation: implications for metal reactivity in natural waters. In: W. Stumm (Editor), *Aquatic Chemical Kinetics, reaction rates of processes in natural waters*. John Wiley & Sons, Inc., New York, pp. 145-171.
- Hermann, R. and Gerke, J., 1992. Complexation of iron (III) to humic substances of a humic podzol at pH 2.5-6.4 quantification of the organically complexed iron by pyrophosphate extraction. *Zeitschrift für Pflanzenernährung und Bodenkunde*, 155: 229-232.
- Hintelmann, H., Welbourn, P.M. and Evans, R.D., 1997. Measurement of complexation of methylmercury (II) compounds by freshwater humic substances using equilibrium dialysis. *Environmental Science & Technology*, 31: 489-495.
- Hooda, P.S., Zhang, H., Davison, W. and Edwards, A.C., 1999. Measuring bioavailable trace metals by diffusive gradients in thin films (DGT): soil moisture effects on its performance in soils. *European Journal of Soil Science*, 50: 285-294.

References

- Hue, N.V., Craddock, G.R. and Adams, F., 1986. Effect of organic acids on aluminum toxicity in subsoils. *Soil Science Society of America Journal*, 50: 28-34.
- Jansen, B., Kotte, M.C., Van Wijk, A.J. and Verstraten, J.M., 2001. Comparison of diffusive gradients in thin films and equilibrium dialysis for the determination of Al, Fe(III) and Zn complexed with dissolved organic matter. *The Science of the Total Environment*, 277: 45-55.
- Jansen, B., Mulder, J. and Verstraten, J.M., 2003a. Organic complexation of Al and Fe in acidic soil solutions: A comparison of DGT analyses with Model V and VI predictions. *Analytica Chimica Acta*, (accepted).
- Jansen, B., Nierop, K.G.J. and Verstraten, J.M., 2002. Influence of pH and metal/carbon ratios on soluble organic complexation of Fe(II), Fe(III) and Al in soil solutions determined by diffusive gradients in thin films. *Analytica Chimica Acta*, 454: 259-270.
- Jansen, B., Nierop, K.G.J. and Verstraten, J.M., 2003b. Mobility of Fe(II), Fe(III) and Al in acidic forest soils mediated by dissolved organic matter: influence of solution pH and metal/organic carbon ratios. *Geoderma*, 113: 323-340.
- Jansen, B., Nierop, K.G.J. and Verstraten, J.M., 2003c. Mobilization of dissolved organic matter, aluminium and iron in podzol eluvial horizons as affected by formation of metal-organic complexes and interactions with solid soil material. *European Journal of Soil Science*, (accepted).
- Jardine, P.M., Weber, N.L. and McCarthy, J.F., 1989. Mechanisms of dissolved organic carbon adsorption on soil. *Soil Science Society of America Journal*, 53: 1378-1385.
- Jordan, R.N., Yonge, D.R. and Hathhorn, W.E., 1997. Enhanced mobility of Pb in the presence of dissolved natural organic matter. *Journal of Contaminant Hydrology*, 29: 59-80.
- Juo, A.S.R. and Kamprath, E.J., 1979. Copper chloride as an extractant for estimating the potentially reactive aluminum pool in acid soils. *Soil Science Society of America Journal*, 43: 35-38.
- Kaiser, K., 1998. Fractionation of dissolved organic matter affected by polyvalent metal cations. *Organic Geochemistry*, 28: 849-854.
- Kaiser, K. and Guggenberger, G., 2000. The role of DOM sorption to mineral surfaces in the preservation of organic matter in soils. *Organic Geochemistry*, 31: 711-725.
- Kaiser, K., Guggenberger, G., Haumaier, L. and Zech, W., 1997. Dissolved organic matter sorption on subsoils and minerals studied by ¹³C-NMR and DRIFT spectroscopy. *European Journal of Soil Science*, 48: 301-310.
- Kaiser, K., Haumaier, L. and Zech, W., 2000. The sorption of organic matter in soils as affected by the nature of soil carbon. *Soil Science*, 165: 305-313.
- Kaiser, K. and Wilcke, W., 1996. Pedogenetische Differenzierung von Bodeneigenschaften auf Aggregatebene. *Zeitschrift für Pflanzenernährung und Bodenkunde*, 159: 599-603.

- Kaiser, K. and Zech, W., 1997. Competitive sorption of dissolved organic matter fractions to soils and related mineral phases. *Soil Science Society of America Journal*, 61: 64-69.
- Kaiser, K. and Zech, W., 1998. Rates of dissolved organic matter release and sorption in forest soils. *Soil Science*, 163: 714-725.
- Kaiser, K. and Zech, W., 2000. Dissolved organic matter sorption by mineral constituents of subsoil clay fractions. *Zeitschrift für Pflanzenernährung und Bodenkunde*, 163: 531-535.
- Kalbitz, K., Solinger, S., Park, J.H., Michalzik, B. and Matzner, E., 2000. Controls on the dynamics of dissolved organic matter in soils: A review. *Soil Science*, 165(4): 277-304.
- Kodama, H. and Wang, C., 1989. Distribution and characterization of noncrystalline inorganic components in spodosols and spodosol-like soils. *Soil Science Society of America Journal*, 53: 526-534.
- Kokubo, K. and Sakai, K., 1998. Evaluation of dialysis membranes using a tortuous pore model. *American Institute of Chemical Engineering Journal*, 44: 2607-2619.
- Li, Y.H. and Gregory, S., 1974. Diffusion of ions in sea water and in deep-sea sediments. *Geochimica et Cosmochimica Acta*, 38: 703-714.
- Lofts, S., Woof, C., Tipping, E., Clarke, N. and Mulder, J., 2001. Modelling pH buffering and aluminium solubility in European forest soils. *European Journal of Soil Science*, 52: 189-204.
- Lores, E.M. and Pennock, J.R., 1998. The effect of salinity on binding of Cd, Cr, Cu and Zn to dissolved organic matter. *Chemosphere*, 37: 861-874.
- Lores, E.M., Snyder, R.A. and Pennock, J.R., 1999. The effect of humic acid on uptake/adsorption of copper by a marine bacterium and two marine ciliates. *Chemosphere*, 38: 293-310.
- Lucassen, E., Smolders, A.J.P. and Roelofs, J.G.M., 2000. Increased groundwater levels cause iron toxicity in *Glyceria fluitans* (L.). *Aquatic Botany*, 66: 321-327.
- Lundström, U.S., van Breemen, N. and Bain, D., 2000a. The podzolization process. A review. *Geoderma*, 94: 91-107.
- Lundström, U.S., van Breemen, N., Bain, D.C., van Hees, P.A.W., Giesler, R., Gustafsson, J.P., Ilvesniemi, H., Karlton, E., Melkerud, P.A., Olsson, M., Riise, G., Wahlberg, O., Bergelin, A., Bishop, K., Finlay, R., Jongmans, A.G., Magnusson, T., Mannerkoski, H., Nordgren, A., Nyberg, L., Starr, M. and Strand, L.T., 2000b. Advances in understanding the podzolization process resulting from a multidisciplinary study of three coniferous forest soils in the Nordic Countries. *Geoderma*, 94: 335-353.
- Ma, F.J., Ryan, P.R. and Delhaize, E., 2001. Aluminum tolerance in plants and the complexing role of organic acids. *Trends in Plant Science*, 6: 273-278.
- Markano-Martinez, E. and McBride, M.B., 1989. Comparison of the titration and ion adsorption methods for surface charge measurements in Oxisols. *Soil Science Society of America Journal*, 53: 1040-1045.

References

- Martell, A.E., Motekaitis, R.J. and Smith, R.M., 1988. Structure-stability relationships of metal complexes and metal speciation in environmental aqueous solutions. *Environmental Toxicology and Chemistry*, 7: 417-434.
- Martinez, C.E. and McBride, M.B., 1999. Dissolved and labile concentrations of Cd, Cu, Pb and Zn in aged ferrihydrite-organic matter systems. *Environmental Science & Technology*, 33: 745-750.
- McBride, M.B., 1994. *Environmental Chemistry of Soils*. Oxford University Press, Oxford, 406 pp.
- Mitra, S. and Dickhut, R.M., 1999. Three phase modeling of polycyclic aromatic hydrocarbon association with pore-water-dissolved organic carbon. *Environmental Toxicology and Chemistry*, 18: 1144-1148.
- Mokma, D.L. and Buurman, P., 1982. Podzols and podzolization in temperate regions. *ISM Monographs*. International Soil Museum, Wageningen, 126 pp.
- Mossin, L., Mortensen, M. and Nørnberg, P., 2002. Imogolite related to podzolization processes in Danish podzols. *Geoderma*, 109: 103-116.
- Nierop, K.G.J., Jansen, B. and Verstraten, J.M., 2002. Dissolved organic matter, aluminium and iron interactions: precipitation induced by metal/carbon ratio, pH and competition. *the Science of the Total Environment*, 300: 201-211.
- Nodvin, S.C., Driscoll, C.T. and Likens, G.E., 1986. Simple partitioning of anions and dissolved organic carbon in a forest soil. *Soil Science*, 142: 27-35.
- Parkhurst, D.L., 1995. User's guide to PHREEQC--A computer program for speciation, reaction-path, advective-transport, and inverse geochemical calculations. U.S. Geological Survey Water-Resources Investigations.
- Petersen, L., 1976. Podzols and podzolization. DSR Forlag, Copenhagen, 293 pp.
- Pinheiro, J.P., Mota, A.M. and Benedetti, M.F., 2000. Effect of aluminum competition on lead and cadmium binding to humic acids at variable ionic strength. *Environmental Science & Technology*, 34: 5137-5143.
- Pohlman, A.A. and McColl, J.G., 1988. Soluble organics from forest litter and their role in metal dissolution. *Soil Science Society of America Journal*, 52: 265-271.
- Powell, H.K.J. and Hawke, D.J., 1995. Free aluminium and aluminium complexation capacity of natural organic matter in acidic forest soil solutions from canterbury, New Zealand. *Australian Journal of Soil Research*, 33: 611-620.
- Riise, G., Van Hees, P., Lundström, U. and Strand, L.T., 2000. Mobility of different size fractions of organic carbon, Al, Fe, Mn and Si in podzols. *Geoderma*, 94: 237-247.
- Saar, R.A. and Weber, J.H., 1982. Fulvic acid: modifier of metal-ion chemistry. *Environmental Science & Technology*, 16: 510A-517A.
- Sauvé, S., Hendershot, W. and Allen, H.E., 2000. Solid-Solution partitioning of metals in contaminated soils: dependence on pH, total metal burden, and organic matter. *Environmental Science & Technology*, 34: 1125-1131.

- Schmitt, D., Taylor, H.E., Aiken, G.R., Roth, D.A. and Frimmel, F.H., 2002. Influence of natural organic matter on the adsorption of metal ions onto clay minerals. *Environmental Science & Technology*, 36: 2932-2938.
- Schnitzer, M., 1978. Humic substances: chemistry and reactions. In: M. Schnitzer and S.U. Khan (Editors), *Soil organic matter*. Elsevier Science, New York, pp. 1-64.
- Shen, Y.H., 1999. Sorption of natural dissolved organic matter on soil. *Chemosphere*, 38: 1505-1515.
- Simonsson, M. and Berggren, D., 1998. Aluminium solubility related to secondary solid phases in upper B horizons with spodic characteristics. *European Journal of Soil Science*, 49: 317-326.
- Simpson, S.L., Powell, K.J. and Nilsson, N.H.S., 1997. Flow injection determination of Al^{3+} and $Al_3O_4(OH)_{24}(H_2O)_{12}^{7+}$ species using a 1.3-s reaction with 8-quinolinol-derivatised Fractogel. *Analytica Chimica Acta*, 343: 19-32.
- Smitt, S.D. and Kramer, J.R., 1999. Fluorescence analysis for multi-site aluminum binding to natural organic matter. *Environment International*, 25: 295-306.
- Stevenson, F.J., 1994. *Humus chemistry: genesis, composition, reactions*. John Wiley & Sons, Inc., New York, 496 pp.
- Stumm, W. and Morgan, J.J., 1970. *Aquatic Chemistry: an introduction emphasizing chemical equilibria in natural waters*. John Wiley & Sons, Inc., New York, 583 pp.
- Stumm, W. and Morgan, J.J., 1996. *Aquatic Chemistry: chemical equilibria and rates in natural waters*. Wiley Interscience, New York, 1022 pp.
- Swift, R.S., 1996. Organic matter characterization. In: J.M. Bigham (Editor), *Methods of soil analysis*. Soil Science Society of America, Madison, Wisconsin, United States of America, pp. 1011-1070.
- Tam, S.C., 1987. Simulated acid rain and the importance of organic ligands on the availability of aluminum in soil. *Water, Air and Soil Pollution*, 36: 193-206.
- Tam, S.C. and McColl, J.G., 1990. Aluminum- and calcium-binding affinities of some organic ligands in acidic conditions. *Journal of Environmental Quality*, 19: 514-520.
- Tam, S.H. and McColl, J.G., 1991. Aluminum-binding ability of soluble organics in Douglas Fir litter and soil. *Soil Science Society of America Journal*, 55: 1421-1427.
- Temminghof, E.J.M., Plette, A.C.C., Van Eck, R. and Van Riemsdijk, W.H., 2000. Determination of the chemical speciation of trace metals in aqueous systems by the Wageningen Donnan Membrane Technique. *Analytica Chimica Acta*, 417: 149-157.
- Tietema, A., Riemer, L., Verstraten, J.M., Van der Maas, M.P., Van Wijk, A.J. and Van Voorthuyzen, I., 1993. Nitrogen cycling in acid forest soils subject to increased atmospheric nitrogen input. *Forest Ecology and Management*, 57: 29-44.

References

- Tipping, E., 1990. Interactions of organic acids with inorganic and organic surfaces. In: E.M. Perdue and E.T. Gjessing (Editors), *Organic acids in aquatic ecosystems*. John Wiley & Sons Ltd, New York, pp. 209-221.
- Tipping, E., 1994. WHAM - A chemical equilibrium model and computer code for waters, sediments, and soils incorporating a discrete site/electrostatic model of ion-binding by humic substances. *Computers & Geosciences*, 20: 973-1023.
- Tipping, E., 1998. Humic ion-binding model VI: an improved description of the interactions of protons and metal ions with humic substances. *Aquatic Geochemistry*, 4: 3-48.
- Tipping, E., 2002. *Cation binding by humic substances*. Cambridge University Press, Cambridge, 434 pp.
- Tipping, E., Berggren, D., Mulder, J. and Woof, C., 1995. Modelling the solid-solution distributions of protons, aluminium, base cations and humic substances in acid soils. *European Journal of Soil Science*, 46: 77-94.
- Tipping, E., Rey-Castro, C., Bryan, S. and Hamilton-Taylor, J., 2002. Al(III) and Fe(III) binding by humic substances in freshwaters, and implications for trace metal speciation. *Geochimica et Cosmochimica Acta*, 66: 3211-3224.
- Truitt, R.E. and Weber, J.H., 1981. Determination of complexing capacity of fulvic acid for copper(II) and cadmium(II) by dialysis titration. *Analytical Chemistry*, 53: 337-342.
- Van Breemen, N. and Buurman, P., 2002. *Soil formation*, 1. Kluwer Academic Publishers, Dordrecht, 405 pp.
- Van der Salm, C., Westerveld, J.W. and Verstraten, J.M., 2000. Release rates of Al from inorganic and organic compounds in a sandy podzol, during laboratory experiments. *Geoderma*, 96: 173-198.
- Van Hees, P. and Lundström, U., 2000. Equilibrium models of aluminium and ion complexation with different organic acids in soil solution. *Geoderma*, 94: 201-221.
- Van Loon, L.R., Granacher, S. and Harduf, H., 1992. Equilibrium dialysis-ligand exchange: a novel method for determining conditional stability constants of radionuclide-humic acid complexes. *Analytica Chimica Acta*, 268: 235-246.
- Vilgé-Ritter, A., Masion, A., Rybacki, D. and Bottero, J., 1999. Removal of natural organic matter by coagulation-flocculation: a pyrolysis-GC-MS study. *Environmental Science & Technology*, 33: 3027-3032.
- Wells, M.L., Kozelka, P.B. and Bruland, K.W., 1998. The complexation of 'dissolved' Cu, Zn, Cd, Pb by soluble and colloidal organic matter in Narragansett Bay, RI. *Marine Chemistry*, 62: 203-217.
- Wesselink, L.G., van Breemen, N., Mulder, J. and Janssen, P.H., 1996. A simple model of soil organic matter complexation to predict the solubility of aluminium in acid forest soils. *European Journal of Soil Science*, 47: 373-384.

- Yates, L.M.I. and Von Wandruszka, R., 1999. Effects of pH and metals on the surface tension of aqueous humic materials. *Soil Science Society of America Journal*, 63:1645-1649.
- Zech, W. and Guggenberger, G., 1996. Organic matter dynamics in forest soils of temperate and tropical ecosystems. In: A. Piccolo (Editor), *Humic substances in terrestrial ecosystems*. Elsevier Science B.V., Amsterdam, pp. 101-169.
- Zhang, H. and Davison, W., 1995. Performance characteristics of diffusion gradients in thin films for the in situ measurement of trace metals in aqueous solution. *Analytical Chemistry*, 67: 3391-3400.
- Zhang, H. and Davison, W., 1999. Diffusional characteristics of hydrogels used in DGT and DET techniques. *Analytica Chimica Acta*, 398: 329-340.
- Zhang, H. and Davison, W., 2000. Direct in situ measurements of labile inorganic and organically bound metal species in synthetic solutions and natural waters using diffusive gradients in thin films. *Analytical Chemistry*, 72: 4447-4457.
- Zhang, H., Davison, W., Knight, B. and McGrath, S., 1998. In situ measurement of solution concentrations and fluxes of trace metals in soils using DGT. *Environmental Science & Technology*, 32: 704-710.
- Zhang, H., Davison, W., Miller, S. and Tych, W., 1995. In situ high resolution measurements of fluxes of Ni, Cu, Fe and Mn and concentrations of Zn and Cd in porewaters by DGT. *Geochimica et Cosmochimica Acta*, 59: 4181-4192.
- Zsolnay, A., 1996. Dissolved humus in soil waters. In: A. Piccolo (Editor), *Humic substances in terrestrial ecosystems*. Elsevier Science B.V., Amsterdam, pp. 171-223.
- Zysset, M., Blaser, P., Luster, J. and Gehring, A.U., 1999. Aluminium solubility control in different horizons of a Podzol. *Soil Science Society of America Journal*, 63: 1106-1115.

