



UvA-DARE (Digital Academic Repository)

On the nature of heavy-fermion behaviour and high-field dilatation experiments

Wyder, U.

Publication date
2003

[Link to publication](#)

Citation for published version (APA):

Wyder, U. (2003). *On the nature of heavy-fermion behaviour and high-field dilatation experiments*.

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

Contents

1	General Introduction	9
1.1	General introduction to heavy-fermion behaviour	9
1.1.1	The experimental properties of heavy-fermion systems	10
1.1.2	Heavy-fermion behaviour in terms of density of states	11
1.1.3	Heuristic notion for heavy-fermion behaviour	14
1.2	Outline	16
1.3	References	19
2	General review of concepts and related phenomena	21
2.1	Introduction	21
2.2	Heavy-fermion behaviour and Kondo systems	23
2.3	Correlation effects	28
2.4	The single-impurity Anderson model and the Periodic-Anderson model	30
2.4.1	Short note: Why is the Periodic-Anderson Hamiltonian hard to solve?	32
2.5	A single magnetic impurity	33
2.5.1	A small molecule	33
2.5.2	Effective hamiltonians	38
2.5.3	The non-magnetic ground state: variational treatment of the single-impurity Anderson Hamiltonian	40
2.5.4	The Kondo resonance, or Abrikosov-Suhl resonance, and the Wilson ratio	52
2.5.5	The Wilson ratio	54
2.6	The Kondo Hamiltonian	56
2.6.1	The Schrieffer-Wolff transformation	57
2.7	Kondo and RKKY interactions	60
2.7.1	Why all the magnetic interactions in particular the RKKY in- teraction?	62
2.8	In conclusion	63
2.9	References	65
2.10	APPENDIX Fermi liquid approaches	68
2.11	APPENDIX Friedel's sum rule	71

3 Etudes: Small molecules	77
3.1 Introduction	77
3.1.1 Which molecules do we consider?	78
3.2 Various magnetic ions sharing one ligand atom	81
3.2.1 Some general trends for the ground states	82
3.2.2 Two f sites sharing a central c site.	85
3.2.3 Three f sites sharing one c site	95
3.3 Various magnetic atoms sharing more than one ligand atom	101
3.3.1 Two magnetic ions equally sharing two ligand atoms	102
3.4 Small molecules and the effects of external fields	107
3.4.1 The quantities still conserved in the presence of a magnetic field	108
3.4.2 The second order perturbation method employed.	108
3.4.3 Low-energy spectrum and eigenstates in the presence of a fictitious field	109
3.4.4 Energy spectrum in the presence of both fictitious magnetic field and ligand hybridization	112
3.5 Characteristic magnetic fields and temperatures, single-energy scaling relations	115
3.6 In conclusion	115
3.7 References	119
4 Measuring techniques	121
4.1 References	130
5 Strain dependence; a typical feature of heavy-fermion behaviour	131
5.1 General Trends	131
5.2 The origin of the strong strain dependence of the heavy-fermion state	135
5.3 The linear term of the electronic thermal expansion	136
5.4 The possible existence of a characteristic molar volume	140
5.5 References	140
6 The Grüneisen parameter	143
6.1 Several definitions for the Grüneisen parameter	143
6.2 The similarity between various definitions of Grüneisen parameters .	148
6.3 The effects of electron-phonon coupling	150
6.3.1 The anisotropic Grüneisen parameter	151
6.4 The measured specific heat	151
6.5 Some of the background for the formulation of the scaling Ansatz for the Helmholtz free energy	152
6.5.1 The strong volume dependence of the single energy scale . . .	154

6.5.2	How to deal with the field and temperature dependence of the characteristic temperature and field	155
6.5.3	The nature of the heavy-fermion state as drawn from the scaling Ansatz	155
6.6	All Grüneisen parameters are equal, but some are more equal than others	156
6.7	References	160
7	UPt₃ and the effects of substituting Pt by Pd	161
7.1	Introduction	161
7.1.1	Crystal structure	162
7.1.2	The most salient properties of UPt ₃	162
7.1.3	A short review of the effects of Pd doping	164
7.2	Long-range antiferromagnetic ordering and heavy-fermion behaviour .	167
7.3	Pt and Pd as metals	168
7.4	Understanding trends in terms of the Doniach model	169
7.5	The need for an alternative approach	170
7.5.1	The possible importance of non-integer filling	171
7.6	Magnetic properties of U(Pt _{1-x} Pd _x) ₃ with respect to various Pd doping concentrations.	175
7.7	Manners in which the introduced Pd can affect the system	178
7.7.1	Lattice distortions as a result of the introduction of Pd to the system	178
7.7.2	Other effects as the result of the introduction of Pd into the system	179
7.8	Issues to be settled at considering magnetism and Pd doping	179
7.8.1	A maximum for the Néel temperature at increasing Pd- concentration	186
7.9	References	190
7.10	APPENDIX: Stoner theory adapted	194
8	High-field dilatation experiments on UPt₃; the pure heavy-fermion state	201
8.1	Introduction	201
8.2	The forced-magnetostriction data	204
8.3	The thermal-expansion data and their analysis	205
8.4	The apparent effective mass and its strain dependence	207
8.5	The effective Grüneisen parameter	211
8.6	The relative length change plotted versus temperature and field . . .	212
8.7	In conclusion	214
8.8	References	215

9 High-field dilatation experiments on $U(\text{Pt}_{0.95}\text{Pd}_{0.05})_3$; magnetic ordering versus heavy-fermion behaviour	217
9.1 Introduction	217
9.2 The shared origin and the interaction between long-range magnetic ordering and heavy-fermion behaviour	218
9.3 Relative length changes as function of field	222
9.4 Analyzing relative length changes	223
9.4.1 The observed hysteresis effects	223
9.4.2 The reduction of the basal-plane dimensions of the elementary unit cell due to the formation of long-range antiferromagnetic ordering	224
9.5 Forced magnetostriction data	224
9.6 The thermal-expansion data	225
9.7 Analyzing the thermal-expansion data	229
9.8 In conclusion	232
9.9 References	233
10 High-field dilatation experiments on $U(\text{Pt}_{0.90}\text{Pd}_{0.10})_3$	235
10.1 Introduction	235
10.2 Our major concern	240
10.3 The most salient properties of $U(\text{Pt}_{0.90}\text{Pd}_{0.10})_3$	240
10.4 Scaling laws for re-entrant heavy-fermion behaviour	241
10.4.1 Extremum in thermal expansion; relation between its value and the temperature at which it is observed	245
10.4.2 Summary: Expected features of re-entrant heavy-fermion behaviour in thermal-expansion data	247
10.5 Thermal expansion data	247
10.6 Analyzing the thermal expansion	249
10.7 The forced magnetostriction data	253
10.8 Analyzing the magnetostriction data	254
10.9 A three-dimensional plot	258
10.10 In conclusion	260
10.11 References	262
11 Epilogue	263
11.1 References	270
12 Short list of publications in physics	271
13 Thank you!	273

To the memory of my mother

