



UvA-DARE (Digital Academic Repository)

Predicting effects of multiple stressors on aquatic biota.

Heugens, E.H.W.

Publication date
2003

[Link to publication](#)

Citation for published version (APA):

Heugens, E. H. W. (2003). *Predicting effects of multiple stressors on aquatic biota*. IBED, Universiteit van Amsterdam.

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

References

- Bervoets L, Blust R, Verheyen R. 1996. Effect of temperature on cadmium and zinc uptake by the midge larvae *Chironomus riparius*. *Arch. Environ. Contam. Toxicol.* 31: 502-511.
- Bodar CWM, Van de Sluis I, Voogt PA, Zandee DI. 1988. Effects of cadmium on the consumption, assimilation and biochemical parameters of *Daphnia magna*: possible implications for reproduction. *Comp. Biochem. Physiol. C* 2: 341-346.
- Bradshaw AD, Hardwick K. Evolution and stress - genotypic and phenotypic components. 1989. *Biol. J. Linn. Soc.* 37: 137-155.
- Brock TCM, Van den Bogaert M, Bos AR, Van Breukelen SWF, Reiche R, Terwoert J, Suykerbuyk REM, Roijackers RMM. 1992. Fate and effects of the insecticide Dursban® 4E in indoor *Elodea*-dominated and macrophyte-free freshwater model ecosystems: II. Secondary effects on community structure. *Arch. Environ. Contam. Toxicol.* 23: 391-409.
- Bruland KW, Donat JR, Hutchins DA. 1991. Interactive influences of bioactive trace metals on biological production in oceanic waters. *Limnol. Oceanogr.* 36: 1555-1577.
- Buikema AL, Geiger JG, Lee DR. 1980. *Daphnia* toxicity tests. In: Buikema AL, Cairns J Jr (Eds.), *Aquatic Invertebrate Bioassays*, STP 715, American Society for Testing and Materials, Philadelphia, USA, pp. 46-69.
- Bury NR, Galvez F, Wood CM. 1999. Effects of chloride, calcium, and dissolved organic carbon on silver toxicity: Comparison between rainbow trout and fathead minnows. *Environ. Toxicol. Chem.* 18: 56-62.
- Cairns J Jr, Heath AG, Parker BC. 1975. The effects of temperature upon the toxicity of chemicals to aquatic organisms. *Hydrobiologia* 47: 135-171.
- Calow P. 1989. Proximate and ultimate responses to stress in biological systems. *Biol. J. Linn. Soc.* 37: 173-181.
- Caquet T, Lagadic L, Sheffield SR. 2000. Mesocosms in ecotoxicology (I): Outdoor aquatic systems. *Rev. Environ. Contam. T.* 165: 1-38.
- Carrier R, Beitinger TL. 1988. Resistance of temperature tolerance ability of green sunfish to cadmium exposure. *Bull. Environ. Contam. Toxicol.* 40: 475-480.
- Chagnon N, Hlohowskyj I. 1989. Effects of phenol exposure on the thermal tolerance ability of the central stoneroller minnow. *Bull. Environ. Contam. Toxicol.* 42: 614-619.
- Chandini T. 1988a. Changes in food [*Chlorella*] levels and the acute toxicity of cadmium to *Daphnia carinata* (Daphnidae) and *Echinisca triserialis*

- (Macrothricidae) [Crustacea: Cladocera]. *Bull. Environ. Contam. Toxicol.* 41: 398-403.
- Chandini T. 1988b. Effects of different food (*Chlorella*) concentrations on the chronic toxicity of cadmium to survivorship, growth and reproduction of *Echinisca triserialis* (Crustacea: Cladocera). *Environ. Pollut.* 54: 139-154.
- Chandini T. 1989. Survival, growth and reproduction of *Daphnia carinata* (Crustacea: Cladocera) exposed to chronic cadmium stress at different food (*Chlorella*) levels. *Environ. Pollut.* 60: 29-45.
- Chapman PM, Fairbrother A, Browns D. 1998. A critical evaluation of safety (uncertainty) factors for ecological risk assessment. *Environ. Toxicol. Chem.* 17: 99-108.
- CIW. 2001. Water in beeld 2001. *Voortgangsrapportage over het waterbeheer in Nederland*. Commissie Integraal Waterbeheer, Den Haag, the Netherlands.
- De Coen WM, Janssen CR. 2003. The missing biomarker link: relationships between effects on the cellular energy allocation biomarker of toxicant-stressed *Daphnia magna* and corresponding population characteristics. *Environ. Toxicol. Chem.* 22: 1632-1641.
- Dieperink C. 1997. *Tussen zout en zalm*. PhD-thesis, University Utrecht, the Netherlands.
- Donker MH, Abdel-Lateif HM, Khalil MA, Bayoumi BM, Van Straalen NM. 1998. Temperature, physiological time, and zinc toxicity in the isopod *Porcellio scaber*. *Environ. Toxicol. Chem.* 17(8): 1558-1563.
- Edgren M, Notter M. 1980. Cadmium uptake by fingerlings of perch (*Perca fluviatilis*) studied by Cd-115m at two different temperatures. *Bull. Environ. Contam. Toxicol.* 24: 647-651.
- Enserink L, Luttmmer W, Maas-Diepeveen H. 1990. Reproductive strategy of *Daphnia magna* affects the sensitivity of its progeny in acute toxicity tests. *Aquat. Toxicol.* 17: 15-26.
- Enserink L, De la Haye M, Maas H. 1993. Reproductive strategy of *Daphnia magna*: implications for chronic toxicity tests. *Aquat. Toxicol.* 25: 111-124.
- Enserink EL, Kerhofs MJJ, Baltus CAM, Koeman JH. 1995. Influence of food quantity and lead exposure on maturation in *Daphnia magna*; evidence for a trade-off mechanism. *Funct. Ecol.* 9: 175-185.
- EPA. 1984. *Estimating concern levels for concentrations of chemical substances in the environment*. Environmental Effects Branch, Environmental Protection Agency, Washington, DC, USA.

References

- Fisher SW, Wadleigh RW. 1985. Effects of temperature on the acute toxicity and uptake of lindane by *Chironomus riparius* (Meigen) (Diptera: Chironomidae). *J. Econ. Entomol.* 78: 1222-1226.
- Fisher SW, Hwang H, Atanasoff M, Landrum PF. 1999. Lethal body residues for pentachlorophenol in zebra mussels (*Dreissena polymorpha*) under varying conditions of temperature and pH. *Ecotoxicol. Environ. Saf.* 43: 274-283.
- Folt CL, Chen CY, Moore MV, Burnaford J. 1999. Synergism and antagonism among multiple stressors. *Limnol. Oceanogr.* 44: 864-877.
- Forbes VE. 1991. Response of *Hydrobia ventrosa* (Montagu) to environmental stress: effects of salinity fluctuations and cadmium exposure on growth. *Funct. Ecol.* 5: 642-648.
- Geyer H, Scheunert I, Korte F. 1985. Relationship between the lipid content of fish and their bioconcentration potential of 1,2,4-trichlorobenzene. *Chemosphere* 14: 545-555.
- Geyer HJ, Scheunert I, Rapp K, Kettrup A, Korte F, Greim H, Rozman K. 1990. Correlation between acute toxicity of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) and total body fat content in mammals. *Toxicology* 65: 97-107.
- Geyer HJ, Scheunert I, Rapp K, Kettrup A, Steinberg C. 1993a. The relevance of fat content in toxicity of lipophilic chemicals to terrestrial animals with special reference to dieldrin and 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD). *Ecotoxicol. Environ. Saf.* 26: 45-60.
- Geyer HJ, Steinberg CE, Scheunert I, Brüggemann R, Schütz W, Kettrup A, Rozman K. 1993b. A review of the relationship between acute toxicity (LC₅₀) of g-hexachlorocyclohexane (g-HCH, lindane) and total lipid content of different fish species. *Toxicology* 83: 169-179.
- Giebelhausen B, Lampert W. 2001. Temperature reaction norms of *Daphnia magna*: the effect of food concentration. *Freshwat. Biol.* 46: 281-289.
- Gilbert JJ. 1996. Effect of food availability on the response of planktonic rotifers to a toxic strain of the cyanobacterium *Anabaena flos-aquae*. *Limnol. Oceanogr.* 41: 1572-1577.
- Glazier DS. 1992. Effects of food, genotype, and maternal size and age on offspring investment in *Daphnia magna*. *Ecology* 73: 910-926.
- Graney RL Jr, Cherry DS, Cairns JJr. 1984. The influence of substrate, pH, diet and temperature upon cadmium accumulation in the Asiatic clam

- (*Corbicula fluminea*) in laboratory artificial streams. *Water Res.* 18(7): 833-842.
- Greco WR, Bravo G, Parsons JC. 1995. The search for synergy: a critical review from a response surface perspective. *Pharmacol. Rev.* 47: 331-385.
- Grime JP. 1989. The stress debate: symptom of impending synthesis? *Biol. J. Linn. Soc.* 37: 3-17.
- Guillard RRL. 1975. Culture of phytoplankton for feeding marine invertebrates. In Smith WL, Chanley MH (Eds.), *Culture of marine invertebrate animal*, Plenum Pub. Co., New York, USA, pp29-60.
- Gulati RD, Bodar CWM, Schuurmans ALG, Faber JAJ, Zandee DI. 1988. Effects of cadmium exposure on feeding of freshwater planktonic crustaceans. *Comp. Biochem. Physiol. C* 2: 335-340.
- Haanstra L, Doelman P, Oude Voshaar P. 1985. The use of sigmoidal dose response curves in soil ecotoxicological research. *Plant Soil* 84: 293-297.
- Hall J, Healey FP, Robinson GGC. 1989a. The interaction of chronic copper toxicity with nutrient limitation in two chlorophytes in batch culture. *Aquat. Toxicol.* 14: 1-14.
- Hall J, Healey FP, Robinson GGC. 1989b. The interaction of chronic copper toxicity with nutrient limitation in chemostat cultures of *Chlorella*. *Aquat. Toxicol.* 14: 15-26.
- Hall LWJr, Anderson RD. 1995. The influence of salinity on the toxicity of various classes of chemicals to aquatic biota. *Crit. Rev. Toxicol.* 25: 281-346.
- Hallegraeff GM. 1976. *Pigment diversity, biomass and species diversity of phytoplankton of three Dutch lakes*. PhD-thesis, University of Amsterdam, the Netherlands.
- Hanazato T. 1991a. Effects of a *Chaoborus*-released chemical on *Daphnia ambigua*: Reduction in the tolerance of the *Daphnia* to summer water temperature. *Limnol. Oceanogr.* 36: 165-171.
- Hanazato T. 1991b. Influence of food density on the effects of a *Chaoborus*-released chemical on *Daphnia ambigua*. *Freshwat. Biol.* 25: 477-483.
- Hay ME, Kappel QE, Fenical W. 1994. Synergisms in plant defense against herbivores: interactions of chemistry, calcification, and plant quality. *Ecology* 75: 1714-1727.
- Heugens EHW, Hendriks AJ, Dekker T, Van Straalen NM, Admiraal W. 2001. A review of the effects of multiple stressors on aquatic organisms

- and analysis of uncertainty factors for use in risk assessment. *Crit. Rev. Toxicol.* 31: 247-284 (Chapter 2 of this thesis).
- Heugens EHW, Jager T, Creighton R, Kraak MHS, Hendriks AJ, Van Straalen NM, Admiraal W. 2003. Temperature dependent effects of cadmium on *Daphnia magna*: accumulation versus sensitivity. *Environ. Sci. Technol.* 37: 2145-2151 (Chapter 3 of this thesis).
- Hietala J, Lauren-Maata C, Walls M. 1997. Sensitivity of *Daphnia* to toxic cyanobacteria: effects of genotype and temperature. *Freshwat. Biol.* 37: 299-306.
- Hoffmann AA, Parsons PA. 1994. *Evolutionary genetics and environmental stress*. Oxford University Press, Oxford, Great Britain.
- Inza B, Ribeyre F, Boudou A. 1998. Dynamics of cadmium and mercury compounds (inorganic mercury or methylmercury): uptake and depuration in *Corbicula fluminea*. Effects of temperature and pH. *Aquat. Toxicol.* 43: 273-285.
- Jacobson PJ, Neves RJ, Cherry DS, Farris JL. 1997. Sensitivity of glochidial stages of freshwater mussels (*Bivalvia: Unionidae*) to copper. *Environ. Toxicol. Chem.* 16: 2384-2392.
- Janssen CR, Heijerick DG, De Schampelaere KAC, Allen HE. 2003. Environmental risk assessment of metals: tools for incorporating bioavailability. *Environ. Int.* 28: 793-800.
- Karen DJ, Ownby DR, Forsythe BL, Bills TP, La Point TW, Cobb GB, Klaine SJ. 1999. Influence of water quality on silver toxicity to rainbow trout (*Oncorhynchus mykiss*), fathead minnows (*Pimephales promelas*), and water fleas (*Daphnia magna*). *Environ. Toxicol. Chem.* 18: 63-70.
- Klüttgen B, Ratte HT. 1994. Effects of different food doses on cadmium toxicity to *Daphnia magna*. *Environ. Toxicol. Chem.* 13: 1619-1627.
- Klüttgen B, Kuntz N, Ratte HT. 1996. Combined effects of 3,4-dichloroaniline and food concentration on life-table data of two related cladocerans, *Daphnia magna* and *Ceriodaphnia quadrangula*. *Chemosphere* 32: 2015-2028.
- Koehn RK, Bayne BL. 1989. Towards a physiological and genetical understanding of the energetics of the stress response. *Biol. J. Linn. Soc.* 37: 157-171.
- Koivisto S, Ketola M, Walls M. 1992. Comparison of five cladoceran species in short- and long-term copper exposure. *Hydrobiologia* 248: 125-136.

- Kooijman SALM, Metz JAJ. 1984. On the dynamics of chemically stressed populations: The deduction of population consequences from effects on individuals. *Ecotoxicol. Environ. Saf.* 8: 254-274.
- Kooijman SALM. 1993. *Energy budgets in biological systems*, Cambridge University Press, UK.
- Kooijman SALM, Bedaux JJM. 1996. Analysis of toxicity tests on *Daphnia* survival and reproduction. *Water Res.* 30: 1711-1723
- Kooijman, S. A. L. M. 2000. *Dynamic energy and mass budgets in biological systems*, 2nd ed. Cambridge Univ. Press, UK.
- Lammens E. 1990. *Het voedselweb van IJsselmeer en Markermeer*. RIZA Report nr. 99.008, Rijkswaterstaat Directie IJsselmeergebied, Ministry of Transport and Public Works, The Hague, the Netherlands,
- Lampert, W. 1987. Feeding and nutrition in *Daphnia*. p. 143-192. In: R. H. Peters, and R. De Bernardi (Eds.), *Daphnia*, Mem. Ist. Ital. Idrobiol., Vol. 45.
- Lampert W. 1987. Laboratory studies on zooplankton-cyanobacteria interactions. *N.Z. J. Mar. Freshwat. Res.* 21: 483-490.
- Laporte JM, Truchot JP, Ribeyre F, Boudou A. 1997. Combined effects of water pH and salinity on the bioaccumulation of inorganic mercury and methylmercury in the shore crab *Carcinus maenas*. *Mar. Pollut. Bull.* 34: 880-893.
- Larrain A, Soto E, Silva J, Bay-Schmith E. 1998. Sensitivity of the meiofaunal copepod *Tisbe longicornis* to $K_2Cr_2O_7$ under varying temperature regimes. *Bull. Environ. Contam. Toxicol.* 61: 391-396.
- Lewis PA, Horning WBII. 1991. Differences in acute toxicity tests results of three reference toxicants on *Daphnia* at two temperatures. *Environ. Toxicol. Chem.* 10: 1351-1357.
- Lin H-C, Dunson WA. 1993. The effect of salinity on the acute toxicity of cadmium to the tropical, estuarine, hermaphroditic fish, *Rivulus marmoratus*: A comparison of Cd, Cu, and Zn tolerance with *Fundulus heteroclitus*. *Arch. Environ. Contam. Toxicol.* 25: 41-47.
- Marshall JS. 1978. Field verification of cadmium toxicity to laboratory *Daphnia* populations. *Bull. Environ. Contam. Toxicol.* 20: 387-393.
- McLusky DS, Bryant V, Campbell R. 1986. The effects of temperature and salinity on the toxicity of heavy metals to marine and estuarine invertebrates. *Oceanogr. Mar. Biol. Annu. Rev.* 24: 481-520.

References

- McLusky D, Hagerman L. 1987. The toxicity of chromium, nickel and zinc: effects of salinity and temperature, and the osmoregulatory consequences in the mysid *Praunus flexuosus*. *Aquat. Toxicol.* 10: 225-238.
- Meeker WQ, Escobar LA. 1995. Teaching about approximate confidence regions based on maximum likelihood estimation. *Am. Stat.* 49(1): 48-53.
- Meyer JS, Ingersoll CG, McDonald LL, Boyce MS. 1986. Estimating uncertainty in population growth rates: jackknife vs. bootstrap techniques. *Ecology* 67: 1156-1166.
- Mooney HA, Godron M. 1983. *Disturbance and ecosystems - Components of Response*. Springer-Verlag Berlin, Heidelberg, Germany.
- Naylor C, Bradley MC, Calow P. 1992. Effect of algal ration - quality and method of quantification - on growth and reproduction of *Daphnia magna*. *Arch. Hydrobiol.* 125: 311-321.
- Nisbet RM, Gurney WSC. 1989. Structured population models: a tool for linking effects at individual and population level. *Biol. J. Linn. Soc.* 37: 79-99.
- Nott JA, Langston WJ. 1989. Cadmium and the phosphate granules in *Littorina littorea*. *J. Mar. Bio. Ass. UK* 69: 219-227.
- Odin M, Ribeyre F, Boudou A. 1997. Depuration processes after exposure of burrowing mayfly nymphs (*Hexagenia rigida*) to methylmercury and cadmium from water column or sediment: effects of temperature and pH. *Aquat. Toxicol.* 37: 125-137.
- OECD. 1984. *Daphnia* sp., acute immobilisation test and reproduction test. Part I - 24 h EC50 acute immobilisation test. Organization of Economic Co-operation and Development, Paris, France.
- OECD. 1998. *OECD guideline for testing of chemicals 211. Daphnia magna Reproduction Test*. Organization of Economic Co-operation and Development, Paris, France.
- Orcutt JD, Porter KG. 1984. The synergistic effects of temperature and food concentration on life history parameters of *Daphnia*. *Oecologia* 63: 300-306.
- Ordelman HGK, Van Noort PCM, Ten Hulscher TEM, Beek MA, Van Steenwijk JM, Frintrop PCM, Evers EHG. 1994. *Organofosforbestrijdingsmiddelen. Watersysteemverkenningen 1996, een analyse van de problematiek in aquatisch milieu*. RIZA nota nr. 94.043, RIKZ report nr. 94.028. Directoraat-Generaal Rijkswaterstaat, Ministry of Transport and Public Works, The Hague, the Netherlands.

- Palawski D, Hunn JB, Dwyer FJ. 1985. Sensitivity of young striped bass to organic and inorganic contaminants in fresh and saline waters. *Trans. Am. Fish. Soc.* 114: 748-753.
- Paquin PR, Gorsuch JW, Apte S, Batley GE, Bowles KC, Campbell PGC, Delos CG, Di Toro DM, Dwyer RL, Galvez F, Gensemer RW, Goss GG, Hogstrand C, Janssen CR, McGeer JC, Naddy RB, Playle RC, Santore RC, Schneider U, Stubblefield WA, Wood CM, Wu KB. 2002. The biotic ligand model: a historical overview. *Comp. Biochem. Physiol. C* 133(1-2): 3-35.
- Parker EDJr, Forbes VE, Nielsen SL, Ritter C, Barata C, Baird DJ, Admiraal W, Levin L, Loeschcke V, Lyytikäinen-Saarenmaa P, Høgh-Jensen H, Calow P, Ripley BJ. 1999. Stress in ecological systems. *Oikos* 86: 179-184.
- Persooone G, Van de Vel A, Van Steertegem M, De Nayer B. 1989. Predictive value of laboratory tests with aquatic invertebrates: influence of experimental conditions. *Aquat. Toxicol.* 14: 149-166.
- Péry ARR, Flammarion P, Vollat B, Bedaux JJM, Kooijman SALM, Garric J. 2002. Using a biology-based model (debtox) to analyse bioassays in ecotoxicology: opportunities & recommendations. *Environ. Toxicol. Chem.* 21(2): 459-465.
- Péry ARR, Ducrot V, Mons R, Garric J. 2003. Modelling toxicity and mode of action of chemicals to analyse growth and emergence tests with the midge *Chironomus riparius*. *Aquat. Toxicol.* 65: 281-292.
- Potvin C, Roff DA. 1993. Distribution-free and robust statistical methods - viable alternatives to parametric statistics. *Ecology* 74: 1617-1628.
- Prosser CL. 1991. Oxygen: respiration and metabolism. In: Prosser CL (ed), *Comparative Animal Physiology*, 4th Edition Wiley-Liss, New York, pp. 109-165.
- Rainbow PS. 1995. Physiology, physicochemistry and metal uptake - A crustacean perspective. *Mar. Pollut. Bull.* 31: 55-59.
- Rainbow PS. 1998. Phylogeny of trace metal accumulation in crustaceans. In: Langston WJ, Bebianno M (Eds.), *Metal metabolism in aquatic environments*. Chapman and Hall, London, UK, pp. 285-319.
- Reinikainen M, Ketola M, Jantunen M, and Walls M. 1995. Effects of *Microcystis aeruginosa* exposure and nutritional status on the reproduction of *Daphnia pulex*. *J. Plankton Res.* 17: 431-436.

References

- Reinikainen M, Hietala J, Walls M. 1998. Adaptations and resistance of zooplankton to stress: Effects of genetic, environmental, and physiological factors. *Ecotoxicol. Environ. Saf.* 40: 77-80.
- Riedel GF. 1984. Influence of salinity and sulfate on the toxicity of chromium(VI) to the estuarine diatom *Thalassiosira pseudonana*. *J. Phycol.* 20: 496-500.
- Riedel GF. 1985. The relationship between chromium(VI) uptake, sulfate, uptake, and chromium(VI) toxicity in the estuarine diatom *Thalassiosira pseudonana*. *Aquat. Toxicol.* 7: 191-204.
- RIWA. 2000. *Annual Report 1998. Part C The Rhine and the Meuse*. RIWA, International Association of River Waterworks, Amsterdam, the Netherlands, p118-119.
- RIZA. 1994a. *Resultaten van het waterkwaliteitsonderzoek in de Maas in Nederland*. RIZA report nr. 94.005, Ministry of Transport, Public Works and Watermanagement, Directorate-General for Public Works and Watermanagement, The Hague, the Netherlands.
- RIZA. 1994b. *Resultaten van het waterkwaliteitsonderzoek in de Rijn in Nederland*. RIZA report nr. 94.006, Ministry of Transport, Public Works and Watermanagement, Directorate-General for Public Works and Watermanagement, The Hague, the Netherlands.
- RIZA. 1996. *Warmte-emissies in Wvo-vergunningen: een handreiking voor vergunningverleners*. RIZA report nr. 96.027, Ministry of Transport, Public Works and Watermanagement, Directorate-General for Public Works and Watermanagement, The Hague, the Netherlands.
- RIZA and RIKZ. 1998. *Jaarboek Monitoring Rijkswateren - Kengetallen*. Ministry of Transport, Public Works and Watermanagement, Directorate-General for Public Works and Watermanagement, The Hague, the Netherlands.
- RIZA and RIKZ. 2001. *WaterStat*. Ministry of Transport, Public Works and Watermanagement, Directorate-General for Public Works and Watermanagement, The Hague, the Netherlands. Available from: <http://www.waterstat.nl> [Accessed at October 8, 2003].
- Rosas C, Ramirez P. 1993. Effect of chromium and cadmium on the thermal tolerance of the prawn *Macrobrachium rosenbergii* exposed to hard and soft water. *Bull. Environ. Contam. Toxicol.* 51: 568-574.

- Sakwińska O. 1998. Plasticity of *Daphnia magna* life history traits in response to temperature and information about a predator. *Freshwat. Biol.* 39: 681-687.
- Shazili NAM. 1995. Effects of salinity and pre-exposure on acute cadmium toxicity to seabass, *Lates calcarifer*. *Bull. Environ. Contam. Toxicol.* 54: 22-28.
- Sibly RM, Calow P. 1989. A life-cycle theory of responses to stress. *Biol. J. Linn. Soc.* 37: 101-116.
- Sibly RM, Hone J. 2002. Population growth rate and its determinants: an overview. *Philos. Trans. R. Soc. Lond., Ser. B* 357: 1153-1170.
- Smit CE, Van Gestel CAM. 1997. Influence of temperature on the regulation and toxicity of zinc in *Folsomia candida* (Collembola). *Ecotoxicol. Environ. Saf.* 37: 213-222.
- Sokal RR, Rohlf FJ. 1995. *Biometry*. 3rd ed, W.H. Freeman and Co, New York, USA.
- Song MY, Stark JD, Brown JJ. 1997. Comparative toxicity of four insecticides, including imidacloprid and tebufenozide, to four aquatic arthropods. *Environ. Toxicol. Chem.* 16: 2494-2500.
- Song MY, Brown JJ. 1998. Osmotic effects as a factor modifying insecticide toxicity on *Aedes* and *Artemia*. *Ecotoxicol. Environ. Saf.* 41: 195-202.
- Stebbing ARD. 1982. Hormesis - the stimulation of growth by low levels of inhibitors. *Sci. Total Environ.* 22: 213-234.
- Stephenson RR, Watts SA. 1984. Chronic toxicity tests with *Daphnia magna*: the effects of different food and temperature regimes on survival, reproduction and growth. *Environ. Pollut.* 36: 95-107.
- Stuhlbacher A, Bradley MC, Naylor C, Calow P. 1993. Variation in the development of cadmium resistance in *Daphnia magna* Straus: effect of temperature, nutrition, age and genotype. *Environ. Pollut.* 80: 153-158.
- Sunda WG, Huntsman SA. 1998. Interactive effects of external manganese, the toxic metals copper and zinc, and light in controlling cellular manganese and growth in a coastal diatom. *Limnol. Oceanogr.* 43: 1467-1475.
- Takle JCC, Beitinger TL, Dickson KL. 1983. Effect of the aquatic herbicide endothal on the critical thermal maximum of red shiner, *Notropis lutrensis*. *Bull. Environ. Contam. Toxicol.* 31: 512-517.
- Taylor G, Baird DJ, Soares AMVM. 1998. Surface binding of contaminants by algae: consequences for lethal toxicity and feeding to *Daphnia magna* Straus. *Environ. Toxicol. Chem.* 17: 412-419.

References

- Tessier J, Consolatti NL. 1989. Variation in offspring size in *Daphnia* and consequences for individual fitness. *Oikos* 56: 269-276.
- Thomas RE, Rice SD. 1986. The effects of salinity on uptake and metabolism of toluene and naphthalene by dolly varden, *Salvelinus malma*. *Mar. Environ. Res.* 18: 203-214.
- Timmermans KR, Van Hattum B, Kraak MHS, Davids C. 1989. Trace metals in a littoral foodweb: concentrations in organisms, sediment, and water. *Sci. Total Environ.* 87/88: 477-494.
- Tsuda T, Aoki S, Kojima S, Harada H. 1990. Differences between freshwater and seawater-acclimated guppies in the accumulation and excretion of tri-n-butyltin chloride and triphenyltin chloride. *Water Res.* 24: 1373-1376.
- Van den Brink PJ, Van Wijngaarden RPA, Lucassen WGH, Brock TCM, Leeuwangh P. 1996. Effects of the insecticide Dursban® 4E (active ingredient chlorpyrifos) in outdoor experimental ditches: II. Invertebrate community responses and recovery. *Environ. Toxicol. Chem.* 15: 1143-1153.
- Van Gestel CAM, Hensbergen PJ. 1997. Interaction of Cd and Zn toxicity for *Folsomia candida* Willem (Collembola: Isotomidae) in relation to bioavailability in soil. *Environ. Toxicol. Chem.* 16(6): 1177-1186.
- Van Hattum B, Korthals G, Van Straalen NM, Govers HAJ, Joosse ENG. 1993. Accumulation patterns of trace metals in freshwater isopods in sediment bioassays - Influence of substrate characteristics, temperature and pH. *Water Res.* 27(4): 669-684.
- Van Leeuwen CJ, Hermens JLM. 1996. *Risk assessment of chemicals - An introduction*. Kluwer Academic Publishers, Dordrecht, the Netherlands.
- Van Straalen NM, Denneman CA. 1989. Ecotoxicological evaluation of soil quality criteria. *Ecotoxicol. Environ. Saf.* 18: 241-251.
- Van Straalen NM. 2002. Theory of ecological risk assessment based on species sensitivity distributions. In: *Species sensitivity distributions in ecotoxicology*, Posthuma L, Suter GWII, Traas TP (Eds.), CRC Press Florida, USA, p 37-48.
- Van Wezel AP, Jonker MTO. 1998. Use of the lethal body burden in the risk quantification of field sediments; influence of temperature and salinity. *Aquat. Toxicol.* 42: 287-300.
- Vighi M, Altenburger R, Arrhenius Å, Backhaus T, Bödeker W, Blanck H, Consolaro F, Faust M, Finizio A, Froehner K, Gramatica P, Grimme LH, Grönvall F, Hamer V, Scholze M, Walter H. 2003. Water quality

- objectives for mixtures of toxic chemicals: problems and perspectives. *Ecotoxicol. Environ. Saf.* 54: 139-150.
- Vonck APMA. 1999. *Effects of estuarine conditions on cadmium toxicity and osmoregulatory performance in fish*. PhD-thesis, RIKZ, University of Nijmegen, the Netherlands.
- VROM. 2001. *Environmental quality standards in the Netherlands - A review of environmental quality standards and their policy framework in the Netherlands*. 1999. Ministry of Housing, Spatial Planning and the Environment (VROM), Directorate-General for Environmental Protection. Kluwer, Alphen aan den Rijn, the Netherlands.
- Walls M, Lauren-Maata C, Ketola M, Ohra-Aho P, Reinikainen M, Repka S. 1997. Phenotypic plasticity of *Daphnia* life history traits: the roles of predation, food level and toxic cyanobacteria. *Freshwat. Biol.* 38: 353-364.
- Wildgust MA, Jones MB. 1998. Salinity change and the toxicity of the free cadmium ion ($\text{Cd}(\text{aq})^{2+}$) to *Neomysis integer* (Crustacea: Mysidacea). *Aquat. Toxicol.* 41: 187-192.
- Wolf G, Scheunders P, Selens M. 1998. Evaluation of the swimming activity of *Daphnia magna* by image analysis after administration of sublethal cadmium concentrations. *Comp. Biochem. Phys. A* 120(1): 99-105.
- Wong CK, Wong PK. 1990. Life table evaluation of the effects of cadmium exposure on the freshwater Cladoceran, *Moina macrocopa* Straus. *Bull. Environ. Contam. Toxicol.* 21: 453-457.
- Work KA, Gophen M. 1999. Factors which affect the abundance of an invasive cladoceran, *Daphnia lumholtzi*, in U.S. reservoirs. *Freshwat. Biol.* 42: 1-10.
- Wright DA. 1995. Trace metal and major ion interactions in aquatic animals. *Mar. Pollut. Bull.* 31: 8-18.
- Yang HN, Chen HC. 1996. Uptake and elimination of cadmium by Japanese eel, *Anguilla japonica*, at various temperatures. *Bull. Environ. Contam. Toxicol.* 56:670-676.

