



UNIVERSITY OF AMSTERDAM

UvA-DARE (Digital Academic Repository)

The Impact of Supplementary Food on a Prey-Predator Interaction

van Rijn, P.C.J.

[Link to publication](#)

Citation for published version (APA):

van Rijn, P. C. J. (2002). *The Impact of Supplementary Food on a Prey-Predator Interaction*. in eigen beheer.

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (<http://dare.uva.nl>)

Download date: 27 Feb 2021

Table of contents

Part 1	INTRODUCTION	
1.1	General introduction, outline and summary	9
1.2	Predation by insects and mites	17
	[M.W. Sabelis & P.C.J. van Rijn, 1997. In: <i>Thrips as crop pests</i> (Ed. T. Lewis), CAB-International, London, p. 259-354]	
Part 2	INDIVIDUAL LEVEL	
2.1	Comparative life history studies of <i>Frankliniella occidentalis</i> and <i>Thrips tabaci</i> (Thysanoptera: Thripidae) on cucumber	89
	[P.C.J. van Rijn, C. Mollema & G. Steenhuis, 1995. <i>Bull. Entomol. Res.</i> 85: 285-297]	
2.2	Pollen as food for the predatory mites <i>Iphiseius degenerans</i> and <i>Neoseiulus cucumeris</i> (Acari: Phytoseiidae): dietary range and life history	111
	[P.C.J. van Rijn & L.K. Tanigoshi, 1999. <i>Exp. Appl. Acarol.</i> 23: 785-802]	
2.3	The contribution of extrafloral nectar to survival and reproduction of the predatory mite <i>Iphiseius degenerans</i> on <i>Ricinus communis</i>	127
	[P.C.J. van Rijn & L.K. Tanigoshi, 1999. <i>Exp. Appl. Acarol.</i> 23: 281-296]	
2.4	Does satiation-driven behaviour alone explain observed predation rates?	141
	[P.C.J. van Rijn, F.M. Bakker, W.A.D. van der Hoeven & M.W. Sabelis, submitted]	
2.5	How additional food affects the functional and numerical response of a predator	165
	[P.C.J. van Rijn, P. van Stratum & M.W. Sabelis, submitted]	
Part 3	POPULATION LEVEL	
3.1	How plants benefit from providing food to predators even when it is also edible to herbivores	183
	[P.C.J. van Rijn, Y.M. van Houten & M.W. Sabelis, 2001. <i>Ecology</i> , in press]	
3.2	Persisting high predator-to-prey ratios and low prey levels: Model and experiments with thrips and predatory bugs	209
	[P.C.J. van Rijn, R.A.F. van den Meiracker, P. Ramakers & M.W. Sabelis, submitted]	
3.3	Alternative food, switching predators, and the persistence of predator-prey systems	237
	[M. van Baalen, V. Křivan, P.C.J. van Rijn & M.W. Sabelis, 2001. <i>Am. Nat.</i> 157: 512-524]	
	Samenvatting	259
	List of Publications	263
	Curriculum Vitae / About the author	265
	Dankwoord	267

