



UvA-DARE (Digital Academic Repository)

Radio luminosity upper limits of the transient neutron star low-mass X-ray binary GRO J1744-28

Russell, T.; Degenaar, N.; Miller-Jones, J.; Tudor, V.

Publication date

2017

Document Version

Final published version

Published in

The astronomer's telegram

License

Unspecified

[Link to publication](#)

Citation for published version (APA):

Russell, T., Degenaar, N., Miller-Jones, J., & Tudor, V. (2017). Radio luminosity upper limits of the transient neutron star low-mass X-ray binary GRO J1744-28. *The astronomer's telegram*, 10106. <http://www.astronomerstelegam.org/?read=10106>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

The Astronomer's Telegram

[Post](#) | [Search](#) | [Policies](#)
[Credential](#) | [Feeds](#) | [Email](#)

24 May 2019; 07:36 UT

Outside

GCN
IAUCs

Other

ATel on [Twitter](#) and [Facebook](#)
[ATELstream](#)
[ATel Community Site](#)

This space for free for your conference.



[[Previous](#) | [Next](#) | [ADS](#)]

Radio luminosity upper limits of the transient neutron star low-mass X-ray binary GRO J1744-28

ATel #10106; **Thomas Russell (UvA), Nathalie Degenaar (UvA), James Miller-Jones (ICRAR-Curtin), Vlad Tudor (ICRAR-Curtin)**

on 21 Feb 2017; 15:44 UT

Credential Certification: [Nathalie Degenaar \(degenaar@uva.nl\)](mailto:degenaar@uva.nl)

Subjects: Radio, X-ray, Binary, Neutron Star, Transient

Following the new outburst of the Galactic neutron star low-mass X-ray binary and 2.1 Hz X-ray pulsar GRO J1744-28 (ATels #10073, #10079), we performed target of opportunity observations of this source with the Australia Telescope Compact Array (ATCA).

We observed GRO J1744-28 between 16:49 UT and 20:26 UT on 2017 Feb 17 (MJD 57801.78 +/- 0.08) at 5.5 and 9 GHz, with a bandwidth of 2 GHz at each frequency. The array was in its extended 6D configuration, providing angular resolutions of 6.7"x1.3" and 5.1"x1.0" at 5.5 and 9 GHz, respectively. Data were reduced in Miriad (Sault et al. 1995, ASPC 77, 433S) following standard procedures.

To minimise effects from the Galactic centre (22' away), the shortest ATCA baselines were not included in the images (where uv-distances <18 klambda at 5GHz and <10 klambda at 9 GHz were removed). We did not detect any significant radio emission at the position of GRO J1744-28 at either frequency, with 3-sigma upper limits of 45 uJy/beam (5.5 GHz) and 33 uJy/beam (9 GHz), corresponding to radio luminosity upper limits of 1.9E28 erg/s and 2.3E28 erg/s (assuming 8 kpc), respectively. By stacking the two images we reach a 3-sigma upper limit of 30 microJy/beam (1.7E27 erg/s at 8 kpc).

To determine the X-ray luminosity of GRO J1744-28 close to the time of our ATCA radio observations, we used Swift/XRT (WT mode) data obtained on February 17 (03:28-03:33 UT; ~300 s exposure time) and 18 (00:05-01:46; ~750 s exposure time). The two individual XRT light curves show a constant count rate during the observations (i.e. there were no X-ray bursts detected). The X-ray spectra, extracted using the online XRT repository (Evans et al. 2009, MNRAS 397, 1177), can be described by a simple power law with $NH=(8.7\pm 0.7)E22$ cm⁻² and a photon index of $\gamma=1.2\pm 0.2$. The resulting unabsorbed 2-10 keV fluxes translate into X-ray luminosities of $(2.9\pm 0.2)E36$ and $(1.9\pm 0.1)E36$ erg/s (8 kpc) on February 17 and 18, respectively.

At similar X-ray luminosities neutron star X-ray binaries generally exhibit radio luminosities between ~5E27 erg/s and ~6E28 erg/s (see e.g. Tetarenko+2016, MNRAS 460, 345, for a recent overview). Therefore, while GRO J1744-28 was not detected in our radio observations, our limits lie within the expected luminosity range. This was the first deep search for the radio counterpart

Related

- 10106** Radio luminosity upper limits of the transient neutron star low-mass X-ray binary GRO J1744-28
- 10079** Swift-XRT confirms the renewed X-ray activity of the Bursting Pulsar "GRO J1744-28"
- 10073** The new X-ray outburst of GRO J1744-28 detected with INTEGRAL
- 5999** The near-infrared counterpart of GRO J1744-28
- 5997** Broadband X-ray observations of GRO J1744-28 during outburst
- 5963** MAXI/GSC observations of the bursting pulsar GRO J1744-28 close to the Eddington luminosity
- 5910** Phase shift during an X-ray burst in GRO J1744-28
- 5906** ERRATUM: Detection of a spin derivative in GRO J1744-28 with Swift/XRT
- 5904** GRO J1744-28: search for radio counterpart with the GMRT
- 5901** Detection of a spin derivative in GRO J1744-28 with Swift/XRT
- 5896** Correction on Chandra Detection of Pulsations from GRO J1744-28
- 5895** Chandra Localization and Detection of a Burst and Pulsations from GRO J1744-28
- 5883** Swift detects bursting activity from GRO J1744-28
- 5858** GRO J1744-28 active as X-ray pulsar
- 5845** GRO J1744-28: Swift XRT confirmation of outburst
- 5810** Fermi/GBM Detection of 0.467s Pulsation from GRO J1744-28
- 5790** MAXI/GSC and Swift/BAT detection of enhanced hard X-ray emission from the Galactic center region, renewed activity of GRO J1744-28 ?
- 2236** Swift/XRT detection of GRS 1741.9-2853 in outburst
- 2235** INTEGRAL sees transient

of GRO J1744-28 during outburst, where the only other radio observations taken during outburst (GCNs #6307 #6323) appeared to be inconsistent with the current Chandra source position (Wijnands & Wang 2002, ApJ 568, L93; offset by 1.43').

activity in the Galactic
Bulge: XTE J1751-305 and
GRS 1741.9-2853 in outburst

We have one further ATCA observation planned, which will occur at the anticipated peak of the outburst ($\sim 1E38$ erg/s, assuming that the source will become as bright as during its previous outbursts).

We would like to thank the ATCA schedulers for making these observations possible.

[**Telegram Index**]

R. E. Rutledge, Editor-in-Chief

`rrutledge@astronomerstelegam.org`

Derek Fox, Editor

`dfox@astronomerstelegam.org`

Mansi M. Kasliwal, Co-Editor

`mansi@astronomerstelegam.org`