



## UvA-DARE (Digital Academic Repository)

### Secret strategies: Women and abortion in Yoruba society, Nigeria

Koster, W.

**Publication date**  
2003

[Link to publication](#)

#### **Citation for published version (APA):**

Koster, W. (2003). *Secret strategies: Women and abortion in Yoruba society, Nigeria*. [Thesis, fully internal, Universiteit van Amsterdam]. Aksant.

#### **General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

#### **Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, P.O. Box 19185, 1000 GD Amsterdam, The Netherlands. You will be contacted as soon as possible.

## SUBJECT INDEX

(*b* refers to box, *m* refers to map, *n* refers to note, *p* refers to picture, *t* refers to table)

*abiku* 72, 262, 321*n*9

abortion:

- acceptability of 116-123, 191
- attitude of health-care providers to 124, 300
- case fatality 6
- cause for infertility, as 290-293
- contraception and 242-250
- cost 131, 153, 326*n*8
- death 182, 208, 211-212, 296
- definitions of 5
- delay 161-166
  - reasons for 162-166, 204
- global statistics 6
- illegality 4, 6, 211, 300
- incidence 127
- infertility and 112, 177, 272-273, 289-293
- in the past 10, 134
- involvement of others 157-160, 176, 201-205
  - family 203
  - female friends 159, 174, 202, 298
  - husbands 199-200, 202, 203, 205, 206, 207
  - partners 159-160, 170, 174, 184, 185, 298, 299

- parents 160, 185 (*see also* parents)
- legal status 6-7
  - in Nigeria 7
  - view of community and health staff on 124-125
  - reform of law in Nigeria (legalisation) 7, 310
  - view of Nigerian medical practitioners on 7, 8
- liberalisation 6
- effect on morbidity and mortality 6, 7, 9
- methods 152-153, 155
- mixed feelings towards 114
- moral objections/immorality 11-12, 111-113, 144, 146, 198, 296, 306
- morbidity 131
- mortality 4, 9, 60, 132-133, 296-297
- motivations for, 191-200, 138-143, 139-143
- opinions about health risks of 111-113, 296
- positive opinion about 114-115
- prevalence of 109
  - by religion 126
  - in Nigeria 9-10
  - urban and rural 126, 296
  - study definition of 125
- provider (*see* abortionist)

- public health institutions, in 152, 201
- rape and 116, 296
- rate 5
- ratio 5, 127
- traditional methods 134
- women (groups) aborting 10-11, 127-129
- abortifacients, traditional 10
- abortionist (abortion provider) 8-9, 151-152
  - backstreet abortionist ('person in a room') 8, 152, 185
  - chemist shop 8, 168, 201, 152, 168*b*5.4
  - relative use 8-9, 154-155, 200-201
  - unsafe 152, 300
- abstinence (*see* premarital and postpartum)
- abuse 117, 264, 285
- aoption 282
- agency 24, 25, 32, 304, 306
- AIDS/HIV vii, 95, 234
- Aladura* 67, 69*b*3.1, 276
  - opinion about abortion 110, 127
  - ceremony for infertile women 276
- ancestors 65, 66, 68
- applied research 29-30
- apprentice(ship) 324-325*m*5
  - abortion death, and 183
  - motivation for abortion, as 139-140
  - self-abortion, and 157
  - TBA, to become 104
  - unsafe abortion, and 130
- aran ginisa* 224, 271, 273, 274
- babalawo* 65, 68, 78, 97, 103, 106, 152, 264, 276
- barrenness 263
- bastard (illegitimate children) 116, 184, 195-196
- biomedical services 102-103
- birth-control 11, 115
- birth interval, too short 117-118, 192-193, 223, 423*m*2
- breast-feeding 235 (*see* lactation method)
- bride services 79
- bridewealth 78-79, 296, 298
  - deterrent to divorce, as 82, 284
- career, as reason for abortion 141, 196-197
- case histories, as study method 57
- charm 97, 118
- childbearing, traditional rules of 223-225
- childlessness 263
- children
  - acknowledgement by father 83, 89, 281, 282
  - care of 92, 214, 225, 298
  - fostering 283
  - value of children 15, 89-92, 118, 224, 289
  - socialisation 92, 108
- Christianity 67, 68, 69*b*3.1
- Christian denominations 67
- community-based study 9-10
- community seminars 48-49, 52-53*p*
- community sense/spirit 92, 96, 307
- completed family, as reason for abortion 193
- compliance 24, 86
- complications (of abortion) 8, 131-132, 153, 171, 206, 292, 293
  - appropriate action with 171, 208
  - by abortion method 132

- case histories on 57
- coping with 171-177, 205-208
- treatment for 177, 182, 206, 208, 211, 212
- condoms 218, 219, 220, 228, 234, 239-240
  - belief of side-effects 229
- contraception
  - use 232-238
  - prevalence in Nigeria 14-15
  - study definition of 217, 233
  - unmet need for 15
- contraceptives
  - accessibility 16, 219-220, 259, 302
  - availability 218, 258
  - categories of (in study) 218
  - counselling after abortion 248, 249-250
  - discontinued use 16, 238-240
  - method failure 239, 240, 244, 245, 246, 258, 260
  - non-use 16, 240-242, 247-248
  - price 219
  - promotion of 309
  - providers for 218-220
  - side-effects
    - experienced 239-240
    - fear of/believed 228-230, 232, 238, 241, 258, 302
  - use of, after abortion 245-247
  - use of, before abortion 243-245
- coping 22-24, 302
  - avoidance coping 22, 175, 207, 301
  - emotion-focused 22, 23, 144, 274
  - problem-focused 22, 23, 144, 274
- co-wives 80, 195 (*see also* polygyny)
- cuckolds 282
- cults 180, 181, 211
- D&C definition: 129, 325n4.11
  - after miscarriage ('washing the uterus') 134, 294
- death of spouse, wife suspect 117
- decision-making (process) 13, 24-25
  - coping style, about 23
  - on-the-spot 24, 304
  - programmed/informed 24, 304
- demographic studies of fertility regulation 13, 212
- destiny 65, 272
- dissident behaviour as cause for infertility 272
- distrust 96
- divination 106, 279
- divorce 82, 284
  - and infertility 265, 284, 285, 333m8, 334m9
  - deterrents to 82
  - rates 82
- drugs (used but not intended as such)
  - abortion, for 156
  - contraception, for 218f.3, 236, 240, 260, 294, 310
- economic austerity (stagnant economy) 73, 91
- economic enterprise 72, 322m1
- economic independence of women 87, 88, 298
- eda* 271, 272, 273, 274
- education 75-76
  - level of, and contraceptive use 14
  - financial burden of 76
  - motivation for abortion, as 139-140, 181, 196-197, 297
  - quality of 76

- value of (investment) 75,76, 79, 118, 183
- emere* (or *ogbanje*, evil spirits) 69, 71-72, 102, 276
- emergency contraception (Postinor) 246, 258, 289, 310, 331*m*31 (*see also* post-coital contraception)
- envy (jealousy) 96, 97, 205
  - actions because of 97
- EPI-Info data files 59
- extramarital affairs 82-84, 87, 213, 232
  - abortion and 195-196, 211
  - children from 195-196
  - contraceptive use and 196
  - pregnancy from 119, 195-196, 198, 299
- ethnomedical services 103
- evil powers 205
- extended family 77, 92
  
- family planning 218
- female (women) subordination 20, 21, 85, 86, 305
- fertility 15, 90, 182, 258, 323*m*24, 323*m*25
  - control 11, 12
  - (high) desire 15, 21, 91
- fertility regulation 15, 21
  - study definition of 32
- filter-questions 45
- financial problems 299
  - reason for abortion, as 118, 140, 193, 213
  - reason for abortion delay, as 162, 204
  - reason for premarital sex, as 251
- fetus - perceptions of development 11
  
- gender 20-21, 30, 60-61, 97
  - relations within marriage 84-88, 94, 298
  - decisions on fertility regulation (male control) 12, 15, 21, 231, 232, 241-242, 258, 304, 336*m*5
  - difference in acceptance of premarital relationship 179
  - discrimination 305
  - system (definition) 316*m*7
- generation relations 92, 306, 336*m*5
- gossip 95, 96, 117, 264, 289
- grandmother pregnancy 224, 225, 225*b*7.1
  
- health-care providers (*see* biomedical services, private health-care, public health-care, ethnomedical services, *ọlọmọ wewẹ, babalawo*)
  - abortion, for 151-152
  - choice for type of 101
  - contraception, for 218-220
  - infertility, for 271, 275-280
  - relationship between ethnomedical and biomedical providers 49-50, 106-107, 312, 336*m*4
  - types of providers 101
- hearsay 95
- HIV/AIDS vii, 95, 234
- home methods for contraception 218*t*7.2
- homosexuality 323*m*30
- hospital-based studies 9
- household economy 77, 87-88
- hysterectomy 2, 182
  
- ideal behaviour of wife 86
- Ifa oracle 65-66, 78, 106, 276
- Iju* (fibroid) 271, 272, 273, 274

## infertility

- aetiology for, by TBAs 271-274
- definitions 262-263, 267
- fear of 228, 260, 289, 303
- negative reactions towards 286-287
- prevalence 267-270
- prevention 274-275
- stigma of 92, 182, 267, 284, 285, 293
- treatment of 271, 275-280, 311
- involvement of others in choice of 279-280

inheritance 77, 184, 282-283

initiation ceremony, absence of 98

injectable contraceptives 218, 219, 220, 228, 239-240

interviewers 45-46

Islam 67, 68, 69*b*3.1

IUCD 218, 219, 220, 228, 234, 239-240

*juju* (magic) 70, 96, 106, 181, 220, 271, 274

kinship 77, 108, 120, 121, 184

## knowledge

- abortion methods, of 156, 200
- contraceptives, of 230, 238, 241, 260
- risks of abortion, of 168-169, 176, 300
- safety of abortion methods, of 204
- sexuality, on, by youth 98

lactation method 235

marriage 78-82 (*see polygyny*)

- age at first 10, 79, 183

- reasons for 78

- marital status, study criteria 187-188

- power relations within 289, 298

- rate 78

- traditional 78, 79

marital problems and abortion 194, 211

maternal mortality 4

menopause 224, 272, 330*m*9

menstrual regulation 7

- drugs for 136, 289, 310, 330*m*1, 332*m*6

- methods by TBAs 161, 327*m*4

menstruation 161, 224, 228, 235, 258

miscarriage 205, 220, 267, 271, 294, 299

misfortune 97, 135

modern contraceptives 218*t*7.3, 260

- experienced side effects 239-240

- fear of/believed side effects

228-230, 232, 238, 241, 258, 302, 331*m*5

- opinions about use 228-229, 230-232

- promotion of 309

- use 234

moral self-image 258

multiple abortions 127, 212

MVA 323*m*4.12

natural contraceptives 218*t*7.3, 235

Nigerian National Population Policy 13-14

nuclear family 88, 213, 323*m*27

observations 35, 36, 37

OCP (oral contraceptive pill) 218, 219, 220, 234, 239-240

- Olomo wewe* (TBA) 103-104, 105*p*,  
106*b3*.7, 274  
– abortion and 107, 152  
– training of 107, 336*m3*
- Orisa* (deities) 65, 68, 102, 272, 273
- outside wives 83
- outsiders (wives in lineage of husband) 88, 288, 289
- paraphrases, use of 32
- parents  
– communication with children 99-100  
– deciding for abortion 143  
– fear of, as motivation for abortion 140  
– involvement in abortion 160, 176  
– reaction on daughter's (attempted) abortion 148-149, 176  
– supportive attitude 149
- participatory research 30
- patrilineage (*idile*) 15, 65, 75, 77, 84, 88, 108, 117, 184, 213, 281, 283  
– influence on spousal relations 166, 293
- peer groups 159, 181, 253-254, 307, 309
- periodic abstinence (safe period) 235, 246
- poly-coity 82
- polygyny/polygynous marriage 80-82, 187, 316*m20*  
– abortion, and 194-195  
– infertility, and 280-281  
– marital problems, causing 81, 194, 214  
– men's motivation for 81  
– opinions about 80-81  
– private 83  
– postpartum abstinence, and 227  
– rate of 80  
– residence of polygynous families 77
- post abortion care 249, 310, 311
- post-coital contraception 217, 230, 258, 328*m4*  
(*see also* emergency contraception)
- postpartum abstinence 11, 80, 117, 193, 217, 226-227, 235
- predestination 65  
– objection against abortion, belief in as 112
- pregnancy, hiding of 205, 328*m7*
- pregnancy in school 141
- premarital abstinence 217, 225, 250-257
- premarital pregnancy 10, 119-122, 183, 261
- premarital sexual relationship 100-101, 225, 226, 232, 250  
– eroding rules on/ambiguity 79, 101, 120, 165, 179, 290
- prescription of drugs 156
- primary infertility 263
- private health-care/hospital/clinic 8, 102-103, 152, 201, 279
- proverbs 85, 86  
– on rules of spousal behaviour 85-86  
– on value of children 89  
– on infertility 263-264
- public health-care 102, 103, 152
- quality control (of abortion services) 5, 185, 310
- rape 116-117, 141-143
- reincarnation 66

- objection against abortion, and 112
- referral of abortion complications 177, 186, 208, 311
- resistance 25, 306
- respect 92, 93-94, 94*b3-5*, 107
- RU-486 311, 327*n.9*
- rule and reality 17-19, 110
- safe period (*see periodic abstinence*)
- sampling 37-38, 41-42
- sample size 43
- schoolgirls 307, 308
  - abortion 123, 257, 296
  - contraception 219, 223, 230, 249, 257
  - death from abortion 133, 183, 296
  - pregnancy 122-123, 217
  - self-abortion 157
  - sexual relations 251-257
  - unsafe abortion 130, 296
- secrecy/secret 170, 185, 205, 207, 208, 232, 258, 259, 293, 297, 298, 299, 302, 305, 307, 308
- secondary infertility 263, 290, 292
- self-abortion (methods) 8, 150*b5.1*, 156, 167, 298
  - belief in effectiveness of 156-157
- sexuality 305
  - communication between children and parents on 99-100, 159, 183
  - education/information on, for youths 98, 308
- 'sexuality club' 50-51, 54*p*, 56*p*
- shame 94-95, 107, 108, 184, 195, 202, 297
  - abortion death in family, of 135
  - reason for delaying abortion, as 162
- shopping around (for services) 153, 277, 278
- significant associations (set p-value in study) 59
- single mothers
  - chance of marriage 120-122, 184, 297
  - fear to be, as reason for abortion 143
- social life of spouses 87
- social (role) model 23, 169, 301
- sorcery 70, 265
- status markers 75, 93, 94
- STD/I (sexually transmitted infections/diseases) vii, 227, 234, 311
- sterilisation (tubal ligation and vasectomy) 229
- sterility 263
- strategy 25-26, 304, 305, 306, 307, 308
- stressor/stressful event 22, 23, 24, 143-144, 171, 179, 183, 274
- structural adjustment programme 73
- study locations 29, 317*m.1*, 25, 37-38, 38*b2.2*, 39*m*, 40*m*, 41, 42
- sub-fertility 263
- taboo 146, 220, 222, 273, 293, 329*n8*, 329*n9*
- tactics 25-26, 305, 308
- TBA (traditional birth attendant) 200 (*see also olomo wewe*)
  - view on modern contraception 273
- terminal (sexual) abstinence 20
- traditional contraceptives 218*t7.3*, 220-223, 221*p*, 227, 236, 273, 329*m7*
- traditional healer 8, 324*m35*
- training of TBAs 107

- triangulation, methodological 33
- tried abortion (attempted self-abortion) 144, 148-150, 155, 156, 157
- under-five mortality rate 15
- unsafe abortion 129-131, 166-170, 201, 298
- definition of (WHO) 5
  - methods 167-170
  - study criteria for 129-130
  - reasons for 170, 185, 204-205, 213
  - rate 109
- unwanted pregnancy
- coping strategy with 143-145, 198
  - influence of others on 150-151, 199-200
  - prevalence 216-217
  - reasons for keeping 145-150, 198-199
  - study definition of 45, 318 *iii*
- VA (vacuum aspiration) 129, 152, 325 *iii*
- validity of survey data 47-47
- virgin(ity) 79, 100, 250, 303
- virilocality 77
- witch(craft) 69, 70 *b3.2*, 70-71, 72, 102, 104, 264, 265, 271
- withdrawal method 235
- workshops with biomedical staff 51, 55 *p*
- workshops with TBAs 49-50, 55 *p*
- Yoruba
- history 63-64
  - religion 65-66, 68, 69 *b3.1*
  - sub-groups 64, 321 *iv*
- youth-friendly clinics 309

