



## UvA-DARE (Digital Academic Repository)

### Distributed Event-driven Simulation- Scheduling Strategies and Resource Management

Overeinder, B.J.

**Publication date**  
2000

[Link to publication](#)

#### **Citation for published version (APA):**

Overeinder, B. J. (2000). *Distributed Event-driven Simulation- Scheduling Strategies and Resource Management*. University of Amsterdam.

#### **General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

#### **Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

# Index

- absolute efficiency, 126
- ACA, *see* asynchronous cellular automata
- activity, 3
- activity scanning, 9
- adaptive optimism control
  - global state, 40
  - local state, 39
- aggressive cancellation, 32
- anti-message, 31
- APSE, 84–91, 119
- AP SIS, 49, 55–65, 114, 138
- asynchronous cellular automata, 105, 106
  - nondeterministic, 106
- attribute, 3
- average parallelism, 77, 79, 91, 119
  
- Beowulf parallel computer, 156
- Boltzmann distribution, 112
  
- CA, *see* cellular automata
- cancel queue, 66, 68
- cancellation strategies, 32
  - aggressive, 32
  - direct, 33
  - lazy, 32
  - lazy re-evaluation, 33
- cascaded rollbacks, 37, 130, 141
- causality
  - (local) constraint, 23, 61
  - error, 22
- cellular automata, 104
  - asynchronous, 105, 106
  - nondeterministic, 106
  - parallel asynchronous, 108
  - parallel synchronous, 107
  - synchronous, 104
- checkpointing, 168
  
- cluster computing, 156
- clusters of workstations, 156
- computational critical behavior, 137, 150
- computer experiment, 1
- computer simulation, 1
- conservative methods, 20, 24–28
- continuous system, 3
- continuous-time model, 6
- copy state saving, 34, 68
- correlations, 133, 137
  - long-range, 137, 139, 142
- COW, *see* clusters of workstations
- critical exponent, 133
- critical path, 78
  - analysis, 83
  - enumeration algorithm, 89
- critical sections, 168
- critical system, 135
- critical time, 83, 88
  
- DAS parallel computer, 92, 118, 138, 156
- data dependency graph, 78
- DCS, *see* dynamic complex systems
- deadlock avoidance, 25
- deadlock detection and recovery, 26
- direct cancellation, 33
- discrete event model, 7
- discrete event simulation
  - activity scanning, 9
  - event scheduling, 8, 56
  - parallel, 24, 28
  - process interaction, 9, 56, 81
  - self-initiating, 45
  - world view, 8
- discrete system, 3
- discrete-time model, 7
- DISS, 98

- distributed computing, 11, 155
- distributed memory, 10, 156
- DPVM, *see* Dynamite
- dynamic complex system, 103
- dynamic load balancing, *see* load balancing
- Dynamic PVM, *see* Dynamite
- Dynamite, 162–165
- entity, 3
- event, 3
  - endogenous, 3
  - exogenous, 3
  - external, 21
  - internal, 21
  - scheduling, 8
- event granularity, 127
- event message, 21
- event precedence graph, 80
- event queue, *see* input queue
- event retraction, 66, 71
- event-driven simulation, 8
- experimental framework, 3
- Fornax, 52
- fossil collection, 31, 41, 72
- fractal properties, 133
- global virtual time, 31, 41, 61, 73
  - centralized computation, 41
  - distributed computation, 43
- grid computing, 154
- GVT, *see* global virtual time
- High Level Architecture, 13
- high performance computing, 12, 158
- high throughput computing, 12, 158
- HLA, *see* High Level Architecture
- incremental state saving, 35, 67
- inherent parallelism, 77, 119
- input queue, 63, 68
- Ising spin model, 109, 135
  - continuous-time, 113, 114
  - critical temperature, 113
  - ferromagnetic, 110
  - paramagnetic, 110
- Ising spin phase transition, 137, 138
- job, 11
- lazy cancellation, 32
- lazy re-evaluation, 33
- load balancing, 12
  - dynamic, 12, 162
  - local-area, 166
  - migration decider, 167
  - optimistic simulation, 39, 190
  - resource monitoring, 167
  - scheduler, 166
  - wide-area, 161
- local virtual time, 30, 61
- local-area networks, 156
- logical clocks, 30
- logical processes, 21
- long-range correlations, 137, 139, 142
- lookahead, 27
- LVT, *see* local virtual time
- massively parallel processor, 10, 156
- metacomputing environment, 154
- Metropolis algorithm, 112
- model, 4
  - continuous, 5
  - deterministic, 5
  - discrete, 5
  - dynamic, 5
  - state, 3, 21
  - static, 5
  - stochastic, 5
- Monte Carlo method, 103, 112, 126
- Monte Carlo time step, 119
- MPP, *see* massive parallel processor
- networks of workstations, 156
- non-adaptive optimism control, 38
- NOW, *see* networks of workstations
- null message, 25
- optimism control, 37, 62, 70, 124, 147
  - adaptive global state, 40
  - adaptive local state, 39
  - non-adaptive, 38

- optimism throttling, *see* optimism control, 124
- optimistic methods, 20, 28–44
- output queue, 63, 68
- parallel discrete event simulation, 20
  - conservative, 24
  - optimistic, 28
- parallel efficiency
  - absolute, 126
  - relative, 118
- parallel random number generation, 115
  - leap-frog, 116
  - splitting, 116
- parallelism profile, 79, 90
- periodic checkpointing, *see* periodic state saving
- periodic state saving, 34
- PERT algorithm, 87, 88
- physical critical behavior, 137, 150
- physical processes, 21
- Polder metacomputer, 159–162
- positive message, 31
- potential parallelism, 77
- power-law distribution, 133
- predictability, 26
- priority queue, 69
- process, 11
- process interaction, 9
- process migration, 165, 169
- program activity graph, 83, 88
- pseudo-random number generator, 115
- PVM, 164
  - daemons, 164
  - tasks, 164
- random number generator, 115
- relative efficiency, 118
- resource management, 11, 154, 160
- rollback strategies, *see* cancellation strategies
- scale-invariant properties, 133
- scaling exponent, 133
- scheduling, 12
  - dynamic, 12, 162
  - global, 12, 161
  - local, 12
  - optimistic simulation, 39
  - static, 12, 162
- self-organized criticality, 133
  - finite-size scaling, 142
- self-similar properties, 133
- separation of time scales, 135
- sequential fraction, 78, 91
- shape vector, 79, 90
- shared memory, 10
- simulation
  - continuous, 5
  - discrete event, 5
  - event-driven, 8
  - Monte Carlo, 5
  - predictability, 4
  - realizability, 4
  - time-driven, 7
  - well defined, 4
- simulation languages, 51
- simulation libraries, 53
- simulation model, *see* model
- simultaneous events, 70
- SOC, *see* self-organized criticality
- space-time diagram, 81
- speedup models
  - absolute, 126
  - memory-bounded, 67, 78
  - relative, 118
- state queue, 63, 68
- state saving, 34
  - copy, 34, 68
  - hybrid, 37
  - incremental, 35, 67
  - periodic, 34
- straggler, 30
- super-critical speedup, 33, 99
- system, 3
  - components of a, 3
  - continuous, 3
  - discrete, 3
  - environment, 3
  - state, 3

- task, 11
- task precedence graph, 78
- thrashing, 35, 37, 123
- throttling, 35, *see* optimism control
- Time Warp, 28, 30–31, 56, *see* AP-SIS
- time-driven simulation, 7
- timestamp, 21
  
- validation, 2
- virtual environments, 13, 187
- virtual time, 29–30
- virtual time window, 124, 147, *see* optimism control
  
- well-defined, 26
- wide-area networks, 157
- world view, 8
  - activity scanning, 9
  - event scheduling, 8, 56
  - process interaction, 9, 56, 81



