



**UvA-DARE (Digital Academic Repository)**

**Topic driven access to scientific handbooks**

Caracciolo, C.

[Link to publication](#)

*Citation for published version (APA):*

Caracciolo, C. (2008). Topic driven access to scientific handbooks Amsterdam: SIKS

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <http://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

---

## List of Figures

---

1.1	Nested model of information behavior, according to Wilson [1999]. . . . .	2
1.2	A graphical representation of the contents of this thesis. . . . .	6
2.1	Graphical representation of the LoLaLi environment and its components. (a) The topics in focus are shown in the center of the map area together with the associated links to the handbook. A search box is always available while navigating. (b) The text is divided into segments. (c) Segments are linked to topics in the map. . . . .	11
2.2	A medieval representation of the Arbor Scientiae (tree of knowledge) by Ramon Lull. . . . .	16
2.3	A fragment of the ACM classification schema (1998). . . . .	17
3.1	Glosses help distinguish two “senses” of the same topic. . . . .	29
3.2	A fragment of the LoLaLi map. . . . .	31
3.3	(a) First order logic (FOL) and propositional calculus (PC) viewed as sets of formulas. (b) First order logic and propositional calculus as subtopic of logic. . . . .	33
3.4	Two examples of chains of part-of relations in the LoLaLi map. . . . .	34
3.5	Two examples of the relations <code>mathematical result</code> (MR) in the LoLaLi map. . . . .	35
3.6	Multiple parents as multiple classification: the case of operator. . . . .	38
3.7	Logic (1) can be reached from top by more than one path. Different degrees of kinship: logic (1) is connected to both computer science and artificial intelligence. . . . .	39
3.8	Categorical grammar as a framework. Dashed lines stand for relations created by categorical grammar. Solid lines indicate previously known relations. Ellipses group together topics in the same area. . . . .	41

3.9	Hybrid logics in LoLaLi. . . . .	42
3.10	Two mathematical results for context free grammars. . . . .	43
4.1	A screenshot from the Visual Thesaurus centered around the term ‘model.’	52
4.2	A treemap representation of some of the LoLaLi map data. . . . .	53
4.3	An example of cluster map visualization, taken from [ADUNA, 2005].	54
4.4	A snapshot of the interface of the Medical Subject Headings (MeSH). The heading on focus is ‘Myocardial Infarction.’ . . . . .	56
4.5	A snapshot of the LoLaLi interface. . . . .	58
4.6	LoLaLi interface: after clicking on a child topic. . . . .	59
4.7	LoLaLi interface: rollover effect on modal logic. . . . .	59
4.8	LoLaLi interface: search results. . . . .	60
4.9	Logic (1) is a subtopic of artificial intelligence, computer science and linguistics. . . . .	68
4.10	Topics to retrieve for the task on searching: explain the relations among proof theory, logic (1), cut elimination theorem. . . . .	70
5.1	Grouping of blocks by sliding windows in TextTiling. . . . .	89
5.2	Difference between looking at precision and recall of entire segments vs. topic breaks. . . . .	97
6.1	Possible configuration of retrieved segment with respect to the annota- tion for relevance. . . . .	105
6.2	(a) Segment with NoE. (b) Segment with EoE. (c) Segment with LoE.	106